

PASS  
Data Community  
SUMMIT



# Are Snapshots Backups?

**Bob Ward**

He/Him

Principal Architect

Microsoft

**Anthony E. Nocentino**

He/Him

Principal Field Solution Architect

Pure Storage



# Bob Ward



Principal Architect  
Microsoft

 @bobwardms

 bobward@microsoft.com

 <http://aka.ms/bobsql>


# Anthony Nocentino



**Principal Field Solution  
Architect**  
Pure Storage

Specializes in system architecture,  
performance, SQL Server,  
Kubernetes, Containers, Microsoft  
Azure, and VMware

 @nocentino

 [www.nocentino.com](http://www.nocentino.com)

 [github.com/nocentino](https://github.com/nocentino)

**EIGHTKB**



# Session evaluation

Your feedback is important to us

**Evaluate this session at:**

[www.PASSDataCommunitySummit.com/evaluation](http://www.PASSDataCommunitySummit.com/evaluation)



# Agenda

- Anatomy of a full backup
- Anatomy of a T-SQL snapshot
- Use cases
- Is this a backup?
- Best practices for snapshot backups

**Bob...**

**How did we get here?**


# Anatomy of a full database backup

1. Checkpoint

2. Mark that the backup started

3. Database files read sequentially

5. Mark that the backup finished



# Challenges with full backups

Size of data operation

Takes time

Pressure on resources  
CPU/Network/Disk

Impact your workload

Costs

Recovery Time  
Objective (RTO)



# Let's talk about snapshots

- Full, read only representation of the disk or volume
  - **Azure** – point in time, read only copy of a virtual hard disk (VHD)
  - **Storage** devices – point in time, read only representation of a volume
- Reverted to a previous point in time
- Copied / Cloned to provide others access to the data
- Experiment using Trace Flag 3661

# But I've used snapshots before



Slow to execute and long IO stuns			Granularity of restore
Required Third Party Tools	No Point in Time Recovery	Performance Challenges due to Copy on Write	Consistency Issues
Operating System Specific (VSS)	If write ahead logging is followed, you always get a recoverable DB	No Portability	Infrastructure Specific Azure / VMware
<b>Application Consistent</b>	<b>Crash Consistent</b>	<b>Database Snapshots</b>	<b>Vendor Specific Implementation</b>

# Introducing T-SQL Snapshot Backup


- Ability to quiesce the database with no external tools
- SQL Server aware and in complete control
- Snapshot at the storage or service tier
- Unlocks **point in time recovery**
- Instantaneous restore for a FULL database, group or server
- Building and Seeding Availability Groups and Log Shipping
- Enables cross platform scenarios – Windows and Linux
- Its FAST!!! (Especially when compared with VSS)

# Anatomy of a snapshot backup - database

1. Checkpoint

3. Freeze the database and log


2. Mark that the backup started



6. Thaw the database and log

7. Mark that the backup finished

8. Update MSDB



4. Perform a snapshot at the storage layer

5. Write a metadata file

# Snapshot backup - TSQL

Suspend

```
ALTER DATABASE DB1  
SET SUSPEND_FOR_SNAPSHOT_BACKUP = ON
```

Snapshot

Take the storage snapshot – Azure, Storage Array, Hypervisor

Backup



```
BACKUP DATABASE DB1  
TO DISK=DB1.bkm  
WITH METADATA_ONLY,  
MEDIADescription='SNAPSHOT_NAME|SNAPSHOT_LOCATION'
```

Not Required

# The backup metadata file

- Describes what's in the backup
- You must protect it...
  - You do this anyway with your backups
  - If you're using enterprise backup same as protecting your backup catalog
- You can online the databases without it, but you'll lose point in time recovery
- Use the media description to locate your snapshot and name



# Anatomy of a snapshot backup - Group



What about DB2??

- No IO Stun
- Allows granularity of freeze, rather than just volume


# Anatomy of a snapshot backup - Server





# Anatomy of a snapshot backup – Restore!

RESTORE DB1 FROM DISK = 'db1.bkm' WITH METADATA\_ONLY, NO\_RECOVERY



**Let's do a demo**

# **Snapshot backup and Point and Time Recovery**

# Is this backup?

SQL Server 1

SQL Server 2

SQL Server - DR

Database File(s)

Transaction Log

Disk

Disk

Database File(s)

Transaction Log

Disk

Disk

Snapshot 0

Storage Array 1

Database File(s)

Transaction Log

Disk

Disk

Clone

Database File(s)

Transaction Log

Disk

Disk

Snapshot 0

Storage Array 2

Database File(s)

Transaction Log

Disk

Disk

Clone

Database File(s)

Transaction Log

Disk

Disk

Snapshot 0

Storage Array DR

Replicate

Replicate

# Seeding an Availability Group

SQL Server 1

SQL Server 2

SQL Server - DR

Availability Group

Database File(s)

Disk

Transaction Log

Disk

Database File(s)

Disk

Transaction Log

Disk

Snapshot 0

Storage Array 1

Database File(s)

Disk

Transaction Log

Disk

Clone

Database File(s)

Disk

Transaction Log

Disk

Snapshot 0

Storage Array 2

Database File(s)

Disk

Transaction Log

Disk

Clone

Database File(s)

Disk

Transaction Log

Disk

Snapshot 0

Storage Array DR

Replicate

Replicate

**Let's do a demo**

# **Seeding an Availability Group using Snapshot Backup**

# Let's talk best practices

- Don't like that IO stun...perform the snapshot during your normal backup window
- Protect your metadata files
- Replicate snapshots to other physical systems, locations and media types
- Consider using Accelerated Data Recovery
- Snapshot retention = costs
- Data file layout on storage
- User and system databases
- Snapshot only Primary AG replicas

# Are T-SQL-based snapshots backups?

# Review

- Anatomy of a full backup
- Anatomy of a T-SQL snapshot
- Use cases
- Is this a backup?
- Best practices for snapshot backups



# Session evaluation

Your feedback is important to us

**Evaluate this session at:**

[www.PASSDataCommunitySummit.com/evaluation](http://www.PASSDataCommunitySummit.com/evaluation)



# Thank you

 @nocentino

 [www.nocentino.com](http://www.nocentino.com)

 [github.com/nocentino](https://github.com/nocentino)

