



НАЦИОНАЛЬНЫЙ ИССЛЕДОВАТЕЛЬСКИЙ  
УНИВЕРСИТЕТ

Факультет компьютерных наук,  
ОП Программная инженерия

# ПРЕДИКАТИВНЫЙ ВВОД

Выполнили: Чертанов Денис БПИ185  
Сафонов Николай БПИ185  
Калантаев Максим БПИ185

Москва, 2021



# OBJECTIVE FUNCTION

Main metric – **KSPC** metric

**Keystrokes per character (KSPC)** is the number of keystrokes, on average, to generate each character of text in a given language using a given text entry technique

$$KSPC = \frac{\sum (K_w \times F_w)}{\sum (C_w \times F_w)}$$

where  $K_w$  is the number of keystrokes required to enter a word,  
 $C_w$  is the number of characters in the word, and  
 $F_w$  is the frequency of the word in the corpus



# OBJECTIVE FUNCTION

Secondary metric – **Learning Performance (LP)**

**Learning Performance (LP)** is the numerical indicator of the learning rate (based on calculating the similarity of the proposed keyboard with the default)

$$\text{Similarity} = \sum_{i \in \alpha} (|k_{ix} - q_{ix}| + |k_{iy} - q_{iy}|)$$

where  $i$  is a letter in alphabet  $\alpha$ ,  
the set of lowercase letters  
from 'a' to 'z,' and  $k_{ix}$   
and  $q_{ix}$   
are the x-indices of the  $i$  key  
on the given keyboard layout and default



# ALGORITHM



# METRICS

	kspc(exclude space)	kspc	lp(lexicographic order)	lp(qwerty)
baseline-layout.json	1.8306	1.9174	83	37
keyboard_prefix_1.json	1.5011	1.5879	82	132
keyboard_prefix_2.json	1.2876	1.3744	90	116
keyboard_prefix_3.json	1.2703	1.3571	80	122
keyboard_prefix_4.json	1.2653	1.3521	80	134
keyboard_prefix_5.json	1.264	1.3508	80	114
keyboard_prefix_6.json	1.2465	1.3333	72	108
keyboard_prefix_7.json	1.2465	1.3333	68	110
keyboard_prefix_8.json	1.2462	1.333	66	108
keyboard_prefix_9.json	1.2455	1.3323	66	114
keyboard_prefix_10.json	1.2455	1.3323	70	110
keyboard_prefix_11.json	1.2463	1.3331	64	124
keyboard_prefix_12.json	1.2463	1.3331	64	122
keyboard_prefix_13.json	1.2463	1.3331	64	122
keyboard_prefix_14.json	1.2463	1.3331	64	122
keyboard_prefix_15.json	1.2463	1.3331	64	122

keyboard_prefix_15.json	1.2463	1.3331	64	122
keyboard_prefix_16.json	1.2463	1.3331	64	122
keyboard_prefix_17.json	1.2463	1.3331	64	122
keyboard_prefix_18.json	1.2463	1.3331	64	122
keyboard_prefix_19.json	1.2463	1.3331	66	122
keyboard_prefix_20.json	1.2463	1.3331	66	122
keyboard_prefix_21.json	1.2463	1.3331	66	122
keyboard_prefix_22.json	1.2463	1.3331	66	122
keyboard_prefix_23.json	1.2463	1.3331	66	122
keyboard_prefix_24.json	1.2463	1.3331	66	122
keyboard_prefix_25.json	1.2463	1.3331	66	122
keyboard_prefix_26.json	1.2463	1.3331	66	122
keyboard_prefix_27.json	1.2463	1.3331	66	122
keyboard_prefix_28.json	1.2463	1.3331	66	122



# CONCLUSION

Keyboard\_prefix\_10 is the best layout which generate algorithm

```
{
  "s": ["o", "л", "ы", "ш"],
  "d": ["a", "в", "г", "ю"],
  "f": ["e", "к", "б", "ж"],
  "g": ["и", "п", "я", "ц"],
  "h": ["н", "м", "ч", "ф"],
  "j": ["р", "у", "ь", "щ"],
  "k": ["т", "д", "й", "э"],
  "l": ["с", "з", "х", "ъ"]
}
```

	kspc(exclude space)	kspc	lp(lexicographic order)	lp(qwerty)
baseline-layout.json	1.8306	1.9174	83	37
keyboard_prefix_10.json	1.2455	1.3323	70	110



НАЦИОНАЛЬНЫЙ ИССЛЕДОВАТЕЛЬСКИЙ  
УНИВЕРСИТЕТ