



НАЦИОНАЛЬНЫЙ ИССЛЕДОВАТЕЛЬСКИЙ
УНИВЕРСИТЕТ

Факультет компьютерных наук,
ОП Программная инженерия

ПРЕДИКАТИВНЫЙ ВВОД

Выполнили: Чертанов Денис БПИ185
Сафонов Николай БПИ185
Калантаев Максим БПИ185

Москва, 2021



OBJECTIVE FUNCTION

Main metric – **KSPC** metric

Keystrokes per character (KSPC) is the number of keystrokes, on average, to generate each character of text in a given language using a given text entry technique

$$KSPC = \frac{\sum (K_w \times F_w)}{\sum (C_w \times F_w)}$$

where K_w is the number of keystrokes required to enter a word,
 C_w is the number of characters in the word, and
 F_w is the frequency of the word in the corpus



OBJECTIVE FUNCTION

Secondary metric – **Learning Performance (LP)**

Learning Performance (LP) is the numerical indicator of the learning rate (based on calculating the similarity of the proposed keyboard with the default)

$$\text{Similarity} = \sum_{i \in \alpha} (|k_{ix} - q_{ix}| + |k_{iy} - q_{iy}|)$$

where i is a letter in alphabet α ,
the set of lowercase letters
from 'a' to 'я', and k_{ix}
and q_{ix}
are the x-indices of the i key
on the given keyboard layout and default



ALGORITHM



METRICS

	kspc(exclude space)	kspc	lp(lexicographic order)	lp(qwerty)
baseline-layout.json	1.8306	1.9174	83	37
keyboard_prefix_1.json	1.5011	1.5879	82	132
keyboard_prefix_2.json	1.2876	1.3744	90	116
keyboard_prefix_3.json	1.2703	1.3571	80	122
keyboard_prefix_4.json	1.2653	1.3521	80	134
keyboard_prefix_5.json	1.264	1.3508	80	114
keyboard_prefix_6.json	1.2465	1.3333	72	108
keyboard_prefix_7.json	1.2465	1.3333	68	110
keyboard_prefix_8.json	1.2462	1.333	66	108
keyboard_prefix_9.json	1.2455	1.3323	66	114
keyboard_prefix_10.json	1.2455	1.3323	70	110
keyboard_prefix_11.json	1.2463	1.3331	64	124
keyboard_prefix_12.json	1.2463	1.3331	64	122
keyboard_prefix_13.json	1.2463	1.3331	64	122
keyboard_prefix_14.json	1.2463	1.3331	64	122
keyboard_prefix_15.json	1.2463	1.3331	64	122

keyboard_prefix_15.json	1.2463	1.3331	64	122
keyboard_prefix_16.json	1.2463	1.3331	64	122
keyboard_prefix_17.json	1.2463	1.3331	64	122
keyboard_prefix_18.json	1.2463	1.3331	64	122
keyboard_prefix_19.json	1.2463	1.3331	66	122
keyboard_prefix_20.json	1.2463	1.3331	66	122
keyboard_prefix_21.json	1.2463	1.3331	66	122
keyboard_prefix_22.json	1.2463	1.3331	66	122
keyboard_prefix_23.json	1.2463	1.3331	66	122
keyboard_prefix_24.json	1.2463	1.3331	66	122
keyboard_prefix_25.json	1.2463	1.3331	66	122
keyboard_prefix_26.json	1.2463	1.3331	66	122
keyboard_prefix_27.json	1.2463	1.3331	66	122
keyboard_prefix_28.json	1.2463	1.3331	66	122

CONCLUSION

Keyboard_prefix_10 is the best layout which was generated by algorithm

```
{  
  "s": ["o", "л", "ы", "ш"],  
  "d": ["a", "в", "г", "ю"],  
  "f": ["e", "к", "б", "ж"],  
  "g": ["и", "п", "я", "ц"],  
  "h": ["н", "м", "ч", "ф"],  
  "j": ["р", "у", "ь", "щ"],  
  "k": ["т", "д", "й", "э"],  
  "l": ["с", "з", "х", "ъ"]  
}
```

	kspc(exclude space)	kspc	lp(lexicographic order)	lp(qwerty)
baseline-layout.json	1.8306	1.9174	83	37
keyboard_prefix_10.json	1.2455	1.3323	70	110



НАЦИОНАЛЬНЫЙ ИССЛЕДОВАТЕЛЬСКИЙ
УНИВЕРСИТЕТ