

AI DISPATCHER

LOGISTICS INFRASTRUCTURE
WITHOUT BROKERS

THE PROJECT IS PATENTED
12/16/2025 IN PCT / WIPO



The market is broken

A \$940 BILLION INDUSTRY STRUCTURALLY
DEPENDENT ON INTERMEDIARIES



\$ 940 млрд.

US logistics market



70% of cargo is controlled by brokers.


18-40% of margin is lost due to friction.

Fraud and delays are systemic.

WHY THE PROBLEM PERSISTS

THE BROKER LAYER IS STRUCTURALLY SECURED

Sewn into execution




Network lock-in

between
shippers and
carriers



Load boards

They show
applications but
don't provide control



Enforcement

There is no
enforcement
mechanism



OUR INSIGHT

ENFORCEMENT

CHANGING THE LOGISTICS ECONOMICS

LOGISTICS DOESN'T NEED ANOTHER APP

SHE NEEDS CONTROL OF EXECUTION

CONTROL ELIMINATES INTERMEDIARIES

WHAT WE BUILT

INFRASTRUCTURE, NOT A TOOL

ПРЯМОЕ ИСПОЛНЕНИЕ

shipper → carrier

01


No brokers or margin stacking

02

Single source of truth


03

Control of processes at the execution level



WHY ARE SHIPPERS PROMOTING THIS?

savings per shipper per year



Elimination of
brokerage margin

Full transparency
and control

Zero risk
of fraud

WHY CARRIERS ARE JOINING

PER TRUCK PER MONTH

Higher rate
per mile



Route and load
optimization



Reducing
dispatching costs



WHY DOES THIS SCALE

STRUCTURAL GROWTH, NOT MARKETING

BASED ON ECONOMY



Each shipper
increases
liquidity
for carriers




Each carrier
increases
shipper
retention



Enforcement
strengthens
the network

INCOME MODEL. SUBSCRIPTION

ALIGNED WITH THE VALUE CREATED



SaaS subscription
for shippers +
transaction layer



Subscription for
carrier access



No dependence
on margin

INVESTOR REQUEST

SEED ROUND \$3–4 MLN



Completion of MVP



Pilot launch in the US



Scaling up to the
national level

WHY THIS CANNOT BE COPIED

- This is not an idea or an interface.
 - It is an architecture designed at the execution level.
- The logic of flight execution as a system is patented.
 - Patented solutions that did not previously exist on the market.
 - Even future elements are already included in the patent application.
- Any attempt at repetition leads to a patent conflict.
 - Result: reproduction of the architecture is impossible.

HOW DOES THIS WORK

- THE LOAD IS CREATED INSIDE THE PLATFORM.
- THE CARRIER ACCEPT THE FLIGHT DIRECTLY FROM THE SHIPPER.
- THE DRIVER PERFORMS THE FLIGHT USING A CERTIFIED DEVICE.

REAL-TIME SYSTEM:

- CONTROLS THE ROUTE AND TIME.
 - CHECKS HOS AND SAFETY.
 - RECORD THE FACT OF EXECUTION.
 - INITIATS PAYMENT.
-
- FLIGHT OUTSIDE THE SYSTEM CANNOT BE COMPLETED.

CONNECTING PARTICIPANTS

SHIPPER:

- WEB INTERFACE OR API
- INTEGRATION WITH TMS OR STANDALONE
- CONTROL OF EXECUTION AND PAYMENT

CARRIER:

- REGISTRATION AND VERIFICATION
- DIRECT ACCESS TO CARGO

DRIVER:

- CERTIFIED DEVICE
- WORK IN THE NORMAL MODE
- CONNECTION SIMPLIFIES THE CHAIN, NOT COMPLICATES IT.