



REQUEST FOR PROPOSAL
For the Selection of Vendor for Supply, Installation and Support of
Endpoint Security Solution

DEPARTMENT OF TREASURIES
GOVERNMENT OF KERALA

Ref. No. TRY/ 4211 /2024-ISMC-C Dated 23-09-2024

Office of the Director of Treasuries
Pattom. P.O, Thiruvananthapuram 695004

Disclaimer

The information contained in this Request for Proposal (RFP) document or information provided subsequently to Bidder or Applicants whether verbally or in documentary form by or on behalf of Department of Treasuries (DoT), Government of Kerala, is provided to the Bidder on the terms and conditions set out in this RFP document and all other terms and conditions subject to which such information is provided.

This RFP document is not an agreement and is not an offer or invitation by DoT to any parties other than the applicants who are qualified to submit the Bids ("Bidders"). The purpose of this RFP document is to provide Bidder with information to assist the formulation of their proposals. This RFP document does not claim to contain all the information each Bidder may require. Each Bidder should conduct its own investigations and analysis and should check the accuracy, reliability and completeness of the information in this RFP document and where necessary, obtain independent advice. DoT makes no representation or warranty and shall incur no liability under any law, statute, rules or regulations as to the accuracy, reliability or completeness of this RFP document. Director of Treasuries (DoT) may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information in this RFP document.

EndpointSecuritySolution

1. Introduction

The Department of Treasuries (DoT), Government of Kerala desires to implement an Endpoint Security Solution- A Comprehensive Antivirus Solution (AV), Endpoint Detection & Response (EDR) & Extended Detection and Response (XDR) to effectively secure devices like Desktops, Laptops & Servers in the Department. The DoT has a DC Site at State Data Centre-2, and it is equipped with High-End Servers for Application Virtualization and Database for hosting Integrated Financial Management System (IFMS). Being the backbone of the State Government's financial management, IT Infrastructure of DoT must have adequate security controls. Since IT Security is crucial for business continuity, it requires an advanced and best in class Security Solution for Endpoints & Servers which are distributed across Kerala and shall be managed using a single dashboard.

2. Administrative Information

The Director of Treasuries, Thiruvananthapuram, invites competitive e-tenders from SI's, who are authorized partners of reputed OEMs, for the Supply, Installation and Support of an Endpoint Security Solution in DoT.

3. Bidding Guidelines

This tender is an e-Tender and is being published online. The tender is invited from the registered and eligible firms only through e-Procurement portal of Government of India (<https://www.gem.gov.in>). No manual submission of bid is allowed, and manual bids will not be accepted under any circumstances.

4. Scope of Work - Overview

- 4.1 Supply, Installation and Support of Comprehensive End Point Security Solution (Includes AV, EDR & XDR functionalities) – 3500 End points & 50 Servers of DoT, for a period of 5 Years.
- 4.2 Deploy the Solution & Configure as per the deployment architecture mentioned in this RFP.
- 4.3 Submit necessary handing over documents and provide necessary training to IT team of DoT – 4 members at DoT office premises at Thiruvananthapuram.
- 4.4 Deploy a non-site Technical Resource (Payroll Employee of Bidder) for a period of 1 Year (or) more as per DoT instructions (defined in below sections of this RFP) to support the proposed solution.


5. Project Overview

- 5.1 Government of Kerala, Department of Treasuries has 230+ Treasury offices spread across the state. Three (3) of them are Regional Directorates, Twenty-Three (23) of them are District Treasuries and the remaining are Sub Treasuries / Stamp Depot Offices. Computerization of all Treasuries has been completed in June 2004. New Treasuries to be established in future will also starts as computerized Treasuries.
- 5.2 At present Treasury Department envisages to have a latest and most advanced security solution that secures DoT Endpoints & Servers from Advanced Threats & Zero-day vulnerabilities with centralized management capabilities.

6. Details of Solution Requirements and Deliverables.

- 6.1 The proposed solution must be a comprehensive Endpoint Security Solution-ESS (Includes AV, EDR & XDR functionalities) to secure Organization's Endpoints and Servers complying with the requirements mentioned in the RFP. The proposed solution should provide protection, detection, and response capabilities across endpoints and servers.
- 6.2 The proposed solution must support on-premises component to aggregate and manage communications between endpoints/servers and a cloud-based management console. As per the requirement, the endpoints & servers should be connected with on-premises component which in-turn will connect to OEM cloud (Follow Reference Architecture which is shared below). OEM to ensure none of the endpoints and servers of the intranet should directly connect to the cloud. The proposed solution must be able to monitor the up/down status and security posture on the endpoints and servers centrally.

Reference Architecture for Endpoint Security Solution



- 6.3 The proposed solution should have a lightweight agent that includes machine learning, exploit blocking, custom whitelisting and blacklisting, behavioural, attack attribution, and adware blocking, but not limited to mentioned functionalities. Solution must provide the protection to the endpoints whether they are online or offline and must not interfere with business-critical applications and have a low level of resource consumption on the endpoint and servers.
- 6.4 The proposed solution should be able to monitor the security posture on the endpoints and servers. All versions of agents including endpoints and servers should be monitored/ manageable through a single centralized management console only. No 3rd party ESS engines should be part of the solution i.e., other OEM.
- 6.5 The proposed solution should allow Organization to dynamically cap the resource utilization (CPU/Memory) on the endpoints and servers. The WAN bandwidth usage should be minimized especially during business hours of different offices.

- 6.6 The proposed solution will have the regular updates and remediation responses in case of any cyber threats directly from the OEM. Solution deployment and updates (agent, policies, settings, etc..) should be available globally during and outside maintenance windows, and without introducing business downtime to user or workloads.
- 6.7 The proposed solution must be tampered resistant, protecting against attempts to modify the endpoint and server agents.
- 6.8 The proposed solution should be able to provide both real-time scans and scheduled scans (for scanning all the files against newly deployed signatures).
- The proposed solution should,
- 6.8.1 Protect from malicious web downloads, analyse traffic and provide protection to block malicious web downloads before they are loaded into the RAM/Cache/Virtual memory of endpoints.
 - 6.8.2 Have Advanced Machine Learning based Behaviour Anomaly Detection and Remediation.
 - 6.8.3 Protect against zero-day vulnerabilities and memory-based attacks.
 - 6.8.4 Enable the IT team to control the application and external devices connecting to endpoints.
 - 6.8.5 Provide prioritized warnings and alerts for threats, as well as dashboards and reports.
 - 6.8.6 Provide Real-time detection capabilities.
 - 6.8.7 Include centralized and automated tools to provide automated incident response approaches and step-by-step workflows to investigate incidents.
- 6.9 The proposed solution should have the machine learning and the ability to detect and block malicious files without relying on daily/weekly anti-virus or anti-malware definition updates. Solution must have the ability to detect and block bad behaviours exhibited in the MITRE ATT&CK framework.
- 6.10 The proposed solution should block ransomware using Machine Learning and Behavioural techniques before it could create any damage to the system. (e.g file encryption).
- 6.11 The proposed solution should support future readiness to detect/prevent new threats as well as features and modular technology upgradation without any additional cost.
- 6.12 The proposed solution should allow the analyst to quickly assess the incident and allow the endpoint to be quickly isolate for further the incident response.
- 6.13 The proposed OEM solution must be of their latest version, during the implementation.
- 6.14 The proposed solution must not be declared End of Support & Life (EoS) for a period of 7 years from the date of commissioning of the solution. Declaration to be provided along with Bid. In case, OEM declares their product's end of support & life during the contract period, OEM should provide upgraded version of the products without any additional cost to the DOT-KERALA. OEM Declaration to be provided along with Bid.
- 6.15 The OEM would be responsible for replacing and upgrading the out-of-support, out-of-service, end-of-life, undersized, infrastructure elements at no extra cost to the Organization during the entire contract period.
- 6.16 The proposed solution OEM or OEM authorized Training agency to provide on-premises comprehensive instructor led training for 4 nominated members of the organization.
- 6.17 The proposed solution initial requirement will cover Endpoints & Servers both. The bidder to consider licenses for 3500 Endpoints & 50 Servers, for a period of 5 Years.
- 6.18 The proposed solution to be deployed under scope of this RFP, should be complete in all respects. There should not be any deployment dependency on any other third-party solution/ licenses/ tools for implementation of proposed solutions. In case of any such requirement of additional third-party solution/ licenses/ tools is needed for implementation of proposed solution, the same must be clearly factored in the commercial details by the bidder under this RFP and the bidder must supply these third-party solutions/ licenses/ tools.
- 6.19 The OEM to ensure the proposed solution should not require any major changes in Network Architecture / configuration in existing Network or existing device replacement on the part of the Organization.
- 6.20 The proposed solution should be scalable to incorporate Organization's future requirements.
- 6.21 The bidder shall be responsible for preparation of all the documents pertaining to the proposed solution with all components including (but not limited to) the following:

- 6.21.1 Low & High-Level Architecture
- 6.21.2 Installation & Configuration Documents
- 6.21.3 Standard Operating Procedure (SOP) for various activities pertaining to the management and configuration of the proposed solution
- 6.22 The OEM must ensure that all the solution(s) supplied as a part of the RFP are compatible and work along with the applicable existing endpoints and servers. The bidder shall install the endpoint agents on all the in-scope devices in coordination with Organization's personnel / IT team. Following is the summary of present endpoints and servers.
- 6.23 Windows 7 (Approx. 500), Windows 10 and 11(Approx. 1000), Ubuntu 18 & above (Approx. 2000) & RHEL (Approx. 50 including VM's and Physical servers).
- 6.24 DOT-Kerala will provide the required infrastructure (Hardware Configuration, OS & Virtualization platform) to deploy the proposed solution. The bidder shall provide all the required Hardware, Virtualization & OS details to deploy the proposed solution.
- 6.25 DOT-Kerala will facilitate for Centralized deployment tool only for agent deployment as per existing setup capability.
- 6.26 The bidder would be responsible for installation, configuration and technical support to maintain the proposed solution.
- 6.27 The OEM must submit the audit report after the completion of deployment by the bidder. The bidder to co-ordinate with OEM to assist in fixing any gaps in the deployment found out during the audit.
- 6.28 The bidder is responsible for providing the support for proposed Endpoint Security Solution for a period of 12 months by deploying anon-site Technical Resource who is OEM certified and approved by the DOT Kerala. (Resource deployed must be an employee in the Payroll of the Bidder Organization). The remaining 48 months, the support will be via Remote, Web, Email and Telephone and visit the site in case required based on the criticality of the issue. The on-site Technical Resource will work as per the working Hours of organization policy basis for all the activities of Endpoint Security Solution and its infrastructure. Details of Onsite Technical Resource are as follows.
 - 6.28.1 Support the day-to-day operation. Monitor the proposed solution components health and take necessary action in case of any observed issue.
 - 6.28.2 Perform initial analysis for known issues and provide the appropriate recommendations for closure
 - 6.28.3 Perform analysis on the reported incidents, determine the root cause, and recommend the appropriate solution
 - 6.28.4 Periodic and planned update of definitions/patches of all solutions/components/agents and other tools as per applicability
 - 6.28.5 Fine tuning configuration of the security solutions/components as per the organization's requirement
 - 6.28.6 Periodically evaluate the solution configurations and patch levels to ensure that all the agents are securely configured.
 - 6.28.7 Periodically provide reports for all availability and performance parameters along with log of all issues that have been raised and closed/pending for closure. The frequency of these reports would be Weekly, Monthly & Quarterly as per organizations requirement.
- 6.29 The proposed OEM should ensure that sensitive/critical data of the Organization is not stored by the proposed solution. Also, the telemetry data stored (if required) by the proposed solution should not be shared with any third party.
- 6.30 The proposed OEM to ensure the entire solution and its infrastructure are secure, including hardening, encryption for data at rest and data in motion, network security, physical security, and regular assessment tests.
- 6.31 The proposed OEM should be compliant to data localisations guidelines of India for all the OEM scoped services such as Data Lake, Management Console, Sandbox, Logs and Analytics Services.
- 6.32 The proposed OEM solution should be compliant with all the extant regulatory and government guidelines in India including but not limited to RBI Guidelines, CERT-In and NCIIPC.
- 6.33 The proposed OEM to ensure that the telemetry data collected from endpoints and servers should be stored for a minimum 30 days.

- 6.34 The proposed OEM to provide the support throughout the period of the contract via Remote, Web, Email and Telephone. Provided support must meet SLAs as mentioned in service level section. Bidder is required to submit the authorization letter (as per the format in this RFP) for the same as a part of technical bid.
- 6.35 The proposed OEM must provide the dedicated login credentials of OEM's Centralized Support Centre website to raise the technical issues, search knowledgebase and documents. The successful bidder should provide escalation matrix within their organization as well as concerned OEM's.
- 6.36 Bidder and OEMs are advised to submit their bids taking full notice of all the criteria if any, technical specifications, terms and conditions. Organization will not be responsible for any assumptions by the bidder & OEM with respect to sizing and deliverables of the proposed solution. The bidder & OEM is required to provide the solution as per scope and functionalities mentioned in the RFP, with no deviation or conditions. In case the proposed solution is found to be undersized and/or not meeting the Organization's requirements, the bidder & OEM will be responsible to enhance the sizing and deliverables as per Organization's requirement stated in this RFP at no additional cost to the Organization, during the contract period. The proposed solution should meet all the technical criteria mentioned in the RFP.

7. Bidder Eligibility Criteria

The invitation to bid is open to all Bidders who qualify the Eligibility Criteria as given below:

- 7.1 The bidder should be a company registered under the Indian Companies Act 1956 or under proprietorship / partnership firm.
- 7.2 The bidder average turnover should be at least 5 Crores for the latest 3 financial years viz., 2021-22, 2022-23 and 2023-24. In case of MSME (or) Start-up Bidders - relevant valid registration certificate to be submitted for exemption from this Turn-Over criteria, as per the GEM Guidelines.
- 7.3 The bidder should be an Authorized Partner or Reseller with the OEM of the proposed solution. An Authorization letter from OEM in the OEM Letterhead should be submitted by the bidder as per the format in Annexure - V (Enclosed in this Tender document).
- 7.4 The bidder & OEM should not be blacklisted / barred by Government of India / State Govts or any regulatory body in India. Self-declaration (Annexure - IV) to that effect in the company's letter head should be submitted along with the technical bid.
- 7.5 The bidder should have supplied three Endpoint Security Solutions out of which at least one Purchase/work order must be from Government / Public sector organization in India with the value of 50 Lakhs or above in the latest 3 Financial Years, i.e., from FY 2021-22 to as on bid calling date. In case of MSME (or) Start-up Bidders - relevant valid registration certificate to be submitted for exemption from this Experience criteria, as per the GEM Guidelines.
- 7.6 The bidder shall submit valid documentary proof of GST and the details of Income Tax Registration number (PAN). (Bidders shall have to upload supporting documents).
- 7.7 The H1 bidder (as per this Tender evaluation criteria) must perform a Proof of Concept (PoC) successfully in order to receive the Purchase Order, In case of failing to meet the success parameters defined as per DoT, The opportunity would be passed on to the H2 Bidder. All participating bidders to submit an acceptance letter in their letterhead by their authorized signatory. (PoC success parameters & Timelines shall be disclosed only to H1 Bidder).
- 7.8 One set of complete Technical Proposal documents as in the Section 16 of this tender must be submitted physically (Original Documents) in a sealed cover mentioning the bidder name & address – on or before the bid submission due date & time at the following address,

The Director,
Directorate of Treasuries,
Pattom Palace P.O,
Thiruvanthapuram, Kerala- 695004

This is a mandatory condition, and no deviation shall be accepted in terms of documents or timeline.

8. Evaluation Process - QCBS Evaluation Methodology

8.1. Bids shall be evaluated both in terms of 'Quality' as well as 'Quoted Price' i.e. Quality & Cost Based Selection (QCBS) methodology. The weightage for the 'Quality' is 75 (Seventy-Five) and the weightage for the 'Quoted' price is 25 (Twenty-Five).

8.2. The marks allocated against various sub-sections under 'Quality' of Bid shall be as hereunder:

S.No	Category Particulars	Scoring Criteria	Maximum Marks	Documents to be submitted	Remarks
1	The Proposed OEM must have implementations of Similar architecture that of this RFP of at least 10,000 endpoints in Govt Organisations in India directly (or) through any of its authorised partners in the last 3 Years as on RFP date.	3 or more Projects	20	Declaration by proposed OEM in the OEM letterhead along with PO & Work completion certificate by end customer (with contact details)	If the proposed OEM does not fall in any of the scoring Criteria,Zero(0) marks will be considered for the respective category.
		2 Projects	10		
2	The Bidder Proposed OEM should be positioned in past three years (2021-2023) in Gartner Magic Quadrant for End Point Protection Platform	Leader Quadrant (Past 3 consecutive years)	20	Declaration by proposed OEM in the OEM letterhead along with Latest Gartner Report.	If the proposed OEM does not fall in any of the scoring Criteria,Zero(0) marks will be considered for the respective category.
		Leader Quadrant (Past 2 consecutive years)	10		
		Leader Quadrant (Past 1 year)	5		
3	The Bidder Proposed OEM should be positioned in latest 2 reports published by Forrester Wave for Extended Detection and Response	Leaders in 2 Reports	20	Declaration by proposed OEM in the OEM letterhead along with Forrester Wave Report.	If the proposed OEM does not fall in any of the scoring Criteria,Zero(0) marks will be considered for the respective category.
		Leader in 1 Report	10		
4	The Bidder proposed OEM must have Compliance to Technical Specifications as in the Annexure of this Tender document.	100% Compliance needed for all the Technical Specification points	20	Point wise technical compliance along with cross reference URL Links in the letterhead of the proposed OEM to be submitted.	The Bidder shall not be eligible for evaluation - In case of any point is not complied.
5	Proposed OEM presence in India	15 or more years	20	OEM Certificate of Incorporation (or) Company registration copy in India must be submitted for proof.	If the proposed OEM does not fall in any of the scoring Criteria, Zero(0) marks will be considered for the respective category.
		10 or more years	10		
		5 or More years	5		
TOTAL MAXIMUM MARKS			100	Minimum 50 Marks to be secured for qualification.	

8.3. The technical evaluation and the commercial evaluation shall have the weightage of 75% and 25% respectively and this weightage shall be considered for arriving at the successful bidder. The evaluation methodology vis-à-vis the weightages is as under:

- 8.3.1. The vendor needs to achieve a cut – off score of 50 marks in this evaluation stage to be qualified for commercial bid opening. Only those vendors who achieve the specified cut – off scores would be short-listed for Commercial Bid Evaluation.
- 8.3.2. 100% compliance to the technical specifications requirements is mandatory as mentioned in Annexure – VI (B) to qualify in the RFP process.
- 8.3.3. The Technical Proposal will be evaluated for technical suitability and the criteria for evaluation of technical bids as per the Quality Criteria.

8.4. Quality Criteria:

- 8.4.1. Qualified Bids' (meeting the minimum Qualifying Marks of in Quality Criteria) and conforming to the technical specifications, terms and conditions stipulated in the bidding document and considered to be responsive after subjecting to Bid Evaluation Criteria shall be considered for further evaluation as per the Evaluation Criteria given below:
 - 8.4.1.1. Price Bids shall be evaluated taking into account the Price quoted for all services including applicable GST (CGST & SGST / UTGST or IGST).
 - 8.4.1.2. Quoted price must include all liabilities and taxes including statutory liabilities but excluding GST, which shall be quoted separately in the Price Bid format.
 - 8.4.1.3. To ascertain the Inter-se-ranking of the bids, the Quality & Cost Based Selection (QCBS) methodology as mentioned below shall be adopted:
 - 8.4.1.4. An Evaluated Bid Score (B) will be calculated for each bid, which meets the minimum Qualifying marks of 75 (Seventy-Five) in 'Quality' Evaluation Criteria, using the following formula in order to have a comprehensive assessment of the Bid price and the Quality of each bid:

$$B = (C_{low}/C) \times 100 \times X + (T/Thigh) \times 100 \times Y$$

where,

- C = Evaluated Bid Price of the bidder
- C_{low} = The lowest of the evaluated bid prices among the responsive bids
- T = The total marks obtained by the bidder against "Quality" criteria
- Thigh = The highest marks scored against "Quality" criteria Among all responsive bids
- X = 0.25 (The weightage for 'Quoted price' is 25 %)
- Y = 0.75 (The weightage for 'Quality' is 75%)

Note: The Evaluated Bid Score (B) shall be considered up to two decimal places.

- 8.4.1.5. Contract shall be awarded to the bidder with the highest Evaluated Bid Score (B).
- 8.4.1.6. In the event of two or more bids having the same highest Evaluated Bid Score (B), the bid scoring the highest mark against 'Quality' criteria will be recommended for award of contract. Even if there is a tie, PoC & Technical Presentation shall be conducted to decide the preferred Bidder for the awarding the Purchase Order.

9. Technical Criteria

- 9.1. The bidder shall provide a detailed technical solution document along with the bid describing in detail how they plan to achieve the requirements in consultation & supervision of respective OEM as per the industry best practices.
- 9.2. The bidder should provide unpriced detailed Bill of Material (BoM) as per the prescribed format mentioned in Annexure-VIII in the tender document.
- 9.3. The bidder proposed OEM solution must be a comprehensive End-Point Security Solution comprising all the components – AV, EDR & XDR – in a single agent also must be monitored & managed through single Console.
- 9.4. The bidder shall provide the solution from a single OEM only and options are not permitted for 2 different OEM solutions proposed together to meet the Solution requirements, QCBS Criteria and Technical Specifications compliance.
- 9.5. The H1 bidder shall demonstrate Proof of Concept before the Technical Committee in order to get the Confirmed Work Order / Supply Order / Purchase Order.
- 9.6. The H1 bidder should provide a Commitment of single point of contact (Technical Lead) in the company's letterhead till the completion of the entire project.

10. Time Schedule & Delivery

- 10.1 Time is the Essence of Contract. The supply of the solution licenses must be completed within 04 weeks from placement of Purchase Order / Work Order / Supply Order, whichever is earlier, from the buyer. The installation, Configuration & Training must be completed within 08 weeks of supply of solution Licenses.
- 10.2 It must be understood that the supplier has made the proposal after fully considering all such factors, which may have any bearing on the time schedule of the contract, and the buyer shall permit no extension in the schedule whatsoever on these accounts.

11. Documentation

- 11.1 All the documentation shall be provided in English.
- 11.2 Technical write up with detailed Architecture of the entire solution

12. Instructions to the bidders

- 12.1 **Bid submission:** The bidders must submit their bids along with supporting documents, to support their eligibility, as required in this tender document through www.gem.gov.in. No manual submission of bid is allowed, and manual bids will not be accepted under any circumstances.
- 12.2 **Opening of Technical Bid and Bidder short listing:** The technical bids will be opened, evaluated and short listed as per the eligibility and technical qualification. All documents in support of technical qualification shall be submitted online. Failure to submit the documents online will result in disqualification. Bids short-listed by this process will be taken up for opening the financial bid.
- 12.3 **Opening of Financial Bids:** Bids of the qualified bidders as per the evaluation methodology section-VIII shall only be considered for opening and evaluation of the financial bid. The Bidder with the Highest score (H1) as per QCBS evaluation will be declared as successful bidder.

13. Period of validity of tender (bid)

- 13.1 The Tender (Bid) shall remain valid for a period of 180 days from the date of submission. The bidder shall not be entitled to revoke or cancel the offer or to vary any term thereof, during the valid period of validity.
- 13.2 If there is any delay in finalization of the tender due to unforeseen factors, all the bidders shall be asked to extend the validity for an appropriate period, specifying a date by which tender is expected to be finalized. The request and the responses thereto shall be made in writing. The tender process will not be vitiated if any tenderer declines to extend the offer as requested for.

14. Payment Terms

14.1 No advance payments will be made.

14.2 75% Payment will be made as per DOT KERALA standard terms within 45 days of receipt of invoice and with the following supporting documents.

14.2.1 Supply of 3500 no's End point & 50 no's Server – License document in the name of DoT, Kerala.

14.2.2 Successful installation, and commissioning of the supplied solution – Project completion certificate duly signed by IT Team DOT, Kerala.

14.2.3 OEM validation of the implementation by the bidder in OEM letterhead.

14.2.4 Completion of Training to DOT staff.

14.2.5 Deployment of On-Premises Support Resource at DOT site.

14.2.6 Documentation submission – SOP, Architecture, Escalation Matrix etc.

14.2.7 Submission of Bills (Invoices) in Triplicate.

14.2.8 Submission of duly acknowledged Delivery Chalan Copies and installation certificates.

14.3 Balance 25% payment shall be released in equal instalments as “Quarterly Payment” over a period of 5 years, every quarter end (in 20 Quarters), from the date of successful implementation - against the Quarterly report after deducting SLA penalties pertaining to that Quarter.

15. Service Levels Assurance (SLA)

15.1 Services Uptime (Incident and Response) SLA

Bidder must ensure that solution meets the agreed business requirement. In case of services failure, Bidder may be liable for penalties and DOT KERALA may also be entitled to terminate the contract without any liability or obligation. Successful bidder should stick to the following turnaround time:

S.No.	Severity	Severity Level	SLA Metric = Initial Response time	Mitigation / resolution time	Penalty
1	High	P1	30 Minutes	6 Working Hours	1% of the Quarterly Payment value; any delay beyond that – 0.75% for every Hour until 24 Hours. Beyond 24 Hours – 1% every day until a maximum of 10% of Quarterly payment.
2	Medium	P2	60 Minutes	10 Working Hours	0.75% of the Quarterly Payment value; any delay beyond that – 0.5% for every Hour until 24 Hours. Beyond 24 Hours – 1% every day until a maximum of 10% of Quarterly Payment beyond which the contract shall be cancelled.
3	Low	P3	120 minutes	24 Working hours	0.5% of the Quarterly Payment value; any delay beyond that – 0.25% for every Hour until 48 Hours. Beyond 48 Hours – 1% every day until a maximum of 10% of Quarterly payment.

The Severity Levels are categorised as below:

Severity	Severity Level	Details
High	P1	Active, severe threats that pose immediate risk to critical infrastructure or data.
Medium	P2	Serious threats that could impact the system but do not require immediate response. Known vulnerabilities or incidents that may lead to potential security risks.
Low	P3	General inquiries, small bugs, or non-urgent security issues.

15.2 Static SLA's

Periodic Reports	Weekly Reports: First working day of week by 12 PM, Monthly Reports: 5th of Each Month. Quarterly Report with SLA& Penalty Calculation: Last Day of Every Quarter completion.	• Per Instance: 0.5% of Quarterly Payment • Consecutive 2 Times: 2% of Quarterly Payment • Consecutive 3 Times: 5% Quarterly payment. • More Than 3 times: 10% of Quarterly payment.
------------------	--	---

In case of the bidder penalised at highest penalty structure (10% of quarterly payment value) for 3 consecutive quarters, The DoT may consider immediate cancellation of the contract and the remaining payment for the contract will be forfeited. The support for the remaining contract period will be the responsibility of the OEM.

16. Technical Proposal

Technical Proposal shall contain the scanned copies of the following documents duly signed by the authorized signatory with office seal and every bidder must upload the documents in pdf format. All the copies of certificates, documentary proofs, work orders, etc. should be uploaded. The Department doesn't take any responsibility for any technical problem or failure that has taken place at the time of document uploading.

- 16.1 Technical Bid format as per **Annexure-I**.
- 16.2 Agreement in Kerala Government Stamp Paper worth Rs.200/- as per the format prescribed in **Annexure-II**
- 16.3 Company Profile as per **Annexure - III**
- 16.4 Power of Attorney letter - Authorizing letter to authorize a person who can sign the bid and to do all future correspondence. Authorization should be vetted by Notary.
- 16.5 Certified copy of "Partnership Deed" or "Certificate incorporation/commencement of business".
- 16.6 Certified copy of GST registration certificate.
- 16.7 Certified copy of PAN Card
- 16.8 Bidder & OEM - Self-declaration regarding not being blacklisted as per **Annexure – IV**, in the company letterhead respectively.
- 16.9 OEM authorization as per Annexure-V
- 16.10 Compliance matrix for Technical Criteria, Technical Specifications & QCBS as per Annexure VI (A), VI (B) and VI(C); along with all the necessary supporting documents.
- 16.11 Compliance letter to Solution Requirement & Deliverables – Section 6 – Bidder & OEM.
- 16.12 Copies of Purchase Orders (PO) and corresponding Installation/work completion Certificates. Annexure–VII
- 16.13 Unpriced BoM as per Annexure – VIII
- 16.14 One set of physical copy (Original Document) of all the above documents to be submitted at DOT, Kerala– on or before the Bid submission due date & Time.

17. Disqualifications

Any form of canvassing/lobbying/influence/query regarding shortlisting, status etc. will result in disqualification.

18. Charges Terms

By submitting the bid, the bidder will be deemed to have accepted all the terms and conditions mentioned in the RFP document and the rates quoted by the Bidder will be adequate to complete such work according to the specifications and conditions attached thereto and the Consultant has taken into account all conditions and difficulties that may be encountered during the period of assignment and to have quoted all the commercial rates, which shall include agreed price/contract amount with taxes, royalties, GST and other duties and all other facilities and services necessary for proper completion of the assignment, except such as may be otherwise provided in the contract document for completion of the assignment. The service tax would be paid by the DoT at actuals.

The TDS amount on prevailing rate and work contract tax etc. shall be deducted from selected Bidders running account/final bills. Necessary certificates shall be issued to the selected Bidder by the DoT

All taxes, levies, cess and duties in respect of this contract except service tax shall be payable by the selected Bidder and the DoT will not be liable for any claim whatsoever in this respect during the period of contract. Service tax payable on the payment of contract amount will be borne by the DoT.

19. Right to Reject Bids

The DoT reserves the absolute and unconditional right to reject the response to this RFP if it is not in accordance with its requirements and no further correspondence will be entertained by the DoT in the matter. The bid is liable to be rejected if;

- 19.1 It is not in conformity with any of the instructions, terms and conditions mentioned in this RFP document.
- 19.2 It is not accompanied by the requisite tender fee and EMD; unless EMD exemption request letter with MSME (or) Start-Up registration certificate is submitted.
- 19.3 Any document (any Annexure) not submitted as listed in the Technical proposal of this RFP
- 19.4 It is not properly/duly signed.
- 19.5 It is incomplete including non-furnishing the required documents.
- 19.6 It is evasive or contains incorrect information.
- 19.7 There is canvassing of any kind.
- 19.8 It is submitted anywhere other than the GeM-Tender portal mentioned in the RFP.

20. Applicable law and jurisdiction of court

The contract with the selected Bidder shall be governed in accordance with the laws of India for the time being in force and will be subject to the exclusive jurisdiction of courts within Thiruvananthapuram, Kerala.

21. Force Majeure

Any failure or delay by selected Bidder or DoT in the performance of its obligations, to the extent due to any failure or delay caused by fire, flood, earthquake or similar elements of nature, or acts of God, war, terrorism, riots, civil disorders, rebellions or revolutions, acts of governmental authorities or other events beyond the reasonable control of non-performing party, is not a default or a ground for termination. The affected party shall notify the other party of the occurrence of a Force Majeure Event forthwith.

22. Authorized Signatory

The selected Bidder shall indicate the authorized signatories who can discuss and correspond with the DoT, with regard to the obligations under the contract. The selected Bidder shall submit at the time of signing the contract, a certified copy of the resolution of their Board, authenticated by Company Secretary/Director, authorizing an official or officials of the company or a Power of Attorney to discuss, sign agreements/contracts with the DoT. The selected Bidder shall furnish proof of identification for above purposes as required by the DoT.

23. Indemnity

The selected Bidder shall indemnify DoT and keep the DoT indemnified for any loss or damage, cost or consequences that DoT may sustain, suffer or incur on account of violation of intellectual property rights of third party by the selected Bidder. The selected Bidder shall always remain liable to the DoT for any losses suffered by the DoT due to any technical error or negligence or fault on the part of the selected Bidder, and the selected Bidder also shall indemnify the DoT for the same.

24. Ownership of deliverables

All the deliverables as per scope of this RFP will become the property of the DoT.

ANNEXURES

Director of Treasuries

Annexure - I - Technical Bid Format

Particulars to be provided by the Bidder in the technical proposal

SL No	Particulars	Bidder to furnish details	Reference page number of relevant document in Tender response
1.	Technical Bid Format	As per Annexure - I	
2.	Agreement on Kerala Govt Stamp paper of Rs.200	As per Annexure- II	
3.	Company profile	As per Annexure-III	
4.	The Bidders should authorize a person who can sign the bid and do all future correspondence. Power Attorney - Power of Attorney letter should be vetted by Notary) OR Authorization Letter - Authorizing letter to authorize a person who can sign the bid and to do all future correspondence.	Original Document	
5.	Certified copy of "Partnership Deed "or "Certificate of incorporation/commencement of business" should be submitted. For entities other than partnership firm and limited company, other relevant documents to be submitted.	Certificate Copy	
6.	Certified copy of GST registration certificate.	Certificate Copy	
7.	Certified copy of PAN Card	Certificate Copy	
9.	The bidder average turnover should be at least 5 Crores for the latest 3 financial years viz., 2021-22, 2022-23 and 2023-24. In case of MSME (or) Start-up Bidders - relevant valid registration certificate to be submitted for exemption from this Turnover criteria, As per the GEM Guidelines.	Turnover Certificate in CA letterhead along with Financial Documents filed. In case of MSME (or) Start-up bidder – Valid Registration certificate.	
10.	The bidder & OEM should not be blacklisted /barred by Government of India / State Govts. Or any regulatory body in India	Self-declaration (Annexure – IV)	
11.	The bidder should be authorised partner of OEMs	OEM authorization (Annexure-V)	
12.	a) Compliance matrix for Pre-Qualification /Eligibility Criteria b) Technical Specification c) QCBS Quality Criteria.	Annexure – VI (A) & VI (B) & VI (C)	
13.	Bidders should have executed 3 similar End Point Protection Solutions Work Orders out of which at least One work order should be from Government / PSU for a value of not less than 50 Lakhs across India. In case of MSME (or) Start-up Bidders - relevant valid registration certificate to be submitted for exemption from this Experience criteria, As per the GEM Guidelines.	Summary of workorders as per Annexure - VII Purchase Orders (PO)Corresponding Installation / work completion Certificates along with contact details of end customer.In case of MSME (or) Start-up bidder – Valid Registration certificate.	
14.	The bidder should provide unpriced detailed bill of material (Quoted Items)	Unpriced BoM as per Annexure - VIII	

15.	The bidder shall provide a detailed technical solution along with the bid describing in detail how they plan to achieve the requirements	Technical Solution Document	
16.	Hardware requirement: Even though supply of hardware is not in the scope of this RFP, bidder shall provide all the Hardware (Server / VM), Virtualization & OS details to deploy the proposed solution.	The Details should also accompany configuration / sizing information.	

Note: The Bidder should provide documentary proofs as prescribed there against.

Declaration:

1. All the details mentioned by us are true and correct and if the DoT observes any misrepresentation of facts on any matter at any stage, DoT has the absolute right to reject the proposal and disqualify us from the selection process.
2. We confirm that this response, for the purpose of short-listing, is valid for a period of six months from the date of expiry of the last date for submission of bid

Place:

Date:

Seal & Signature of the Authorized Person

Annexure - II - Agreement

(To be submitted on Kerala Government Stamp Paper of Rs.200/-)

Articles of agreement executed on this the day ofbetween the Governor of Kerala (hereinafter referred to as "the Government") of the one part and Shri.....(H.E. name and address of the tenderer) (hereinafter referred to as "the bounden") of the other part.

WHEREAS in response to the Notification No..... dated the bounden has submitted to the Government a tender for the specification therein subject to the terms and conditions contained in the said tender;

WHEREAS the bounden has also deposited with the Government a sum of Rs..... as earnest money for execution of an agreement undertaking the due fulfilment of the contract in case his tender is accepted by the Government.

NOW THESE PRESENTS WITNESS and it is hereby mutually agreed as follows:

1. In case the tender submitted by the bounden is accepted by the Government and the contract for is awarded to the bounden, the bounden shall withindays of acceptance of his tender execute an agreement with the Government incorporating all the terms and conditions under which the Government accepts his tender.
2. In case the bounden fails to execute the agreement as aforesaid incorporating the terms and conditions governing the contract, the Government shall have power and authority to recover from the bounden any loss or damage caused to the Government by such breach as may be determined by the Government by appropriating the earnest money deposited by the bounden and if the earnest money is found to be inadequate the deficit amount may be recovered from the bounden and his properties movable and immovable in the manner hereinafter contained.
3. All sums found due to the Government under or by virtue of this agreement shall be recoverable from the bounden and his properties movable and immovable under the provisions of the Revenue Recovery Act for the time being in force as though such sums are arrears of land revenue and in such other manner as the Government may deem fit.

In witness whereof Shri..... (H.E. name and designation) for and on behalf of the Governor of Kerala and Shri. Bounden have hereunto set their hands the day and year shown against their respective signatures.

Signed by Shri. (date).....

In the presence of witnesses:

Signed by Shri. (date).....

In the presence of witnesses:

1.....

2.....

Annexure - III - Company Profile

S.No	Required Information	Details
1	Name of the Bidder	
	The registered name of the bidding company Business address for correspondence	
	Status of the Company (Public Ltd/ Private. Ltd)	
2	Website	
3	Details of registration of the Company	
4	Valid GST Registration Number	
5	Permanent Account Number (PAN)	
6	Name & Designation of the contact person to whom all references shall be made regarding this tender (Details of person as per Bidder Authorization)	
	Phone No	
	Email	
	Fax No. (with STD code)	
7	Registered Office Address	
8	Location	
9	City and Pin code	
10	Landline	
	Mobile No	
	Email Address	
11	Address for Correspondence: (if different from above)	
12	Annual Turn Over	2021-22: Rs.
		2022-23: Rs.
		2023-24: Rs.
13	In case of MSME (or) Start-Up Bidders – Valid MSME Registration Certificate (or) Valid Start-up India registration certificate respectively.	

Place:

Date:

Seal & Signature of the Authorized Person

Annexure - IV - Self Declaration

I hereby confirm and declare that my/our firm/company M/s.....
..... and the OEM of items quoted are not under a
declaration of ineligibility for corruption or fraudulent practices or blacklisted /delisted or
debarred or on Holiday list with any company of Private/Public Ltd. Or Government
Company/Govt. dept. from participating in the tender as on date.

Place:

Date:

Seal & Signature of the Authorized Person

Annexure - V - OEM Authorization

To
The Director of Treasuries
Directorate of Treasuries,
Pattom Palace P.O,
Thiruvananthapuram,
Kerala 695004

Subject: Manufacturer Authorization Form for Tender Ref# (Tender reference Number)

Dear Sir / Madam,

We, **<OEM/Manufacturer name>**, having our registered office at **<OEM/Manufacturer Address>** are a reputable manufacturer of **<OEM/Manufacturer Product Line offered>**.

We hereby confirm that **<Bidder Name>** with the registered address at **<Bidder Address>** is our registered partner and we hereby authorize **<Bidder Name>** to participate and execute the order for subject tender on behalf of **<OEM/Manufacturer name>**

Our full support is extended to them in all respects for Supply, Installation & Maintenance of our products. We also ensure to provide Back-to-Back service support for the supplied solution as per the RFP terms & conditions during the entire warranty period of 5 years from the date of Supply / Installation of the solution.

We also undertake that in case of default in execution of this project tender by the **<Bidder Name>**, the **<OEM/Manufacturer Name>** will take all necessary steps for successful execution of this project as per tender requirements.

Thanking You,
For **<OEM/Manufacturer Name>**
<Authorized Signatory>
Name:
Designation:

Note: This letter of Authorization should be on the Letterhead of the Manufacturer by the OEM Authorized Signatory only.

Place:

Date:

Seal & Signature of the Authorized Person

Annexure - VI (A) - Compliance statement of Technical Criteria

S No.	Criteria	Compliance (Yes/No)	Deviations if any
1	License as per work order should be supplied within 4 weeks from the date of Work order / Supply Order / Purchase Order.		
2	The bidder should provide unpriced detailed bill of material (Quoted Items)		
3	The Bidder shall provide a detailed technical solution along with the bid describing in detail how they plan to achieve the requirements		
4	The Bidder proposed OEM solution must be a comprehensive End-Point Security solution comprising all the components – Anti-Virus, EDR & XDR – in a single agent also must be monitored & managed through single Console.		
5	The bidder and the proposed OEM must submit compliance to their respective solution requirement points, in section 6 of this RFP in their company letterhead respectively.		
6	The Bidder shall provide the solution from a single OEM only and options are not permitted for 2 different OEM solutions proposed together to meet the Solution requirements, QCBS Criteria and Technical Specifications compliance.		
7	The H1 Bidder must perform a Proof of Concept (PoC) successfully to receive the Purchase Order, in case of failing to meet the Technical Specifications and functionalities defined as per DoT, the opportunity would be passed on to the H2 Bidder. All participating bidders to submit an acceptance letter in their letterhead by their authorized signatory.		
8	All Pages of this Tender Document to be sealed & Signed by Authorized Signatory – as an acceptance of every section of this Tender.		

Place:

Date:

Seal & Signature of the Authorized Person

Annexure - VI (B) - Compliance Statement of Technical Specifications

S.N	Technical Functionalities requirements Endpoint Security Solution	Compliance	Cross Reference
		(Yes/No)	
1	The proposed Endpoint Security Solution,		
	i) must deliver a wide range of prevention, detection and response capability across Endpoint and Servers. It should enhance the visibility effectively and efficiently to identify low and slow attacks.		
	ii) must provide effective security against modern / sophisticated /advance attacks and help in reducing investigation time by collating all key evidence / artifacts from all layers at single pane of visibility.		
2	The proposed solution,		
	i) should support a on-premises component/server to aggregate and manage communications between endpoints/servers and a cloud-based management console. No endpoint and server of the intranet should directly connect to the cloud.		
	ii) should have the feature set that combines the protection capabilities like BUT NOT LIMITED TO Malware, Ransomware, Browser exploit, Anti-Exploit, Application control, Device control that offer a comprehensive unified line of defence for endpoints and servers through a single, lightweight agent designed for protection, detection, and response with minimal /no impact on performance of the endpoints and servers as well as minimal bandwidth requirements for communication with the on-premise server.		
	iii) should provide an option for the administrator to pick and choose the protection modules/critical components they want for the endpoints based on the system type and environment.		
	iv) should have a single console for policy management of all the proposed functionalities.		
3	The proposed solution,		
	i) should identify and protect assets from known and unknown threats including but not limited to malware, virus, trojan, ransomware, file-based, file less attack, and zero-day attacks at all times. Further, response action should be available to remediate the threats in real-time. It should protect from all kinds of malicious threat actor.		
	ii) binaries / updates from the OEM that are downloaded and distributed must be signed and signature verified during runtime for enhanced security.		
	iii) should have application whitelisting / blacklisting functionality to control execution of unauthorized or malicious applications in the environment.		
	iv) must have an option to trust the process, applications and exclude from the scan engines		
4	The proposed solution,		
	i) should specify directories and file extensions not to be scanned		
	ii) should support device control and should allow to Monitor, Block or make the device Read-Only along with the option of providing exceptions		
	iii) host-based firewall module must filter traffic by defining security levels and create exceptions with granularity.		
	iv) should have the capability to monitor file operations such as create, read, rename, delete & write etc.		
5	The proposed solution must have Pre-execution intelligence of extracting file features and run-time analysis of file/process		

	behaviour to identify threats.		
6	The proposed solution should have Integrity Monitoring module to monitor file changes for critical servers. This module should be capable of monitoring critical operating system and application elements files, directories, registry keys to detect suspicious behaviour, such as modifications, or changes in ownership or permissions.		
7	The proposed solution,		
	i) must have Ransomware Protection feature with documents to be protected from unauthorized encryption or modification.		
	ii) should support a feature to automatically backup of ransomware infected files locally and restore the same.		
	iii) should be able to block processes commonly associated with ransomware		
	iv) must be able to auto-quarantine malware or ransomware without end-user interaction. The administrator should be able to restore an endpoint back from quarantine using central management.		
	v) must be able to identify communication over HTTP/HTTPS protocols.		
	vi) must be able to detect/prevention communications to Global C&C's.		
8	The proposed solution,		
	i) should provide vulnerability assessment and prioritization functionality for real-time visibility into vulnerability exposure and current patch levels across endpoints and servers.		
	ii) must have Vulnerability Protection feature which can not only give visibility on vulnerabilities, but it should also have rules to those vulnerabilities targeting and assign CVE ID, CVSS score mapping to the rules to reduce risk exposure due to missing patches		
	iii) must have the feature of Automatically shielding/patching vulnerable systems that are awaiting a security patch		
	iv) should be capable of monitoring critical OS elements (files, directories, and registry keys) to detect suspicious behaviour, such as modifications, or changes in ownership or permissions.		
9	The proposed solution,		
	i) should have single central web-based management console which provide the visibility into the security state and health of all the endpoints and servers. Real-time actions to help that defences are installed, running, correctly configured, and up to date.		
	ii) should have a Central management console which provides actionable reports like top malware, by category, by infected machines, by risk priority etc		
	iii) should be able to monitor and protect endpoints from threats regardless of their location like on-premises, roaming and remote.		
	iv) should ensure security policy enforcement by integrating and centralizing installation, deployment, management & updating.		
	v) should have AI/ML capabilities & predefined, customizable behaviour-based detection and response capabilities rules to detect cyber threats in real-time and take immediate remedial action.		
	vi) should not only be relying on AI/ML and Behaviour based for prevention.		
10	The proposed solution,		

	i) should detect attack techniques across the entire attack lifecycle, including discovery, lateral movement, command and control, and exfiltration.		
	ii) should provide real time intelligence to detect newer threats.		
	iii) should have the Intuitive incident view and proper tagging of MITRE ATT&CK techniques in alerts, detection rules, custom rules, and key incident information. In addition, solution should have coverage of attack techniques across the attack lifecycle including discovery, lateral movement, C&C and exfiltration, but not limited to.		
	iv) should be able to update definitions without a need for reboot or stopping of services on servers		
	v) should have local user management without the need of an Active directory, system, and application information, and it should also provide operating system-based visibility for Windows, MAC, Linux.		
11	The proposed solution,		
	i) should allow the admin to remove endpoints from centralized console without requirement of third-party utility to ease the administration activities.		
	n) should have ability to perform the remote task such as Generate support file, Uninstall the agent, Initiate the health check request and check the operational status of agent.		
	ii) detect & prevent Identity Theft Attacks such Compromised Credentials, Session Hijacking etc.		
	iii) should automate the day-to-day activities such as Send email, Alert and Incident Management alert status, Endpoint response, Run endpoint script and Run malware scan, etc.		
	iv) must have no dependency on signature-based solution for the IOC Detection (Malware & Methodology TTP's), Intelligence feed integration, Custom IOC creation, Triaging an alert, Containment/Isolation of a threat/machine, Tracking compromised user activity, Investigating lateral movement, Investigating suspected rootkits & backdoors.		
12	The proposed solution,		
	i) should have a single platform for protecting all recent Windows Client OS's(10, 11) , including Windows Server (2016,2019 and above),Mac OS X versions, all major Linux (Ubuntu 18 and above, Red hat 5 and above) distributions.		
	ii) must have unified agent for detection, prevention, response and forensics and it must be lightweighted		
	iii) should utilize minimum system resources with all services enabled		
	iv) agent installation size should be minimal		
	v) should have the ability to push agent updates from the management console		
	vi) agents upgrade process must be completely invisible to end users.		
13	The proposed solution,		
	i) should support automated agent upgrades, Granular control of agent controls and notifications, including tray icon visibility, custom end user notifications.		
	ii) installation, policy management and reporting should be handled by an integrated endpoint agent on the client.		
	iii) should provide endpoint agent self-protection to ensure no tampering / unauthorized modifications and should have password protection to disable configuration changes / uninstallation in an unauthorized manner.		

	iv) must provide tamper protection such as prevent agent services or processes from being terminated by administrators or power users.		
	v)The solution must support to configure advance access permission like read only, write/Modify access		
14	The proposed solution,		
	i) shall provide feature to generate, schedule, and view reports based on various parameters captured / stored. Out of the box reports should also be available.		
	ii) should provide actionable reports in format like CSV, HTML, XML, PDF to deliver reports		
	iii) must support customizable dashboard widgets.		
15	The proposed solution,		
	i) should support Single sign-on (SSO) and multifactor authentication (MFA) for management		
	ii) should support Role-based access control (RBAC) for granular permissions		
16	The proposed solution,		
	i) should scan files and identifies infections based on behavioural characteristic of viruses		
	ii) should scan files as they are opened, executed, or closed, allowing immediate detection and treatment of viruses		
	iii) should enable choice of action agent should take upon detection of virus: isolate machine, quarantine host, delete file, add hash to block list etc.		
	iv) should provide in-built and custom intelligence to search environment for indicators of compromise		
17	The Proposed solution,		
	i) should enable querying of log data from endpoints and server.		
	ii) should have direct OEM 24x7x365 Support with 30 Minutes response time for P1 tickets.		
	iii) should be proposed with Support directly from the OEM. The same should be certified by OEM with relevant documents		
	iv) should provide a single point of contact for account management and escalation		
	v) should collect product and system information directly from centralised console to assist support in diagnosing issues		
	vi) should provide a service which delivers the latest product information by email — patch and upgrade notification; and critical alerts that require immediate attention.		
18	The Proposed solution,		
	i) OEM to ensure to telemetry data collected from endpoints and servers should be stored by the proposed solution online for a rolling period of minimum 30 days and incidents / alerts information with supporting logs / forensics data should be stored for a rolling period of at least 90 days		
	ii) should provide minimum 90 days of retention for audit logs of administrative activity. Should provide the functionality of logging and full audit-trail capabilities for all actions in system.		
	iii) must support High availability and must have multiple availability zones in same datacentre. The platform shall offer 99.9% Service Availability.		
19	The proposed solution		
	i) should have the ability to collect the information related to user, Devices, Process, File, Registry, System Events for analytics		

	ii) should feature automated stitching of endpoint, servers and network alerts and events.		
	iii) should have automatic aggregation of relevant IP or hash information, including threat intelligence, events, and related incidents in a single view to simplify investigations		
	iv) agent must record real-time events of at least process start and end events, DNS lookups, Network connections, URL accesses, Image loads, IP address changes, Registry accesses, File writes and should also perform automatic alert data collections for forensic analysts to investigate endpoint detections		
20	The proposed solution		
	i) must have inbuilt depiction of graphical execution while representing detected Alerts for a better visibility to analysts while responding to threat alerts. The proposed solution should include visualization of the chains of execution leading up to an alert.		
	ii) should have pre-defined scripts to allow analysts of all experience levels to easily collect data and investigate and respond to threats & option of using custom python scripts across multiple endpoints simultaneously on Windows, macOS, and Linux		
	iii) should Support Realtime monitoring and should be able to detect and clean malware even if it is stagnant and not executing		
21	The proposed solution,		
	i) should have the investigative visibility into all traces of activity on any endpoint, servers suspected of being compromised.		
	ii) should replay the entire timeline of an advanced attack.		
	iii) should help analysts in reducing their investigation time by collating all relevant information from all layers like endpoint and server etc., in a single incident, all relevant alerts should be grouped, and artifacts & associated objects with their reputation should be part of same incident		
22	The proposed solution,		
	i) must provide functionality for collection of forensics artifacts from the endpoints and servers.		
	ii) must provide live query to the endpoints and servers to assist forensics investigations.		
	iii) should provide incident management functionality like adding comments on the incident, change status of incidents like Open, Closed, etc.		
	iv) must have capability for administrators to remotely connect to endpoints and execute commands centrally without a need to have physical access to compromised machine. The access must be provided over secure channels to communicate with endpoints.		
23	The proposed solution,		
	i) shall be able to provide real-time prevention against exploits of application vulnerabilities by blocking through core exploit techniques.		
	ii) should support various exploit prevention techniques such as Buffer Overflow, etc.		
	iii) shall provide protection against exploits including MacOS, Windows, Linux flavours.		
	iv) shall automatically submit unknown files to sandbox without the need of administrator intervention.		
	v) shall provide inbuilt sandbox capability without relying on a separate sandbox solution		
24	The proposed solution,		

	i) should be able to map the global intelligence from their own cloud with the local intelligence collected from endpoint solution proposed.		
	ii) should provide real time cloud-based intelligence to detect newer threats.		
	iii) should have Out-of-the box integration with one or more threat intelligence services for threat intelligence tags and additional context on key artifacts		
	iv) should have Threat hunting/searching capabilities across all agents to search, proactively Hunt & gather evidence of advanced intrusions including suspicious & malicious activity and not just malware only.		
	v) should be able to determine file execution decisions with rule-based logic based on endpoint context (file, process, and environmental attributes) blended with collective threat intelligence.		
25	The Proposed solution,		
	i) should have Incident data search and investigations functionalities to Search historic and live systems for indicators		
	ii) should have Alert triage or suspicious activity validation for Workflow & orchestrated Integration to and from EDR and external file/indicator validation services		
	iii) should have Suspicious activity detection to Automated threat intelligence- based match and malicious behaviour detection		
	iv) should have the Threat hunting or data exploration to Link entities investigated across different systems and additional visualizations		
26	The Proposed solution,		
	i) should provide Incident Live Forensics for Root cause Analysis, Forensic Acquisition, Incident Investigation at scale.		
	ii) should help analyst to manually add IoCs such as File Hashes, IP Addresses, Domains, and URLs as part of the custom intelligence.		
	iii) should allow the creation of custom detection models and custom event filters that define the events the model uses to trigger alerts.		
27	The proposed solution,		
	i) shall have GUI based remote task manager response capabilities such as File hash Information collection, Termination of the service, Download of binary		
	Addition of hash value to block list, Delete the file and Send the hash to get the verdict (TI integration) ,etc.		
	ii) shall have the capability to do enterprise-wide search and destroy across multiple endpoints with single search.		
	iii) shall support the collection of forensic data using the same EDR agent without making any changes in the system (Endpoint Machine) configuration.		
	iv) shall support automatic collection of forensic information from windows machine for further investigation purposes		
28	The proposed solution,		
	a) must provide the ability to automatically capture record and analyse wide array of endpoint parameters, behaviour, execution, and subsequent events in order to assess system operations and enable threat hunting and incident forensic activities.		
	b) should be capable of capturing the below information.		
	i) Registry: Record full registry strings and modified registry string		

	ii) User Activity: Any user account changes roles, add/delete password account activities, process that tried to enumerate/query, set or change detailed information on user account, PowerShell activities, scripted communication, encoded traffic etc		
	iii) Activity: Investigation of threat's activities which helps administrators re-construct the events of the security incident from start to end without relying on any 3rd party component		
	iv) Processes and Services: Record process that launch any process or target to escalate privileges for specific programs and target to inject specific process through the allocation of memory or creation of remote threads on it. It must provide a linking with the parent processes including the recent historical listing of processes for acquisition and analysis during the incident response.		
29	The proposed solution,		
	i) Software Changes: Forensics metadata related to changes pertaining to Operating System, driver and program installation, uninstall, patching and modification information must be captured and available		
	ii) File Activity: Record file where a read, write, rename, copy, move or delete operation has been performed		
	iii) In-memory Activities: In-memory activities associated with potentially malicious activity associated with processes and In-memory detailed assessment/Investigation using search in-memory using Yara files, IOC's etc		
	iv) Logon Activity: System, Application Experience, Security, AppLocker, PowerShell, Application, Windows Defender, Task Scheduler, Print Service, and Terminal Services event logs		
	v) Process tracking and protection: recognize unique file executions and validate malicious process, alert and generate triage on such malicious processes' detections.		
30	The OEM should have the following,		
	i) should be certified with the following international compliance standards: ISO 27001; ISO 27014; ISO 27034-1 ; ISO 27017 ;SOC 2/3		
	ii) For the proposed solution & services – OEM Data Centre and storing 'Data' on Servers must be located within India and must be MeitY empanelled		

NOTE: It is Mandatory that the Above Technical Compliance must be submitted in proposed OEM LETTERHEAD only along with Cross Reference URL of OEM website. In case of submission without proper Cross reference URL, the bid is liable for rejection.

Annexure - VI (C) - Quality Criteria for Evaluation – QCBS Evaluation

S.No	Category Particulars	Details for Scoring Criteria	Documents Attested	Remarks
			Yes /No	
1	The Proposed OEM must have implementations of Similar architecture that of this RFP of at least 10,000 endpoints in Govt Organisations in India directly (or) through any of its authorised partners in the last 3 Years as on RFP date.			
2	The Bidder Proposed OEM should be positioned in past three years (2021-2023) in Gartner Magic Quadrant for End Point Protection Platform			
3	The Bidder Proposed OEM should be positioned in latest 2 reports published by Forrester Wave for Extended Detection and Response			
4	The Bidder proposed OEM must have Compliance to Technical Specifications as in the Annexure of this Tender document.			
5	Proposed OEM presence in India & in operations			

NOTE: All supporting documents to be included and submitted as asked above. If any document is not submitted / improperly the bidder is liable for immediate disqualification.

Annexure - VII - Summary of Work Orders

Sl. No	Name of Organizations	PO No. and Date	Customer Contact (Phone & Email)	Remarks if any
Total				

Place:

Date:

Seal & Signature of the Authorized Person

Annexure - VIII - Bill of Materials (Unpriced)

Item No.	Component	Description	Qty	Term

Place:

Date:

Seal & Signature of the Authorized Person