NODE & NORM · INDEPENDENT RESEARCH · WORKING DESIGN

# A clearer path from AI risk to evidence.

This study asks a specific question: when a Catholic institution uses AI, what evidence would justify confidence that a relevant safeguard actually worked?

> ## What would justify confidence?
>
> A documented risk is a reason to investigate. It is not proof that harm occurred. A written safeguard is a claim. Its effectiveness must be supported by evidence.
>
> Designed for researchers, engineers, theologians and Catholic institutional leaders.

---

**Pilot initiation snapshot · 6 November 2026**

Development release: source-verification pilot started; independent research gates remain open · v0.4.0-dev

Static, versioned report · no live data synchronization

---

01 / WHERE THE WORK STANDS

## The first source run is recorded.

This page is a guided study plan. It shows what Node & Norm has decided to investigate, what evidence would answer the question, and what work still requires independent review.

**0.3.0**

**Protocol edition**

Main comparative protocol remains unfrozen

**1**

**Source-verification run**

Two targets; four MCP calls; no retries

**0**

**Catholic safeguard studies completed**

Independent research gates remain open

**18**

**Source mapping candidates**

Qualified Catholic review pending

**Evidence boundary:** One bounded source-verification run is recorded. Its two selected search/fetch pairs did not yield their requested verified passages. Eighteen normative mappings remain unreviewed; zero Catholic empirical cases are admitted and no Catholic safeguard evaluation is completed.

## Provisional pilot coverage

Coverage targets help plan capacity. They do not establish representativeness, prevalence or validity.

**20–25**

**Risk scenarios**

Candidate, source-traceable study records

**5–10**

**Incident records**

Direct Catholic and external analogues kept distinct

**3–5**

**Controlled evaluations**

Frozen test methods and retained negative results

CURRENT PILOT EVIDENCE

# Pilot 01. A source must resolve before it can support a finding

**SV-20261106-001 · Exploratory source verification · Four MCP calls · No retries**

The plan was written before these calls. The targets were selected with knowledge of earlier locator anomalies; this is a purposive recheck, not a blind reliability estimate.

| Target | Search locator | Fetch locator | Outcome |
|---|---|---|---|
| AN-44 | 44 | No passage | fetch_not_found |
| MH-105 | para-105 | para-90 | locator_mismatch |

The first returned identifier did not resolve. The second returned a different numbered paragraph. Both are retained without silent repair. The official Vatican check located the requested paragraphs and confirmed that the fetched Magnifica Humanitas opening belongs to paragraph 90, not 105.

**What follows:** neither selected pair provided its requested verified passage in this run. **What does not follow:** a general provider error rate, a provider-defect attribution, a theological conclusion, or a result about institutional safeguards.

The public record includes issued queries, all displayed search-result metadata, fetch metadata, the plan hash, local capture times and source-check notes. Full returned paragraph text is withheld pending rights review; its hash, length, short excerpt and omission reason remain visible. Local recorded-at times are not provider execution timestamps. The operator working copy has no established long-term archive custodian.

## Where to inspect the records

Read `runs/SV-20261106-001/capture.json`, `SCOPING.md`, the updated protocol, and the existing evidence workbench. The self-contained notebook recomputes the pair classifications offline. This reader calls no research services.

## Next work

Clarify identifier and chunk semantics or conduct a separately planned replication. Obtain qualified review of a few mappings, then prepare the first five institutional scenarios from a versioned upstream snapshot. No main-study gate has been waived.

▼ **Chapter 1: the question, boundaries and capture plan**

# Chapter 1. Scope before synthesis

**Node & Norm | Catholic institutional pilot | Development edition 0.4.0-dev**

## The decision this study serves

Can a Catholic institution justify a claim that an AI safeguard operated, and can another reviewer follow the evidence supporting that claim? The main study compares a CEC record with a source-linked narrative and a checklist using the same evidence. It remains exploratory and awaits independent reviewers and a frozen comparison design.

## What we are studying first

Pastoral and catechetical AI assistants, and Catholic education. The first activity is a bounded source-verification run: whether a requested Church-document paragraph can be discovered, fetched, and identified without silently repairing a mismatch. This is upstream evidence preparation. It does not test a deployed institution or safeguard.

The research objects stay separate: possible risk, reported incident, source proposition, researcher interpretation, event-control observation, and controlled test. The 18 existing mappings from Antiqua et Nova and Magnifica Humanitas are provisional interpretations requiring qualified review.

## Questions fixed for SV-20261106-001

Can the current Magisterium search result for Antiqua et Nova paragraph 44 be fetched by its returned identifier? Can the corresponding search for Magnifica Humanitas paragraph 105 return the intended paragraph? The plan was written before these four calls. Earlier locator failures were known, so the two targets are purposive rechecks rather than blind or representative cases.

Use the first exact-document, exact-paragraph hit. Fetch its exact returned identifier once. Preserve not-found and wrong-paragraph responses. Do not use a previously known identifier as a replacement. Stop after two searches and at most two fetches. Original Vatican checks are a separate verification step.

## What would count as evidence

Retain the issued query, all displayed result metadata, chosen identifier, fetch fields, chronological recording notes, and official paragraph checks. Preserve the plan hash. Where source-text republication rights are unresolved, retain a hash and short excerpt in the public record and explain the omission. Recorded-at timestamps describe local capture after return, not provider timing.

## What this work cannot establish

These checks cannot estimate corpus-wide retrieval reliability, attribute a provider defect, establish doctrinal or canonical validity, count as independent human review, or demonstrate a safeguard's operation. The first five institutional risk scenarios and subsequent comparative and safeguard studies still require source intake and review.

## How we will iterate

Keep the current plan and outputs. A retry, changed query, different identifier, or additional target is a new run or explicitly logged amendment. A negative result is retained. A proposed normative mapping can be rejected without altering the underlying document. Human reviewers retain their initial judgments and disclose AI exposure.

## Reading path

Read the current study HTML or PDF first. The self-contained notebook recomputes the source-run classifications offline. Inspect the run's capture.json for the underlying public records, then the protocol for methodological limits. The evidence workbench and course-alignment supplement remain supporting documents, not competing sources of study status.

**02 / HOW TO READ THIS STUDY**

# One study. Different questions from different readers.

The explanation starts with an institutional decision and moves toward technical evidence. Select the perspective most relevant to your review.

### Catholic leaders: what matters here

What decision would a bishop, school leader or ministry director face? What can be established? What must remain with a qualified person?

03 / RESEARCH QUESTION AND CONTRIBUTION

## What does this method add?

PRINCIPAL RESEARCH QUESTION

Can a source-traceable, event-control evidence method improve the support and reproducibility of AI risk and safeguard assessments in Catholic institutional settings, compared with simpler narrative and checklist representations?

### Proposed contribution

A bounded, testable crosswalk connecting general AI failure mechanisms, Catholic institutional workflows, source-located obligations, candidate controls, and what independent reviewers can establish from surviving evidence. The added value must be demonstrated against simpler representations.

### Competing explanation

A source-linked narrative or a clear checklist may achieve comparable reconstruction with much less effort. If so, the additional CEC structure must be

narrowed or justified by another measured benefit.

## Hypotheses that can be challenged

H1 is a candidate primary hypothesis. All measures, comparison rules and thresholds require protocol freeze before confirmatory interpretation.

**H1** Candidate primary

### Better-supported reconstruction

CEC-style event-control records will reduce unsupported categorical conclusions against an uncertainty-aware narrative and checklist, when all reviewers receive identical source material.

---

**HOW WE WOULD MEASURE IT**

Unsupported yes/no conclusions per applicable control opportunity; also unresolved-state retention, traceability and reviewer burden.

**WHAT COULD CHALLENGE IT**

Comparable outcomes at lower cost for simpler representations would disconfirm practical advantage.

H2

Exploratory

## Reliable Catholic contextualization

Independent technical and qualified Catholic reviewers can consistently identify which institutional obligations and workflows are implicated by a documented technical risk.

### HOW WE WOULD MEASURE IT

Independent agreement, retained disagreements, unclassifiable cases and revision costs.

### WHAT COULD CHALLENGE IT

Unstable categories or interpretive disagreements may make the crosswalk unsuitable for empirical use.

H3

Exploratory

## Testable safeguard response

A specified candidate safeguard reduces a frozen failure outcome against a defined baseline within a controlled test setting.

### HOW WE WOULD MEASURE IT

Observed failures, missed benign requests, false positives, invalid responses and uncertainty across conditions.

### WHAT COULD CHALLENGE IT

Inconsistent, trivial, or context-dependent differences limit assurance claims.

H4

Descriptive

### What public evidence cannot settle

Some institutional control questions remain unresolved because reports omit configuration, authority, deployment or downstream records.

**HOW WE WOULD MEASURE IT**

Counts of unknown, not reported, not observable and conflicting states under a fixed retrieval procedure.

**WHAT COULD CHALLENGE IT**

Cannot infer actual absence of a safeguard from missing records.

04 / METHOD IN PLAIN LANGUAGE

## The path from a source to a conclusion.

The website map helps researchers find material. Screening, human review and controlled evaluations determine which stronger conclusions are warranted. Each stage has an independent evidentiary purpose.

01

### Discover

**Existing homepage map**

MIT risk records, incident candidates and governance links. These are discovery inputs, not validated study cases.

Existing upstream workflow

02

### Screen

**Catholic relevance and source rights**

Retain raw IDs, snapshot dates, exclusion reasons, source dependence, technical mechanism and institutional context.

To design

03

## Review

**Independent expert judgment**

Review source-located paragraphs against the original Vatican text; separate retrieval metadata, technical classification, and Catholic normative interpretation. Preserve disagreement.

Not started

04

## Reconstruct

**CEC evidence workbench**

For eligible cases, record each event, control opportunity, supporting claim and unresolved state.

Gate-controlled

05

## Evaluate

**Controlled experiments**

Compare baseline and safeguard conditions using frozen tests; retain raw results, invalid outputs and negative controls.

Not started

06

## Report

**Versioned, bounded findings**

Update the study report with reviewed evidence, explicit limits, author sign-off and correction history.

Future release

Planning diagram. Arrows indicate a proposed workflow, not an operating data feed or scientific finding.

## Five distinct research objects

These objects are connected through IDs and versions. They are never merged into an all-purpose risk score.

**What could fail?**

## Risk scenario

A defined technical mechanism in a specific Catholic institutional workflow. Does not establish that harm occurred.

**What was reported?**

## Incident record

An attributed event with preserved source, uncertainty, and direct or analogous relevance. Does not prove the proposed cause.

**What duty is relevant?**

## Normative mapping

Source-located teaching, canon law or institutional guidance plus a separately identified interpretation.

**Did a safeguard operate?**

## Control observation

CEC event × control objective × opportunity × period. Makes missing evidence and claimed effect visible.

**What happened in a test?**

## Controlled evaluation

Predeclared conditions, baselines, perturbations, observed outputs, negative controls and limitations.

## Illustrative case: a parish AI assistant

Illustrative only

Hypothetical scenario for explaining the method. No new real-world incident or evaluation result is claimed.

### CONTEXT

A parish uses a chatbot for general faith questions and service information.

### POSSIBLE RISK

An assistant implies that it possesses priestly or sacramental authority.

### EVIDENCE NEEDED

Product behavior and system records would be required; public reporting alone may establish only a claim or analogous event.

### NORMATIVE INTERPRETATION

A reviewer consults precise ecclesial sources and records the applicability judgment separately.

### PROPOSED CONTROL

Proposed disclosure and escalation rules, with restrictions on personification and sacramental claims.

### TEST / LIMITS

Frozen prompts probe authority claims, with benign controls and human review of outputs.

> **What the example cannot establish:** Passing a synthetic test cannot certify pastoral safety, doctrinal fidelity or deployment suitability.

## 05 / CATHOLIC SOURCES AND EVIDENCE QUESTIONS

# Two Church documents. Eighteen questions to investigate.

The first source register uses *Antiqua et Nova* (2025) and Pope Leo XIV's *Magnifica Humanitas* (2026). Both are important. Neither supplies a ready-made software-control checklist. The questions below are proposed by Node & Norm and require qualified review.

DICASTERY FOR THE DOCTRINE OF THE FAITH; DICASTERY FOR CULTURE AND EDUCATION

## Antiqua et Nova

2025-01-28 · 8 development mappings

Read the official document

**§34** Intrinsic human dignity — Review pending

**Research question**

What evidence indicates whether an assistant reduces the person to a performance or behavioral profile?

**Potential CEC dimensions**

`design_adequacy, outcome_mitigation`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §39 Humans bear moral responsibility

Review pending

**Research question**

Can a reviewer identify the accountable human decision-maker rather than attributing responsibility to an AI tool?

**Potential CEC dimensions**

`formal_authority, institutional_permission`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §42 Means and ends require evaluation

Review pending

**Research question**

Are the deployment objective, design assumptions, and reasons for adopting AI documented?

**Potential CEC dimensions**

`declared, design_adequacy`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §44 Human accountability throughout decisions

Review pending

**Research question**

Can evidence locate who approved, monitored, challenged or changed an AI-assisted decision?

**Potential CEC dimensions**

`formal_authority, information, intervention_attempted`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §45 Risks to maintaining human control

Review pending

**Research question**

Did a human possess a viable opportunity and technical permission to stop or redirect the system?

**Potential CEC dimensions**

`intervention_time, technical_permission, alternatives`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §46 Shared responsibility and safeguards

Review pending

**Research question**

Is the claimed safeguard implemented and observed operating for the relevant condition?

**Potential CEC dimensions**

`implemented, operating, trigger, action`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §93 Privacy, surveillance and institutional limits

Review pending

**Research question**

Can the evidence identify a purpose, permission boundary, or recorded access restriction for sensitive data?

**Potential CEC dimensions**

`declared, implemented, operating`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

### §110 Context-specific discernment and subsidiarity

Review pending

**Research question**

Which accountable role could assess a deployment and require corrective action?

**Potential CEC dimensions**

`formal_authority, institutional_permission, alternatives`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

POPE LEO XIV

## Magnifica Humanitas

2026-05-15 · 10 development mappings

Read the official document

### §95 Concentration of platform and data power

Review pending

**Research question**

What observable vendor restrictions or dependency conditions constrain institutional choice?

**Potential CEC dimensions**

`technical_permission, alternatives, institutional_permission`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §99 AI lacks human interiority and moral conscience

Review pending

**Research question**

Does the assistant imply human moral or ecclesial authority it cannot possess?

**Potential CEC dimensions**

`design_adequacy, action, trajectory_effect`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §102 Risks of delegated consequential decisions

Review pending

**Research question**

Does a meaningful decision remain attributable to an authorized person?

**Potential CEC dimensions**

`formal_authority, information, intervention_time`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §104 Design choices and meaningful opportunity to appeal

Review pending

**Research question**

Can an affected person challenge an AI-influenced decision through an operating process?

**Potential CEC dimensions**

`declared, implemented, operating, action`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §105 Accountability, challenge and remedy

Review pending

**Research question**

Can the case reconstruct who acted, the result of intervention, and any correction or remedy?

**Potential CEC dimensions**

`formal_authority, intervention_attempted, propagation, outcome_mitigation`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §106 Rigorous evaluation and independent oversight

Review pending

**Research question**

Is there dated evidence of predeployment review and independent checks, beyond policy language?

**Potential CEC dimensions**

`design_adequacy, implemented, operating`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

## §108 Participation, subsidiarity and oversight

Review pending

**Research question**

Do authorized local reviewers have information, authority and usable alternatives when they object?

**Potential CEC dimensions**

`information, institutional_permission, alternatives`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

### §109 Community capacity for choices and corrections

Review pending

**Research question**

Did a documented objection or correction reach the system and alter its behavior?

**Potential CEC dimensions**

`intervention_attempted, propagation, trajectory_effect`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

### §145 Teacher formation and critical AI use

Review pending

**Research question**

What evidence establishes training and human pedagogical oversight of an AI learning tool?

**Potential CEC dimensions**

`declared, implemented, information, comprehension_opportunity`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

### §164 Understandable, contestable consequential decisions

Review pending

**Research question**

Are reasons, appeal opportunities and observed responses available for AI-influenced eligibility or personnel decisions?

**Potential CEC dimensions**

`information, intervention_attempted, propagation, outcome_mitigation`

Researcher proposal, not an official Catholic control requirement or a validated evaluation.

Open authoritative Vatican publication

> **Research sequence:** Locate the original paragraph → record a source concept → propose an institutional evidence question → identify relevant CEC observation dimensions → obtain independent qualified review → test technical controls separately.

> The authoritative text is the Vatican publication. Magisterium AI is used for source discovery and triage, with exact paragraph verification before admission.

## Legacy locator summary: six selected comparisons

A six-row legacy Magisterium MCP search/fetch check found that several retrieved *Magnifica Humanitas* paragraph locators did not align. These are technical observations about retrieval, **not** defects proven in the service or results of the Catholic pilot.

**2**
Search/fetch matches

**3**
Paragraph mismatches

**1**
Fetch not found

**Admission rule:** Compare the search URL, fetched reference, returned passage and original Vatican paragraph. Record disagreements without silent correction. No general reliability inference is justified by six selected legacy rows.

**06 / PLAN AND EVIDENCE GATES**

# Research roadmap

A phase is complete only when its specified evidence gate has been met. The current status is recorded manually in the versioned manifest.

00

## Research foundation

Define the question before data selection

**Design in progress**

### WORK TO COMPLETE

- Protocol 0.3.0 includes a bounded source-verification amendment; the main comparison remains unfrozen.
- Contribution and competing explanation explicitly stated
- Source, rights and reviewer decisions still open
- Review a 2-document / 18-paragraph Catholic source-to-CEC crosswalk and record Magisterium locator discrepancies.
- SV-20261106-001 completed with two unresolved target retrievals; source capture and limitations are retained.

> ### RESEARCH OUTPUT
>
> Protocol, source register, 18 unreviewed mapping candidates, source-locator audit, open decisions
>
> ### EVIDENCE GATE
>
> G0 · An approved, frozen protocol with accountable reviewers and explicit amendment process
>
> ### DEPENDENCY
>
> No upstream ingestion dependency

01

## Corpus intake and screening

Use existing ingestion rather than repeat it

**Waiting for ingestion**

### WORK TO COMPLETE

- Freeze identifiable MIT/incident source snapshots
- Screen source rows with documented inclusion and exclusion reasons
- Audit licenses, duplicate source families, sensitive material

#### RESEARCH OUTPUT

Auditable candidate frame, source ledger and exclusions

#### EVIDENCE GATE

G1 · Source rights, eligibility rules and frame coverage documented

#### DEPENDENCY

Requires a deliberately versioned upstream snapshot; no new ingestion is triggered by this release.

---

02

## Catholic crosswalk feasibility

Test the first five scenarios

**Planned**

### WORK TO COMPLETE

- Map technical mechanisms to two institutional settings
- Separate canonical sources from researcher interpretations
- Obtain independent technical and qualified Catholic review
- Verify Magisterium-retrieved passage IDs and Vatican paragraph locators before source admission

#### RESEARCH OUTPUT

Five reviewed pilot crosswalk records and disagreement report

**EVIDENCE GATE**

G2 · Category definitions revised and frozen only after feasibility review

**DEPENDENCY**

Requires G1 and reviewer appointments

---

03

## Comparative reconstruction

Test CEC against simpler views

Planned

**WORK TO COMPLETE**

- Prepare identical evidence packets in three representations
- Independently enumerate controls before scoring
- Measure unsupported claims, uncertainty retention and burden

**RESEARCH OUTPUT**

Blinded comparative pilot design and annotated results

**EVIDENCE GATE**

G3 · Methods and acceptance thresholds locked before primary comparison

**DEPENDENCY**

Requires source packets, rubric and independent assessors

---

04

## Reproducible safeguard tests

Study 3–5 bounded failure mechanisms

Planned

**WORK TO COMPLETE**

- Freeze baseline and intervention conditions
- Specify benign controls, perturbations and failure criteria
- Preserve responses, rejected outputs, adjudications and versions

**RESEARCH OUTPUT**

Experiment packages, results, uncertainty and failure register

**EVIDENCE GATE**

G4 · Reproducibility and test validity review

**DEPENDENCY**

Requires prepared protocols and systems under test

05

## Synthesis and research review

Separate findings from interpretation

Planned

**WORK TO COMPLETE**

- Report the positive, negative and unresolved findings
- Assess validity, source coverage, selection bias and limitations
- Prepare reproducible companion and independent review dossier

**RESEARCH OUTPUT**

Study report, notebook, versioned data products and corrections

**EVIDENCE GATE**

G5 · Research-integrity, rights and independent-release approval

**DEPENDENCY**

Requires completed, audited pilot evidence

06

## External discussion

Bring evidence, not an unsupported claim

Deferred

**WORK TO COMPLETE**

- Assess CDCF C1–C8 internally and label as self-assessment

- Clarify ownership, IP and conflicts before submission
- Invite critique from CDCF and Leonum without implying endorsement

> **RESEARCH OUTPUT**
>
> Bounded reviewer briefing and open-question register
>
> **EVIDENCE GATE**
>
> G6 · Written scope of external review and institutional relationship
>
> **DEPENDENCY**
>
> Requires at least a defensible pilot report

---

**07 / HOW THE IDEA IS TESTED**

## Compare it with simpler methods.

The study cannot assume that a detailed evidence record is automatically better. Three representations should be tested against the same source packets with a common support rubric and independent reviewers.

**BASELINE A**

### Source-linked narrative

Readable case narrative with citations and explicit uncertainty, using the same evidence.

**BASELINE B**

### Uncertainty-aware checklist

Control checklist retaining unknown, not reported, and non-applicable states.

**CANDIDATE METHOD**

### CEC event-control record

Control opportunity, evidence item, source origin, action, propagation, and bounded inference.

### What would count against the research claim?

A narrative or checklist may perform equally well with less burden. Reviewers may disagree about which controls were relevant. Public records may be too incomplete to support conclusions. Each result would be reportable, including a null or negative result.

08 / SCIENTIFIC AND INSTITUTIONAL BOUNDARIES

# What we refuse to infer.

### Risk ≠ incident

A risk record describes a possible failure. Incident evidence concerns a reported event.

### Source count ≠ independence

Repeated reporting of one institutional assertion does not create new independent evidence.

### Policy ≠ operation

A written safeguard alone does not establish that it affected a decision.

### Catholic relevance ≠ doctrinal judgment

Normative applicability needs precise sources and appropriately qualified review.

### Synthetic ≠ deployed

Laboratory test outcomes do not establish effectiveness in a parish, school or diocese.

### Missing evidence ≠ failure

A report that says nothing about a control cannot prove the control was absent.

### AI citation ≠ verified original

A returned passage ID or search link is not accepted until the fetched locator and original Vatican paragraph agree.

### Church review is a distinct responsibility

Technical annotations cannot settle doctrinal interpretation, canonical applicability, pastoral suitability or ecclesial authority. These judgments require source-located reasoning and appropriately qualified reviewers. Internal alignment with CDCF's C1–C8 criteria would remain a self-assessment until formally reviewed.

09 / SOURCES, TERMS AND PROVENANCE

## Every substantive claim needs an inspectable source.

These are source anchors for the design, not proof that the proposed study has been completed. Per-record source locators, rights and retrieved versions will be required at intake.

**MIT AI Risk Repository** External research corpus ↗

**MIT AI Risk Initiative / Incident Tracker** External incident context ↗

**Antiqua et Nova (Vatican, 2025)** Official Catholic source ↗

**Magnifica Humanitas (Leo XIV, signed 15 May 2026)** Official Catholic encyclical source ↗

**Magisterium AI Explore** Discovery service only; exact locators must be verified ↗

**CDCF C1–C8 criteria v0.2** Draft institutional vetting source ↗

**CEC research charter** Governing research baseline ↗

**CEC comparative pilot design** Method reference ↗

**Node & Norm homepage map** Editorial discovery layer ↗

## Short glossary

**Control opportunity**

A point in an event when a defined safeguard could have acted.

**Evidence packet**

A versioned collection of sources and locators provided to a reviewer.

**Provenance**

Where a claim or artifact came from and how it was transformed.

**Adjudication**

A documented resolution process after initial independent assessments are retained.

**Unresolved evidence**

A specific uncertainty, such as not reported, not observable or conflicting sources, retained rather than guessed away.

## Version history and updates

This is a living, manually versioned research account. New sources, case decisions, protocol changes and corrections require dated entries. Prior versions must remain recoverable.

**v0.4.0-dev · 2026-11-06** Development release

Consolidated the scoping chapter, evidence workbench, course alignment and first prospectively planned source-verification run into the five reading files. Preserved failed retrievals and separate research gates.

Source of record: study.json, PROTOCOL.md and DECISIONS.md in the versioned Catholic study extension.

NEXT CONSEQUENTIAL DECISION

Complete the close-work literature comparison, assign qualified reviewers, decide the source frame and rights, and freeze the comparison protocol. Only then should the pilot be evaluated as evidence rather than treated as an illustration.

Version 0.4.0-dev · 2026-11-06 · Node & Norm research extension · Source-verification outcomes only; no safeguard findings