

ONC Certification (g)(10) Standardized API Report - US Core 7.0.0 / USCDI v4, SMART App Launch 2.2.0, Bulk Data 2.0.0

PASS
FINAL RESULT

8.0.5
VERSION

Jul 21, 2026, 1:48 PM
REPORT DATE

https://inferno.healthit.gov/suites/g10_certification/3sXRlIVvOhM

✓ 1 Standalone Patient App - Full Access

INPUT	VALUE
url	https://care-commons.app/baseR4
standalone_smart_auth_info	{ "auth_type": "symmetric", "use_discovery": "true", "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/authenticate", "patient": "patient/CareTeam.rs patient/Condition.rs patient/Coverage.rs patient/Device.rs patient/DiagnosticReport.rs patient/DocumentReference.rs patient/Encounter.rs patient/Immunization.rs patient/MedicationAdministration.rs patient/MedicationDispense.rs patient/MedicationRequest.rs patient/Observation.rs patient/Procedure.rs patient/ReferralRequest.rs patient/Specimen.rs patient/SupplyDelivery.rs patient/TestReport.rs patient/ValueSet.rs", "organization": "patient/Organization.rs patient/Patient.rs patient/Practitioner.rs patient/Procedure.rs patient/Provenance.rs patient/PractitionerRole.rs patient/RelatedPerson.rs patient/Task.rs", "client_id": "kMisGS9dKCH2d5cCp", "client_secret": "DfwjJoWBTP83pEYwvNdFpJorfAJMWXLNR", "pkce_support": "enabled", "pkce_challenge": "S256", "scopes": "openid profile email user_context offline_access", "expiry": "07-21T18:29:46+00:00", "expires_in": 86400, "name": "standalone_smart_auth_info" }

✔ 1.8 SMART on FHIR Discovery

- ✓ **1.8.01** FHIR server makes SMART configuration available from well-known endpoint
- ✓ **1.8.02** Well-known configuration contains required fields
- ✓ **1.8.03** *Optional* SMART .well-known/smart-configuration Endpoint Enables Cross-Origin Resource Sharing (CORS)
- ✓ **1.8.04** *Optional* SMART metadata Endpoint Enables Cross-Origin Resource Sharing (CORS)
- ✓ **1.8.05** Well-known configuration declares support for required capabilities

✓ 1.9 Standalone Launch With Patient Scope

- ✓ 1.9.01 OAuth 2.0 authorize endpoint secured by transport layer security
 - ✓ 1.9.02 OAuth server redirects client browser to app redirect URI
 - ✓ 1.9.03 OAuth server sends code parameter
 - ✓ 1.9.04 OAuth 2.0 token endpoint secured by transport layer security
 - ✓ 1.9.05 OAuth token exchange request succeeds when supplied correct information
 - ✓ 1.9.06 Token exchange response body contains required information encoded in JSON
 - ✓ 1.9.07 Response includes correct HTTP Cache-Control and Pragma headers
 - 1.9.08 SMART Token Endpoint Enables Cross-Origin Resource Sharing (CORS)
Client type is not public, Cross-Origin Resource Sharing (CORS) is not required to be supported for non-public client types
 - ✓ 1.9.09 Patient-level access with OpenID Connect and Refresh Token scopes used.
 - ✓ 1.9.10 Server rejects unauthorized access
 - ✓ 1.9.11 Patient from launch context can be retrieved

✓ 1.11 OpenID Connect

- ✓ 1.11.01 ID token can be decoded
 - ✓ 1.11.02 OpenID Connect well-known configuration can be retrieved
 - ✓ 1.11.03 OpenID Connect well-known configuration contains all required fields
 - ✓ 1.11.04 JWKS can be retrieved
 - ✓ 1.11.05 ID token header contains required information
 - ✓ 1.11.06 ID token payload has required claims and a valid signature
 - ✓ 1.11.07 FHIR resource representing the current user can be retrieved
 - ✗ 1.11.08 *Optional* SMART FHIR User REST API Endpoint Enables Cross-Origin Resource Sharing (CORS)
No Access-Control-Allow-Origin header received.

✓ 1.6 Token Refresh

- ✓ 1.6.01 Server successfully refreshes the access token when optional scope parameter omitted
- ✓ 1.6.02 Token refresh response contains all required fields
- ✓ 1.6.03 Server successfully refreshes the access token when optional scope parameter provided
- ✓ 1.6.04 Token refresh response contains all required fields
- ✓ 1.6.05 Patient from launch context can be retrieved
- ✓ 1.6.06 Refresh token exchange fails when supplied an invalid refresh token

✓ 1.7 Unrestricted Resource Type Access

- ✓ **1.7.01 Scope granted enables access to all US Core resource types.**
Scopes received indicate access to all necessary resources.
 - ✓ **1.7.02 Access to Patient resources granted**
Access expected to be granted and request properly returned 200

✔ 1.7.03 Access to AllergyIntolerance resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.04 Access to CarePlan resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.05 Access to CareTeam resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.06 Access to Condition resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.07 Access to Device resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.08 Access to DiagnosticReport resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.09 Access to DocumentReference resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.10 Access to Goal resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.11 Access to Immunization resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.12 Access to MedicationRequest resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.13 Access to Observation resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.14 Access to Procedure resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.21 Access to Encounter resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.22 Access to ServiceRequest resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.23 Access to Coverage resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.24 Access to MedicationDispense resources granted Access expected to be granted and request properly returned 200	1
✔ 2 Standalone Patient App - Limited Access	
INPUT	VALUE
expected_resources	patient, condition, observation
url	https://care-commons.app/baseR4
standalone_smart_auth_info	{ "auth_type": "symmetric", "use_discovery": "true", "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/authenticate", "scopes": "patient/CareTeam.rs patient/Condition.rs patient/Coverage.rs patient/Device.rs patient/DiagnosticReport.rs patient/DocumentReference.rs patient/Encounter.rs patient/Goal.rs patient/Immunization.rs patient/MedicationRequest.rs patient/MedicationDispense.rs patient/Procedure.rs patient/Provenance.rs patient/PractitionerRole.rs patient/RelatedPerson.rs patient/ServiceRequest.rs patient/Specimen.rs patient/Task.rs", "client_id": "kMisGS9dKCH2d5cCp", "client_secret": "DfwjJoWBTpP83pEYwvNdFpJorfAJMWXLNR", "pkce_support": "enabled", "pkce_challenge": "S256", "token_expiry": "07-21T18:29:46+00:00", "expires_in": 86400, "name": "standalone_smart_auth_info" }
✔ 2.4 Standalone Launch With Limited Scope	
✔ 2.4.01 OAuth 2.0 authorize endpoint secured by transport layer security	
✔ 2.4.02 OAuth server redirects client browser to app redirect URI	
✔ 2.4.03 OAuth server sends code parameter	1
✔ 2.4.04 OAuth 2.0 token endpoint secured by transport layer security	
✔ 2.4.05 OAuth token exchange request succeeds when supplied correct information	2
✔ 2.4.06 Token exchange response body contains required information encoded in JSON	1
✔ 2.4.07 Response includes correct HTTP Cache-Control and Pragma headers	1
● 2.4.08 SMART Token Endpoint Enables Cross-Origin Resource Sharing (CORS) Client type is not public, Cross-Origin Resource Sharing (CORS) is not required to be supported for non-public client types	1
✔ 2.4.09 Patient from launch context can be retrieved	1
✔ 2.4.10 OAuth token exchange response grants scope that is limited to those selected by user Resources to be denied: AllergyIntolerance, CarePlan, CareTeam, Device, DiagnosticReport, DocumentReference, Goal, Immunization, MedicationRequest, Procedure, Encounter, ServiceRequest, Specimen, Coverage, MedicationDispense, Location	
✔ 2.3 Restricted Resource Type Access	
✔ 2.3.01 Access to Patient resources are restricted properly based on patient-selected scope Access expected to be granted and request properly returned 200	1
✔ 2.3.02 Access to AllergyIntolerance resources are restricted properly based on patient-selected scope	1
✔ 2.3.03 Access to CarePlan resources are restricted properly based on patient-selected scope	1
✔ 2.3.04 Access to CareTeam resources are restricted properly based on patient-selected scope	1
✔ 2.3.05 Access to Condition resources are restricted properly based on patient-selected scope Access expected to be granted and request properly returned 200	1
✔ 2.3.06 Access to Device resources are restricted properly based on patient-selected scope	1
✔ 2.3.07 Access to DiagnosticReport resources are restricted properly based on patient-selected scope	1

✔	2.3.08	Access to DocumentReference resources are restricted properly based on patient-selected scope	1	
✔	2.3.09	Access to Goal resources are restricted properly based on patient-selected scope	1	
✔	2.3.10	Access to Immunization resources are restricted properly based on patient-selected scope	1	
✔	2.3.11	Access to MedicationRequest resources are restricted properly based on patient-selected scope	1	
✔	2.3.12	Access to Observation resources are restricted properly based on patient-selected scope Access expected to be granted and request properly returned 200	1	
✔	2.3.13	Access to Procedure resources are restricted properly based on patient-selected scope	1	
✔	2.3.20	Access to Encounter resources are restricted properly based on patient-selected scope	1	
✔	2.3.21	Access to ServiceRequest resources are restricted properly based on patient-selected scope	1	
✔	2.3.22	Access to Coverage resources are restricted properly based on patient-selected scope	1	
✔	2.3.23	Access to MedicationDispense resources are restricted properly based on patient-selected scope	1	
✔	3 EHR Practitioner App			
INPUT	VALUE			
url	https://care-commons.app/baseR4			
ehr_smart_auth_info	{ "auth_type": "symmetric", "use_discovery": "true", "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/authorize", "scopes": "user/Condition rs user/Coverage rs user/Device rs user/DiagnosticReport rs user/DocumentReference rs user/Encounter rs user/Goal rs user/Immunization rs user/Procedure rs user/Provenance rs user/PractitionerRole rs user/RelatedPerson rs user/ServiceRequest rs user/Specimen rs user/Media rs", "client_id": "kMisGS9dKCH2d5cCp", "client_secret": "DfwjJoWBTpP83pEYwvNdFpJorfAJMWXLNR", "pkce_support": "enabled", "pkce_code_challenge_method": "S256", "expires_in": 86400, "name": "ehr_smart_auth_info" }			
✔	3.7 SMART on FHIR Discovery			
✔	3.7.01	FHIR server makes SMART configuration available from well-known endpoint	1	
✔	3.7.02	Well-known configuration contains required fields		
✔	3.7.03	Optional SMART .well-known/smart-configuration Endpoint Enables Cross-Origin Resource Sharing (CORS)	1	
✔	3.7.04	Optional SMART metadata Endpoint Enables Cross-Origin Resource Sharing (CORS)	1	
✔	3.7.05	Well-known configuration declares support for required capabilities		
✔	3.8 EHR Launch With Practitioner Scope			
✔	3.8.01	EHR server redirects client browser to Inferno app launch URI		
✔	3.8.02	EHR server sends launch parameter	1	
✔	3.8.03	OAuth 2.0 authorize endpoint secured by transport layer security		
✔	3.8.04	OAuth server redirects client browser to app redirect URI		
✔	3.8.05	OAuth server sends code parameter	1	
✔	3.8.06	OAuth 2.0 token endpoint secured by transport layer security		
✔	3.8.07	OAuth token exchange request succeeds when supplied correct information	2	
✔	3.8.08	Token exchange response body contains required information encoded in JSON	1	
✔	3.8.09	Response includes correct HTTP Cache-Control and Pragma headers	1	
⬤	3.8.10	SMART Token Endpoint Enables Cross-Origin Resource Sharing (CORS) Client type is not public, Cross-Origin Resource Sharing (CORS) is not required to be supported for non-public client types	1	
✔	3.8.11	User-level access with OpenID Connect and Refresh Token scopes used.	1	
✔	3.8.12	Server rejects unauthorized access	2	
✔	3.8.13	Patient from launch context can be retrieved	1	
✔	3.8.16	OAuth token exchange response body contains encounter context and encounter resource can be retrieved	1	
✔	3.8.17	Launch context contains smart_style_url which links to valid JSON	2	
✔	3.8.18	Launch context contains need_patient_banner	1	
✔	3.10 OpenID Connect			
✔	3.10.01	ID token can be decoded		
✔	3.10.02	OpenID Connect well-known configuration can be retrieved	1	
✔	3.10.03	OpenID Connect well-known configuration contains all required fields		
✔	3.10.04	JWKS can be retrieved	1	
✔	3.10.05	ID token header contains required information		
✔	3.10.06	ID token payload has required claims and a valid signature		
✔	3.10.07	FHIR resource representing the current user can be retrieved	1	
✖	3.10.08	Optional SMART FHIR User REST API Endpoint Enables Cross-Origin Resource Sharing (CORS) No Access-Control-Allow-Origin header received.	1	
✔	3.6 Token Refresh			
✔	3.6.01	Server successfully refreshes the access token when optional scope parameter omitted	1	
✔	3.6.02	Token refresh response contains all required fields	1	
✔	3.6.03	Server successfully refreshes the access token when optional scope parameter provided	1	

✔ 3.6.04 Token refresh response contains all required fields ✔ 3.6.05 Patient from launch context can be retrieved ✔ 3.6.06 Refresh token exchange fails when supplied an invalid refresh token		1 2 1
✔ 12 Single Patient API (US Core 7.0.0)		
INPUT	VALUE	
url	https://care-commons.app/baseR4	
patient_id	958c63b0-4a7f-2ee7-ef6a-e04df5931b4c	
additional_patient_ids		
implantable_device_codes		
smart_auth_info	{ "auth_type": "symmetric", "use_discovery": "true", "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/authorize/Condition.rs user/Coverage.rs user/Device.rs user/DiagnosticReport.rs user/DocumentReference.rs user/Encounter.rs user/Goal.rs user/Immunization.rs user/Procedure.rs user/Provenance.rs user/PractitionerRole.rs user/RelatedPerson.rs user/ServiceRequest.rs user/Specimen.rs user/Media.rs", "client_id": "kMisGS9dKCH2d5cCp", "client_secret": "DfwjJoWBTP83pEYwvNdFpJorfAJMWXLNR", "pkce_support": "enabled", "pkce_challenge": "07-21T18:22:24+00:00", "expires_in": 86400, "name": "ehr_smart_auth_info" }	
✔ 12.1 Capability Statement		
✔ 12.1.01 FHIR server secured by transport layer security ✔ 12.1.02 FHIR Server supports the conformance interaction ✔ 12.1.03 Server is using FHIR R4 ✔ 12.1.04 FHIR server capability states JSON support ✔ 12.1.05 Capability Statement lists support for required US Core Profiles		1 1 1 1
✔ 12.2 Patient Tests		
✔ 12.2.01 Server returns valid results for Patient search by _id ✔ 12.2.02 Server returns valid results for Patient search by identifier ✔ 12.2.03 Server returns valid results for Patient search by name ✔ 12.2.04 Server returns valid results for Patient search by birthdate + name ✔ 12.2.05 Server returns valid results for Patient search by gender + name ✔ 12.2.06 Server returns correct Patient resource from Patient read interaction ✔ 12.2.07 Server returns Provenance resources from Patient search by _id + revInclude:Provenance:target ✔ 12.2.08 Patient resources returned during previous tests conform to the US Core Patient Profile ✔ 12.2.09 All must support elements are provided in the Patient resources returned		2 2 1 1 1 1 1
✔ 12.3 AllergyIntolerance Tests		
✔ 12.3.01 Server returns valid results for AllergyIntolerance search by patient ✔ 12.3.02 Server returns correct AllergyIntolerance resource from AllergyIntolerance read interaction ✔ 12.3.03 Server returns Provenance resources from AllergyIntolerance search by patient + revInclude:Provenance:target ✔ 12.3.04 AllergyIntolerance resources returned during previous tests conform to the US Core AllergyIntolerance Profile ✔ 12.3.05 All must support elements are provided in the AllergyIntolerance resources returned ✔ 12.3.06 MustSupport references within AllergyIntolerance resources are valid		3 1 1 1 1
✔ 12.4 CarePlan Tests		
✔ 12.4.01 Server returns valid results for CarePlan search by patient + category ✔ 12.4.02 Server returns correct CarePlan resource from CarePlan read interaction ✔ 12.4.03 Server returns Provenance resources from CarePlan search by patient + category + revInclude:Provenance:target ✔ 12.4.04 CarePlan resources returned during previous tests conform to the US Core CarePlan Profile ✔ 12.4.05 All must support elements are provided in the CarePlan resources returned ✔ 12.4.06 MustSupport references within CarePlan resources are valid		4 1 1 1
✔ 12.5 CareTeam Tests		
✔ 12.5.01 Server returns valid results for CareTeam search by patient + status ✔ 12.5.02 Server returns correct CareTeam resource from CareTeam read interaction ✔ 12.5.03 Server returns Provenance resources from CareTeam search by patient + status + revInclude:Provenance:target ✔ 12.5.04 CareTeam resources returned during previous tests conform to the US Core CareTeam Profile ✔ 12.5.05 All must support elements are provided in the CareTeam resources returned ✔ 12.5.06 MustSupport references within CareTeam resources are valid		7 1 5 9+
✔ 12.6 Condition Encounter Diagnosis Tests		
✔ 12.6.01 Server returns valid results for Condition search by patient + category ✔ 12.6.02 Server returns valid results for Condition search by patient ✔ 12.6.03 Server returns correct Condition resource from Condition read interaction ✔ 12.6.04 Server returns Provenance resources from Condition search by patient + category + revInclude:Provenance:target		4 1 1 1

✔ 12.6.05 Condition resources returned during previous tests conform to the US Core Condition Encounter Diagnosis Profile ✔ 12.6.06 All must support elements are provided in the Condition resources returned ✔ 12.6.07 MustSupport references within Condition resources are valid		1
✔ 12.7 Condition Problems and Health Concerns Tests		
✔ 12.7.01 Server returns valid results for Condition search by patient + category ✔ 12.7.02 Server returns valid results for Condition search by patient ✔ 12.7.03 Server returns correct Condition resource from Condition read interaction ✔ 12.7.04 Server returns Provenance resources from Condition search by patient + category + revInclude:Provenance:target ✔ 12.7.05 Condition resources returned during previous tests conform to the US Core Condition Problems and Health Concerns Profile ✔ 12.7.06 All must support elements are provided in the Condition resources returned ✔ 12.7.07 MustSupport references within Condition resources are valid		5 1 1 2
✔ 12.8 Coverage Tests		
✔ 12.8.01 Server returns valid results for Coverage search by patient ✔ 12.8.02 Server returns correct Coverage resource from Coverage read interaction ✔ 12.8.03 Server returns Provenance resources from Coverage search by patient + revInclude:Provenance:target ✔ 12.8.04 Coverage resources returned during previous tests conform to the US Core Coverage Profile ✔ 12.8.05 All must support elements are provided in the Coverage resources returned ✔ 12.8.06 MustSupport references within Coverage resources are valid		3 1 1 1
✔ 12.9 Implantable Device Tests		
✔ 12.9.01 Server returns valid results for Device search by patient ✔ 12.9.02 Server returns correct Device resource from Device read interaction ✔ 12.9.03 Server returns Provenance resources from Device search by patient + revInclude:Provenance:target ✔ 12.9.04 Device resources returned during previous tests conform to the US Core Implantable Device Profile ✔ 12.9.05 All must support elements are provided in the Device resources returned ✔ 12.9.06 MustSupport references within Device resources are valid		3 1 1
✔ 12.10 DiagnosticReport for Report and Note Exchange Tests		
✔ 12.10.01 Server returns valid results for DiagnosticReport search by patient + category ✔ 12.10.02 Server returns valid results for DiagnosticReport search by patient ✔ 12.10.03 Server returns valid results for DiagnosticReport search by patient + code ✔ 12.10.04 Server returns valid results for DiagnosticReport search by patient + category + date ✔ 12.10.05 Server returns correct DiagnosticReport resource from DiagnosticReport read interaction ✔ 12.10.06 Server returns Provenance resources from DiagnosticReport search by patient + category + revInclude:Provenance:target ✔ 12.10.07 DiagnosticReport resources returned during previous tests conform to the US Core DiagnosticReport Profile for Report and Note Exchange ✔ 12.10.08 All must support elements are provided in the DiagnosticReport resources returned ✔ 12.10.09 MustSupport references within DiagnosticReport resources are valid		6 1 2 6 1 3 6
✔ 12.11 DiagnosticReport for Laboratory Results Reporting Tests		
✔ 12.11.01 Server returns valid results for DiagnosticReport search by patient + category ✔ 12.11.02 Server returns valid results for DiagnosticReport search by patient ✔ 12.11.03 Server returns valid results for DiagnosticReport search by patient + code ✔ 12.11.04 Server returns valid results for DiagnosticReport search by patient + category + date ✔ 12.11.05 Server returns correct DiagnosticReport resource from DiagnosticReport read interaction ✔ 12.11.06 Server returns Provenance resources from DiagnosticReport search by patient + category + revInclude:Provenance:target ✔ 12.11.07 DiagnosticReport resources returned during previous tests conform to the US Core DiagnosticReport Profile for Laboratory Results Reporting ✔ 12.11.08 All must support elements are provided in the DiagnosticReport resources returned ✔ 12.11.09 MustSupport references within DiagnosticReport resources are valid		4 1 2 6 1 1 1
✔ 12.12 DocumentReference Tests		
✔ 12.12.01 Server returns valid results for DocumentReference search by patient ✔ 12.12.02 Server returns valid results for DocumentReference search by _id ✔ 12.12.03 Server returns valid results for DocumentReference search by patient + type ✔ 12.12.04 Server returns valid results for DocumentReference search by patient + category + date ✔ 12.12.05 Server returns valid results for DocumentReference search by patient + category ✔ 12.12.06 Server returns correct DocumentReference resource from DocumentReference read interaction		3 1 2 6 2 1

✔ 12.12.07 Server returns Provenance resources from DocumentReference search by patient + revInclude:Provenance:target ✔ 12.12.08 DocumentReference resources returned during previous tests conform to the US Core DocumentReference Profile ✔ 12.12.09 All must support elements are provided in the DocumentReference resources returned ✔ 12.12.10 MustSupport references within DocumentReference resources are valid ✔ 12.12.11 DocumentReference resources returned during previous tests have custodian		1 2
✔ 12.13 Encounter Tests		
✔ 12.13.01 Server returns valid results for Encounter search by patient ✔ 12.13.02 Server returns valid results for Encounter search by _id ✔ 12.13.03 Server returns valid results for Encounter search by date + patient ✔ 12.13.04 Server returns correct Encounter resource from Encounter read interaction ✔ 12.13.05 Server returns Provenance resources from Encounter search by patient + revInclude:Provenance:target ✔ 12.13.06 Encounter resources returned during previous tests conform to the US Core Encounter Profile ✔ 12.13.07 All must support elements are provided in the Encounter resources returned ✔ 12.13.08 MustSupport references within Encounter resources are valid		3 1 5 1 1 2
✔ 12.14 Goal Tests		
✔ 12.14.01 Server returns valid results for Goal search by patient ✔ 12.14.02 Server returns correct Goal resource from Goal read interaction ✔ 12.14.03 Server returns Provenance resources from Goal search by patient + revInclude:Provenance:target ✔ 12.14.04 Goal resources returned during previous tests conform to the US Core Goal Profile ✔ 12.14.05 All must support elements are provided in the Goal resources returned ✔ 12.14.06 MustSupport references within Goal resources are valid		3 1 1
✔ 12.15 Immunization Tests		
✔ 12.15.01 Server returns valid results for Immunization search by patient ✔ 12.15.02 Server returns correct Immunization resource from Immunization read interaction ✔ 12.15.03 Server returns Provenance resources from Immunization search by patient + revInclude:Provenance:target ✔ 12.15.04 Immunization resources returned during previous tests conform to the US Core Immunization Profile ✔ 12.15.05 All must support elements are provided in the Immunization resources returned ✔ 12.15.06 MustSupport references within Immunization resources are valid		3 1 1 1
✔ 12.16 MedicationDispense Tests		
✔ 12.16.01 Server returns valid results for MedicationDispense search by patient ✔ 12.16.02 Server returns correct MedicationDispense resource from MedicationDispense read interaction ✔ 12.16.03 Server returns Provenance resources from MedicationDispense search by patient + revInclude:Provenance:target ✔ 12.16.04 MedicationDispense resources returned during previous tests conform to the US Core MedicationDispense Profile ✔ 12.16.05 All must support elements are provided in the MedicationDispense resources returned ✔ 12.16.06 MustSupport references within MedicationDispense resources are valid		3 1 1 2
✔ 12.17 MedicationRequest Tests		
✔ 12.17.01 Server returns valid results for MedicationRequest search by patient + intent ✔ 12.17.02 Server returns valid results for MedicationRequest search by patient + intent + status ✔ 12.17.03 Server returns correct MedicationRequest resource from MedicationRequest read interaction ✔ 12.17.04 Server returns Provenance resources from MedicationRequest search by patient + intent + revInclude:Provenance:target ✔ 12.17.05 MedicationRequest resources returned during previous tests conform to the US Core MedicationRequest Profile ✔ 12.17.06 Medication resources returned during previous tests conform to the US Core Medication Profile ✔ 12.17.07 All must support elements are provided in the MedicationRequest resources returned ✔ 12.17.08 MustSupport references within MedicationRequest resources are valid		9+ 2 1 8 2
✔ 12.18 Observation Laboratory Result Tests		
✔ 12.18.01 Server returns valid results for Observation search by patient + category ✔ 12.18.02 Server returns valid results for Observation search by patient + code ✔ 12.18.03 Server returns valid results for Observation search by patient + category + date ✔ 12.18.04 Server returns correct Observation resource from Observation read interaction ✔ 12.18.05 Server returns Provenance resources from Observation search by patient + category + revInclude:Provenance:target ✔ 12.18.06 Observation resources returned during previous tests conform to the US Core Laboratory Result Observation Profile ✔ 12.18.07 All must support elements are provided in the Observation resources returned ✔ 12.18.08 MustSupport references within Observation resources are valid		4 2 6 1 1 1

✔ 12.19 Observation Pregnancy Status Tests	
✔ 12.19.01 Server returns valid results for Observation search by patient + code	 4
✔ 12.19.02 Server returns valid results for Observation search by patient + category + date	 6
✔ 12.19.03 Server returns valid results for Observation search by patient + category	 2
✔ 12.19.04 Server returns correct Observation resource from Observation read interaction	 1
✔ 12.19.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target	 1
✔ 12.19.06 Observation resources returned during previous tests conform to the US Core Observation Pregnancy Status Profile	
✔ 12.19.07 All must support elements are provided in the Observation resources returned	
✔ 12.19.08 MustSupport references within Observation resources are valid	
✔ 12.20 Observation Pregnancy Intent Tests	
✔ 12.20.01 Server returns valid results for Observation search by patient + code	 4
✔ 12.20.02 Server returns valid results for Observation search by patient + category + date	 6
✔ 12.20.03 Server returns valid results for Observation search by patient + category	 2
✔ 12.20.04 Server returns correct Observation resource from Observation read interaction	 1
✔ 12.20.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target	 1
✔ 12.20.06 Observation resources returned during previous tests conform to the US Core Observation Pregnancy Intent Profile	
✔ 12.20.07 All must support elements are provided in the Observation resources returned	
✔ 12.20.08 MustSupport references within Observation resources are valid	
✔ 12.21 Observation Occupation Tests	
✔ 12.21.01 Server returns valid results for Observation search by patient + code	 4
✔ 12.21.02 Server returns valid results for Observation search by patient + category + date	 6
✔ 12.21.03 Server returns valid results for Observation search by patient + category	 2
✔ 12.21.04 Server returns correct Observation resource from Observation read interaction	 1
✔ 12.21.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target	 1
✔ 12.21.06 Observation resources returned during previous tests conform to the US Core Observation Occupation Profile	
✔ 12.21.07 All must support elements are provided in the Observation resources returned	
✔ 12.21.08 MustSupport references within Observation resources are valid	
✔ 12.22 Observation Respiratory Rate Tests	
✔ 12.22.01 Server returns valid results for Observation search by patient + code	 4
✔ 12.22.02 Server returns valid results for Observation search by patient + category + date	 6
✔ 12.22.03 Server returns valid results for Observation search by patient + category	 2
✔ 12.22.04 Server returns correct Observation resource from Observation read interaction	 1
✔ 12.22.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target	 1
✔ 12.22.06 Observation resources returned during previous tests conform to the US Core Respiratory Rate Profile	
✔ 12.22.07 All must support elements are provided in the Observation resources returned	
✔ 12.22.08 MustSupport references within Observation resources are valid	
✔ 12.23 Observation Treatment Intervention Preference Tests	
✔ 12.23.01 Server returns valid results for Observation search by patient + code	 4
✔ 12.23.02 Server returns valid results for Observation search by patient + category + date	 6
✔ 12.23.03 Server returns valid results for Observation search by patient + category	 2
✔ 12.23.04 Server returns correct Observation resource from Observation read interaction	 1
✔ 12.23.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target	 1
✔ 12.23.06 Observation resources returned during previous tests conform to the US Core Treatment Intervention Preference Profile	
✔ 12.23.07 All must support elements are provided in the Observation resources returned	
✔ 12.23.08 MustSupport references within Observation resources are valid	
✔ 12.24 Observation Care Experience Preference Tests	
✔ 12.24.01 Server returns valid results for Observation search by patient + code	 4
✔ 12.24.02 Server returns valid results for Observation search by patient + category + date	 6
✔ 12.24.03 Server returns valid results for Observation search by patient + category	 2
✔ 12.24.04 Server returns correct Observation resource from Observation read interaction	 1
✔ 12.24.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target	 1
✔ 12.24.06 Observation resources returned during previous tests conform to the US Core Care Experience Preference Profile	
✔ 12.24.07 All must support elements are provided in the Observation resources returned	

12.24.08 MustSupport references within Observation resources are valid	
12.25 Observation Heart Rate Tests	
12.25.01 Server returns valid results for Observation search by patient + code 12.25.02 Server returns valid results for Observation search by patient + category + date 12.25.03 Server returns valid results for Observation search by patient + category 12.25.04 Server returns correct Observation resource from Observation read interaction 12.25.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target 12.25.06 Observation resources returned during previous tests conform to the US Core Heart Rate Profile 12.25.07 All must support elements are provided in the Observation resources returned 12.25.08 MustSupport references within Observation resources are valid	4 6 2 1 1
12.26 Observation Body Temperature Tests	
12.26.01 Server returns valid results for Observation search by patient + code 12.26.02 Server returns valid results for Observation search by patient + category + date 12.26.03 Server returns valid results for Observation search by patient + category 12.26.04 Server returns correct Observation resource from Observation read interaction 12.26.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target 12.26.06 Observation resources returned during previous tests conform to the US Core Body Temperature Profile 12.26.07 All must support elements are provided in the Observation resources returned 12.26.08 MustSupport references within Observation resources are valid	4 6 2 1 1
12.27 Observation Pediatric Weight for Height Tests	
12.27.01 Server returns valid results for Observation search by patient + code 12.27.02 Server returns valid results for Observation search by patient + category + date 12.27.03 Server returns valid results for Observation search by patient + category 12.27.04 Server returns correct Observation resource from Observation read interaction 12.27.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target 12.27.06 Observation resources returned during previous tests conform to the US Core Pediatric Weight for Height Observation Profile 12.27.07 All must support elements are provided in the Observation resources returned 12.27.08 MustSupport references within Observation resources are valid	4 6 2 1 1
12.28 Observation Pulse Oximetry Tests	
12.28.01 Server returns valid results for Observation search by patient + code 12.28.02 Server returns valid results for Observation search by patient + category + date 12.28.03 Server returns valid results for Observation search by patient + category 12.28.04 Server returns correct Observation resource from Observation read interaction 12.28.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target 12.28.06 Observation resources returned during previous tests conform to the US Core Pulse Oximetry Profile 12.28.07 All must support elements are provided in the Observation resources returned 12.28.08 MustSupport references within Observation resources are valid	5 6 2 1 2
12.29 Observation Smoking Status Tests	
12.29.01 Server returns valid results for Observation search by patient + code 12.29.02 Server returns valid results for Observation search by patient + category + date 12.29.03 Server returns valid results for Observation search by patient + category 12.29.04 Server returns correct Observation resource from Observation read interaction 12.29.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target 12.29.06 Observation resources returned during previous tests conform to the US Core Smoking Status Observation Profile 12.29.07 All must support elements are provided in the Observation resources returned 12.29.08 MustSupport references within Observation resources are valid	7 6 2 1 4
12.31 Observation Head Circumference Tests	
12.31.01 Server returns valid results for Observation search by patient + code 12.31.02 Server returns valid results for Observation search by patient + category + date 12.31.03 Server returns valid results for Observation search by patient + category 12.31.04 Server returns correct Observation resource from Observation read interaction 12.31.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target 12.31.06 Observation resources returned during previous tests conform to the US Core Head Circumference Profile	4 6 2 1 1

✔ 12.31.07 All must support elements are provided in the Observation resources returned ✔ 12.31.08 MustSupport references within Observation resources are valid	
✔ 12.32 Observation Body Height Tests	
✔ 12.32.01 Server returns valid results for Observation search by patient + code ✔ 12.32.02 Server returns valid results for Observation search by patient + category + date ✔ 12.32.03 Server returns valid results for Observation search by patient + category ✔ 12.32.04 Server returns correct Observation resource from Observation read interaction ✔ 12.32.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target ✔ 12.32.06 Observation resources returned during previous tests conform to the US Core Body Height Profile ✔ 12.32.07 All must support elements are provided in the Observation resources returned ✔ 12.32.08 MustSupport references within Observation resources are valid	4 6 2 1 1
✔ 12.33 Observation BMI Tests	
✔ 12.33.01 Server returns valid results for Observation search by patient + code ✔ 12.33.02 Server returns valid results for Observation search by patient + category + date ✔ 12.33.03 Server returns valid results for Observation search by patient + category ✔ 12.33.04 Server returns correct Observation resource from Observation read interaction ✔ 12.33.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target ✔ 12.33.06 Observation resources returned during previous tests conform to the US Core BMI Profile ✔ 12.33.07 All must support elements are provided in the Observation resources returned ✔ 12.33.08 MustSupport references within Observation resources are valid	4 6 2 1 1
✔ 12.34 Observation Screening Assessment Tests	
✔ 12.34.01 Server returns valid results for Observation search by patient + category ✔ 12.34.02 Server returns valid results for Observation search by patient + code ✔ 12.34.03 Server returns valid results for Observation search by patient + category + date ✔ 12.34.04 Server returns correct Observation resource from Observation read interaction ✔ 12.34.05 Server returns Provenance resources from Observation search by patient + category + revInclude:Provenance:target ✔ 12.34.06 Observation resources returned during previous tests conform to the US Core Observation Screening Assessment Profile ✔ 12.34.07 All must support elements are provided in the Observation resources returned ✔ 12.34.08 MustSupport references within Observation resources are valid	4 2 6 1 1 5
✔ 12.35 Observation Average Blood Pressure Tests	
✔ 12.35.01 Server returns valid results for Observation search by patient + code ✔ 12.35.02 Server returns valid results for Observation search by patient + category + date ✔ 12.35.03 Server returns valid results for Observation search by patient + category ✔ 12.35.04 Server returns correct Observation resource from Observation read interaction ✔ 12.35.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target ✔ 12.35.06 Observation resources returned during previous tests conform to the US Core Average Blood Pressure Profile ✔ 12.35.07 All must support elements are provided in the Observation resources returned ✔ 12.35.08 MustSupport references within Observation resources are valid	4 6 2 1 1
✔ 12.36 Observation Blood Pressure Tests	
✔ 12.36.01 Server returns valid results for Observation search by patient + code ✔ 12.36.02 Server returns valid results for Observation search by patient + category + date ✔ 12.36.03 Server returns valid results for Observation search by patient + category ✔ 12.36.04 Server returns correct Observation resource from Observation read interaction ✔ 12.36.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target ✔ 12.36.06 Observation resources returned during previous tests conform to the US Core Blood Pressure Profile ✔ 12.36.07 All must support elements are provided in the Observation resources returned ✔ 12.36.08 MustSupport references within Observation resources are valid	4 6 2 1 1
✔ 12.37 Observation Clinical Result Tests	
✔ 12.37.01 Server returns valid results for Observation search by patient + category ✔ 12.37.02 Server returns valid results for Observation search by patient + code ✔ 12.37.03 Server returns valid results for Observation search by patient + category + date ✔ 12.37.04 Server returns correct Observation resource from Observation read interaction ✔ 12.37.05 Server returns Provenance resources from Observation search by patient + category + revInclude:Provenance:target	9+ 2 6 1 7

✔ 12.37.06 Observation resources returned during previous tests conform to the US Core Observation Clinical Result Profile ✔ 12.37.07 All must support elements are provided in the Observation resources returned ✔ 12.37.08 MustSupport references within Observation resources are valid	
✔ 12.38 Observation Pediatric BMI for Age Tests	
✔ 12.38.01 Server returns valid results for Observation search by patient + code	4
✔ 12.38.02 Server returns valid results for Observation search by patient + category + date	6
✔ 12.38.03 Server returns valid results for Observation search by patient + category	2
✔ 12.38.04 Server returns correct Observation resource from Observation read interaction	1
✔ 12.38.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target	1
✔ 12.38.06 Observation resources returned during previous tests conform to the US Core Pediatric BMI for Age Observation Profile	
✔ 12.38.07 All must support elements are provided in the Observation resources returned	
✔ 12.38.08 MustSupport references within Observation resources are valid	
✔ 12.39 Observation Pediatric Head Occipital Frontal Circumference Percentile Tests	
✔ 12.39.01 Server returns valid results for Observation search by patient + code	4
✔ 12.39.02 Server returns valid results for Observation search by patient + category + date	6
✔ 12.39.03 Server returns valid results for Observation search by patient + category	2
✔ 12.39.04 Server returns correct Observation resource from Observation read interaction	1
✔ 12.39.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target	1
✔ 12.39.06 Observation resources returned during previous tests conform to the US Core Pediatric Head Occipital Frontal Circumference Percentile Profile	
✔ 12.39.07 All must support elements are provided in the Observation resources returned	
✔ 12.39.08 MustSupport references within Observation resources are valid	
✔ 12.40 Observation Body Weight Tests	
✔ 12.40.01 Server returns valid results for Observation search by patient + code	4
✔ 12.40.02 Server returns valid results for Observation search by patient + category + date	6
✔ 12.40.03 Server returns valid results for Observation search by patient + category	2
✔ 12.40.04 Server returns correct Observation resource from Observation read interaction	1
✔ 12.40.05 Server returns Provenance resources from Observation search by patient + code + revInclude:Provenance:target	1
✔ 12.40.06 Observation resources returned during previous tests conform to the US Core Body Weight Profile	
✔ 12.40.07 All must support elements are provided in the Observation resources returned	
✔ 12.40.08 MustSupport references within Observation resources are valid	
✔ 12.41 Procedure Tests	
✔ 12.41.01 Server returns valid results for Procedure search by patient	3
✔ 12.41.02 Server returns valid results for Procedure search by patient + date	5
✔ 12.41.03 Server returns correct Procedure resource from Procedure read interaction	1
✔ 12.41.04 Server returns Provenance resources from Procedure search by patient + revInclude:Provenance:target	1
✔ 12.41.05 Procedure resources returned during previous tests conform to the US Core Procedure Profile	
✔ 12.41.06 All must support elements are provided in the Procedure resources returned	
✔ 12.41.07 MustSupport references within Procedure resources are valid	3
✔ 12.42 ServiceRequest Tests	
✔ 12.42.01 Server returns valid results for ServiceRequest search by patient	3
✔ 12.42.02 Server returns valid results for ServiceRequest search by _id	1
✔ 12.42.03 Server returns valid results for ServiceRequest search by patient + code	2
✔ 12.42.04 Server returns valid results for ServiceRequest search by patient + category + authored	6
✔ 12.42.05 Server returns valid results for ServiceRequest search by patient + category	2
✔ 12.42.06 Server returns correct ServiceRequest resource from ServiceRequest read interaction	1
✔ 12.42.07 Server returns Provenance resources from ServiceRequest search by patient + revInclude:Provenance:target	1
✔ 12.42.08 ServiceRequest resources returned during previous tests conform to the US Core ServiceRequest Profile	
✔ 12.42.09 All must support elements are provided in the ServiceRequest resources returned	
✔ 12.42.10 MustSupport references within ServiceRequest resources are valid	
✔ 12.43 Location Tests	
✔ 12.43.01 Server returns correct Location resource from Location read interaction	1
✔ 12.43.02 Server returns valid results for Location search by address	2

✔ 12.43.03 Server returns valid results for Location search by name	🌐 1
✔ 12.43.04 Location resources returned during previous tests conform to the US Core Location Profile	
✔ 12.43.05 All must support elements are provided in the Location resources returned	
✔ 12.43.06 MustSupport references within Location resources are valid	
✔ 12.44 Organization Tests	
✔ 12.44.01 Server returns correct Organization resource from Organization read interaction	🌐 8
✔ 12.44.02 Organization resources returned during previous tests conform to the US Core Organization Profile	
✔ 12.44.03 All must support elements are provided in the Organization resources returned	
✔ 12.45 Practitioner Tests	
✔ 12.45.01 Server returns correct Practitioner resource from Practitioner read interaction	🌐 3
✔ 12.45.02 Practitioner resources returned during previous tests conform to the US Core Practitioner Profile	
✔ 12.45.03 All must support elements are provided in the Practitioner resources returned	
✔ 12.45.04 Server support either Practitioner.address or PractitionerRole	🌐 1
✔ 12.46 Provenance Tests	
✔ 12.46.01 Server returns correct Provenance resource from Provenance read interaction	🌐 9+
✔ 12.46.02 Provenance resources returned during previous tests conform to the US Core Provenance Profile	
✔ 12.46.03 All must support elements are provided in the Provenance resources returned	
✔ 12.46.04 MustSupport references within Provenance resources are valid	🌐 1
✔ 12.47 RelatedPerson Tests	
✔ 12.47.01 Server returns correct RelatedPerson resource from RelatedPerson read interaction	🌐 2
✔ 12.47.02 RelatedPerson resources returned during previous tests conform to the US Core RelatedPerson Profile	
✔ 12.47.03 All must support elements are provided in the RelatedPerson resources returned	
✔ 12.47.04 MustSupport references within RelatedPerson resources are valid	
✔ 12.48 Specimen Tests	
✔ 12.48.01 Server returns correct Specimen resource from Specimen read interaction	🌐 2
✔ 12.48.02 Specimen resources returned during previous tests conform to the US Core Specimen Profile	
✔ 12.48.03 All must support elements are provided in the Specimen resources returned	
✔ 12.48.04 MustSupport references within Specimen resources are valid	
✔ 12.49 Clinical Notes Guidance	
✔ 12.49.01 Server demonstrates support for the required DocumentReference types and DiagnosticReport categories.	🌐 2
✔ 12.49.02 DiagnosticReport and DocumentReference reference the same attachment	
✔ 12.50 Screening Assessments Guidance	
✔ 12.50.01 Server demonstrates support for the required Condition and Observation categories.	🌐 3
✔ 12.51 Missing Data Tests	
✔ 12.51.01 Server represents missing data with the DataAbsentReason Extension	
✔ 12.51.02 Server represents missing data with the DataAbsentReason CodeSystem	
✔ 8 Multi-Patient Authorization and API STU2	
INPUT	VALUE
bulk_server_url	https://care-commons.app/baseR4
group_id	inferno-test-group
bulk_patient_ids_in_group	
bulk_device_types_in_group	
lines_to_validate	
bulk_timeout	600
bulk_smart_auth_info	{\"auth_type\":\"backend_services\", \"token_url\":\"https://care-commons.app/oauth/token\", \"requested_scopes\":\"system/Patient.rs system/AllergyIntolerance.rs system/CarePlan.rs system/CareTeam.rs system/Condition.rs system/Coverage.rs system/Device.rs system/DiagnosticReport.rs system/DocumentReference.rs system/Encounter.rs system/Goal.rs system/Immunization.rs system/Location.rs system/Medication.rs system/MedicationDispense.rs system/MedicationRequest.rs system/Observation.rs system/Organization.rs system/Practitioner.rs system/PractitionerRole.rs system/Procedure.rs system/Provenance.rs system/RelatedPerson.rs system/ServiceRequest.rs system/Specimen.rs system/Media.rs\", \"client_id\":\"kMisGS9dKCH2d5cCp\", \"encryption_algorithm\":\"ES384\", \"access_token\":\"cXD7DhabpFPRgSSxi\", \"issue_time\":\"2026-07-21T18:24:57+00:00\", \"expires_in\":86400, \"name\":\"bulk_smart_auth_info\"}
since_timestamp	2026-07-14T18:21:02.691Z
✔ 8.1 Bulk Data Authorization	
✔ 8.1.01 Authorization service token endpoint secured by transport layer security	🌐 1 🌐 1 🌐 1
✔ 8.1.02 Authorization request fails when client supplies invalid grant_type	
✔ 8.1.03 Authorization request fails when supplied invalid client_assertion_type	
✔ 8.1.04 Authorization request fails when client supplies invalid JWT token	

8.1.05 Authorization request succeeds when supplied correct information	1
8.1.06 Authorization request response body contains required information encoded in JSON	
8.2 Group Compartment Export Tests STU2	
8.2.01 Bulk Data Server is secured by transport layer security	
8.2.02 Bulk Data Server declares support for Group export operation in CapabilityStatement	1
8.2.03 Bulk Data Server rejects \$export request without authorization	1
8.2.04 Bulk Data Server returns "202 Accepted" and "Content-location" for \$export operation	1
8.2.05 Bulk Data Server returns "202 Accepted" or "200 OK" for status check	2
8.2.06 Bulk Data Server returns output with type and url for status complete	
8.3 Group Compartment Export Validation Tests	
8.3.01 Bulk Data Server is secured by transport layer security	
8.3.02 NDJSON download requires access token if requireAccessToken is true	1
8.3.03 Patient resources returned conform to the US Core Patient Profile Successfully validated 5 Patient resource(s).	1
8.3.04 Group export has at least two patients	
8.3.05 Patient IDs match those expected in Group No patient ids were given.	
8.3.06 AllergyIntolerance resources returned conform to the US Core AllergyIntolerance Profile Successfully validated 5 AllergyIntolerance resource(s).	1
8.3.07 CarePlan resources returned conform to the US Core CarePlan Profile Successfully validated 5 CarePlan resource(s).	1
8.3.08 CareTeam resources returned conform to the US Core CareTeam Profile Successfully validated 3 CareTeam resource(s).	1
8.3.09 Condition resources returned conform to the relevant US Core Condition Profile Successfully validated 55 Condition resource(s).	1
8.3.10 Device resources returned conform to the US Core Implantable Device Profile Successfully validated 3 Device resource(s).	1
8.3.11 DiagnosticReport resources returned conform to the relevant US Core DiagnosticReport Profile Successfully validated 47 DiagnosticReport resource(s).	1
8.3.12 DocumentReference resources returned conform to the US Core DocumentReference Profile Successfully validated 40 DocumentReference resource(s).	1
8.3.13 Goal resources returned conform to the US Core Goal Profile Successfully validated 6 Goal resource(s).	1
8.3.14 Immunization resources returned conform to the US Core Immunization Profile Successfully validated 8 Immunization resource(s).	1
8.3.15 MedicationRequest resources returned conform to the US Core MedicationRequest Profile Successfully validated 65 MedicationRequest resource(s).	1
8.3.16 Observation resources returned conform to the relevant US Core Observation Profile Successfully validated 211 Observation resource(s).	1
8.3.17 Procedure resources returned conform to the US Core Procedure Profile Successfully validated 74 Procedure resource(s).	1
8.3.18 Encounter resources returned conform to the US Core Encounter Profile Successfully validated 28 Encounter resource(s).	1
8.3.19 Organization resources returned conform to the US Core Organization Profile Successfully validated 6 Organization resource(s).	1
8.3.20 Practitioner resources returned conform to the US Core Practitioner Profile Successfully validated 5 Practitioner resource(s).	1
8.3.21 Provenance resources returned conform to the US Core Provenance Profile Successfully validated 1 Provenance resource(s).	1
8.3.26 Medication resources returned conform to the US Core Medication Profile if bulk data export has Medication resources Successfully validated 1 Medication resource(s).	1
8.3.38 ServiceRequest resources returned conform to the US Core ServiceRequest Profile Successfully validated 18 ServiceRequest resource(s).	1
8.3.39 RelatedPerson resources returned conform to the US Core RelatedPerson Profile Successfully validated 2 RelatedPerson resource(s).	1
8.3.40 QuestionnaireResponse resources returned conform to the US Core QuestionnaireResponse Profile if bulk data has QuestionnaireResponse resources Successfully validated 95 QuestionnaireResponse resource(s).	1
8.3.41 PractionerRole resources returned conform to the US Core PractionerRole Profile if bulk data export has PractionerRole resources Successfully validated 19 PractitionerRole resource(s).	1
8.3.42 Coverage resources returned conform to the US Core Coverage Profile Successfully validated 2 Coverage resource(s).	1
8.3.43 MedicationDispense resources returned conform to the US Core MedicationDispense Profile Successfully validated 2 MedicationDispense resource(s).	1

✔ 8.3.44 Specimen resources returned conform to the US Core Specimen Profile Successfully validated 4 Specimen resource(s).		1
✔ 8.3.45 Location resources returned conform to the US Core Location Profile Successfully validated 3 Location resource(s).		1
✔ 8.4 Group Compartment Export Cancel Tests		
✔ 8.4.01 Bulk Data Server returns "202 Accepted" for delete request		2
✔ 8.4.02 Bulk Data Server returns a 404 and OperationOutcome for polling requests to cancelled exports		1
✔ 8.5 Group Compartment Export Parameters Tests		
✔ 8.5.01 Bulk Data Server supports "_outputFormat" query parameter		6
✔ 8.5.02 Bulk Data Server supports "_since" query parameter		2
✔ 9 Additional Authorization Tests		
✔ 9.16 Public Client Standalone Launch with OpenID Connect		1
INPUT	VALUE	
url	https://care-commons.app/baseR4	
public_smart_auth_info	{ "auth_type": "public", "use_discovery": "true", "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/authorize", "patient/AllergyIntolerance.rs patient/CarePlan.rs patient/CareTeam.rs patient/Condition.rs patient/Coverage.rs patient/Device.rs patient/DiagnosticReport.rs patient/Location.rs patient/MedicationDispense.rs patient/MedicationRequest.rs patient/Observation.rs patient/Organization.rs patient/Patient.rs patient/RelatedPerson.rs patient/ServiceRequest.rs patient/Specimen.rs patient/Media.rs", "client_id": "kMisGS9dKCH2d5cCp", "pkce_support": "enabled", "pkce_code_challenge_method": "S256", "auth_request_method": "GET", "07-21T18:25:50+00:00", "expires_in": 86400, "name": "public_smart_auth_info" }	
✔ 9.16.10 FHIR server makes SMART configuration available from well-known endpoint		1
✔ 9.16.01 OAuth 2.0 authorize endpoint secured by transport layer security		
✔ 9.16.02 OAuth server redirects client browser to app redirect URI		
✔ 9.16.03 OAuth server sends code parameter		1
✔ 9.16.04 OAuth 2.0 token endpoint secured by transport layer security		
✔ 9.16.05 OAuth token exchange request succeeds when supplied correct information		2
✔ 9.16.06 Token exchange response body contains required information encoded in JSON		1
✔ 9.16.07 Response includes correct HTTP Cache-Control and Pragma headers		1
✔ 9.16.08 Patient from launch context can be retrieved		1
✔ 9.16.09 OAuth token exchange response contains OpenID Connect id_token		
✔ 9.3 Token Revocation		
INPUT	VALUE	
token_revocation_attestation	true	
token_revocation_notes		
standalone_patient_id	958c63b0-4a7f-2ee7-ef6a-e04df5931b4c	
url	https://care-commons.app/baseR4	
smart_auth_info	{ "auth_type": "symmetric", "use_discovery": "true", "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/authorize", "user/Condition.rs user/Coverage.rs user/Device.rs user/DiagnosticReport.rs user/DocumentReference.rs user/Encounter.rs user/Goal.rs user/Immunization.rs user/Procedure.rs user/Provenance.rs user/PractitionerRole.rs user/RelatedPerson.rs user/ServiceRequest.rs user/Specimen.rs user/Media.rs", "client_id": "kMisGS9dKCH2d5cCp", "client_secret": "DfwjJoWBTP83pEYwvNdFpJorfAJMWXLNR", "pkce_support": "enabled", "pkce_code_challenge_method": "S256", "07-21T18:22:24+00:00", "expires_in": 86400, "name": "ehr_smart_auth_info" }	
✔ 9.3.01 Health IT developer demonstrated the ability of the Health IT Module to revoke tokens within one hour of a patient's request.		
✔ 9.3.02 Access to Patient resource returns unauthorized after token revocation.		1
✔ 9.3.03 Token refresh fails after token revocation.		1
✔ 9.4 Invalid AUD Parameter		
INPUT	VALUE	
url	https://care-commons.app/baseR4	
standalone_smart_auth_info	{ "auth_type": "symmetric", "use_discovery": "true", "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/authorize", "patient/CareTeam.rs patient/Condition.rs patient/Coverage.rs patient/Device.rs patient/DiagnosticReport.rs patient/DocumentReference.rs patient/Encounter.rs patient/Organization.rs patient/Patient.rs patient/Practitioner.rs patient/Procedure.rs patient/Provenance.rs patient/PractitionerRole.rs patient/RelatedPerson.rs patient/ServiceRequest.rs patient/Specimen.rs patient/Media.rs", "client_id": "kMisGS9dKCH2d5cCp", "client_secret": "DfwjJoWBTP83pEYwvNdFpJorfAJMWXLNR", "pkce_support": "enabled", "pkce_code_challenge_method": "S256", "07-21T18:29:46+00:00", "expires_in": 86400, "name": "standalone_smart_auth_info" }	
✔ 9.4.03 OAuth server redirects client browser to app redirect URI		
✔ 9.4.04 Inferno client app does not receive code parameter redirect URI Server redirected the user back to the app with an error.		1
✔ 9.17 Invalid Access Token Request		
INPUT	VALUE	
url	https://care-commons.app/baseR4	
standalone_smart_auth_info	{ "auth_type": "symmetric", "use_discovery": "true", "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/authorize", "patient/CareTeam.rs patient/Condition.rs patient/Coverage.rs patient/Device.rs patient/DiagnosticReport.rs patient/DocumentReference.rs patient/Encounter.rs patient/Organization.rs patient/Patient.rs patient/Practitioner.rs patient/Procedure.rs patient/Provenance.rs patient/PractitionerRole.rs patient/RelatedPerson.rs patient/ServiceRequest.rs patient/Specimen.rs patient/Media.rs", "client_id": "kMisGS9dKCH2d5cCp", "client_secret": "DfwjJoWBTP83pEYwvNdFpJorfAJMWXLNR", "pkce_support": "enabled", "pkce_code_challenge_method": "S256", "07-21T18:29:46+00:00", "expires_in": 86400, "name": "standalone_smart_auth_info" }	
✔ 9.17.06 FHIR server makes SMART configuration available from well-known endpoint		1

✔ 9.17.01 OAuth server redirects client browser to app redirect URI		1 2 2
✔ 9.17.02 OAuth server sends code parameter		
✔ 9.17.03 OAuth token exchange fails when supplied invalid code		
✔ 9.17.04 OAuth token exchange fails when supplied invalid client ID		
✔ 9.18 Invalid PKCE Code Verifier		
INPUT	VALUE	
url	https://care-commons.app/baseR4	
standalone_smart_auth_info	{\"auth_type\":\"symmetric\", \"use_discovery\":\"true\", \"token_url\":\"https://care-commons.app/oauth/token\", \"auth_url\":\"https://care-commons.app/oauth/a patient/CareTeam.rs patient/Condition.rs patient/Coverage.rs patient/Device.rs patient/DiagnosticReport.rs patient/DocumentReference.rs patient/f patient/Organization.rs patient/Patient.rs patient/Practitioner.rs patient/Procedure.rs patient/Provenance.rs patient/PractitionerRole.rs patient/Relat patient/Media.rs\", \"client_id\":\"kMisGS9dKCH2d5cCp\", \"client_secret\":\"DfwjJoWBTpP83pEYwvNdFpJorfAJMWXLNR\", \"pkce_support\":\"enabled\", \"pkc 07-21T18:29:46+00:00\", \"expires_in\":86400, \"name\":\"standalone_smart_auth_info\"}	
✔ 9.18.13 FHIR server makes SMART configuration available from well-known endpoint		1
✔ 9.18.01 OAuth server redirects client browser to app redirect URI		
✔ 9.18.02 OAuth server sends code parameter		1
✔ 9.18.03 OAuth token exchange fails when no code_verifier is given		2
✔ 9.18.04 OAuth server redirects client browser to app redirect URI		
✔ 9.18.05 OAuth server sends code parameter		1
✔ 9.18.06 OAuth token exchange fails when code_verifier is blank		2
✔ 9.18.07 OAuth server redirects client browser to app redirect URI		
✔ 9.18.08 OAuth server sends code parameter		1
✔ 9.18.09 OAuth token exchange fails when code_verifier is incorrect		2
✔ 9.18.10 OAuth server redirects client browser to app redirect URI		
✔ 9.18.11 OAuth server sends code parameter		1
✔ 9.18.12 OAuth token exchange fails when code_verifier matches code_challenge		2
✔ 9.19 EHR Launch with Patient Scopes		
INPUT	VALUE	
url	https://care-commons.app/baseR4	
ehr_patient_smart_auth_info	{\"auth_type\":\"symmetric\", \"use_discovery\":\"true\", \"token_url\":\"https://care-commons.app/oauth/token\", \"auth_url\":\"https://care-commons.app/oauth/a patient/Patient.rs\", \"client_id\":\"kMisGS9dKCH2d5cCp\", \"client_secret\":\"DfwjJoWBTpP83pEYwvNdFpJorfAJMWXLNR\", \"pkce_support\":\"enabled\", \"pl 07-21T18:29:18+00:00\", \"expires_in\":86400, \"name\":\"ehr_patient_smart_auth_info\"}	
✔ 9.19.13 FHIR server makes SMART configuration available from well-known endpoint		1
✔ 9.19.01 EHR server redirects client browser to Inferno app launch URI		
✔ 9.19.02 EHR server sends launch parameter		1
✔ 9.19.03 OAuth 2.0 authorize endpoint secured by transport layer security		
✔ 9.19.04 OAuth server redirects client browser to app redirect URI		
✔ 9.19.05 OAuth server sends code parameter		1
✔ 9.19.06 OAuth 2.0 token endpoint secured by transport layer security		
✔ 9.19.07 OAuth token exchange request succeeds when supplied correct information		2
✔ 9.19.08 Token exchange response body contains required information encoded in JSON		1
✔ 9.19.09 Response includes correct HTTP Cache-Control and Pragma headers		1
● 9.19.10 SMART Token Endpoint Enables Cross-Origin Resource Sharing (CORS) Client type is not public, Cross-Origin Resource Sharing (CORS) is not required to be supported for non-public client types		1
✔ 9.19.11 Patient from launch context can be retrieved		1
✔ 9.19.12 Patient-level scopes were granted		
✔ 9.20 Token Introspection		1
INPUT	VALUE	
url	https://care-commons.app/baseR4	
well_known_introspection_url	https://care-commons.app/authorizations/introspect	
custom_authorization_header		
optional_introspection_request_params		
standalone_smart_auth_info	{\"auth_type\":\"symmetric\", \"use_discovery\":\"true\", \"token_url\":\"https://care-commons.app/oauth/token\", \"auth_url\":\"https://care-commons. patient/CareTeam.rs patient/Condition.rs patient/Coverage.rs patient/Device.rs patient/DiagnosticReport.rs patient/DocumentReferenc patient/Organization.rs patient/Patient.rs patient/Practitioner.rs patient/Procedure.rs patient/Provenance.rs patient/PractitionerRole.rs p patient/Media.rs\", \"client_id\":\"kMisGS9dKCH2d5cCp\", \"client_secret\":\"DfwjJoWBTpP83pEYwvNdFpJorfAJMWXLNR\", \"pkce_support\":\"e 07-21T18:29:46+00:00\", \"expires_in\":86400, \"name\":\"standalone_smart_auth_info\"}	
✔ 9.20.1 Request New Access Token to Introspect		1
✔ 9.20.1.1 SMART on FHIR Discovery		
✔ 9.20.1.1.01 FHIR server makes SMART configuration available from well-known endpoint		1
✔ 9.20.1.1.02 Well-known configuration contains required fields		
✔ 9.20.1.1.03 <i>Optional</i> SMART .well-known/smart-configuration Endpoint Enables Cross-Origin Resource Sharing (CORS)		1

✔ 9.20.1.1.04 <i>Optional</i> SMART metadata Endpoint Enables Cross-Origin Resource Sharing (CORS)		1
✔ 9.20.1.2 SMART Standalone Launch		1
✔ 9.20.1.2.01 OAuth 2.0 authorize endpoint secured by transport layer security		1
✔ 9.20.1.2.02 OAuth server redirects client browser to app redirect URI		
✔ 9.20.1.2.03 OAuth server sends code parameter		
✔ 9.20.1.2.04 OAuth 2.0 token endpoint secured by transport layer security		
✔ 9.20.1.2.05 OAuth token exchange request succeeds when supplied correct information		2
✔ 9.20.1.2.06 Token exchange response body contains required information encoded in JSON		1
✔ 9.20.1.2.07 Response includes correct HTTP Cache-Control and Pragma headers		1
9.20.1.2.08 SMART Token Endpoint Enables Cross-Origin Resource Sharing (CORS) Client type is not public, Cross-Origin Resource Sharing (CORS) is not required to be supported for non-public client types		1
✔ 9.20.2 Issue Token Introspection Request		
✔ 9.20.2.01 Token introspection endpoint returns a response when provided an active token		1
✔ 9.20.2.02 Token introspection endpoint returns a response when provided an invalid token		1
✔ 9.20.3 Validate Token Introspection Response		
✔ 9.20.3.01 Token introspection response for an active token contains required fields		
✔ 9.20.3.02 Token introspection response for an invalid token contains required fields		
✔ 9.21 Asymmetric Client Standalone Launch		1
INPUT	VALUE	
url	https://care-commons.app/baseR4	
asymmetric_smart_auth_info	{ "auth_type": "asymmetric", "use_discovery": "true", "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/patient/CarePlan.rs patient/CareTeam.rs patient/Condition.rs patient/Coverage.rs patient/Device.rs patient/DiagnosticReport.rs patient/DocumentReference.rs patient/MedicationRequest.rs patient/Observation.rs patient/Organization.rs patient/Patient.rs patient/Practitioner.rs patient/Procedure.rs patient/ProcedureReference.rs patient/RelatedPerson.rs patient/Specimen.rs patient/SupplyDelivery.rs", "client_id": "kMisGS9dKCH2d5cCp", "pkce_support": "enabled", "pkce_code_challenge_method": "S256", "auth_request_method": "C07-21T18:33:56+00:00", "expires_in": 86400, "name": "asymmetric_smart_auth_info" }	
✔ 9.21.2 SMART on FHIR Discovery		
✔ 9.21.2.01 FHIR server makes SMART configuration available from well-known endpoint		1
✔ 9.21.2.02 Well-known configuration contains required fields		
✔ 9.21.2.03 <i>Optional</i> SMART .well-known/smart-configuration Endpoint Enables Cross-Origin Resource Sharing (CORS)		1
✔ 9.21.2.04 <i>Optional</i> SMART metadata Endpoint Enables Cross-Origin Resource Sharing (CORS)		1
✔ 9.21.4 SMART Standalone Launch		1
✔ 9.21.4.01 OAuth 2.0 authorize endpoint secured by transport layer security		1
✔ 9.21.4.02 OAuth server redirects client browser to app redirect URI		
✔ 9.21.4.03 OAuth server sends code parameter		
✔ 9.21.4.04 OAuth 2.0 token endpoint secured by transport layer security		
✔ 9.21.4.05 OAuth token exchange request succeeds when supplied correct information		2
✔ 9.21.4.06 Token exchange response body contains required information encoded in JSON		1
✔ 9.21.4.07 Response includes correct HTTP Cache-Control and Pragma headers		1
9.21.4.08 SMART Token Endpoint Enables Cross-Origin Resource Sharing (CORS) Client type is not public, Cross-Origin Resource Sharing (CORS) is not required to be supported for non-public client types		1
✔ 9.21.4.09 Patient from launch context can be retrieved		1
✔ 9.21.4.10 OAuth token exchange response contains OpenID Connect id_token		
✔ 9.21.5 Token Refresh		
✔ 9.21.5.01 Server successfully refreshes the access token when optional scope parameter omitted		1
✔ 9.21.5.02 Token refresh response contains all required fields		1
✔ 9.21.5.03 Server successfully refreshes the access token when optional scope parameter provided		1
✔ 9.21.5.04 Token refresh response contains all required fields		1
✔ 9.21.5.05 Patient from launch context can be retrieved		2
✔ 9.21.5.06 Refresh token exchange fails when supplied an invalid refresh token		1
✔ 9.22 App Launch with SMART v1 scopes		
INPUT	VALUE	
url	https://care-commons.app/baseR4	
v1_smart_auth_info	{ "auth_type": "symmetric", "use_discovery": "true", "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/authorize", "patient": "patient/CareTeam.read patient/Condition.read patient/Device.read patient/DiagnosticReport.read patient/DocumentReference.read patient/Encounter.read patient/Patient.read patient/Practitioner.read patient/Procedure.read patient/Provenance.read patient/PractitionerRole.read patient/RelatedPerson.read patient/Specimen.read patient/SupplyDelivery.read", "client_id": "kMisGS9dKCH2d5cCp", "client_secret": "DfwjJoWBTpP83pEYwvNdFpJorfAJMWXLNR", "pkce_support": "enabled", "pkce_code_challenge_method": "S256", "auth_request_method": "C07-21T18:34:14+00:00", "expires_in": 86400, "name": "v1_smart_auth_info" }	

✔ 9.22.2 SMART on FHIR Discovery	
✔ 9.22.2.01 FHIR server makes SMART configuration available from well-known endpoint	1
✔ 9.22.2.02 Well-known configuration contains required fields	
✔ 9.22.2.03 <i>Optional</i> SMART .well-known/smart-configuration Endpoint Enables Cross-Origin Resource Sharing (CORS)	1
✔ 9.22.2.04 <i>Optional</i> SMART metadata Endpoint Enables Cross-Origin Resource Sharing (CORS)	1
✔ 9.22.2.05 Well-known configuration declares support for required capabilities	
✔ 9.22.4 Standalone Launch With Patient Scope	
✔ 9.22.4.01 OAuth 2.0 authorize endpoint secured by transport layer security	
✔ 9.22.4.02 OAuth server redirects client browser to app redirect URI	
✔ 9.22.4.03 OAuth server sends code parameter	1
✔ 9.22.4.04 OAuth 2.0 token endpoint secured by transport layer security	
✔ 9.22.4.05 OAuth token exchange request succeeds when supplied correct information	2
✔ 9.22.4.06 Token exchange response body contains required information encoded in JSON	1
✔ 9.22.4.07 Response includes correct HTTP Cache-Control and Pragma headers	1
● 9.22.4.08 SMART Token Endpoint Enables Cross-Origin Resource Sharing (CORS) Client type is not public, Cross-Origin Resource Sharing (CORS) is not required to be supported for non-public client types	1
✔ 9.22.4.09 Patient-level access with OpenID Connect and Refresh Token scopes used.	1
✔ 9.22.4.10 Server rejects unauthorized access	2
✔ 9.22.4.11 Patient from launch context can be retrieved	1
✔ 9.22.5 Unrestricted Resource Type Access	
✔ 9.22.5.01 Scope granted enables access to all US Core resource types. Scopes received indicate access to all necessary resources.	
✔ 9.22.5.02 Access to Patient resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.03 Access to AllergyIntolerance resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.04 Access to CarePlan resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.05 Access to CareTeam resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.06 Access to Condition resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.07 Access to Device resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.08 Access to DiagnosticReport resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.09 Access to DocumentReference resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.10 Access to Goal resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.11 Access to Immunization resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.12 Access to MedicationRequest resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.13 Access to Observation resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.5.14 Access to Procedure resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.21 Access to Encounter resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.22 Access to ServiceRequest resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.23 Access to Coverage resources granted Access expected to be granted and request properly returned 200	1
✔ 1.7.24 Access to MedicationDispense resources granted Access expected to be granted and request properly returned 200	1
✔ 9.22.01 Handle TLS Warning Messages	
✔ 9.22.02 Handle TLS Warning Messages	
✔ 9.25 SMART App Launch with fine-grained scopes	
✔ 9.25.1 Granular Scopes 1	

INPUT	VALUE
url	https://care-commons.app/baseR4
granular_scopes_1_auth_info	{ "auth_type": "public", "use_discovery": true, "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/authorize", "category": "http://terminology.hl7.org/CodeSystem/condition-category encounter-diagnosis patient/Condition.rs?category=http://hl7.org/fhir/us/core/CodeSystem/condition-category laboratory patient/Observation.rs?category=http://terminology.hl7.org/CodeSystem/observation-category laboratory patient/Observation.rs?category=http://terminology.hl7.org/CodeSystem/observation-category survey patient/Observation.rs?category=http://hl7.org/fhir/us/core/CodeSystem/observation-category functional-status patient/Observation.rs?category=http://hl7.org/fhir/us/core/CodeSystem/us-core-category disability-status patient/Observation.rs?category=http://terminology.hl7.org/CodeSystem/observation-category activity", "client_id": "kMisGS9dKCH2d5cCp", "pkce_support": "enabled", "pkce_code_challenge_method": "S256", "auth_request_method": "GET", "expires_in": 86400, "name": "granular_scopes_1_auth_info" }
patient_ids	958c63b0-4a7f-2ee7-ef6a-e04df5931b4c

9.25.1.1 Standalone Launch

9.25.1.1.1 SMART on FHIR Discovery

- 9.25.1.1.1.01 FHIR server makes SMART configuration available from well-known endpoint

1
- 9.25.1.1.1.02 Well-known configuration contains required fields
- 9.25.1.1.1.03 *Optional* SMART .well-known/smart-configuration Endpoint Enables Cross-Origin Resource Sharing (CORS)

1
- 9.25.1.1.1.04 *Optional* SMART metadata Endpoint Enables Cross-Origin Resource Sharing (CORS)

1

9.25.1.1.2 SMART Standalone Launch

- 9.25.1.1.2.01 OAuth 2.0 authorize endpoint secured by transport layer security
- 9.25.1.1.2.02 OAuth server redirects client browser to app redirect URI
- 9.25.1.1.2.03 OAuth server sends code parameter

1
- 9.25.1.1.2.04 OAuth 2.0 token endpoint secured by transport layer security
- 9.25.1.1.2.05 OAuth token exchange request succeeds when supplied correct information

2
- 9.25.1.1.2.06 Token exchange response body contains required information encoded in JSON

1
- 9.25.1.1.2.07 Response includes correct HTTP Cache-Control and Pragma headers

1
- 9.25.1.1.2.08 SMART Token Endpoint Enables Cross-Origin Resource Sharing (CORS)

1
- 9.25.1.1.2.09 Required granular scopes were granted

9.25.1.2 Condition Granular Scope Tests

- 9.25.1.2.01 Server filters results for Condition search by patient + category based on granular scopes

9+
- 9.25.1.2.02 Server filters results for Condition search by patient based on granular scopes

4
- 9.25.1.2.03 Server filters results for Condition reads based on granular scopes

9+

9.25.1.3 Observation Granular Scope Tests

- 9.25.1.3.01 Server filters results for Observation search by patient + category based on granular scopes

9+
- 9.25.1.3.02 Server filters results for Observation search by patient + code based on granular scopes

9+
- 9.25.1.3.03 Server filters results for Observation search by patient + category + date based on granular scopes

9+
- 9.25.1.3.04 Server filters results for Observation reads based on granular scopes

9+

9.25.2 Granular Scopes 2

INPUT	VALUE
url	https://care-commons.app/baseR4
granular_scopes_2_auth_info	{ "auth_type": "public", "use_discovery": true, "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/authorize", "category": "http://terminology.hl7.org/CodeSystem/condition-category problem-list-item patient/Observation.rs?category=http://terminology.hl7.org/CodeSystem/condition-category survey patient/Observation.rs?category=http://hl7.org/fhir/us/core/CodeSystem/observation-category functional-status patient/Observation.rs?category=http://hl7.org/fhir/us/core/CodeSystem/us-core-category disability-status patient/Observation.rs?category=http://terminology.hl7.org/CodeSystem/observation-category activity", "client_id": "kMisGS9dKCH2d5cCp", "pkce_support": "enabled", "pkce_code_challenge_method": "S256", "auth_request_method": "GET", "expires_in": 86400, "name": "granular_scopes_2_auth_info" }
patient_ids	958c63b0-4a7f-2ee7-ef6a-e04df5931b4c

9.25.2.1 Standalone Launch

9.25.2.1.1 SMART on FHIR Discovery

- 9.25.2.1.1.01 FHIR server makes SMART configuration available from well-known endpoint

1
- 9.25.2.1.1.02 Well-known configuration contains required fields
- 9.25.2.1.1.03 *Optional* SMART .well-known/smart-configuration Endpoint Enables Cross-Origin Resource Sharing (CORS)

1
- 9.25.2.1.1.04 *Optional* SMART metadata Endpoint Enables Cross-Origin Resource Sharing (CORS)

1

9.25.2.1.2 SMART Standalone Launch

- 9.25.2.1.2.01 OAuth 2.0 authorize endpoint secured by transport layer security
- 9.25.2.1.2.02 OAuth server redirects client browser to app redirect URI
- 9.25.2.1.2.03 OAuth server sends code parameter

1
- 9.25.2.1.2.04 OAuth 2.0 token endpoint secured by transport layer security
- 9.25.2.1.2.05 OAuth token exchange request succeeds when supplied correct information

2
- 9.25.2.1.2.06 Token exchange response body contains required information encoded in JSON

1

✔ 9.25.2.1.2.07 Response includes correct HTTP Cache-Control and Pragma headers ✔ 9.25.2.1.2.08 SMART Token Endpoint Enables Cross-Origin Resource Sharing (CORS) ✔ 9.25.2.1.2.09 Required granular scopes were granted		1 1
✔ 9.25.2.2 Condition Granular Scope Tests		
✔ 9.25.2.2.01 Server filters results for Condition search by patient + category based on granular scopes ✔ 9.25.2.2.02 Server filters results for Condition search by patient based on granular scopes ✔ 9.25.2.2.03 Server filters results for Condition reads based on granular scopes		9+ 4 9
✔ 9.25.2.3 Observation Granular Scope Tests		
✔ 9.25.2.3.01 Server filters results for Observation search by patient + category based on granular scopes ✔ 9.25.2.3.02 Server filters results for Observation search by patient + code based on granular scopes ✔ 9.25.2.3.03 Server filters results for Observation search by patient + category + date based on granular scopes ✔ 9.25.2.3.04 Server filters results for Observation reads based on granular scopes		9+ 9+ 9+ 9+
✔ 9.28 SMART Granular Scope Selection		
INPUT	VALUE	
url	https://care-commons.app/baseR4	
granular_scopes_selection_smart_auth_info	{ "auth_type": "public", "use_discovery": "true", "token_url": "https://care-commons.app/oauth/token", "auth_url": "https://care-commons.app/oauth/token", "offline_access": true, "patient_access": "patient/Condition.rs patient/Observation.rs patient/Patient.rs", "client_id": "kMisGS9dKCH2d5cCp", "pkce_support": "enabled", "pkce_code_challenge_method": "S256", "auth_re	
✔ 9.28.2 SMART on FHIR Discovery		
✔ 9.28.2.01 FHIR server makes SMART configuration available from well-known endpoint ✔ 9.28.2.02 Well-known configuration contains required fields ✔ 9.28.2.03 Optional SMART .well-known/smart-configuration Endpoint Enables Cross-Origin Resource Sharing (CORS) ✔ 9.28.2.04 Optional SMART metadata Endpoint Enables Cross-Origin Resource Sharing (CORS)		1 1 1 1
✔ 9.28.4 Granular Scope Selection with v2 Scopes		
✔ 9.28.4.01 OAuth 2.0 authorize endpoint secured by transport layer security ✔ 9.28.4.02 OAuth server redirects client browser to app redirect URI ✔ 9.28.4.03 OAuth server sends code parameter ✔ 9.28.4.04 OAuth 2.0 token endpoint secured by transport layer security ✔ 9.28.4.05 OAuth token exchange request succeeds when supplied correct information ✔ 9.28.4.06 Token exchange response body contains required information encoded in JSON ✔ 9.28.4.07 Response includes correct HTTP Cache-Control and Pragma headers ✔ 9.28.4.08 SMART Token Endpoint Enables Cross-Origin Resource Sharing (CORS) ✔ 9.28.4.09 Patient-level access with OpenID Connect and Refresh Token scopes used. ✔ 9.28.4.10 Granular Scope Selection		1 2 1 1 1 1 1
✔ 11 Visual Inspection and Attestation		
INPUT	VALUE	
single_patient_registration_supported	true	
single_patient_registration_notes		
multiple_patient_registration_supported	true	
multiple_patient_registration_notes		
resource_authorization_gui_supported	true	
resource_authorization_gui_notes		
offline_access_notification_supported	true	
offline_access_notification_notes		
refresh_token_period_attestation	true	
refresh_token_period_notes		
token_validation_support		
token_validation_notes		
information_accuracy_attestation	true	
information_accuracy_notes		
multi_patient_scopes_attestation	true	
multi_patient_scopes_notes		
developer_documentation_attestation	true	
developer_documentation_notes		
jwks_cache_attestation	true	
jwks_cache_notes		
patient_suffix_attestation		
patient_suffix_notes		
native_refresh_attestation	true	
native_refresh_notes		
public_url_attestation	true	
public_url_attestation_notes		
unique_incorrectly_permitted_tls_versions_messages		
tls_documentation_required		

INPUT	VALUE
tls_version_attestation_notes	
refresh_token_refresh_attestation	true
refresh_token_refresh_notes	
bulk_v2_since_attestation	true
bulk_v2_since_attestation_notes	
clinical_test_scope_attestation	true
clinical_test_scope_attestation_notes	
✔ 11.01 Health IT Module demonstrated support for application registration for single patients. ✔ 11.02 Health IT Module demonstrated support for application registration for multiple patients. ✔ 11.03 Health IT Module demonstrated a graphical user interface for user to authorize FHIR resources. ✔ 11.04 Health IT Module informed patient when "offline_access" scope is being granted during authorization. ✔ 11.05 Health IT Module attested that it is capable of issuing refresh tokens that are valid for a period of no shorter than three months. ✔ 11.07 Tester verifies that all information is accurate and without omission. ✔ 11.08 Information returned no greater than scopes pre-authorized for multi-patient queries. ✔ 11.09 Health IT developer demonstrated the documentation is available at a publicly accessible URL. ✔ 11.10 Health IT developer confirms the Health IT Module does not cache the JWK Set received via a TLS-protected URL for longer than the cache-control header received by an application indicates. ✔ 11.13 Health IT developer demonstrates support for issuing refresh tokens to native applications. ✔ 11.14 Health IT developer demonstrates the public location of its base URLs. ✔ 11.15 TLS version 1.2 or above must be enforced ✔ 11.16 Health IT developer attested that the Health IT Module is capable of issuing refresh tokens valid for a new period of no shorter than three months without requiring re-authentication and re-authorization when a valid refresh token is supplied by the application. ✔ 11.17 Health IT developer attested that the Health IT Module meets the requirements for supporting the `_since` parameter for bulk data exports. ✔ 11.21 Health IT developer attested that the Health IT Module supports granting a sub resource scope for Clinical Test Observations.	