

# Care Commons EHR

ONC Health IT Certification  
Software Manual

2015 Edition Cures Update

Care Commons Consortium

July 4, 2026

# Contents

|          |                                                  |           |
|----------|--------------------------------------------------|-----------|
| <b>I</b> | <b>Base EHR Certification</b>                    | <b>4</b>  |
|          | <b>Overview</b>                                  | <b>5</b>  |
| <b>1</b> | <b>§ 170.315(a)(1) - CPOE Medications</b>        | <b>7</b>  |
| 1.1      | Criterion Information                            | 8         |
| 1.1.1    | Maturity Level                                   | 8         |
| 1.1.2    | Regulatory Text                                  | 8         |
| 1.2      | Behavior-Driven Development Specification        | 8         |
| 1.3      | Screenshots                                      | 9         |
| <b>2</b> | <b>§ 170.315(a)(2) - CPOE Laboratory</b>         | <b>10</b> |
| 2.1      | Criterion Information                            | 11        |
| 2.1.1    | Maturity Level                                   | 11        |
| 2.1.2    | Regulatory Text                                  | 11        |
| 2.2      | Behavior-Driven Development Specification        | 11        |
| 2.3      | Screenshots                                      | 12        |
| <b>3</b> | <b>§ 170.315(a)(3) - CPOE Diagnostic Imaging</b> | <b>13</b> |
| 3.1      | Criterion Information                            | 14        |
| 3.1.1    | Maturity Level                                   | 14        |
| 3.1.2    | Regulatory Text                                  | 14        |
| 3.2      | Behavior-Driven Development Specification        | 14        |
| 3.3      | Screenshots                                      | 15        |
| <b>4</b> | <b>§ 170.315(a)(4) - Drug Interaction Checks</b> | <b>17</b> |
| 4.1      | Criterion Information                            | 18        |
| 4.1.1    | Maturity Level                                   | 18        |
| 4.1.2    | Regulatory Text                                  | 18        |
| 4.2      | Behavior-Driven Development Specification        | 18        |
| 4.3      | Screenshots                                      | 20        |
| <b>5</b> | <b>§ 170.315(a)(5) - Demographics</b>            | <b>22</b> |
| 5.1      | Criterion Information                            | 23        |
| 5.1.1    | Maturity Level                                   | 23        |
| 5.1.2    | Regulatory Text                                  | 23        |
| 5.1.3    | Implementation                                   | 23        |
| 5.2      | Behavior-Driven Development Specification        | 23        |
| 5.3      | Screenshots                                      | 29        |

|           |                                                                 |           |
|-----------|-----------------------------------------------------------------|-----------|
| <b>6</b>  | <b>§ 170.315(a)(9) - Clinical Decision Support (EXPIRED)</b>    | <b>30</b> |
| 6.1       | Criterion Information                                           | 31        |
| 6.1.1     | Maturity Level                                                  | 31        |
| 6.1.2     | Expiration Notice                                               | 31        |
| 6.1.3     | Regulatory Text                                                 | 31        |
| 6.2       | Behavior-Driven Development Specification                       | 31        |
| 6.3       | Screenshots                                                     | 36        |
| <b>7</b>  | <b>§ 170.315(b)(1) - Transitions of Care</b>                    | <b>37</b> |
| 7.1       | Criterion Information                                           | 38        |
| 7.1.1     | Maturity Level                                                  | 38        |
| 7.1.2     | Regulatory Text                                                 | 38        |
| 7.1.3     | Implementation                                                  | 38        |
| 7.2       | Behavior-Driven Development Specification                       | 38        |
| 7.3       | Screenshots                                                     | 47        |
| <b>8</b>  | <b>§ 170.315(b)(4) - Real-Time Prescription Benefit</b>         | <b>49</b> |
| 8.1       | Criterion Information                                           | 50        |
| 8.1.1     | Maturity Level                                                  | 50        |
| 8.1.2     | Regulatory Text                                                 | 50        |
| 8.1.3     | Implementation Status                                           | 50        |
| 8.2       | Behavior-Driven Development Specification                       | 50        |
| 8.3       | Screenshots                                                     | 50        |
| <b>9</b>  | <b>§ 170.315(b)(11) - Decision Support Interventions</b>        | <b>52</b> |
| 9.1       | Criterion Information                                           | 53        |
| 9.1.1     | Maturity Level                                                  | 53        |
| 9.1.2     | Replacement Notice                                              | 53        |
| 9.1.3     | Regulatory Text                                                 | 53        |
| 9.2       | Behavior-Driven Development Specification                       | 53        |
| 9.3       | Screenshots                                                     | 58        |
| <b>10</b> | <b>§ 170.315(a)(14) - Implantable Device List</b>               | <b>59</b> |
| 10.1      | Criterion Information                                           | 60        |
| 10.1.1    | Maturity Level                                                  | 60        |
| 10.1.2    | Regulatory Text                                                 | 60        |
| 10.2      | Behavior-Driven Development Specification                       | 60        |
| 10.3      | Screenshots                                                     | 64        |
| <b>11</b> | <b>§ 170.315(e)(1) - View, Download, Transmit</b>               | <b>65</b> |
| 11.1      | Criterion Information                                           | 66        |
| 11.1.1    | Maturity Level                                                  | 66        |
| 11.1.2    | Regulatory Text                                                 | 66        |
| 11.2      | Behavior-Driven Development Specification                       | 66        |
| 11.3      | Screenshots                                                     | 67        |
| <b>12</b> | <b>§ 170.315(g)(7) - Application Access - Patient Selection</b> | <b>68</b> |
| 12.1      | Criterion Information                                           | 69        |
| 12.1.1    | Maturity Level                                                  | 69        |

|                                                                           |           |
|---------------------------------------------------------------------------|-----------|
| 12.1.2 Regulatory Text . . . . .                                          | 69        |
| 12.2 Behavior-Driven Development Specification . . . . .                  | 69        |
| <b>13 § 170.315(g)(9) - Application Access - All Data</b>                 | <b>71</b> |
| 13.1 Criterion Information . . . . .                                      | 72        |
| 13.1.1 Maturity Level . . . . .                                           | 72        |
| 13.1.2 Regulatory Text . . . . .                                          | 72        |
| 13.2 Behavior-Driven Development Specification . . . . .                  | 72        |
| <b>14 § 170.315(g)(10) - Standardized API</b>                             | <b>74</b> |
| 14.1 Criterion Information . . . . .                                      | 75        |
| 14.1.1 Maturity Level . . . . .                                           | 75        |
| 14.1.2 Regulatory Text . . . . .                                          | 75        |
| 14.2 Behavior-Driven Development Specification . . . . .                  | 75        |
| <b>15 § 170.315(c)(1) - Clinical Quality Measures - Record and Export</b> | <b>77</b> |
| 15.1 Criterion Information . . . . .                                      | 78        |
| 15.1.1 Maturity Level . . . . .                                           | 78        |
| 15.1.2 Regulatory Text . . . . .                                          | 78        |
| 15.1.3 Implementation . . . . .                                           | 78        |
| 15.2 Behavior-Driven Development Specification . . . . .                  | 78        |
| 15.3 Screenshots . . . . .                                                | 80        |
| <b>16 § 170.315(h)(1) - Direct Project</b>                                | <b>81</b> |
| 16.1 Criterion Information . . . . .                                      | 82        |
| 16.1.1 Maturity Level . . . . .                                           | 82        |
| 16.1.2 Regulatory Text . . . . .                                          | 82        |
| 16.1.3 Documented Gap . . . . .                                           | 82        |
| 16.2 Behavior-Driven Development Specification . . . . .                  | 82        |
| 16.3 Screenshots . . . . .                                                | 83        |
| <b>A Acronyms and Abbreviations</b>                                       | <b>85</b> |
| <b>B References</b>                                                       | <b>87</b> |
| <b>C Certification Testing Notes</b>                                      | <b>88</b> |
| C.1 Behavioral Test Suite Status . . . . .                                | 88        |
| C.2 Inferno Testing . . . . .                                             | 88        |
| C.3 Test Execution . . . . .                                              | 89        |

## Part I

# Base EHR Certification

# Overview

This Part documents the Base EHR certification criteria per the ONC Health IT Certification Program, updated for the **CY2026 Base EHR definition** (45 CFR 170.102, as revised by the HTI final rules). The CPOE family (a)(1)–(a)(3) requires at least one member; the remaining rows are each required (some with future compliance dates, noted below).

## Certification Criteria Summary

The **Status** column reflects the outcome of the behavioral Nightwatch test suite under `certification/tdd/base_e` (one test file per criterion). **Verified** = the capability is built and its behavioral tests pass green. **Gap** = a behavioral test exists and deliberately fails on a documented missing capability (the suite is a live certification punch-list — see the per-criterion chapters and the Certification Testing Notes appendix). **Inferno** = certified externally by the ONC-approved Inferno tool, not by this suite.

| Criterion        | Title                                       | Status   |
|------------------|---------------------------------------------|----------|
| § 170.315(a)(1)  | CPOE - Medications                          | Verified |
| § 170.315(a)(2)  | CPOE - Laboratory                           | Verified |
| § 170.315(a)(3)  | CPOE - Diagnostic Imaging                   | Verified |
| § 170.315(a)(5)  | Demographics                                | Verified |
| § 170.315(a)(14) | Implantable Device List                     | Verified |
| § 170.315(b)(1)  | Transitions of Care (C-CDA)                 | Verified |
| § 170.315(b)(4)  | Real-Time Prescription Benefit              | Verified |
| § 170.315(b)(11) | Decision Support Interventions              | Verified |
| § 170.315(c)(1)  | Clinical Quality Measures - Record & Export | Verified |
| § 170.315(g)(7)  | Application Access - Patient Selection      | Verified |
| § 170.315(g)(9)  | Application Access - All Data Request       | Verified |
| § 170.315(g)(10) | Standardized API                            | Inferno  |
| § 170.315(h)(1)  | Direct Project (or (h)(2))                  | Gap      |

Table 1: CY2026 Base EHR Certification Criteria — test-verified status (11 verified, 1 documented gap, 1 external/Inferno)

**The remaining documented gap** is (h)(1) Direct messaging, which has no operational transport (SMTP/S-MIME/HISP) and uses simulated certificate trust; it is detailed in its chapter and tracked in the project’s engineering ledger. The former (a)(5), (b)(1), and (c)(1) gaps have since been remediated: (a)(5) now records race/ethnicity per CDCREC as US Core extensions (settings-gated — see that chapter); (b)(1) now populates the C-CDA from the real patient record and adds an inbound receive/validate/display path; and (c)(1) now exports a QRDA Category I document

per § 170.205(h)(2).

**Note on future compliance dates:** (b)(4) Real-Time Prescription Benefit is an HTI-4 criterion required by 1/1/2028, and (b)(11) Decision Support Interventions has a Privacy & Security update due 12/31/2027. Both are tested at their current baseline; absent future-dated portions are treated as informational, not gaps.

**Legacy / non-core criteria documented separately:** § 170.315(a)(4) Drug Interaction Checks, § 170.315(a)(9) Clinical Decision Support (**expired** 1/1/2025, replaced by (b)(11)), and § 170.315(e)(1) View, Download, Transmit are retained as reference chapters below but are not part of the CY2026 Base EHR core set above.

## Chapter 1

### § 170.315(a)(1) - CPOE Medications



## 1.1 Criterion Information

### 1.1.1 Maturity Level

**VERIFIED** (behavioral tests green)

### 1.1.2 Regulatory Text

From 45 CFR § 170.315(a)(1):

- (1) **Computerized provider order entry—medications.**
  - (i) Enable a user to record, change, and access medication orders.
  - (ii) Optional. Include a “reason for order” field.

## 1.2 Behavior-Driven Development Specification

Listing 1.1: 170.315(a)(1) - CPOE Medications

```
# certification/bdd/170.315-a-1-cpoe-medications.feature
# §170.315(a)(1) - Computerized Provider Order Entry - Medications

# REGULATORY TEXT FROM 45 CFR §170.315(a)(1)
#
# (1) Computerized provider order entrymedications.
#
# (i) Enable a user to record, change, and access medication orders.
#
# (ii) Optional. Include a "reason for order" field.

@170.315-a-1 @cpoe @medications @clinical
Feature: Computerized Provider Order Entry - Medications
  As a provider
  I want to create and manage medication orders

  Background:
    Given I am authenticated as a provider
    And a patient record is selected
    And I am on /order-catalog

  Scenario: Record a new medication order
    Given the patient requires "Metformin_500_MG_Oral_Tablet"
    When I open the OrderCatalog and select the medications order type
    And select the medication from the catalog
    And provide an optional "reason_for_order" of "Type_2_diabetes_mellitus"
    And submit the order
    Then the system shall create a FHIR MedicationRequest with status "active" and intent
         "order"
    And the MedicationRequest shall carry the RxNorm-coded medication, requester, and
         dosage instructions
    And the MedicationRequest shall be inserted into the MedicationRequests collection
    And an AuditEvent shall record the order creation
```

**Scenario:** Change an existing medication order

**Given** the patient has a pending MedicationRequest

**When** I change the MedicationRequest status to "on-hold" and priority to "urgent"

**Then** the modified values shall be persisted in the MedicationRequests collection

**And** the change shall be retrievable via the medication orders API

**Scenario:** Access existing medication orders

**Given** the patient has one or more MedicationRequests

**When** I navigate to /medication-requests

**Then** the system shall update the MedicationRequests subscription by patientId

**And** the MedicationRequestsTable shall display the patient's medication orders

**And** I shall be able to open a MedicationRequest to view its details

## 1.3 Screenshots

**Honeycomb** CLEAR PATIENT demouser LOGOUT

BaseEHR CPOeMeds ID: baseehr-a1-1783151151392 Birth Date: May 05, 1985 Gender: other Phone: Unknown

**Computerized Provider Order Entry (CPOE)**  
ONC §170.315(a)(1) Medications | §170.315(a)(2) Laboratory | §170.315(a)(3) Diagnostic Imaging

**Order Catalog**  
Browse medications

LABORATORY MEDICATION RADIOLOGY

Search medication orders...

All Categories Antibiotic Analgesic NSAID Opioid Beta Blocker ACE Inhibitor Diuretic Antidiabetic

| Code   | Description                                   | Route | Strength | Action |
|--------|-----------------------------------------------|-------|----------|--------|
| 308182 | Amoxicillin 500 MG Oral Capsule<br>Antibiotic | PO    | 500 mg   | +      |
| 308459 | Azithromycin 250 MG Oral Tablet<br>Antibiotic | PO    | 250 mg   | +      |
| 308745 | Ceftriaxone 1 GM Injection<br>Antibiotic      | IM/IV | 1 g      | +      |
| 313782 | Acetaminophen 325 MG Oral Tablet<br>Analgesic | PO    | 325 mg   | +      |

**Active Orders**  
1 items pending submission

Default Priority  
☒ Routine ☐ Urgent ☐ STAT

routine Metformin 500 MG Oral Tablet

CLEAR ALL SUBMIT ORDERS (1)

**ONC Requirement:** All orders must include priority level and clinical indication when applicable.

Figure 1.1: CPOE Medications - Order Entry Interface

## Chapter 2

### § 170.315(a)(2) - CPOE Laboratory

## 2.1 Criterion Information

### 2.1.1 Maturity Level

**VERIFIED** (behavioral tests green)

### 2.1.2 Regulatory Text

From 45 CFR § 170.315(a)(2):

- (2) **Computerized provider order entry—laboratory.**
  - (i) Enable a user to record, change, and access laboratory orders.
  - (ii) Optional. Include a “reason for order” field.

## 2.2 Behavior-Driven Development Specification

Listing 2.1: 170.315(a)(2) - CPOE Laboratory

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-a-2-cpoe-
  laboratory.feature
# §170.315(a)(2) - Computerized Provider Order Entry - Laboratory

# REGULATORY TEXT FROM 45 CFR §170.315(a)(2)
#
# (2) Computerized provider order entrylaboratory.
#
# (i) Enable a user to record, change, and access laboratory orders.
#
# (ii) Optional. Include a "reason for order" field.

@170.315-a-2 @cpoe @laboratory @clinical
Feature: Computerized Provider Order Entry - Laboratory
  As a provider
  I want to create and manage laboratory orders

Background:
  Given I am authenticated as a provider
  And a patient record is selected
  And I am on /order-catalog/laboratory

Scenario: Create a new laboratory order
  Given the patient requires a "Complete_Blood_Count"
  When I open the OrderCatalog on /order-catalog
  And select a PlanDefinition for "CBC_with_differential"
  Then the system shall reference the PlanDefinition.id of "CBC_with_differential"
  And look up the associated actions and ActivityDefinitions
  And create a new resource based on ActivityDefinition.kind (typically a
    ServiceRequest)
  And the ServiceRequest shall include all necessary details for specimen collection
  And the ServiceRequest shall be inserted into the ServiceRequests collection

Scenario: Change an existing laboratory order
```

Given the patient has a pending ServiceRequest for "Basic\_Metabolic\_Panel"  
 When I change the ServiceRequest to "Comprehensive\_Metabolic\_Panel"  
 And the modified ServiceRequest shall be saved in the ServiceRequests collection

**Scenario:** Access existing laboratory orders

Given the patient has multiple ServiceRequests in various states  
 When I request to view the patient's ServiceRequests  
 Then the system shall update the ServiceRequests subscription by patientId  
 And the ServiceRequestsTable shall show current status (pending, completed, cancelled ) for each request  
 And I shall be able to view results for completed orders

**Background:**

Given I am authenticated as a lab tech

**Scenario:** Access workqueue

Given no patient record is selected  
 And I am on /service-requests  
 Then the system shall enable access to all ServiceRequests of type "laboratory"  
 And the orders shall show current status  
 And I shall be able to open the ServiceRequest records  
 And update their status and other fields

## 2.3 Screenshots

The screenshot displays the Honeycomb BaseEHR CPOeLab interface. The header shows patient information: ID baseehr-a2-1783151186638, Birth Date May 05, 1985, Gender other, and Phone Unknown. The main content area is titled "Computerized Provider Order Entry (CPOE)" and includes a "VIEW SERVICE REQUESTS" button. The "Order Catalog" section allows browsing laboratory tests, with a search bar and filters for Chemistry, Hematology, Coagulation, Microbiology, and Urinalysis. A table lists laboratory orders with columns for Code, Description, Specimen, TAT, and Action. The "Active Orders" section shows 1 item pending submission, with a default priority of Routine and a button to submit orders. A notification bar at the bottom states: "ONC Requirement: All orders must include priority level and clinical indication when applicable."

| Code   | Description                                              | Specimen     | TAT     | Action |
|--------|----------------------------------------------------------|--------------|---------|--------|
| 2823-3 | Potassium [Moles/volume] in Serum or Plasma<br>Chemistry | Serum/Plasma | 4 hours | +      |
| 2345-7 | Glucose [Mass/volume] in Serum or Plasma<br>Chemistry    | Serum/Plasma | 4 hours | +      |
| 2160-0 | Creatinine [Mass/volume] in Serum or Plasma<br>Chemistry | Serum/Plasma | 4 hours | +      |

Figure 2.1: CPOE Laboratory - Order Entry Interface

## Chapter 3

### § 170.315(a)(3) - CPOE Diagnostic Imaging

## 3.1 Criterion Information

### 3.1.1 Maturity Level

**VERIFIED** (behavioral tests green)

### 3.1.2 Regulatory Text

From 45 CFR § 170.315(a)(3):

- (3) Computerized provider order entry—diagnostic imaging.**
  - (i) Enable a user to record, change, and access diagnostic imaging orders.
  - (ii) Optional. Include a “reason for order” field.

## 3.2 Behavior-Driven Development Specification

Listing 3.1: 170.315(a)(3) - CPOE Diagnostic Imaging

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-a-3-cpoe-
  diagnostic-imaging.feature
# §170.315(a)(3) - Computerized Provider Order Entry - Diagnostic Imaging

# REGULATORY TEXT FROM 45 CFR §170.315(a)(3)
#
# (3) Computerized provider order entry diagnostic imaging.
#
# (i) Enable a user to record, change, and access diagnostic imaging orders.
#
# (ii) Optional. Include a "reason for order" field.

@170.315-a-3 @cpoe @diagnostic-imaging @clinical
Feature: Computerized Provider Order Entry - Diagnostic Imaging
  As an ordering provider
  I want to electronically create and manage diagnostic imaging orders
  So that I can order appropriate imaging studies efficiently

Background:
  Given I am authenticated as a physician
  And a patient record is selected
  And I am on /order-catalog/diagnostic-imaging

Scenario: Create a new diagnostic imaging order
  Given the patient requires a chest X-ray
  When I search the PlanDefinitions collection for "Chest_X-ray_PA_and_lateral"
  Then the system shall open a new ServiceRequest
  And the ServiceRequest shall include imaging modality and anatomical location
  And the new record will be inserted into the ServiceRequests collection

Scenario: Change an existing diagnostic imaging order
  Given the patient has a pending ServiceRequest for "Chest_X-ray_PA_and_lateral"
  When I open the ServiceRequest and change it to "CT_abdomen_and_pelvis_with_contrast"
  and save
```

Then the system shall update the record in the ServiceRequests collection  
And it will be viewable at /service-requests

Scenario: Optionally include reason for diagnostic imaging order  
Given I am creating a new ServiceRequest for "MRI\_lumbar\_spine"  
Then the system may include a "reason\_for\_order" field

Scenario: Access existing diagnostic imaging  
Given a patient record is selected  
And I am on /imaging-studies  
And the patient has multiple imaging orders and completed studies (CT abdomen pelvis;  
MRI lumbar)  
Then the system shall enable access to all ImagingStudies for the selected patient  
And the orders shall show current status  
And I shall be able to access imaging reports and images (DocumentReferences)

Background:  
Given I am authenticated as a rad tech

Scenario: Access workqueue  
Given no patient record is selected  
And I am on /service-requests  
Then the system shall enable access to all ServiceRequests of type "imaging"  
And the orders shall show current status  
And I shall be able to open the ServiceRequest records  
And update their status and other fields

Scenario: Access existing diagnostic imaging  
Given a patient record is selected  
And I am on /imaging-studies  
And the patient has multiple imaging orders and completed studies (CT abdomen pelvis;  
MRI lumbar)  
Then the system shall enable access to all ImagingStudies for the selected patient  
And the orders shall show current status  
And I shall be able to access imaging reports and images (DocumentReferences)

### 3.3 Screenshots



Honeycomb

 CLEAR PATIENT demouser LOGOUT

BaseEHR Cpoelming

IDbaseehr-a3-1783151215465Birth DateJan 01, 1970Gender♀ femalePhoneUnknown

**Computerized Provider Order Entry (CPOE)**  
ONC §170.315(a)(1) Medications | §170.315(a)(2) Laboratory | §170.315(a)(3) Diagnostic Imaging

VIEW SERVICE REQUESTS

**Order Catalog**  
Browse radiology procedures

LABORATORYMEDICATION**RADIOLOGY**

Search radiology orders...

All CategoriesX-RayCTMRIUltrasoundNuclear MedicineMammographyFluoroscopyAngiography

| Code    | Description                      | Modality | Body Part | TAT     | Action |
|---------|----------------------------------|----------|-----------|---------|--------|
| 36643-5 | XR Chest 1 View<br>X-Ray         | XR       | Chest     | 2 hours | +      |
| 30746-2 | XR Chest 2 Views<br>X-Ray        | XR       | Chest     | 2 hours | +      |
| 24627-2 | XR Chest PA and Lateral<br>X-Ray | XR       | Chest     | 2 hours | +      |
| 29252-4 | CT Chest without contrast<br>CT  | CT       | Chest     | 4 hours | +      |

**Active Orders**  
1 items pending submission

Default Priority  
☒ Routine ☐ Urgent ☐ STAT

routineXR Chest 2 Views

CLEAR ALLSUBMIT ORDERS (1)

ONC Requirement: All orders must include priority level and clinical indication when applicable.

Figure 3.1: CPOE Diagnostic Imaging - Order Entry Interface

## Chapter 4

### § 170.315(a)(4) - Drug Interaction Checks

## 4.1 Criterion Information

### 4.1.1 Maturity Level

IMPLEMENTED

### 4.1.2 Regulatory Text

From 45 CFR § 170.315(a)(4):

**(4) Drug-drug, drug-allergy interaction checks for CPOE —**

**(i) Interventions.** Before a medication order is completed and acted upon during computerized provider order entry (CPOE), interventions must automatically indicate to a user drug-drug and drug-allergy contraindications based on a patient's medication list and medication allergy list.

**(ii) Adjustments.**

**(A)** Enable the severity level of interventions provided for drug-drug interaction checks to be adjusted.

**(B)** Limit the ability to adjust severity levels in at least one of these two ways:

**(1)** To a specific set of identified users.

**(2)** As a system administrative function.

## 4.2 Behavior-Driven Development Specification

Listing 4.1: 170.315(a)(4) - Drug Interaction Checks

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-a-4-drug-
  interactions.feature
# §170.315(a)(4) - Drug-Drug, Drug-Allergy Interaction Checks for CPOE

# REGULATORY TEXT FROM 45 CFR §170.315(a)(4)
#
# (4) Drug-drug, drug-allergy interaction checks for CPOE
#
# (i) Interventions. Before a medication order is completed and acted upon during
  computerized provider order entry (CPOE), interventions must automatically indicate
  to a user drug-drug and drug-allergy contraindications based on a patient's
  medication list and medication allergy list.
#
# (ii) Adjustments.
#
# (A) Enable the severity level of interventions provided for drug-drug interaction
  checks to be adjusted.
#
# (B) Limit the ability to adjust severity levels in at least one of these two ways:
#
# (1) To a specific set of identified users.
#
# (2) As a system administrative function.

@170.315-a-4 @cpoe @drug-interactions @safety @clinical
```

**Feature: Drug-Drug and Drug-Allergy Interaction Checks for CPOE**

As a prescribing provider

I want automatic alerts for potential drug interactions

So that I can prevent adverse drug events and improve patient safety

**Background:**

Given I am authenticated as a provider

And a patient record is selected

And the patient has an active medication list

And the patient has a medication allergy list

And I am on /order-catalog/medications

**Scenario: Automatic drug-drug interaction checking during CPOE**

Given the patient is currently taking "Warfarin\_5mg\_daily"

When I am on /order-catalog/medications

Then an RxNorm search bar will display, with RxNorm accordion table underneath with top-10 records

When I select the medication request for "Aspirin\_325mg\_daily"

Then the row will expand, with action buttons

And the system shall automatically indicate drug-drug contraindications with an alert

And the alert shall describe the interaction between Warfarin and Aspirin

**Scenario: Automatic drug-allergy interaction checking during CPOE**

Given the patient has a documented allergy to "Penicillin"

When I am on /order-catalog/medications

Then an RxNorm search bar will display, with RxNorm accordion table underneath with top-10 records

When I complete the medication request for "Amoxicillin\_500mg"

Then the row will expand, with action buttons

Then the system shall automatically indicate drug-allergy contraindications with an alert

And the alert shall identify the cross-reactivity concern

**Scenario: Display interventions based on active medication list**

Given the patient's active medication list contains multiple medications

When I search for medications

Then the system shall check against all medications in the active medication list

And all drug-drug interactions shall be displayed as chips or icons in the accordion table

**Scenario: Display interventions based on medication allergy list**

Given the patient's allergy list contains documented allergies

When I search for medications

Then the system shall check against all allergies in the medication allergy list

And all relevant drug-allergy contraindications shall be displayed as chips or icons in the accordion table

**Scenario: Enable severity level adjustment for drug-drug interactions**

Given I am a system administrator

When I access the /drug-drug-interaction-settings

Then the system shall enable adjustment of severity levels

And severity levels shall control which interactions trigger alerts

Scenario: Display high-severity drug-drug interaction

Given the interaction checking system is configured with severity levels

And the patient is taking "MAO<sub>o</sub>Inhibitor"

When I attempt to order "SSRI<sub>o</sub>antidepressant"

Then the system shall display high-severity interaction alert

And the alert shall require acknowledgment

Scenario: Display moderate-severity drug-drug interaction

Given the interaction checking system is configured with severity levels

And the patient is taking "Atorvastatin"

When I attempt to order "Clarithromycin"

Then the system shall display moderate-severity interaction alert

And the alert shall provide clinical guidance

Scenario: Provider override of drug interaction alert

Given a drug-drug interaction alert is displayed

When I review the alert and determine the benefit outweighs risk

Then the system shall allow me to 'override' the alert

And the override shall expand a collapsed clinical reasoning input

And the override shall be recorded in the audit log

Scenario: Multiple simultaneous interaction alerts


Given the patient has complex medication regimen

When I select a medication that interacts with multiple existing medications or allergies

Then the system shall display all relevant interactions in the expansion panel

And interactions shall be prioritized by severity

## 4.3 Screenshots



Screenshot Placeholder: Drug Interaction Alert

Figure 4.1: Drug-Drug Interaction Alert Display

## Chapter 5

### § 170.315(a)(5) - Demographics

## 5.1 Criterion Information

### 5.1.1 Maturity Level

**VERIFIED** (behavioral tests green)

### 5.1.2 Regulatory Text

From *45 CFR § 170.315(a)(5)*:

**(5) Patient demographics and observations.**

(i) Enable a user to record, change, and access patient demographic and observations data including race, ethnicity, preferred language, sex, sex parameter for clinical use, sexual orientation, gender identity, name to use, pronouns, and date of birth.

(Full regulatory text abbreviated for brevity. See BDD specification for complete requirements.)

### 5.1.3 Implementation

The behavioral test records, changes, and accesses name, date of birth, sex (US Core birth-sex, with a decline-to-specify option), and preferred language (RFC 5646), and now **race and ethnicity** per the CDCREC code system aggregated to OMB categories, with a declined-to-specify option. The patient form provides multi-select Race and Ethnicity fields, and the patient-write methods preserve the complex (nested sub-extension) US Core `us-core-race` / `us-core-ethnicity` extensions.

**Settings gate (international deployments):** collecting race/ethnicity is legally forbidden in some jurisdictions, so it is opt-in — the fields render, and the extensions persist, only when `settings.public.modules.patientDemographics.raceEthnicity` is enabled; when disabled the fields are hidden and the server strips the extensions defensively. US certification builds enable the flag.

**Regulatory note (CCG v1.3, updated 05/2026):** consistent with Executive Order 14168 and OPM guidance, sexual orientation, gender identity, sex parameter for clinical use, name to use, and pronouns are *not* required for (a)(5); the sex requirement reduces to recording Female or Male (plus decline).

## 5.2 Behavior-Driven Development Specification

Listing 5.1: 170.315(a)(5) - Demographics

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-a-5-
  demographics-observations.feature
# §170.315(a)(5) - Patient Demographics and Observations

# REGULATORY TEXT FROM 45 CFR §170.315(a)(5)
#
# (5) Patient demographics and observations.
#
# (i) Enable a user to record, change, and access patient demographic and observations
  data including race, ethnicity, preferred language, sex, sex parameter for clinical
  use, sexual orientation, gender identity, name to use, pronouns, and date of birth.
#
```



# (A) Race and ethnicity.

#

# (1) Enable each one of a patient's races to be recorded in accordance with, at a minimum, the standard specified in §170.207(f)(3) and whether a patient declines to specify race.

#

# (2) Enable each one of a patient's ethnicities to be recorded in accordance with, at a minimum, the standard specified in §170.207(f)(3) and whether a patient declines to specify ethnicity.

#

# (3) Aggregate each one of the patient's races and ethnicities recorded in accordance with paragraphs (a)(5)(i)(A)(1) and (2) of this section to the categories in the standard specified in §170.207(f)(1).

#

# (B) Preferred language. Enable preferred language to be recorded in accordance with the standard specified in §170.207(g)(2) and whether a patient declines to specify a preferred language.

#

# (C) Sex. Enable sex to be recorded in accordance with the standard specified in § 170.207(n)(1) for the period up to and including December 31, 2025; or §170.207(n)(2).

#

# (D) Sexual orientation. Enable sexual orientation to be recorded in accordance with, at a minimum, the version of the standard specified in §170.207(o)(1) for the period up to and including December 31, 2025; or §170.207(o)(3), as well as whether a patient declines to specify sexual orientation.

#

# (E) Gender identity. Enable gender identity to be recorded in accordance with, at a minimum, the version of the standard specified in §170.207(o)(2) for the period up to and including December 31, 2025; or §170.207(o)(3), as well as whether a patient declines to specify gender identity.

#

# (F) Sex Parameter for Clinical Use. Enable at least one sex parameter for clinical use to be recorded in accordance with, at a minimum, the version of the standard specified in §170.207(n)(3). Conformance with this paragraph is required by January 1, 2026.

#

# (G) Name to Use. Enable at least one preferred name to use to be recorded. Conformance with this paragraph is required by January 1, 2026.

#

# (H) Pronouns. Enable at least one pronoun to be recorded in accordance with, at a minimum, the version of the standard specified in §170.207(o)(4). Conformance with this paragraph is required by January 1, 2026.

#

# (ii) Inpatient setting only. Enable a user to record, change, and access the preliminary cause of death and date of death in the event of mortality.

@170.315-a-5 @demographics @patient-data @clinical

Feature: Patient Demographics and Observations

As a healthcare provider

I want to record comprehensive patient demographic and observation data

So that I can provide culturally competent and personalized care

Background:

Given I am authenticated as a provider  
And a patient record is selected

# ----- *Race and Ethnicity* -----

Scenario: Record patient's race using standard vocabulary

Given I am recording patient demographics  
When I record the patient's race  
Then the system shall enable recording per §170.207(f)(3) standard  
And the system shall support granular race categories  
And the system shall enable recording multiple races

Scenario: Record multiple races for a patient

Given a patient identifies with multiple racial categories  
When I record the patient's races  
Then the system shall enable each one of the patient's races to be recorded  
And each race shall be stored as discrete data element  
And all recorded races shall be retrievable

Scenario: Record patient decline to specify race

Given I am recording patient demographics  
When the patient declines to specify their race  
Then the system shall enable recording that patient declines to specify race  
And this shall be stored as distinct from missing data

Scenario: Record patient's ethnicity using standard vocabulary

Given I am recording patient demographics  
When I record the patient's ethnicity  
Then the system shall enable recording per §170.207(f)(3) standard  
And the system shall support Hispanic/Latino ethnicity categories

Scenario: Record multiple ethnicities for a patient

Given a patient identifies with multiple ethnic categories  
When I record the patient's ethnicities  
Then the system shall enable each one of the patient's ethnicities to be recorded  
And each ethnicity shall be stored as discrete data element

Scenario: Record patient decline to specify ethnicity

Given I am recording patient demographics  
When the patient declines to specify their ethnicity  
Then the system shall enable recording that patient declines to specify ethnicity  
And this shall be stored as distinct from missing data

Scenario: Aggregate race and ethnicity to standard categories

Given granular race and ethnicity data has been recorded  
When aggregating for reporting purposes  
Then the system shall aggregate to categories per §170.207(f)(1)  
And aggregation shall maintain data integrity  
And original granular data shall be preserved

# ----- *Preferred Language* -----

Scenario: Record patient's preferred language

Given I am recording patient demographics

When I record the patient's preferred language  
Then the system shall enable recording per §170.207(g)(2) standard  
And the system shall use ISO 639-2 language codes

Scenario: Record patient decline to specify preferred language  
Given I am recording patient demographics  
When the patient declines to specify preferred language  
Then the system shall enable recording that patient declines to specify  
And this shall be stored as distinct from missing data

# ----- Sex -----

Scenario: Record patient's sex (until December 31, 2025)  
Given the current date is before December 31, 2025  
When I record the patient's sex  
Then the system shall enable recording per §170.207(n)(1) standard  
And the system shall support administrative sex categories

Scenario: Record patient's sex (after December 31, 2025)  
Given the current date is after December 31, 2025  
When I record the patient's sex  
Then the system shall enable recording per §170.207(n)(2) standard  
And the system shall support updated sex categories

# ----- Sex Parameter for Clinical Use (Required by January 1, 2026) -----

Scenario: Record sex parameter for clinical use  
Given the current date is on or after January 1, 2026  
When I record clinical observations requiring sex parameter  
Then the system shall enable recording at least one sex parameter for clinical use  
And the recording shall be per §170.207(n)(3) standard  
And the parameter shall be context-specific for clinical use

Scenario: Support multiple sex parameters for clinical use  
Given the current date is on or after January 1, 2026  
And different clinical contexts require different parameters  
When I record sex parameters for various clinical purposes  
Then the system shall enable recording multiple sex parameters  
And each parameter shall be associated with its clinical context

# ----- Sexual Orientation -----

Scenario: Record patient's sexual orientation (until December 31, 2025)  
Given the current date is before December 31, 2025  
When I record the patient's sexual orientation  
Then the system shall enable recording per §170.207(o)(1) standard  
And the system shall use LOINC and SNOMED CT codes

Scenario: Record patient's sexual orientation (after December 31, 2025)  
Given the current date is after December 31, 2025  
When I record the patient's sexual orientation  
Then the system shall enable recording per §170.207(o)(3) standard  
And the system shall support updated vocabulary

Scenario: Record patient decline to specify sexual orientation  
Given I am recording patient demographics  
When the patient declines to specify sexual orientation  
Then the system shall enable recording that patient declines to specify  
And this shall be stored as distinct from missing data

# ----- Gender Identity -----

Scenario: Record patient's gender identity (until December 31, 2025)  
Given the current date is before December 31, 2025  
When I record the patient's gender identity  
Then the system shall enable recording per §170.207(o)(2) standard  
And the system shall use standard gender identity vocabulary

Scenario: Record patient's gender identity (after December 31, 2025)  
Given the current date is after December 31, 2025  
When I record the patient's gender identity  
Then the system shall enable recording per §170.207(o)(3) standard  
And the system shall support updated vocabulary

Scenario: Record patient decline to specify gender identity  
Given I am recording patient demographics  
When the patient declines to specify gender identity  
Then the system shall enable recording that patient declines to specify  
And this shall be stored as distinct from missing data

# ----- Name to Use (Required by January 1, 2026) -----

Scenario: Record patient's preferred name to use  
Given the current date is on or after January 1, 2026  
When I record the patient's preferred name  
Then the system shall enable recording at least one preferred name to use  
And the preferred name shall be distinct from legal name  
And the preferred name shall be usable in clinical workflows

Scenario: Display patient's preferred name in user interface  
Given the current date is on or after January 1, 2026  
And the patient has a preferred name recorded  
When displaying patient information  
Then the system should prominently display the preferred name  
And the legal name shall remain accessible when needed

# ----- Pronouns (Required by January 1, 2026) -----

Scenario: Record patient's pronouns  
Given the current date is on or after January 1, 2026  
When I record the patient's pronouns  
Then the system shall enable recording at least one pronoun  
And the recording shall be per §170.207(o)(4) standard  
And the pronouns shall use standard vocabulary

Scenario: Support multiple pronoun sets  
Given the current date is on or after January 1, 2026  
And a patient uses different pronouns in different contexts

When I record the patient's pronouns  
 Then the system shall enable recording multiple pronoun sets  
 And each pronoun set shall be stored and retrievable

# ----- *Date of Birth* -----

Scenario: Record patient's complete date of birth  
 Given I am recording patient demographics  
 When I record the patient's date of birth  
 Then the system shall enable recording year, month, and day  
 And the date shall be stored in standard format  
 And the date shall be used for age calculations

Scenario: Handle unknown date of birth  
 Given the patient's exact date of birth is unknown  
 When I record demographic information  
 Then the system shall enable recording null value for unknown date of birth  
 And the system shall distinguish unknown from missing data

# ----- *Change and Access Demographics* -----

Scenario: Change patient demographic data  
 Given patient demographic data has been recorded  
 When demographic information changes or needs correction  
 Then the system shall enable changing all demographic data elements  
 And changes shall be audited with timestamp and user  
 And history of changes shall be maintained

Scenario: Access patient demographic data  
 Given patient demographic data has been recorded  
 When I need to view patient demographics  
 Then the system shall enable access to all demographic data elements  
 And demographic data shall be displayed clearly  
 And demographic data shall be available throughout clinical workflows

# ----- *Inpatient-Only: Mortality Data* -----

@inpatient-only

Scenario: Record preliminary cause of death in inpatient setting  
 Given I am authenticated in an inpatient setting  
 And a patient mortality has occurred  
 When I record mortality information  
 Then the system shall enable recording preliminary cause of death  
 And the cause shall be coded appropriately  
 And the information shall be available for death certificate

@inpatient-only

Scenario: Record date of death in inpatient setting  
 Given I am authenticated in an inpatient setting  
 And a patient mortality has occurred  
 When I record mortality information  
 Then the system shall enable recording date of death  
 And the date shall include date and time  
 And the date shall be stored in standard format

@inpatient-only

Scenario: Change mortality data in inpatient setting

Given mortality data has been recorded

When corrections are needed to mortality information

Then the system shall enable changing preliminary cause of death

And the system shall enable changing date of death

And all changes shall be audited

@inpatient-only

Scenario: Access mortality data in inpatient setting

Given mortality data has been recorded

When generating death certificate or reports

Then the system shall enable access to preliminary cause of death

And the system shall enable access to date of death

And the data shall be formatted appropriately for reporting

## 5.3 Screenshots

The screenshot displays the 'Patient Demographics - Data Entry Interface' within the Honeycomb EHR system. The interface is a web-based form with a dark blue header bar containing the 'Honeycomb' logo, a sun icon, a 'demouser' profile, and a 'LOGOUT' link. The form itself is white with a light gray border and contains the following sections:

- Barcode:** A standard 1D barcode at the top left.
- Actions:** 'EDIT' and 'DELETE' buttons with lock and trash icons at the top right.
- Name:** Two text input fields labeled 'Given Name(s) \*' (containing 'Demo') and 'Family Name \*' (containing 'GraphicsChanged').
- Identifier:** A text input field labeled 'Medical Record Number' containing 'baseehr-a5-1783149582995', with a small note below it stating 'Medical record number or other identifier'.
- Demographics:** A section containing several dropdown menus:
  - Birth Date:** '02/29/1980' with a calendar icon.
  - Birth Sex:** 'Female'.
  - Language:** 'Spanish (Mexico)'.
  - Karyotype:** An empty dropdown.
  - Race:** 'Asian'.
  - Ethnicity:** An empty dropdown.

The form is set against a light gray background, and the entire interface is framed by a dark blue border at the bottom.

Figure 5.1: Patient Demographics - Data Entry Interface

## Chapter 6

### **§ 170.315(a)(9) - Clinical Decision Support (EXPIRED)**

## 6.1 Criterion Information

### 6.1.1 Maturity Level

**IMPLEMENTED** (EXPIRED)

### 6.1.2 Expiration Notice

**CRITICAL: This criterion EXPIRED on January 1, 2025 per 45 CFR § 170.315(a)(9)(vi).**

This criterion has been replaced by § 170.315(b)(11) - Decision Support Interventions (see Chapter 9).

Due to government website unavailability as of January 2025, it is unclear whether Base EHR certifications issued before the expiration date can still use this criterion (grandfathered), or if all certifications must now use § 170.315(b)(11).

### 6.1.3 Regulatory Text

From 45 CFR § 170.315(a)(9):

**(9) Clinical decision support (CDS) —**

**(i) CDS intervention interaction.** Interventions provided to a user must occur when a user is interacting with technology.

(Full regulatory text abbreviated. See BDD specification for complete requirements.)

**(vi) Expiration of criterion.** The adoption of this criterion for purposes of the ONC Health IT Certification Program expires on January 1, 2025.

## 6.2 Behavior-Driven Development Specification

Listing 6.1: 170.315(a)(9) - Clinical Decision Support

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-a-9-
  clinical-decision-support.feature
# §170.315(a)(9) - Clinical Decision Support (CDS)
# NOTE: This criterion expires January 1, 2025

# REGULATORY TEXT FROM 45 CFR §170.315(a)(9)
#
# (9) Clinical decision support (CDS)
#
# (i) CDS intervention interaction. Interventions provided to a user must occur when a
  user is interacting with technology.
#
# (ii) CDS configuration.
#
# (A) Enable interventions and reference resources specified in paragraphs (a)(9)(iii)
  and (iv) of this section to be configured by a limited set of identified users (e.g.,
  system administrator) based on a user's role.
#
# (B) Enable interventions:
#
# (1) Based on the following data:
```



```

#
# (i) Problem list;
#
# (ii) Medication list;
#
# (iii) Allergy and intolerance list;
#
# (iv) At least one demographic specified in paragraph (a)(5)(i) of this section;
#
# (v) Laboratory tests; and
#
# (vi) Vital signs.
#
# (2) When a patient's medications, allergies and intolerance, and problems are
#       incorporated from a transition of care/referral summary received and pursuant to
#       paragraph (b)(2)(iii)(D) of this section.
#
# (iii) Evidence-based decision support interventions. Enable a limited set of identified
#       users to select (i.e., activate) electronic CDS interventions (in addition to drug-
#       drug and drug-allergy contraindication checking) based on each one and at least one
#       combination of the data referenced in paragraphs (a)(9)(ii)(B)(1)(i) through (vi) of
#       this section.
#
# (iv) Linked referential CDS.
#
# (A) Identify for a user diagnostic and therapeutic reference information in accordance
#       at least one of the following standards and implementation specifications:
#
# (1) The standard and implementation specifications specified in §170.204(b)(3).
#
# (2) The standard and implementation specifications specified in §170.204(b)(4).
#
# (B) For paragraph (a)(9)(iv)(A) of this section, technology must be able to identify
#       for a user diagnostic or therapeutic reference information based on each one and at
#       least one combination of the data referenced in paragraphs (a)(9)(ii)(B)(1)(i), (ii),
#       and (iv) of this section.
#
# (v) Source attributes. Enable a user to review the attributes as indicated for all CDS
#       resources:
#
# (A) For evidence-based decision support interventions under paragraph (a)(9)(iii) of
#       this section:
#
# (1) Bibliographic citation of the intervention (clinical research/guideline);
#
# (2) Developer of the intervention (translation from clinical research/guideline);
#
# (3) Funding source of the intervention development technical implementation; and
#
# (4) Release and, if applicable, revision date(s) of the intervention or reference
#       source.
#
# (B) For linked referential CDS in paragraph (a)(9)(iv) of this section and drug-drug,
#       drug-allergy interaction checks in paragraph (a)(4) of this section, the developer of

```

*the intervention, and where clinically indicated, the bibliographic citation of the intervention (clinical research/guideline).*

#

# *(vi) Expiration of criterion. The adoption of this criterion for purposes of the ONC Health IT Certification Program expires on January 1, 2025.*

@170.315-a-9 @cds @clinical-decision-support @expires-2025 @clinical

Feature: Clinical Decision Support (CDS)

As a healthcare provider

I want evidence-based clinical decision support

So that I can make informed treatment decisions

Background:

Given I am authenticated as a provider

And a patient record is selected

# ----- CDS Intervention Interaction -----

Scenario: CDS interventions occur during user interaction

Given I am actively interacting with the health IT system

When clinical decision support is triggered

Then interventions shall be provided during my interaction with technology

And interventions shall not be delayed until after interaction ends

# ----- CDS Configuration -----

Scenario: Configure CDS interventions based on user role

Given I am a system administrator or authorized configurator

When I configure clinical decision support interventions

Then the system shall enable configuration by limited set of identified users

And configuration shall be based on user role

And configuration capabilities shall be restricted appropriately

Scenario: Configure CDS reference resources based on user role

Given I am a system administrator or authorized configurator

When I configure reference resources for CDS

Then the system shall enable configuration by limited set of identified users

And configuration shall be based on user role

# ----- CDS Based on Patient Data -----

Scenario: Enable interventions based on problem list

Given the patient has documented problems

When CDS evaluates patient data

Then the system shall enable interventions based on problem list data

Scenario: Enable interventions based on medication list

Given the patient has active medications

When CDS evaluates patient data

Then the system shall enable interventions based on medication list data

Scenario: Enable interventions based on allergy and intolerance list

Given the patient has documented allergies and intolerances

When CDS evaluates patient data

Then the system shall enable interventions based on allergy and intolerance list

Scenario: Enable interventions based on demographics

Given the patient has demographic data recorded

When CDS evaluates patient data

Then the system shall enable interventions based on at least one demographic

And demographic data may include age, sex, race, ethnicity, etc.

Scenario: Enable interventions based on laboratory tests

Given the patient has laboratory test results

When CDS evaluates patient data

Then the system shall enable interventions based on laboratory test data

Scenario: Enable interventions based on vital signs

Given the patient has vital signs recorded

When CDS evaluates patient data

Then the system shall enable interventions based on vital signs data

Scenario: Enable interventions from incorporated transition of care data

Given medications, allergies, and problems are incorporated from transition of care summary

When the data is incorporated per §170.315(b)(2)(iii)(D)

Then the system shall enable interventions based on incorporated data

And interventions shall trigger automatically upon incorporation

# ----- Evidence-Based Decision Support Interventions -----

Scenario: Select evidence-based CDS interventions

Given I am an authorized user selecting CDS interventions

When I activate electronic CDS interventions

Then the system shall enable selection based on each individual data element

And the system shall enable selection based on combinations of data elements

And data elements include problem list, medication list, allergies, demographics, lab tests, and vital signs

Scenario: Activate CDS intervention based on problem list

Given I am selecting CDS interventions

When I activate an intervention based on problem list

Then the intervention shall utilize problem list data

And the intervention shall provide evidence-based guidance

Scenario: Activate CDS intervention based on multiple data elements

Given I am selecting CDS interventions

When I activate an intervention based on combination of data elements

Then the intervention shall utilize all specified data elements

And the intervention shall provide integrated clinical guidance

# ----- Linked Referential CDS -----

Scenario: Identify diagnostic reference information via Infobutton

Given I need diagnostic reference information

When I access linked referential CDS

Then the system shall identify information per §170.204(b)(3) standard

And information shall be context-specific to clinical scenario

Scenario: Identify therapeutic reference information via Infobutton

Given I need therapeutic reference information

When I access linked referential CDS

Then the system shall identify information per §170.204(b)(4) standard

And information shall be context-specific to clinical scenario

Scenario: Identify reference information based on problem list

Given the patient has documented problems

When I access linked referential CDS

Then the system shall identify information based on problem list data

Scenario: Identify reference information based on medication list

Given the patient has active medications

When I access linked referential CDS

Then the system shall identify information based on medication list data

Scenario: Identify reference information based on demographics

Given the patient has demographic data

When I access linked referential CDS

Then the system shall identify information based on demographic data

Scenario: Identify reference information based on combination of data

Given multiple types of patient data are available

When I access linked referential CDS

Then the system shall identify information based on combinations of data

And combinations may include problem list, medications, and demographics

# ----- Source Attributes for CDS -----

Scenario: Display source attributes for evidence-based interventions

Given an evidence-based CDS intervention is active

When I review the intervention source information

Then the system shall enable review of bibliographic citation

And the system shall display developer of the intervention

And the system shall display funding source of intervention development

And the system shall display release and revision dates

Scenario: Display source attributes for drug interaction checks

Given drug-drug or drug-allergy interaction check is displayed

When I review the intervention source information

Then the system shall display developer of the intervention

And where clinically indicated, the system shall display bibliographic citation

Scenario: Display source attributes for linked referential CDS

Given linked referential CDS is being utilized

When I review the reference source information

Then the system shall display developer of the intervention

And where clinically indicated, the system shall display bibliographic citation

Scenario: Access complete source attribute information

Given CDS interventions are configured in the system

When I need to review source attributes

Then all source attributes shall be accessible

And source attributes shall be displayed in user-friendly format  
And source attributes shall support evidence-based decision making

## 6.3 Screenshots

Screenshot Placeholder: CDS Configuration Interface

Figure 6.1: Clinical Decision Support - Configuration Interface

## Chapter 7

### § 170.315(b)(1) - Transitions of Care

## 7.1 Criterion Information

### 7.1.1 Maturity Level

**VERIFIED** (behavioral tests green)

### 7.1.2 Regulatory Text

From 45 CFR § 170.315(b)(1):

**(1) Transitions of care.**

**(i) Send and receive via Edge Protocol.** Send and receive transition-of-care/referral summaries formatted per the Consolidated CDA (C-CDA) Release 2.1, using an Edge Protocol.

**(ii) Validate and display.** Validate received C-CDA documents against the standard and display their contents.

**(iii) Create.** Create a transition-of-care/referral summary as a C-CDA document, populated from the patient's record per the Common Clinical Data Set / USCDI.

(Full regulatory text abbreviated. See BDD specification for complete requirements.)

### 7.1.3 Implementation

The behavioral test verifies create, validate, access, and receive: a C-CDA R2.1-enveloped transition-of-care document (Transfer Summary, LOINC 18761-7) is generated with the US Realm header, CCD template identifiers, and LOINC-coded Allergies/Medications/Problems sections, **populated from the real patient record** (the document gathers Patients, AllergyIntolerances, Medication-Requests/Statements, Conditions, Observations, and Procedures for the patient); it is persisted as a FHIR DocumentReference with the XML as a base64 attachment plus an AuditEvent; and a malformed document is rejected by the validator.

An **inbound receive** path (`clinicalDocuments.receiveCCDA`) parses an externally-authored C-CDA (via XML parsing), validates the envelope, extracts patient demographics and the section list, and stores it for display in the Clinical Documents list/detail; a Receive C-CDA upload control is provided on the export page. Structured-entry *incorporation* (creating Conditions/etc. from parsed sections) and schematron-grade validation are flagged follow-ons.

## 7.2 Behavior-Driven Development Specification

Listing 7.1: 170.315(b)(1) - Transitions of Care

```
# certification/bdd/170.315-b-1-transitions-of-care.feature
# §170.315(b)(1) - Transitions of Care
# BDD Format using Cucumber/Gherkin Syntax

# REGULATORY TEXT FROM 45 CFR §170.315(b)(1)
#
# (1) Transitions of care
#
# (i) Send and receive via edge protocol.
#
```

```

# (A) Send transition of care/referral summaries through a method that conforms to the
#       standard specified in §170.202(d) and that leads to such summaries being processed by
#       a service that has implemented the standard specified in §170.202(a)(2); and
#
# (B) Receive transition of care/referral summaries through a method that conforms to the
#       standard specified in §170.202(d) from a service that has implemented the standard
#       specified in §170.202(a)(2).
#
# (C) XDM processing. Receive and make available the contents of a XDM package formatted
#       in accordance with the standard adopted in §170.205(p)(1) when the technology is also
#       being certified using an SMTP-based edge protocol.
#
# (ii) Validate and display
#
# (A) Validate C-CDA conformance system performance. Demonstrate the ability to detect
#       valid and invalid transition of care/referral summaries received and formatted in
#       accordance with the standards specified in §170.205(a)(3), (4), and (5) for the
#       Continuity of Care Document, Referral Note, and (inpatient setting only) Discharge
#       Summary document templates. This includes the ability to:
#
# (1) Parse each of the document types.
#
# (2) Detect errors in corresponding "document-templates," "section-templates," and "
#       entry-templates," including invalid vocabulary standards and codes not specified in
#       the standards adopted in §170.205(a)(3), (4), and (5).
#
# (3) Identify valid document-templates and process the data elements required in the
#       corresponding section-templates and entry-templates from the standards adopted in §
#       170.205(a)(3), (4), and (5).
#
# (4) Correctly interpret empty sections and null combinations.
#
# (5) Record errors encountered and allow a user through at least one of the following
#       ways to:
#
# (i) Be notified of the errors produced.
#
# (ii) Review the errors produced.
#
# (B) Display. Display in human readable format the data included in transition of care/
#       referral summaries received and formatted according to the standards specified in §
#       170.205(a)(3), (4), and (5).
#
# (C) Display section views. Allow for the individual display of each section (and the
#       accompanying document header information) that is included in a transition of care/
#       referral summary received and formatted in accordance with the standards adopted in §
#       170.205(a)(3), (4), and (5) in a manner that enables the user to:
#
# (1) Directly display only the data within a particular section;
#
# (2) Set a preference for the display order of specific sections; and
#
# (3) Set the initial quantity of sections to be displayed.
#

```



```

# (iii) Create. Enable a user to create a transition of care/referral summary formatted
#   in accordance with the standard specified in §170.205(a)(3), (4), and (5) using the
#   Continuity of Care Document, Referral Note, and (inpatient setting only) Discharge
#   Summary document templates that includes, at a minimum:
#
# (A)
#
# (1) The data classes expressed in the standards in §170.213 and in accordance with §
#   170.205(a)(4), (5), and paragraphs (b)(1)(iii)(A)(3)(i) through (iii) of this section
#   for the time period up to and including December 31, 2025, or
#
# (2) The data classes expressed in the standards in §170.213 and in accordance with §
#   170.205(a)(4), (6), and paragraphs (b)(1)(iii)(A)(3)(i) through (iii) of this section
#   , and
#
# (3) The following data classes:
#
# (i) Assessment and plan of treatment. In accordance with the "Assessment and Plan
#   Section (V2)" of the standard specified in §170.205(a)(4); or in accordance with the
#   "Assessment Section (V2)" and "Plan of Treatment Section (V2)" of the standard
#   specified in §170.205(a)(4).
#
# (ii) Goals. In accordance with the "Goals Section" of the standard specified in §
#   170.205(a)(4).
#
# (iii) Health concerns. In accordance with the "Health Concerns Section" of the standard
#   specified in §170.205(a)(4).
#
# (iv) Unique device identifier(s) for a patient's implantable device(s). In accordance
#   with the "Product Instance" in the "Procedure Activity Procedure Section" of the
#   standard specified in §170.205(a)(4).
#
# (B) Encounter diagnoses. Formatted according to at least one of the following standards
#   :
#
# (1) The standard specified in §170.207(i).
#
# (2) At a minimum, the version of the standard specified in §170.207(a)(1).
#
# (C) Cognitive status.
#
# (D) Functional status.
#
# (E) Ambulatory setting only. The reason for referral; and referring or transitioning
#   provider's name and office contact information.
#
# (F) Inpatient setting only. Discharge instructions.
#
# (G) Patient matching data. First name, last name, previous name, middle name (including
#   middle initial), suffix, date of birth, current address, phone number, and sex. The
#   following constraints apply:
#
# (1) Date of birth constraint.
#

```

```

# (i) The year, month and day of birth must be present for a date of birth. The
    technology must include a null value when the date of birth is unknown.
#
# (ii) Optional. When the hour, minute, and second are associated with a date of birth
    the technology must demonstrate that the correct time zone offset is included.
#
# (2) Phone number constraint. Represent phone number (home, business, cell) in
    accordance with the standards adopted in §170.207(q)(1). All phone numbers must be
    included when multiple phone numbers are present.
#
# (3) Sex Constraint: Represent sex with the standard adopted in §170.207(n)(1) up to and
    including December 31, 2025; or with the standard adopted in §170.207(n)(2).

@170.315-b-1 @transitions-of-care @toc @care-coordination
Feature: Transitions of Care
  As a healthcare provider
  I want to send and receive comprehensive transition of care summaries
  So that I can ensure care continuity when patients move between care settings

Background:
  Given I am authenticated as a provider
  And a patient record is selected

# ----- Send Transition of Care Summary via Edge Protocol -----

Scenario: Send transition of care summary via Direct
  Given a patient is being transitioned to another provider
  When I create and send a transition of care summary
  Then the system shall send through method conforming to §170.202(d)
  And the summary shall be processed by service implementing §170.202(a)(2)
  And the transmission shall use secure messaging

Scenario: Receive transition of care summary via Direct
  Given another provider is sending a transition of care summary for my patient
  When the summary is transmitted
  Then the system shall receive through method conforming to §170.202(d)
  And the system shall receive from service implementing §170.202(a)(2)
  And the received summary shall be available for processing

Scenario: Process XDM package when using SMTP-based edge protocol
  Given the technology uses SMTP-based edge protocol for Direct messaging
  When receiving an XDM package
  Then the system shall receive XDM package formatted per §170.205(p)(1)
  And the system shall make available the contents of the XDM package
  And contents shall be accessible for clinical review

# ----- Validate C-CDA Conformance -----

Scenario: Detect valid transition of care summary
  Given a transition of care summary is received
  When the system validates the document
  Then the system shall detect valid summaries formatted per §170.205(a)(3), (4), (5)
  And valid documents shall be processed for display and reconciliation

```

Scenario: Detect invalid transition of care summary

Given a malformed transition of care summary is received  
When the system validates the document  
Then the system shall detect invalid summaries  
And errors shall be identified and reported

Scenario: Parse CCD document template

Given a Continuity of Care Document is received  
When the system processes the document  
Then the system shall parse the CCD template  
And all sections shall be accessible

Scenario: Parse Referral Note document template

Given a Referral Note is received  
When the system processes the document  
Then the system shall parse the Referral Note template  
And all sections shall be accessible

@inpatient-only

Scenario: Parse Discharge Summary document template

Given I am in an inpatient setting  
And a Discharge Summary is received  
When the system processes the document  
Then the system shall parse the Discharge Summary template  
And all sections shall be accessible

Scenario: Detect errors in document-templates

Given a transition of care summary with template errors is received  
When the system validates document structure  
Then the system shall detect errors in document-templates  
And specific template errors shall be identified

Scenario: Detect errors in section-templates

Given a transition of care summary with section errors is received  
When the system validates document structure  
Then the system shall detect errors in section-templates  
And specific section errors shall be identified

Scenario: Detect errors in entry-templates

Given a transition of care summary with entry errors is received  
When the system validates document structure  
Then the system shall detect errors in entry-templates  
And specific entry errors shall be identified

Scenario: Detect invalid vocabulary standards

Given a transition of care summary with invalid codes is received  
When the system validates vocabulary  
Then the system shall detect invalid vocabulary standards  
And invalid codes shall be identified

Scenario: Detect codes not specified in standards

Given a transition of care summary with non-standard codes is received  
When the system validates vocabulary  
Then the system shall detect codes not specified in §170.205(a)(3), (4), (5)

And non-standard codes shall be reported

Scenario: Identify valid document-templates

Given a properly formatted transition of care summary is received

When the system validates the document

Then the system shall identify valid document-templates

And valid templates shall be processed successfully

Scenario: Process required data elements

Given a valid transition of care summary is received

When the system extracts data elements

Then the system shall process data elements required in corresponding section-templates

And the system shall process data elements required in corresponding entry-templates

And all required data per §170.205(a)(3), (4), (5) shall be extracted

Scenario: Correctly interpret empty sections

Given a transition of care summary with empty sections is received

When the system processes the document

Then the system shall correctly interpret empty sections

And empty sections shall not cause processing errors

Scenario: Correctly interpret null combinations

Given a transition of care summary with null values is received

When the system processes the document

Then the system shall correctly interpret null combinations

And null values shall be handled appropriately

Scenario: Record errors encountered during validation

Given a transition of care summary with multiple errors is received

When the system validates the document

Then the system shall record errors encountered

And errors shall be stored for review

Scenario: Notify user of validation errors

Given validation errors have been recorded

When errors are detected

Then the system shall enable user notification of errors produced

And notifications shall be timely and clear

Scenario: Enable user to review validation errors

Given validation errors have been recorded

When a user needs to review errors

Then the system shall enable user to review errors produced

And error details shall be accessible

And errors shall be presented in actionable format

# ----- Display Received Transition of Care Summary -----

Scenario: Display transition of care summary in human readable format

Given a valid transition of care summary is received

When I view the summary

Then the system shall display data in human readable format

And the display shall be formatted per §170.205(a)(3), (4), (5)

And all included data shall be viewable

Scenario: Display CCD in human readable format

Given a Continuity of Care Document is received

When I view the document

Then all data shall be displayed in human readable format

And the display shall be clinically useful

Scenario: Display Referral Note in human readable format

Given a Referral Note is received

When I view the document

Then all data shall be displayed in human readable format

And referral information shall be prominent

@inpatient-only

Scenario: Display Discharge Summary in human readable format

Given I am in an inpatient setting

And a Discharge Summary is received

When I view the document

Then all data shall be displayed in human readable format

And discharge information shall be prominent

# ----- Display Individual Sections -----

Scenario: Display individual section from transition summary

Given a transition of care summary is received

When I want to view a specific section

Then the system shall allow individual display of each section

And accompanying document header information shall be displayed

Scenario: Directly display only data within particular section

Given a transition of care summary with multiple sections is received

When I select a specific section to view

Then the system shall enable direct display of only that section's data

And other sections shall be hidden from view

Scenario: Set preference for display order of sections

Given I have specific workflow preferences

When I configure section display settings

Then the system shall enable setting preference for display order of sections

And my preferences shall be saved and applied

Scenario: Set initial quantity of sections displayed

Given I want to control information density

When I configure section display settings

Then the system shall enable setting initial quantity of sections displayed

And I shall be able to expand to view additional sections

# ----- Create Transition of Care Summary -----

Scenario: Create CCD document template

Given I need to send a transition of care summary

When I create a Continuity of Care Document

Then the system shall format per §170.205(a)(3), (4), (5)

And the CCD shall include all required USCDI data classes per §170.213

Scenario: Create Referral Note document template

Given I need to send a referral

When I create a Referral Note

Then the system shall format per §170.205(a)(3), (4), (5)

And the Referral Note shall include all required USCDI data classes per §170.213

@inpatient-only

Scenario: Create Discharge Summary document template

Given I am in an inpatient setting

And a patient is being discharged

When I create a Discharge Summary

Then the system shall format per §170.205(a)(3), (4), (5)

And the Discharge Summary shall include all required USCDI data classes per §170.213

Scenario: Include all USCDI data classes in transition summary

Given I am creating a transition of care summary

When I generate the summary

Then the system shall include all data classes per §170.213

And data shall be formatted per §170.205(a)(4), (5) or (6) based on date

And all mandatory data elements shall be included

Scenario: Include assessment and plan of treatment

Given I am creating a transition of care summary

When I generate the summary

Then the system shall include assessment and plan per "Assessment\_and\_Plan\_Section\_(V2)"

Or the system shall include separate "Assessment\_Section\_(V2)" and "Plan\_of\_Treatment\_Section\_(V2)"

And content shall conform to §170.205(a)(4)

Scenario: Include goals in transition summary

Given I am creating a transition of care summary

When I generate the summary

Then the system shall include goals per "Goals\_Section"

And goals shall conform to §170.205(a)(4)

Scenario: Include health concerns in transition summary

Given I am creating a transition of care summary

When I generate the summary

Then the system shall include health concerns per "Health\_Concerns\_Section"

And health concerns shall conform to §170.205(a)(4)

Scenario: Include unique device identifiers in transition summary

Given the patient has implantable devices

When I create a transition of care summary

Then the system shall include UDIs per "Product\_Instance" in "Procedure\_Activity\_Procedure\_Section"

And UDIs shall conform to §170.205(a)(4)

Scenario: Include encounter diagnoses in transition summary

Given I am creating a transition of care summary

When I generate the summary

Then the system shall include encounter diagnoses  
And diagnoses shall be formatted per §170.207(i) or §170.207(a)(1)

Scenario: Include cognitive status in transition summary

Given I am creating a transition of care summary  
When I generate the summary  
Then the system shall include cognitive status  
And cognitive status shall be appropriately coded

Scenario: Include functional status in transition summary

Given I am creating a transition of care summary  
When I generate the summary  
Then the system shall include functional status  
And functional status shall be appropriately coded

# ----- Patient Matching Data -----

Scenario: Include patient matching data in transition summary

Given I am creating a transition of care summary  
When I generate the summary  
Then the system shall include first name, last name, previous name, middle name,  
suffix  
And the system shall include date of birth  
And the system shall include current address  
And the system shall include phone number  
And the system shall include sex

Scenario: Include complete date of birth with null for unknown

Given I am creating a transition of care summary  
When including date of birth  
Then year, month, and day must be present for date of birth  
And the system shall include null value when date of birth is unknown

Scenario: Optionally include time zone with date of birth

Given I am creating a transition of care summary  
When date of birth includes time components  
Then the system may include hour, minute, and second  
And if time is included, correct time zone offset must be included

Scenario: Represent phone numbers per standard

Given I am creating a transition of care summary  
When including phone numbers  
Then phone numbers shall be represented per §170.207(q)(1)  
And all phone numbers (home, business, cell) must be included when multiple are  
present

Scenario: Represent sex per standard until December 31, 2025

Given the current date is before December 31, 2025  
When including sex in transition summary  
Then sex shall be represented per §170.207(n)(1)

Scenario: Represent sex per updated standard after December 31, 2025

Given the current date is after December 31, 2025  
When including sex in transition summary

```
Then sex shall be represented per §170.207(n)(2)

# ----- Ambulatory Setting Specific -----

@ambulatory-only
Scenario: Include reason for referral in ambulatory setting
  Given I am in an ambulatory setting
  When I create a transition of care summary
  Then the system shall include reason for referral
  And the reason shall be clinically meaningful

@ambulatory-only
Scenario: Include referring provider information in ambulatory setting
  Given I am in an ambulatory setting
  When I create a transition of care summary
  Then the system shall include referring provider's name
  And the system shall include referring provider's office contact information

# ----- Inpatient Setting Specific -----

@inpatient-only
Scenario: Include discharge instructions in inpatient setting
  Given I am in an inpatient setting
  When I create a transition of care summary
  Then the system shall include discharge instructions
  And discharge instructions shall be comprehensive
```

## 7.3 Screenshots



The screenshot displays the 'Honeycomb' BaseEHR CodaTransition interface. The top navigation bar includes a menu icon, the text 'Honeycomb', and user controls: 'CLEAR PATIENT', 'demouser', and 'LOGOUT'. Below this, a patient information bar shows 'BaseEHR CodaTransition' and fields for ID (baseehr-b1-1783149619115), Birth Date (Mar 03, 1962), Gender (female), and Phone (Unknown).

### C-CDA Document Export - ONC §170.315(b)(1)

The main content area is divided into three panels:

- Patient Selection:** Lists three patients: John Doe (MRN: 12345 | DOB: 1970-01-15), Jane Smith (MRN: 67890 | DOB: 1985-06-20), and Robert Johnson (MRN: 11223 | DOB: 1955-11-30).
- Document Configuration:** Includes a 'Document Type' dropdown set to 'CCD Summary of Episode Note (CCD)' with '14 sections' and an 'Export Format' section.
- Document Sections:** A list of 10 sections, all selected and marked as 'Required': Allergies, Medications, Problems, Procedures, and Results.
- ONC Compliance:** A summary box showing four compliance checks, all successful: §170.315(b)(1) - Transitions of Care, C-CDA R2.1 Compliant, Vocabulary Standards (LOINC, SNOMED, RxNorm), and Schematron Validation.

Figure 7.1: Transitions of Care - C-CDA Generation

## Chapter 8

### § 170.315(b)(4) - Real-Time Prescription Benefit

## 8.1 Criterion Information

### 8.1.1 Maturity Level

**VERIFIED (behavioral tests green)**

### 8.1.2 Regulatory Text

From *45 CFR § 170.315(b)(4)*:

**(4) Real-time prescription benefit (RTPB).**

Enable a user, for a prescribed drug, to request and receive real-time prescription benefit information — including patient cost, formulary/coverage status, and any therapeutic alternatives — from a benefit source.

(Full regulatory text abbreviated. See BDD specification for complete requirements.)

### 8.1.3 Implementation Status

The behavioral test drives the full RTPB round-trip: it composes an `RTPBRequest` for a prescribed product, transacts it against a benefit responder (a formulary/PBM responder from the responder registry), and receives an `RTPBResponse` carrying the patient's cost and cheaper therapeutic alternatives (a brand statin returns generic substitutions). Both request and response XML are rendered and persisted with request/response linkage, and the completed check appears in the transaction history. A configurable live endpoint is supported alongside the built-in certification-evidence responders.

**Future compliance date:** (b)(4) is an HTI-4 criterion required by 1/1/2028. The current baseline (request/response, patient cost, alternatives, live-endpoint capability) is verified; the final standard-version binding is treated as informational until closer to the compliance date, not a gap.

## 8.2 Behavior-Driven Development Specification

A dedicated Gherkin feature file for (b)(4) is not yet authored; the executable specification is the behavioral Nightwatch test `certification/tdd/base_ehr/170.315.b.4.test.js`, which drives the request/response round-trip, patient-cost and therapeutic-alternative assertions, and the transaction-history retrieval described above.

## 8.3 Screenshots

The screenshot displays the Honeycomb BaseEHR RtpbCheck interface. At the top, a dark blue header contains the Honeycomb logo, a menu icon, and user controls (CLEAR PATIENT, demouser, LOGOUT). Below the header, a patient information bar shows the ID (baseehr-b4-1783135893772), Birth Date (Aug 08, 1948), Gender (male), and Phone (Unknown). The main content area features a 'Prescription Benefit' section with a 'Formulary' button and a status message: 'Sending RTPBRequest to local://responders/mock-pbm'. A dropdown menu for 'Responder' is set to 'Sample PBM Plan'. Below this, a tabbed interface shows 'COMPOSE', 'RESULT', and 'HISTORY' (selected). The 'Transaction History' section indicates '1 transaction(s)' and contains a table with the following data:

| Date                | Product                   | Out-of-pocket | Alternatives | Mode | Status    |
|---------------------|---------------------------|---------------|--------------|------|-----------|
| 2026-07-04 03:31:43 | Lipitor 20 MG Oral Tablet | \$96.10       | 3            | mock | completed |

Figure 8.1: Real-Time Prescription Benefit - Cost and Alternatives

## Chapter 9

### § 170.315(b)(11) - Decision Support Interventions

## 9.1 Criterion Information

### 9.1.1 Maturity Level

**VERIFIED** (behavioral tests green)

### 9.1.2 Replacement Notice

**This criterion REPLACES § 170.315(a)(9) which expired January 1, 2025.**

Decision Support Interventions (DSI) is an enhanced version of the legacy Clinical Decision Support criterion, adding requirements for:

- Predictive decision support interventions (AI/ML algorithms)
- Demographic data usage transparency
- Electronic intervention feedback mechanism
- Enhanced risk and fairness disclosures for predictive DSI

### 9.1.3 Regulatory Text

From *45 CFR § 170.315(b)(11)*:

#### (11) Decision Support Interventions.

(Full regulatory text includes all requirements from a-9 plus enhanced requirements for predictive interventions, demographic transparency, feedback mechanisms, and algorithm governance. See BDD specification for complete requirements.)

## 9.2 Behavior-Driven Development Specification

Listing 9.1: 170.315(b)(11) - Decision Support Interventions

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-b-11-
  decision-support-interventions.feature
# §170.315(b)(11) - Decision Support Interventions

# REGULATORY TEXT FROM 45 CFR §170.315(b)(11)
#
# (11) Use of date of birth as expressed in the standards in §170.213;

@170.315-b-11 @dsi @predictive-ai @algorithm-transparency @care-coordination
Feature: Decision Support Interventions
  As a healthcare provider
  I want transparent and fair decision support interventions
  So that I can make evidence-based decisions while understanding AI/algorithm influences

Background:
  Given I am authenticated as a provider
  And I have a patient record open
  And decision support interventions are configured
```

# ----- *Intervention Interaction* -----

Scenario: Interventions occur during user interaction

Given I am actively interacting with health IT

When decision support is triggered

Then interventions shall be provided during my interaction with technology

And interventions shall occur at clinically appropriate times

# ----- *Configuration* -----

Scenario: Configure DSI interventions based on user role

Given I am authorized to configure decision support

When configuring interventions

Then the system shall enable configuration by limited set of identified users

And configuration shall be based on user role

And configuration capabilities shall be appropriately restricted

Scenario: Enable interventions when data incorporated from transition of care

Given medications, allergies, and problems are incorporated from transition summary

When data is incorporated per §170.315(b)(2)(iii)(D)

Then interventions shall be enabled based on incorporated data

And interventions shall trigger appropriately

Scenario: Provide electronic feedback capability for interventions

Given I am using evidence-based decision support interventions

When I want to provide feedback on intervention

Then the system shall enable me to provide electronic feedback data

And feedback shall be collectible for selected interventions

And limited set of users shall be able to export feedback in computable format

Scenario: Export intervention feedback data

Given electronic feedback has been collected

When authorized users need to analyze feedback

Then feedback data shall be exportable in computable format

And export shall include intervention, action taken, user feedback, user, date, and location

And feedback analysis shall support intervention improvement

# ----- *Evidence-Based Decision Support Intervention Selection* -----

Scenario: Select evidence-based interventions using USCDI data

Given I am authorized to select decision support interventions

When activating evidence-based interventions

Then interventions may use problems per §170.213

And interventions may use medications per §170.213

And interventions may use allergies and intolerances per §170.213

And interventions may use demographics per §170.213

And interventions may use laboratory data per §170.213

And interventions may use vital signs per §170.213

And interventions may use unique device identifiers per §170.213

And interventions may use procedures per §170.213

# ----- *Predictive Decision Support Intervention Selection* -----

```

Scenario: Select predictive interventions using any USCDI data
  Given I am authorized to select decision support interventions
  When activating predictive decision support interventions
  Then interventions may use any data expressed in §170.213
  And predictive algorithms shall utilize appropriate data elements
  And data inputs shall be transparent

# ----- Source Attributes for Evidence-Based Interventions -----

Scenario: Display evidence-based intervention source attributes
  Given an evidence-based intervention is active
  When I review intervention source information
  Then the system shall support display of bibliographic citation
  And the system shall support display of intervention developer
  And the system shall support display of funding source for development
  And the system shall support display of release and revision dates

Scenario: Display demographic data usage in evidence-based intervention
  Given an evidence-based intervention uses demographic data
  When I review intervention details
  Then the system shall indicate use of race per §170.213
  And the system shall indicate use of ethnicity per §170.213
  And the system shall indicate use of language per §170.213
  And the system shall indicate use of sexual orientation per §170.213
  And the system shall indicate use of gender identity per §170.213
  And the system shall indicate use of sex per §170.213
  And the system shall indicate use of date of birth per §170.213

Scenario: Display SDOH and health status data usage
  Given an evidence-based intervention uses SDOH data
  When I review intervention details
  Then the system shall indicate use of SDOH data per §170.213
  And the system shall indicate use of health status assessments data per §170.213

# ----- Source Attributes for Predictive Interventions (EXTENSIVE) -----

Scenario: Display predictive intervention details and output
  Given a predictive decision support intervention is active
  When I review intervention details
  Then the system shall display name and contact information for developer
  And the system shall display funding source of technical implementation
  And the system shall display description of value produced as output
  And the system shall display whether output is prediction, classification,
    recommendation, evaluation, analysis, or other type

Scenario: Display predictive intervention purpose
  Given a predictive intervention is active
  When I review intervention purpose
  Then the system shall display intended use of intervention
  And the system shall display intended patient population(s)
  And the system shall display intended user(s)
  And the system shall display intended decision-making role (informs, augments,
    replaces clinical management)

```



Scenario: Display cautioned out-of-scope use

Given a predictive intervention has usage limitations

When I review intervention limitations

Then the system shall display description of cautioned tasks, situations, or populations

And the system shall display known risks, inappropriate settings, inappropriate uses, or limitations

Scenario: Display intervention development details and input features

Given a predictive intervention is active

When I review development details

Then the system shall display exclusion and inclusion criteria for training data

And the system shall display use of demographic variables as input features

And the system shall display description of demographic representativeness in training data

And the system shall display description of relevance of training data to deployed setting

Scenario: Display fairness process for intervention development

Given a predictive intervention is active

When I review fairness information

Then the system shall display description of approach to ensure intervention output is fair

And the system shall display description of approaches to manage, reduce, or eliminate bias

Scenario: Display external validation process

Given a predictive intervention has been externally validated

When I review validation information

Then the system shall display description of data source, setting, or environment for validation

And the system shall display party that conducted external testing

And the system shall display demographic representativeness of external data

And the system shall display description of external validation process

Scenario: Display quantitative performance measures

Given a predictive intervention is active

When I review performance metrics

Then the system shall display validity in test data from training source

And the system shall display fairness in test data from training source

And the system shall display validity in external data

And the system shall display fairness in external data

And the system shall display references to evaluation of outcomes impact

Scenario: Display ongoing maintenance information

Given a predictive intervention is deployed

When I review maintenance information

Then the system shall display process and frequency for monitoring validity over time

And the system shall display validity in local data

And the system shall display process and frequency for monitoring fairness over time

And the system shall display fairness in local data

Scenario: Display update and validation schedule

Given a predictive intervention is in use

When I review update information

Then the system shall display process and frequency for intervention updates

And the system shall display frequency for performance correction when risks identified

Scenario: Indicate when optional information not available

Given a predictive intervention source attributes

When certain information is not available for review

Then the system shall indicate when information not available for external validation

And the system shall indicate when information not available for external validity metrics

And the system shall indicate when information not available for external fairness metrics

And the system shall indicate when information not available for outcome evaluations

And the system shall indicate when information not available for local validity

And the system shall indicate when information not available for local fairness

And the system shall indicate when information not available for update schedule details

# ----- Access and Modify Source Attributes -----

Scenario: Access complete plain language descriptions for developer-supplied interventions

Given interventions are supplied by health IT developer

When authorized users need to review source attributes

Then limited set of identified users shall be able to access complete descriptions

And descriptions shall be in plain language

And descriptions shall be up-to-date

Scenario: Modify source attributes for interventions

Given intervention source attributes need updating

When authorized users modify attributes

Then limited set of identified users shall record, change, and access source attributes

And modifications shall be tracked with audit trail

And all users shall see updated information

Scenario: Record additional attributes for predictive interventions

Given predictive interventions may have additional relevant attributes

When documenting intervention characteristics

Then limited set of users shall record, change, and access additional attributes

And additional attributes supplement required attributes

And comprehensive documentation shall be maintained

# ----- Intervention Risk Management for Predictive DSI -----

Scenario: Conduct risk analysis for predictive intervention

Given a predictive decision support intervention is implemented

When assessing intervention risks

Then intervention shall be subject to analysis of potential risks and adverse impacts

And analysis shall assess validity, reliability, robustness, fairness

And analysis shall assess intelligibility, safety, security, and privacy

Scenario: Implement risk mitigation for predictive intervention

**Given** risks have been identified for predictive intervention

**When** implementing risk controls

**Then** intervention shall be subject to practices to mitigate identified risks

**And** mitigation shall address all significant risk categories

**And** mitigation effectiveness shall be monitored

**Scenario:** Apply governance to predictive intervention

**Given** a predictive intervention is in production use

**When** managing intervention lifecycle

**Then** intervention shall be subject to policies and implemented controls for governance

**And** governance shall include how data are acquired, managed, and used

**And** governance shall ensure ongoing oversight and accountability

## 9.3 Screenshots




Figure 9.1: Decision Support Interventions - Configuration Interface

## Chapter 10

### § 170.315(a)(14) - Implantable Device List

## 10.1 Criterion Information

### 10.1.1 Maturity Level

**VERIFIED** (behavioral tests green)

### 10.1.2 Regulatory Text

From 45 CFR § 170.315(a)(14):

**(14) Implantable device list.**

(i) Record Unique Device Identifiers associated with a patient's Implantable Devices.

(ii) Parse the following identifiers from a Unique Device Identifier.

(Full regulatory text abbreviated. See BDD specification for complete requirements.)

## 10.2 Behavior-Driven Development Specification

Listing 10.1: 170.315(a)(14) - Implantable Device List

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-a-14-
  implantable-device-list.feature
# §170.315(a)(14) - Implantable Device List

# REGULATORY TEXT FROM 45 CFR §170.315(a)(14)
#
# (14) Implantable device list.
#
# (i) Record Unique Device Identifiers associated with a patient's Implantable Devices.
#
# (ii) Parse the following identifiers from a Unique Device Identifier:
#
# (A) Device Identifier; and
#
# (B) The following identifiers that compose the Production Identifier:
#
# (1) The lot or batch within which a device was manufactured;
#
# (2) The serial number of a specific device;
#
# (3) The expiration date of a specific device;
#
# (4) The date a specific device was manufactured; and
#
# (5) For an HCT/P regulated as a device, the distinct identification code required by 21
    CFR 1271.290(c).
#
# (iii) Obtain and associate with each Unique Device Identifier:
#
# (A) A description of the implantable device referenced by at least one of the following
    :
#
```

```

# (1) The "GMDN PT Name" attribute associated with the Device Identifier in the Global
    Unique Device Identification Database.
#
# (2) The "SNOMED CTö Description" mapped to the attribute referenced in in paragraph (a)
    (14)(iii)(A)(1) of this section.
#
# (B) The following Global Unique Device Identification Database attributes:
#
# (1) "Brand Name";
#
# (2) "Version or Model";
#
# (3) "Company Name";
#
# (4) "What MRI safety information does the labeling contain?"; and
#
# (5) "Device required to be labeled as containing natural rubber latex or dry natural
    rubber (21 CFR 801.437).".
#
# (iv) Display to a user an implantable device list consisting of:
#
# (A) The active Unique Device Identifiers recorded for the patient;
#
# (B) For each active Unique Device Identifier recorded for a patient, the description of
    the implantable device specified by paragraph (a)(14)(iii)(A) of this section; and
#
# (C) A method to access all Unique Device Identifiers recorded for a patient.
#
# (v) For each Unique Device Identifier recorded for a patient, enable a user to access:
#
# (A) The Unique Device Identifier;
#
# (B) The description of the implantable device specified by paragraph (a)(14)(iii)(A) of
    this section;
#
# (C) The identifiers associated with the Unique Device Identifier, as specified by
    paragraph (a)(14)(ii) of this section; and
#
# (D) The attributes associated with the Unique Device Identifier, as specified by
    paragraph (a)(14)(iii)(B) of this section.
#
# (vi) Enable a user to change the status of a Unique Device Identifier recorded for a
    patient.

@170.315-a-14 @udi @implantable-devices @clinical
Feature: Implantable Device List
  As a healthcare provider
  I want to record and track implantable devices using Unique Device Identifiers
  So that I can ensure patient safety, support recall management, and provide accurate
    device information

Background:
  Given I am authenticated as a provider
  And a patient record is selected

```

# ----- Record UDI -----

Scenario: Record Unique Device Identifier for implantable device

Given a patient has received an implantable device

When I record the device information

Then the system shall enable recording of Unique Device Identifiers

And the UDI shall be associated with the patient record

And the UDI shall be stored in structured format

# ----- Parse UDI Components -----

Scenario: Parse Device Identifier from UDI

Given a Unique Device Identifier has been recorded

When the system processes the UDI

Then the system shall parse the Device Identifier (DI)

And the DI shall be stored as separate data element

Scenario: Parse Production Identifier components from UDI

Given a Unique Device Identifier has been recorded

When the system processes the UDI

Then the system shall parse lot or batch number

And the system shall parse serial number

And the system shall parse expiration date

And the system shall parse manufacture date

And all production identifiers shall be stored as separate data elements

Scenario: Parse HCT/P distinct identification code from UDI

Given a Unique Device Identifier for HCT/P regulated device has been recorded

When the system processes the UDI

Then the system shall parse distinct identification code per 21 CFR 1271.290(c)

And the code shall be stored appropriately

# ----- Obtain Device Information from GUDID -----

Scenario: Obtain device description from GUDID

Given a Unique Device Identifier has been entered

When the system queries the Global Unique Device Identification Database

Then the system shall obtain device description

And description may be "GMDN\_PT\_Name" from GUDID

Or description may be "SNOMED\_CT\_Description" mapped to GMDN PT Name

Scenario: Obtain device brand name from GUDID

Given a Unique Device Identifier has been entered

When the system queries GUDID

Then the system shall obtain "Brand\_Name" attribute

And the brand name shall be associated with the UDI

Scenario: Obtain device version or model from GUDID

Given a Unique Device Identifier has been entered

When the system queries GUDID

Then the system shall obtain "Version\_or\_Model" attribute

And the version/model shall be associated with the UDI

Scenario: Obtain device company name from GUDID

Given a Unique Device Identifier has been entered

When the system queries GUDID

Then the system shall obtain "Company\_Name" attribute

And the manufacturer information shall be associated with the UDI

Scenario: Obtain MRI safety information from GUDID

Given a Unique Device Identifier has been entered

When the system queries GUDID

Then the system shall obtain MRI safety information

And the information shall indicate MRI labeling content

And MRI safety information shall be prominently available

Scenario: Obtain latex allergy information from GUDID

Given a Unique Device Identifier has been entered

When the system queries GUDID

Then the system shall obtain latex labeling information per 21 CFR 801.437

And latex information shall be prominently available for patient safety

# ----- Display Implantable Device List -----

Scenario: Display patient's implantable device list

Given a patient has recorded Unique Device Identifiers

When I view the implantable device list

Then the system shall display active Unique Device Identifiers

And the system shall display device descriptions

And the display shall be organized and easily reviewable

Scenario: Display device description for each active UDI

Given a patient has multiple active implantable devices

When I view the implantable device list

Then for each active UDI the system shall display device description

And description shall be from GUDID per requirements

And description shall be clinically meaningful

Scenario: Provide method to access all UDIs for patient

Given a patient has both active and inactive device records

When I need to view complete device history

Then the system shall provide method to access all UDIs

And I shall be able to distinguish active from inactive devices

And complete device history shall be accessible

# ----- Access Individual UDI Details -----

Scenario: Access complete UDI information

Given a patient has a recorded Unique Device Identifier

When I select a specific UDI to review

Then the system shall enable access to the complete UDI

And the system shall display the device description

And the system shall display parsed production identifiers

And the system shall display GUDID attributes

Scenario: Access parsed identifiers for UDI

Given a patient has a recorded Unique Device Identifier



When I access the UDI details  
 Then the system shall display lot/batch number  
 And the system shall display serial number  
 And the system shall display expiration date  
 And the system shall display manufacture date  
 And the system shall display HCT/P code if applicable

Scenario: Access GUDID attributes for UDI

Given a patient has a recorded Unique Device Identifier  
 When I access the UDI details  
 Then the system shall display brand name  
 And the system shall display version or model  
 And the system shall display company name  
 And the system shall display MRI safety information  
 And the system shall display latex information

# ----- Change UDI Status -----

Scenario: Change status of implantable device

Given a patient has a recorded Unique Device Identifier  
 When the device is explanted or status changes  
 Then the system shall enable changing the status of the UDI  
 And status change shall be recorded with date and reason  
 And device shall move from active to inactive list

## 10.3 Screenshots

The screenshot displays the Honeycomb BaseEHR interface for a patient's device list. The patient's information is shown at the top: ID baseehr-a14-1783131518899, Birth Date Nov 11, 1955, Gender male, and Phone Unknown. The main section is titled "Implantable Device Registry - ONC §170.315(g)(7)". It features a search bar and filters for Category (All Categories) and Class (All Classes). Below these are buttons for CATALOG, AUGMENTATIONS, and SCAN UDI. The device list table contains the following data:

| Device                                            | Cyber | Type                                   | Manufacturer              | Class     | Status | Battery                            | Implant Date | Actions |
|---------------------------------------------------|-------|----------------------------------------|---------------------------|-----------|--------|------------------------------------|--------------|---------|
| NeuroPulse™ Pacemaker v3.0 NP-3000                | CYBER | Dual-chamber pacemaker                 | Arasaka Medical           | Class III | active | 85%                                | 2023-06-15   | VIEW    |
| CardioGuard™ Defibrillator CG-500X                | CYBER | Implantable Cardioverter Defibrillator | Millitech Biotech         | Class III | active | 92%                                | 2023-08-22   | VIEW    |
| VentriFlow™ Left Ventricular Assist Device VF-HM3 |       | Left ventricular assist device (LVAD)  | Trauma Team International | Class III | active | External controller (rechargeable) | 2024-03-12   | VIEW    |
| RhythmWatch™ Insertable Loop Recorder RW-ILR      |       | Implantable cardiac monitor            | Dynalar Technologies      | Class II  | active | 88%                                | 2023-10-02   | VIEW    |
| CortexLink™ Neural Bridge CLB-2.1                 | CYBER | Brain-Computer Interface               | Raven Microcyber          | Class III | active | Wireless charging                  | 2024-01-10   | VIEW    |

Figure 10.1: Implantable Device List - Patient View

## Chapter 11

### § 170.315(e)(1) - View, Download, Transmit

## 11.1 Criterion Information

### 11.1.1 Maturity Level

#### IMPLEMENTED

### 11.1.2 Regulatory Text

From 45 CFR § 170.315(e)(1):

**(1) View, download, and transmit to 3rd party.**

The technology must enable patients to view, download, and transmit their health information.

(Full regulatory text abbreviated. See BDD specification for complete requirements.)

## 11.2 Behavior-Driven Development Specification

Listing 11.1: 170.315(e)(1) - View, Download, Transmit

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-e-1-view-
  download-transmit.feature
# §170.315(e)(1) - View, Download, and Transmit to 3rd Party

# REGULATORY TEXT FROM 45 CFR §170.315(e)(1)
#
# (1) The action(s) (i.e., view, download, transmission) that occurred;

@170.315-e-1 @vdt @patient-access @patient-engagement
Feature: View, Download, and Transmit to 3rd Party
  As a patient
  I want to view, download, and transmit my health information
  So that I can access my data and share it with others

  Background:
    Given I am authenticated as a patient
    And my health information is available in the system

  Scenario: View health information online
    Given I am accessing my patient portal
    When I view my health information
    Then the system shall display my data in human readable format
    And all available USCDI data shall be viewable
    And the information shall be current and accurate

  Scenario: Download health information
    Given I am viewing my health information
    When I choose to download my data
    Then the system shall enable download
    And download shall be in machine-readable format
    And download shall include all requested data

  Scenario: Transmit to third party via encrypted email
```

Given I want to share my health information  
When I transmit to a third party email address  
Then the system shall transmit encrypted  
And transmission shall be secure  
And third party shall be able to receive the data


Scenario: Transmit to third party unencrypted with patient consent

Given I want to share my health information  
And I accept the risks of unencrypted transmission  
When I choose unencrypted transmission  
Then the system shall warn me of risks  
And system shall transmit unencrypted only with my consent  
And my choice shall be documented

Scenario: Access activity history log

Given I have viewed, downloaded, or transmitted my data  
When I check my activity history  
Then the system shall display activity log  
And log shall show what data was accessed  
And log shall show when data was accessed  
And log shall show to whom data was transmitted

## 11.3 Screenshots



Screenshot Placeholder: Patient Portal VDT Interface

Figure 11.1: View, Download, Transmit - Patient Portal Interface

## Chapter 12

### § 170.315(g)(7) - Application Access - Patient Selection

## 12.1 Criterion Information

### 12.1.1 Maturity Level

**VERIFIED** (behavioral tests green)

### 12.1.2 Regulatory Text

From 45 CFR § 170.315(g)(7):

**(7) Application access—patient selection.**

The technology must be able to receive a request with sufficient information to uniquely identify a patient and return an ID or other token.

(Full regulatory text abbreviated. See BDD specification for complete requirements.)

## 12.2 Behavior-Driven Development Specification

Listing 12.1: 170.315(g)(7) - Application Access

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-g-7-10-apis
.feature
# §170.315(g)(7)-(g)(10) - Application Programming Interfaces

# REGULATORY TEXT FROM 45 CFR §170.315(g)(7)
#
# (7) Application accesspatient selection. The following technical outcome and conditions
# must be met through the demonstration of an application programming interface (API).
# (i) Functional requirement. The technology must be able to receive a request with
# sufficient information to uniquely identify a patient and return an ID or other token
# that can be used by an application to subsequently execute requests for that patient
# 's data.
# (ii) Documentation.
# (A) The API must include accompanying documentation that contains, at a minimum:

@170.315-g-7-10 @api @fhir @design-performance
Feature: Application Programming Interfaces
  As a health IT developer
  I want to provide standardized APIs
  So that applications can access health information

Background:
  Given the Health IT Module provides APIs
  And API access is required

Scenario: Provide patient selection API (g)(7)
  Given applications need to select patients
  When application requests patient selection
  Then API shall enable patient selection
  And API shall conform to standards
  And API shall be properly documented

Scenario: Provide data category request API (g)(8)
```

Given applications need specific data categories  
When application requests data by category  
Then API shall provide data category request capability  
And API shall return requested data  
And API shall conform to USCDI

Scenario: Provide all data request API (g)(9)

Given applications need complete patient data  
When application requests all patient data  
Then API shall provide all available data  
And data shall include all USCDI elements  
And API shall conform to standards

Scenario: Provide standardized API for patient and population services (g)(10)

Given applications need patient and population data  
When application uses FHIR API  
Then API shall conform to §170.215(a) standard  
And API shall support SMART App Launch  
And API shall support bulk data access  
And API shall provide comprehensive functionality

## Chapter 13

### § 170.315(g)(9) - Application Access - All Data



## 13.1 Criterion Information

### 13.1.1 Maturity Level

**VERIFIED** (behavioral tests green)

### 13.1.2 Regulatory Text

From 45 CFR § 170.315(g)(9):

**(9) Application access—all data request.**

Provide an application programming interface (API) that can return all available data for a specific patient in a single request.

(Full regulatory text abbreviated. See BDD specification for complete requirements.)

## 13.2 Behavior-Driven Development Specification

Listing 13.1: 170.315(g)(9) - Application Access

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-g-7-10-apis
.feature
# §170.315(g)(7)-(g)(10) - Application Programming Interfaces

# REGULATORY TEXT FROM 45 CFR §170.315(g)(7)
#
# (7) Application accesspatient selection. The following technical outcome and conditions
# must be met through the demonstration of an application programming interface (API).
# (i) Functional requirement. The technology must be able to receive a request with
# sufficient information to uniquely identify a patient and return an ID or other token
# that can be used by an application to subsequently execute requests for that patient
# 's data.
# (ii) Documentation.
# (A) The API must include accompanying documentation that contains, at a minimum:

@170.315-g-7-10 @api @fhir @design-performance
Feature: Application Programming Interfaces
  As a health IT developer
  I want to provide standardized APIs
  So that applications can access health information

Background:
  Given the Health IT Module provides APIs
  And API access is required

Scenario: Provide patient selection API (g)(7)
  Given applications need to select patients
  When application requests patient selection
  Then API shall enable patient selection
  And API shall conform to standards
  And API shall be properly documented

Scenario: Provide data category request API (g)(8)
```

Given applications need specific data categories  
When application requests data by category  
Then API shall provide data category request capability  
And API shall return requested data  
And API shall conform to USCDI

Scenario: Provide all data request API (g)(9)

Given applications need complete patient data  
When application requests all patient data  
Then API shall provide all available data  
And data shall include all USCDI elements  
And API shall conform to standards

Scenario: Provide standardized API for patient and population services (g)(10)

Given applications need patient and population data  
When application uses FHIR API  
Then API shall conform to §170.215(a) standard  
And API shall support SMART App Launch  
And API shall support bulk data access  
And API shall provide comprehensive functionality

## Chapter 14

### § 170.315(g)(10) - Standardized API

## 14.1 Criterion Information

### 14.1.1 Maturity Level

#### IMPLEMENTED

### 14.1.2 Regulatory Text

From 45 CFR § 170.315(g)(10):

**(10) Standardized API for patient and population services.**

The technology must implement a standardized API that conforms to FHIR R4, US Core, SMART App Launch, OpenID Connect, and SMART Backend Services.

(Full regulatory text abbreviated. See BDD specification for complete requirements.)

## 14.2 Behavior-Driven Development Specification

Listing 14.1: 170.315(g)(10) - Standardized API

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-g-7-10-apis
.feature
# §170.315(g)(7)-(g)(10) - Application Programming Interfaces

# REGULATORY TEXT FROM 45 CFR §170.315(g)(7)
#
# (7) Application accesspatient selection. The following technical outcome and conditions
# must be met through the demonstration of an application programming interface (API).
# (i) Functional requirement. The technology must be able to receive a request with
# sufficient information to uniquely identify a patient and return an ID or other token
# that can be used by an application to subsequently execute requests for that patient
# 's data.
# (ii) Documentation.
# (A) The API must include accompanying documentation that contains, at a minimum:

@170.315-g-7-10 @api @fhir @design-performance
Feature: Application Programming Interfaces
  As a health IT developer
  I want to provide standardized APIs
  So that applications can access health information

Background:
  Given the Health IT Module provides APIs
  And API access is required

Scenario: Provide patient selection API (g)(7)
  Given applications need to select patients
  When application requests patient selection
  Then API shall enable patient selection
  And API shall conform to standards
  And API shall be properly documented

Scenario: Provide data category request API (g)(8)
```

Given applications need specific data categories  
When application requests data by category  
Then API shall provide data category request capability  
And API shall return requested data  
And API shall conform to USCDI

Scenario: Provide all data request API (g)(9)

Given applications need complete patient data  
When application requests all patient data  
Then API shall provide all available data  
And data shall include all USCDI elements  
And API shall conform to standards

Scenario: Provide standardized API for patient and population services (g)(10)

Given applications need patient and population data  
When application uses FHIR API  
Then API shall conform to §170.215(a) standard  
And API shall support SMART App Launch  
And API shall support bulk data access  
And API shall provide comprehensive functionality

## Chapter 15

### § 170.315(c)(1) - Clinical Quality Measures - Record and Export

## 15.1 Criterion Information

### 15.1.1 Maturity Level

**VERIFIED** (behavioral tests green)

### 15.1.2 Regulatory Text

From 45 CFR § 170.315(c)(1):

(1) **Clinical quality measures — record and export.**

(i) **Record.** For each clinical quality measure (CQM) presented for certification, record all of the data identified in the standard necessary to calculate the measure.

(ii) **Export.** Enable a user to electronically export a data file, for one or more patients, formatted per the QRDA Category I standard (45 CFR 170.205(h)(2)), that includes all of the recorded CQM data.

(Full regulatory text abbreviated. See BDD specification for complete requirements.)

### 15.1.3 Implementation

The behavioral test verifies the record-calculate-export pipeline: the measures catalog is populated (seeded CMS/PACIO measures); a numerator event is recorded as a measure-observation-profiled FHIR **Observation**; an individual FHIR **MeasureReport** is calculated (fqm-execution / PACIO evaluators) with initial-population, denominator, and numerator groups and persisted; and the captured reports export as a FHIR Bundle, CSV, JSON, and **QRDA Category I** (§ 170.205(h)(2)). The QRDA I export produces a patient-level CDA document with the QRDA Category I template identifiers and Measure, Reporting Parameters, and Patient Data sections, built from the patient's real demographics and the measure's population results.

**Scope:** the QRDA I document is real and standards-shaped (correct envelope, template identifiers, and sections). Full per-measure QDM data-criteria entry coverage validated by the Cypress tool is the remaining external certification work; QRDA Category III (for (c)(3)) is a follow-on.

## 15.2 Behavior-Driven Development Specification

Listing 15.1: 170.315(c)(1) - CQM Record and Export

```
# /Volumes/SonicMagic/Code/honeycomb-public-release/certification/bdd/170.315-c-1-cqm-
  record-export.feature
# §170.315(c)(1) - Clinical Quality Measures - Record and Export

# REGULATORY TEXT FROM 45 CFR §170.315(c)(1)
#
# (1) Clinical quality measures record and export
# (i) Record. For each and every CQM for which the technology is presented for
  certification, the technology must be able to record all of the data that would be
  necessary to calculate each CQM. Data required for CQM exclusions or exceptions must
  be codified entries, which may include specific terms as defined by each CQM, or may
  include codified expressions of patient reason, system reason, or medical reason.
# (ii) Export. A user must be able to export a data file at any time the user chooses and
  without subsequent developer assistance to operate:
```

# (A) Formatted in accordance with the standard specified in §170.205(h)(2);  
 # (B) Ranging from one to multiple patients; and  
 # (C) That includes all of the data captured for each and every CQM to which technology was certified under paragraph (c)(1)(i) of this section.

@170.315-c-1 @cqm-record-export @clinical-quality-measures @cqm

Feature: Clinical Quality Measures - Record and Export

As a healthcare provider

I want to record and export clinical quality measure data

So that I can track quality metrics and submit quality reports

Background:

Given I am authenticated as a provider

And the application has the clinics:quality-measures package installed

Scenario: Record all data necessary for CQM calculation

Given I am documenting patient care for a certified CQM

When I record clinical data elements

Then the system shall enable recording of all data necessary to calculate each CQM

And all required data elements for the CQM shall be capturable

And the data shall be stored in structured format

Scenario: Record codified CQM exclusion data

Given I am documenting a CQM exclusion

When I enter the exclusion reason

Then the system shall accept codified entries for exclusions

And codified entries may include specific terms defined by the CQM

And codified entries may include "patient\_reason" expression

And codified entries may include "system\_reason" expression

And codified entries may include "medical\_reason" expression

Scenario: Record codified CQM exception data

Given I am documenting a CQM exception

When I enter the exception reason

Then the system shall accept codified entries for exceptions

And codified entries may include specific terms defined by the CQM

And codified entries may include reason expressions per CQM requirements

Scenario: Export CQM data at user's discretion

Given CQM data has been recorded for patients

When I choose to export CQM data

Then the system shall enable export at any time I choose

And export shall not require subsequent developer assistance

And I shall be able to initiate export independently

Scenario: Export CQM data in QRPP format

Given CQM data has been recorded

When I export the data

Then the export shall be formatted per §170.205(h)(2)

And the format shall be Quality Reporting Document Architecture QRPP

Scenario: Export CQM data for single or multiple patients

Given CQM data exists for multiple patients

When I configure the export



Then the system shall enable export ranging from one to multiple patients  
And I shall be able to select specific patients  
Or I shall be able to export data for patient populations

Scenario: Export includes all captured CQM data  
Given data has been captured for certified CQMs  
When I export CQM data  
Then the export shall include all data captured for each certified CQM  
And no required data elements shall be omitted from export  
And the export shall be complete and accurate

## 15.3 Screenshots




Figure 15.1: Clinical Quality Measures - Record and Export

## Chapter 16

### § 170.315(h)(1) - Direct Project

## 16.1 Criterion Information

### 16.1.1 Maturity Level

**GAP (documented, behavioral tests red)**

### 16.1.2 Regulatory Text

From 45 CFR § 170.315(h)(1):

#### (1) Direct Project.

Send and receive health information using the Direct Standard (Applicability Statement for Secure Health Transport), including SMTP with S/MIME message signing and encryption, message disposition notifications, and trust anchored in X.509 certificates. Criterion (h)(2) additionally requires the Edge Protocols (XDR/XDM) alongside Direct.

(Full regulatory text abbreviated. See BDD specification for complete requirements.)

### 16.1.3 Documented Gap

The behavioral test verifies the messaging scaffold: the Direct messaging routes render; a Direct address is format-validated (and a malformed address is rejected); and a sent Direct message is persisted as a FHIR **Communication** with the Direct-Message category and an encryption extension, retrievable afterward. These pass green.

Two capabilities are **gaps**, and this is the expected headline Base-EHR gap: (1) there is **no operational Direct transport** — no SMTP+S/MIME send/receive through a Health Information Service Provider (HISP); the configured relay, when present, is plain SMTP, not the Direct Applicability Statement stack (S/MIME signing/encryption, message disposition notifications, DNS CERT / LDAP certificate discovery), and messages persist only as FHIR resources; and (2) **trust verification is simulated** — a placeholder “Demo Certificate Authority” certificate is returned for any well-formed address, with no real X.509 chain validation or DirectTrust bundle. The Edge Protocols (XDR/XDM) required by (h)(2) have no implementation.

**Remediation:** integrate a real Direct/HISP stack (SMTP + S/MIME per the Applicability Statement, MDN handling, trust-bundle-based certificate validation), and add XDR/XDM for (h)(2). Certification testing uses the ONC Direct Transmission Testing (DTT) tool against a live HISP.

## 16.2 Behavior-Driven Development Specification

Listing 16.1: 170.315(h)(1) - Direct Project

```
# certification/bdd/170.315-h-1-direct-project.feature
# REGULATORY TEXT FROM 45 CFR §170.315(h)(1)
#
# (1) Direct Project
# (i) Applicability Statement for Secure Health Transport. Able to send and receive
#     health information in accordance with the standard specified in §170.202(a)(2),
#     including formatted only as a wrapped message.
```

*# (ii) Delivery Notification in Direct. Able to send and receive health information in accordance with the standard specified in §170.202(e)(1).*

@170.315-h-1 @direct @transport

Feature: Direct Project

As a healthcare provider

I want to send and receive health information via Direct messaging

So that I can securely exchange patient information with other providers

Background:

Given the system supports Direct Project messaging

And I have appropriate Direct addressing

Scenario: Send health information via Direct with wrapped message

Given I have health information to send

When I send information via Direct messaging

Then the system shall send per §170.202(a)(2)

And the message shall be formatted as a wrapped message

Scenario: Receive health information via Direct with wrapped message

Given health information is being sent to me

When I receive the Direct message

Then the system shall receive per §170.202(a)(2)

And the system shall process the wrapped message

Scenario: Send delivery notification in Direct

Given I have sent health information via Direct

When delivery notification is enabled

Then the system shall send delivery notification per §170.202(e)(1)

Scenario: Receive delivery notification in Direct

Given I sent health information via Direct

When a delivery notification is sent back

Then the system shall receive delivery notification per §170.202(e)(1)

## 16.3 Screenshots




Figure 16.1: Direct Project - Secure Messaging

# Appendix A

## Acronyms and Abbreviations

**API**

Application Programming Interface

**BDD**

Behavior-Driven Development

**C-CDA**

Consolidated Clinical Document Architecture

**CDS**

Clinical Decision Support

**CFR**

Code of Federal Regulations

**CPOE**

Computerized Provider Order Entry

**DI** Device Identifier

**DSI** Decision Support Interventions

**EHR**

Electronic Health Record

**FHIR**

Fast Healthcare Interoperability Resources

**GMDN**

Global Medical Device Nomenclature

**GUDID**

Global Unique Device Identification Database

**HCT/P**

Human Cells, Tissues, and Cellular and Tissue-Based Products

**HL7**

Health Level Seven

**MRI**

Magnetic Resonance Imaging

**OAuth**

Open Authorization

**ONC**

Office of the National Coordinator for Health Information Technology

**PI** Production Identifier**SMART**

Substitutable Medical Applications, Reusable Technologies

**SNOMED CT**

Systematized Nomenclature of Medicine - Clinical Terms

**SPCU**

Sex Parameter for Clinical Use

**UDI**

Unique Device Identifier

**USCDI**

United States Core Data for Interoperability

**VDT**

View, Download, Transmit

## Appendix B

## References

1. Office of the National Coordinator for Health Information Technology. *2015 Edition Health IT Certification Criteria, 2015 Edition Base EHR Definition, and ONC Health IT Certification Program Modifications*. 45 CFR Part 170. Federal Register, 2015.
2. Office of the National Coordinator for Health Information Technology. *21st Century Cures Act: Interoperability, Information Blocking, and the ONC Health IT Certification Program*. 45 CFR Part 170. Federal Register, 2020.
3. HL7 International. *FHIR R4 Specification*. <http://hl7.org/fhir/R4/>
4. HL7 International. *US Core Implementation Guide*. <http://hl7.org/fhir/us/core/>
5. SMART Health IT. *SMART App Launch Framework*. <http://hl7.org/fhir/smart-app-launch/>
6. Office of the National Coordinator for Health Information Technology. *United States Core Data for Interoperability (USCDI) Version 5*. 2024.
7. FDA. *Unique Device Identification System (UDI System)*. 21 CFR Part 801.
8. FDA. *Global Unique Device Identification Database (GUDID)*. <https://accessgudid.nlm.nih.gov/>



# Appendix C

## Certification Testing Notes

### C.1 Behavioral Test Suite Status

Each Base EHR criterion in Part I has a behavioral Nightwatch test under `certification/tdd/base_ehr/` (one file per criterion, `170.315.<x>.<y>.test.js`). The suite drives real record/change/access behaviors against FHIR resources per the ONC test procedures, not mere page presence, and is run against a live server. As of this revision the outcome is **11 verified** (green) and **1 documented gap** (red): (a)(1), (a)(2), (a)(3), (a)(5), (a)(14), (b)(1), (b)(4), (b)(11), (c)(1), (g)(7), and (g)(9) verify; only (h)(1) Direct Project carries a documented gap. Any remaining gaps use explicit `GAP(170.315.x.y)` annotations that fail deliberately, so the suite functions as a live certification punch-list; the Status column in the Overview and the per-criterion chapters reflect these results. Criterion (g)(10) is covered externally by Inferno (below), not by this suite.

### C.2 Inferno Testing

For comprehensive certification testing of the standardized API criterion (g)(10) — and to authoritatively validate the API surfaces exercised by (g)(7) and (g)(9) — the official ONC-approved Inferno testing tool must be used:

**Inferno Website:** <https://inferno.healthit.gov>

Inferno provides authoritative test suites that validate:

- FHIR R4 conformance
- US Core Implementation Guide compliance
- SMART App Launch OAuth 2.0 flows
- OpenID Connect Core
- SMART Backend Services (Bulk FHIR)
- USCDI data completeness
- Token management and revocation
- All mandatory and must-support elements

The Nightwatch tests in this system provide basic endpoint verification for development and CI/CD purposes. They are **not** a replacement for Inferno certification testing.

### C.3 Test Execution

To run the complete Base EHR test suite:

```
cd /path/to/honeycomb-public-release
chmod +x certification/tdd/base_ehr/run-base-ehr-tests.sh
./certification/tdd/base_ehr/run-base-ehr-tests.sh
```

Or run a single criterion directly against a running server:

```
npx nightwatch --config nightwatch.circle.conf.js
  certification/tdd/base_ehr/170.315.<x>.<y>.test.js
```

The suite covers the twelve in-scope CY2026 Base EHR criteria (one test file each); (g)(10) is intentionally excluded and left to Inferno.