



Persistent Context

Hiroki Uchikawa

◆ Redis Plugin Status

☒ Writing a Design Note

<https://github.com/node-red/node-red/wiki/Design%3A-Persistable-Context#redis-plugin>

☒ Implementing a prototype

☐ Review

I would like to push the prototype for review.

In last bootcamp at Hursley, I heard that we would manage the Redis plugin codes in a repository for context plugins.

I would appreciate if you could create a repository.

Please correct me if I'm wrong.

Context Atomic API

I think it is useful for users that the context API provides widely used atomic api. (e.g. incr/decr, append)

What do you think about adding new context API ?

	incr	decr	append	prepend
Redis	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
MongoDB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Cassandra	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hbase	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
couchbase	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Memcached	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

I thought the api would be executed by RUN command which executes plugin specific function.
 But I think it is better that widely used atomic api are provided individually.

* Run command: <https://github.com/node-red/node-red/wiki/Design%3A-Persistable-Context#executing-plugin-specific-function>