Power Purchase Agreement Proposal

Ogboinbiri Pilot Site — Monetizing Excess Generation Capacity

Feb 2025	1.5 MW	~5 MW	5 Years
Operational Since	**Installed Capacity**	**Pilot Target**	**Proposed Term**
Ogboinbiri Site	*At Ogboinbiri Site*	*Available Excess*	*Minimum*

Submitted by: Makir, Founder & CEO — NRG Bloom Inc.
Submitted to: Oando Energy Resources — Commercial Department

February 2026 | CONFIDENTIAL

1. Executive Summary

NRG Bloom Inc. is a Canadian technology company (Quebec-incorporated) with a registered Nigerian subsidiary, NRG Bloom Services, currently operating a modular data center at the Ogboinbiri community site in Bayelsa State. Since February 2025, we have been converting excess electrical power — drawn from Oando's generation infrastructure through the community power grid — into USD-denominated digital infrastructure revenue. Our facility has been running for over one year, delivering measurable results and proving the commercial viability of this model in the Niger Delta operating environment.

This proposal outlines a direct commercial partnership between Oando Energy Resources and NRG Bloom Inc. We are proposing to formalize and scale what is already working — moving from a community-intermediated arrangement to a direct, commercially structured B2B relationship. We present three partnership pathways in Section 4, each suited to a different set of conditions, and invite Oando to identify which structure best fits its operational and regulatory position. We are flexible on structure; we are committed on outcome.

This is not a speculative pitch from an outside party. We are already on the ground, already operational, and already generating revenue from Oando's infrastructure.

> *Unlike previous proposals Oando may have received on similar themes, NRG Bloom has operated continuously at the Ogboinbiri site for over one year. We have built trusted relationships within the community, employ local staff, and have direct operational experience in the Niger Delta environment. Security concerns that have caused other parties to withdraw are not a constraint for NRG Bloom.*

Active flare site — Bayelsa State, Nigeria

2. Background & Context

2.1 The Ogboinbiri Opportunity

Oando Energy Resources supplies electrical power generated from associated gas to the Ogboinbiri community in Bayelsa State as part of its community development obligations. The generation infrastructure has a capacity of approximately 10 MW. Based on community load data and direct observation from our on-site operations, an estimated 5 MW or more of this capacity is consistently unused — generation that consumes gas without producing economic value.

This unused capacity represents a stranded commercial asset. Simultaneously, flaring of associated gas continues at nearby Oando sites and is directly visible from our operational facility — creating ongoing regulatory exposure under Nigeria's Flare Gas (Prevention of Waste and Pollution) Regulations and the Nigerian Gas Flare Commercialisation Programme (NGFCP).

NRG Bloom identified this opportunity in 2024 and established a proof-of-concept operation at the Ogboinbiri site, working initially through the community structure. That proof of concept has succeeded. We are now seeking to formalize the relationship directly with Oando, eliminating the community intermediary and enabling meaningful scale under a professionally structured agreement.

2.2 About NRG Bloom Inc.

NRG Bloom Inc. is incorporated in Quebec, Canada, and operates in Nigeria through its subsidiary NRG Bloom Services. The company specializes in the deployment of modular, containerized data center infrastructure at off-grid and stranded-energy sites, converting surplus or wasted power into revenue through high-performance compute and digital infrastructure operations. Our model is engineered for environments where grid connectivity is limited or absent and where energy assets are chronically undermonetized.

NRG Bloom has access to development capital, including potential funding support from Canadian government programs supporting international clean technology initiatives. This positions us as a well-capitalized, internationally accountable counterparty capable of executing and sustaining a multi-year infrastructure commitment in Nigeria.

3. Proof of Concept — Ogboinbiri Site Performance

The following section presents the operational and financial results of NRG Bloom's proof-of-concept installation at the Ogboinbiri site. These figures are real, independently verifiable, and available for review.

NRG Bloom modular data center — aerial view, Ogboinbiri site as of February 2025

3.1 Proof of Concept Parameters

Parameter	Detail
Site	Ogboinbiri, Bayelsa State, Nigeria
Operational Since	February 2025
Installed Capacity	0.5 MW (initial proof-of-concept container)
Infrastructure Capex	USD $50,000 (container, transformer, equipment, and logistics)
Compute Capex	USD $6,500 (ASIC miners, PDU, equipment, and logistics)
Total Initial Capex	USD $56,500
Compute Equipment	23 ASIC miners, average ~64 TH/s per unit (legacy proof-of-concept hardware)
Power Cost Structure	25% of hashrate (equivalent to <$0.01/kWh at prevailing BTC market rates)
Operational Period	~12 months (February 2025 to February 2026)

3.2 Financial Results

Despite operating with significantly sub-optimal compute hardware — older-generation ASIC miners with elevated failure rates and lower efficiency than current commercially available units — the proof-of-concept site has achieved its primary objective: demonstrating that revenues exceed operational costs and that the model is commercially viable at this location.

Metric	Result
Total BTC Mined (12 months)	0.27773637 BTC
Average Monthly Revenue	USD $1,500 – $2,000 (variable with BTC price)
Annualized Revenue	~USD $18,000 – $24,000
Operational Status	Revenue exceeds operational costs — break-even achieved
Key Limitation	Insufficient ASIC count; container capacity significantly underutilized due to proof-of-concept budget constraints and use of legacy hardware

3.3 What the Numbers Actually Show

To appreciate the significance of these results, it is important to understand what the same infrastructure could achieve with properly capitalized, current-generation hardware. The proof-of-concept operated with 23 aging miners averaging 64 TH/s each. A fully deployed container of the same physical capacity, equipped with current Antminer S19-series units, would produce materially different results:

Scenario	Proof of Concept (Actual)	Full Container (Projected)
ASIC Units	23 units	~115 units
Avg. Hashrate per Unit	~64 TH/s	~90–95 TH/s
Total Hashrate	~1,472 TH/s	~10,350–10,925 TH/s
Est. BTC Mined (12 months)	0.278 BTC	~1.5-1.8 BTC
Est. Annual Revenue (USD)	~$18,000–$24,000	~$97,000–$155,000*

** Revenue projections are indicative, based on current Bitcoin network difficulty and market price. Subject to variability. Full financial model in Section 6.*

3.4 Current Site Status & Path Forward

NRG Bloom's proof-of-concept infrastructure remains active at the Ogboinbiri site. Total installed data center capacity at the site currently stands at 1.5 MW. The proof of concept has validated the core model: Oando's energy assets can be converted into USD revenue through modular data center infrastructure.

However, the current operating arrangement — in which NRG Bloom operates through a community-intermediated structure on community-managed land — has inherent limitations that constrain meaningful scale. Industrial-grade compute infrastructure operating continuously at high power draw is fundamentally better suited to a dedicated industrial environment than a residential community setting. These characteristics are manageable at proof-of-concept scale, but become significant constraints when scaling to 5 MW and beyond.

For this reason, NRG Bloom is seeking to formalize its relationship directly with Oando and establish expanded operations at a dedicated, industrially suitable site — either on or adjacent to Oando's own infrastructure. A direct B2B agreement with Oando provides the contractual certainty required to justify the capital deployment for institutional-grade compute hardware and purpose-built facilities.

Expanded site with containerized units and flare stack visible

4. Partnership Pathways — Three Structures for Discussion

NRG Bloom has noted that Oando's initial response indicated a possible expectation of a gas-focused arrangement rather than a power offtake proposal. We welcome that clarification, and we want to be direct: our preference is to start with the simplest, lowest-risk structure and scale from there. However, we recognize that the right structure depends on factors that only Oando can confirm — specifically, the nature of the existing community power obligations tied to the Ogboinbiri generation infrastructure.

The Ogboinbiri generation assets were originally developed by NAOC as part of its community electrification program, and community power supply obligations may now be governed under the Host Community Development Trust (HCDT) framework established by the Petroleum Industry Act 2021. The extent to which this encumbers Oando's ability to commercially redirect excess generation capacity is a question your legal and regulatory teams are best placed to answer. NRG Bloom does not seek to create complications for Oando's community obligations or PIA compliance — quite the opposite. We have structured three distinct pathways below, each designed to work within a different set of constraints.

> *We present these three pathways not as alternatives we are indifferent to, but as a genuine acknowledgment that we do not yet know which constraints apply. Oando's feedback on which pathway is legally and operationally viable will allow us to move directly to a detailed term sheet on that basis.*

Pathway 1 — Power Purchase Agreement: Excess Capacity from Existing Infrastructure

This pathway applies if Oando determines that the excess capacity from the Ogboinbiri generation infrastructure is not encumbered by HCDT or community obligations — that is, if Oando has the contractual freedom to sell that capacity commercially. This is the simplest, fastest, and lowest-risk structure for both parties, and it is NRG Bloom's preferred starting point.

Pathway 1 — Power Purchase Agreement — Existing Genset Excess	
Agreement Type	Power Purchase Agreement (B2B) — direct offtake from existing Ogboinbiri generation assets
Oando's Contribution	Supply of ~5 MW excess electrical capacity at a fixed commercial rate. No additional infrastructure investment required.
NRG Bloom's Contribution	Full data center infrastructure: modular containers, compute hardware, transformers, metering, and operations. USD $1.5M–$2.0M capex, fully self-funded.

Proposed Rate (Option A)	USD $0.018/kWh (indicative — subject to negotiation)
Proposed Rate (Option B)	30% of hashrate / revenue
Oando Annual Revenue (Option A)	~USD $730,000–$750,000/year (fixed, independent of BTC price)
PPA Term	Minimum 5 years
Community Impact	None — NRG Bloom absorbs excess only; community supply is fully preserved
Condition	Requires confirmation that existing capacity is not contractually committed to the community under HCDT or PIA obligations
Risk Profile for Oando	Zero capital risk. Regulatory risk depends on community obligation status — subject to legal review.

Pathway 2 — Joint Infrastructure Model: Dedicated Generation + Data Center

This pathway applies if the existing community generation is fully committed — either legally or as a matter of community relations prudence — and cannot be commercially redirected. Rather than treating this as a barrier, NRG Bloom proposes a co-development model: Oando installs a dedicated generation unit (gas genset) to supply NRG Bloom's facility exclusively, while NRG Bloom deploys and operates the data center. This keeps the community supply entirely untouched and creates a clean, dedicated commercial power arrangement.

Under this pathway, Oando bears real capital outlay for the genset and takes on an operational role — infrastructure that sits on Oando's own territory and is funded by Oando. The gas used is Oando's own associated gas, which would otherwise be flared at no return. In recognition of this additional commitment, the commercial terms reflect a higher rate than Pathway 1. The proposed $0.027/kWh (or 35% hashrate share) is calibrated to enable Oando to recover genset investment and earn a meaningful commercial return, while remaining within NRG Bloom's viable operating economics given the capital, market, and operational risks NRG Bloom bears on its side.

Pathway 2 — Joint Infrastructure — Dedicated Genset + NRG Bloom Data Center	
Agreement Type	Power Purchase Agreement (B2B) — dedicated generation unit supplying NRG Bloom exclusively
Oando's Contribution	Installation of a dedicated gas-powered generation unit (~5 MW) using associated gas from Oando's Ogboinbiri or adjacent production infrastructure. Oando owns and operates the genset.
NRG Bloom's Contribution	Full data center infrastructure: modular containers, compute hardware, transformers, metering, and operations. USD $1.5M–$2.0M capex, fully self-funded.

Proposed Rate (Option A)	USD $0.027/kWh (indicative — subject to negotiation), reflecting Oando's genset capex and operational commitment
Proposed Rate (Option B)	35% of hashrate / revenue
Oando Annual Revenue (Option A)	~USD $1,100,000–$1,150,000/year — structured to cover genset opex and provide a commercial return
PPA Term	Minimum 5 years — sufficient for Oando to recover infrastructure investment
Community Impact	None — community supply is on separate, dedicated infrastructure
Capex Sharing	Open to discussion: NRG Bloom may contribute to genset capex in exchange for a reduced rate, or Oando funds the genset and the rate reflects full cost recovery
Risk Profile for Oando	Modest capital outlay for genset. De-risked by NRG Bloom's guaranteed long-term offtake commitment. No regulatory exposure on community obligations.

Pathway 3 — Gas Purchase Agreement: NRG Bloom Bears Full Infrastructure Risk

This pathway is the most complex and capital-intensive for NRG Bloom, but it is also the most scalable and the most direct response to Oando's apparent interest in a gas-focused arrangement. Under a Gas Purchase Agreement (GPA), NRG Bloom purchases associated gas directly from Oando at the wellhead or flare stack, deploys its own gas-to-power generation equipment co-located with the data center, and operates the full stack independently. Oando's role is limited to gas supply — no power infrastructure, no community obligations, no generation involvement.

Because NRG Bloom bears the full capital and operational risk under this structure — including gas-to-power conversion equipment, generation maintenance, and all downstream operations — the gas price must reflect that burden. This is further compounded by the off-grid, remote operating environment: NRG Bloom is deploying heavy capital in a frontier location, with no grid backup, no shared infrastructure, and full exposure to market volatility in both BTC and energy equipment costs. The economics only work if the gas is priced at a substantial discount to market, reflecting both its current status as flared waste and the full risk load NRG Bloom assumes by converting it into productive use.

Pathway 3 — Gas Purchase Agreement — NRG Bloom Deploys Full Stack	
Agreement Type	Gas Purchase Agreement (GPA) — NRG Bloom purchases raw associated gas from Oando
Oando's Contribution	Supply of associated gas (currently flared or stranded) at an agreed price. No generation infrastructure, no power supply obligation.

NRG Bloom's Contribution	Full stack: gas reception, treatment/conditioning if required, co-located gas-to-power generation (reciprocating engines or micro-turbines), modular data center, compute, metering, and operations. Total capex estimated USD $4.0M–$5.5M.
Gas Pricing Basis	Priced at a substantial discount to market, reflecting: (1) the gas's current status as flared waste with no commercial value to Oando, (2) NRG Bloom's full generation infrastructure burden, and (3) the off-grid, frontier operating environment with no grid fallback and full exposure to BTC market volatility. Indicative: $0.30–$0.80/MMBtu (vs. Nigerian domestic gas benchmark of ~$2.50–$3.50/MMBtu). Final price indexed to agreed benchmark and subject to gas composition analysis.
GPA Term	Minimum 7 years to justify NRG Bloom's generation infrastructure capex
Community Impact	None — gas is sourced from flare stream, not community generation assets
Key Technical Conditions	See Section 4.1 below — gas specifications must be confirmed prior to finalizing agreement
Regulatory Alignment	Directly addresses NUPRC/NGFCP flare commercialization obligations. Strongest ESG narrative for Oando.
Risk Profile for Oando	Zero capital, zero infrastructure risk. Revenue from gas previously generating no value and incurring regulatory penalty. Full regulatory compliance benefit.

4.1 Gas Technical Specifications — Requirements for Pathway 3 (GPA)

Associated gas in the Niger Delta is generally 'sweet' (low sulphur) with a high methane content, making it well-suited to gas-to-power applications. However, the specific composition at Oando's flare sites will directly determine the generation equipment specifications, any pre-treatment requirements, and therefore the commercially viable gas price. NRG Bloom will require the following technical data to be confirmed during due diligence before finalizing a GPA:

Parameter	Why It Matters	Typical Niger Delta Range
Gas Composition (%mol)	Determines heating value and power output per unit volume. Drives genset sizing.	*~90% CH_4, 5% C_2H_6, 1.5–2% CO_2, trace H_2S*
Higher Heating Value (HHV)	Must meet minimum threshold for efficient power generation. Low HHV requires larger volumes for same output.	*~1,000–1,050 BTU/scf typical for Nigerian associated gas*
Wobbe Index	Controls interchangeability and engine tuning. Engines require stable WI within ±5% of design point.	*~1,300–1,400 BTU/scf; variation can require conditioning*

H_2S Content (ppm)	H_2S causes engine corrosion and reduces equipment life. High levels require gas sweetening pre-treatment.	*Generally low (≤4 ppm) for Nigerian associated gas — to be confirmed*
CO_2 Content (%)	Dilutes heating value. Above 5% can affect combustion stability and reduce engine efficiency.	*1.5–2% typical — generally acceptable without treatment*
Water Content (dew point)	Free water causes corrosion and compressor damage. Must be below hydrocarbon dew point at operating conditions.	*Knockout/separator required at wellhead; standard upstream practice*
Delivery Pressure (bar/psi)	Gas must arrive at sufficient pressure for engine inlet requirements. Low pressure requires additional compression capex.	*Typically 5–50 bar at flow station — site-specific*
Estimated Flow Volume (MMscfd)	Determines number of generation units and total power capacity achievable from the flare stream.	*Site-specific — flare volumes at OML 63 sites to be provided by Oando*
Flow Consistency / Variability	Intermittent or highly variable flow affects generation reliability and equipment sizing margins.	*Associated gas tends to follow oil production rates — relatively stable*

** Gas specifications listed are indicative ranges based on published data for Nigerian Niger Delta associated gas. Site-specific chromatographic analysis and flow measurement data from Oando will be required before NRG Bloom can finalize GPA pricing, generation equipment specifications, and capex estimates.*

5. Payment Options — Per Pathway

NRG Bloom offers two compensation structures under Pathways 1 and 2. The applicable rate differs by pathway, reflecting the difference in Oando's capital contribution and operational commitment. Option A provides fixed, predictable USD revenue independent of crypto markets. Option B gives Oando direct upside participation in the digital asset economy without any capital investment.

5.1 Rate Summary by Pathway

	Pathway 1 (PPA — Existing Genset)	Pathway 2 (PPA — Dedicated Genset)	Pathway 3 (GPA — Gas Offtake)
Option A Rate	**$0.018/kWh**	**$0.027/kWh**	*N/A — see gas pricing in Section 4*
Option B Rate	30% of hashrate/revenue	35% of hashrate/revenue	*N/A — see gas pricing in Section 4*
Est. Annual Revenue (Option A, 5 MW)	**~$730,000–$750,000/year**	**~$1,100,000–$1,150,000/year**	*Revenue via gas price margin — see Section 4*
Oando Capex Required	None	Dedicated genset (to be scoped)	None

5.2 Option A — Fixed kWh Rate

Pathway 1 — $0.018/kWh	Pathway 2 — $0.027/kWh
Applies when Oando supplies excess from the existing Ogboinbiri infrastructure. No genset investment required from Oando. **Est. annual revenue to Oando:** **~USD $730,000–$750,000/year** *(~5,000 kW × 8,760 hrs × $0.018/kWh)*	Applies when Oando installs a dedicated generation unit. Rate reflects Oando's genset capex and operational costs. **Est. annual revenue to Oando:** **~USD $1,100,000–$1,150,000/year** *(~5,000 kW × 8,760 hrs × $0.027/kWh)*

> *On the proposed rates: NRG Bloom's current arrangement with the Ogboinbiri community costs less than $0.01/kWh in equivalent value. Both proposed rates represent a meaningful commercial upgrade — structured terms that reflect Oando's position as a formal counterparty. The difference between Pathway 1 and Pathway 2 rates reflects Oando's additional capital contribution and infrastructure commitment under the dedicated genset model. Power that is currently generating zero revenue for Oando would generate $730,000–$1,150,000 per year depending on the structure agreed.*

5.3 Option B — Revenue / Hashrate Share

Under Option B, Oando participates directly in the data center's compute revenue. Payment is linked to actual hashrate performance and prevailing BTC market rates. This mirrors the existing community arrangement (25%) but is upgraded for a formal commercial counterparty, with the rate differentiated by pathway to reflect Oando's investment level:

Pathway 1 — 30% of hashrate/revenue	Pathway 2 — 35% of hashrate/revenue
Oando receives 30% of all compute revenue generated. No capital investment required. Revenue moves with BTC price — upside and downside exposure.	Oando receives 35% of all compute revenue, reflecting the additional investment in dedicated generation infrastructure. Higher base share compensates for genset capex commitment.

6. Financial Projections — 5 MW Pilot

The following projections cover Pathways 1 and 2 (PPA structures). Projections are indicative and based on assumptions stated herein; all figures subject to negotiation. Bitcoin-related projections are subject to network difficulty adjustments and market price variability.

Shared Assumptions	
ASIC Models	Antminer S19j Pro (120 TH/s) and/or Antminer S21 Pro (210 TH/s)
Monthly Opex (excl. power)	USD $4,000 / month
BTC Price Scenarios	Bear: +25% annual appreciation Neutral: +37.5% Bull: +50%
Capacity	5 MW continuous — 43,800,000 kWh/year

Option A — Fixed Rate: Revenue to Oando by Pathway

Revenue Item	Pathway 1 ($0.018/kWh)	Pathway 2 ($0.027/kWh)
Annual Revenue to Oando	~USD $730,000–$750,000	~USD $1,100,000–$1,150,000
5-Year Total Revenue to Oando	~USD $3,650,000–$3,750,000	~USD $5,500,000–$5,750,000
Oando Capex Required	None	Dedicated genset (to be scoped)
NRG Bloom Power Cost (annual)	~$789,000/year	~$1,183,000/year
Revenue independent of BTC?	Yes — fixed rate	Yes — fixed rate

Option B — Revenue / Hashrate Share: Estimated BTC Yield to Oando

The BTC mining output is the same regardless of pathway (same hardware, same power). The difference is Oando's share: 30% under Pathway 1, 35% under Pathway 2. Figures below show the range across both shares.

Year	BTC to Oando (30%-35%)	Bear Value	Neutral Value	Bull Value	BTC Price Assumption
Year 1	**6.6–7.7 BTC**	*$580,000–$680,000*	*$660,000–$770,000*	*$740,000–$860,000*	*Current BTC price baseline*
Year 2	**4.7–5.5 BTC**	*$520,000–$605,000*	*$670,000–$780,000*	*$850,000–$990,000*	*+25% / +37.5% / +50%*
Year 3	**1.7–4.0 BTC**	*$250,000–$570,000*	*$360,000–$815,000*	*$520,000–$1,165,000*	*Halving impact + appreciation*
Year 4	**1.2–2.1 BTC**	*$230,000–$535,000*	*$380,000–$860,000*	*$620,000–$1,400,000*	*Potential ASIC upgrade (more computational power)*
Year 5	**0.9–2.1 BTC**	*$210,000–$490,000*	*$390,000–$860,000*	*$700,000–$1,515,000*	*Network difficulty growth*

5-Year Total to Oando	Bear Scenario	Neutral Scenario	Bull Scenario
15–22 BTC total (30%–35%)	**$3.1M–$3.9M (P1) / $3.6M–$4.6M (P2)**	**$5.1M–$6.3M (P1) / $5.9M–$7.3M (P2)**	**$7.9M–$9.8M (P1) / $9.2M–$11.4M (P2)**

** Figures represent estimated market value of BTC at time of mining. Variation reflects Bitcoin halving cycles, network difficulty growth, ASIC fleet renewal, and pathway share (30% vs 35%).*

7. Why NRG Bloom — Our Differentiators

We understand that Oando has received similar proposals in the past, and that previous proponents have ultimately withdrawn — most commonly citing security concerns and operational risk in the Niger Delta. We address each of these concerns directly.

Differentiator	What This Means for Oando
Already Operational On-Site	NRG Bloom has been operating at Ogboinbiri since February 2025. We did not come to pitch — we came, built infrastructure, and have been generating revenues for over a year. There is no execution risk.
Proven Security Track Record	We have operated in the Niger Delta environment for over a year. We understand the local security and social dynamics. The concerns that have caused other parties to withdraw are not factors that constrain NRG Bloom.
Deep Community Relationships	NRG Bloom has established direct, working relationships with community leaders at Ogboinbiri. We employ local staff and have a genuine presence in the area. Community alignment is already in place.

Flexible on Structure	We have presented three distinct partnership pathways. We are not attached to a single deal structure — we are attached to a commercial outcome that works for both parties within Oando's regulatory and community obligations.
Canadian Incorporation & Governance	NRG Bloom Inc. is a Quebec-incorporated Canadian company subject to Canadian corporate governance and regulatory standards, providing Oando with an internationally credible and accountable counterparty.
Access to Canadian Government Funding	NRG Bloom has potential access to Canadian government development and clean-technology funding programs, strengthening our ability to capitalize this project and reducing financial counterparty risk for Oando.
Zero Capital Risk for Oando	Under all three pathways, NRG Bloom funds and operates the data center infrastructure. Oando supplies energy and receives revenue. Under Pathways 1 and 3, Oando's capital outlay is zero.
Replicable Across Oando Portfolio	A successful Ogboinbiri pilot creates a proven, replicable template for Oando's other upstream sites where flaring and stranded energy continue to represent regulatory and commercial risk.

8. Regulatory & ESG Context

The Nigerian regulatory environment is increasingly hostile to continued gas flaring. The Nigerian Gas Flare Commercialisation Programme (NGFCP) establishes a clear framework for flare gas monetization and imposes escalating financial penalties on operators who continue to flare without approved commercialization plans in place. The Nigerian Upstream Petroleum Regulatory Commission (NUPRC) has signaled consistent intent to intensify enforcement across the upstream sector.

All three partnership pathways presented in this proposal are directly aligned with Nigeria's regulatory landscape. Pathways 1 and 2 convert excess generation capacity — gas currently consumed without commercial return — into a documented, auditable commercial arrangement. Pathway 3 directly addresses active flaring through a formal GPA, the strongest possible response to NGFCP compliance obligations and the most compelling ESG narrative available to Oando.

From a sustainability and ESG reporting perspective, converting wasted generation capacity or flared gas into productive digital infrastructure activity — while maintaining community power supply, creating local employment, and establishing a documented commercialization framework — represents a credible and auditable impact narrative for Oando's reporting obligations to investors, regulators, and international stakeholders.

9. Scaling Pathway — Beyond Ogboinbiri

NRG Bloom views the Ogboinbiri pilot as the foundational first step in a long-term commercial partnership with Oando across its upstream portfolio. Our operating model is purpose-built for replication across all three pathway structures.

As the partnership matures, NRG Bloom proposes the development of a dedicated GPA term sheet to govern direct gas offtake arrangements at Oando's flare sites. This annex would define gas volume commitments, quality specifications, delivery pressure, and pricing indexed to an agreed benchmark — providing Oando with a clear, structured framework for the full commercialization of its stranded gas assets.

Phase	Milestone	Description
1	**Ogboinbiri Pilot**	Execute agreed B2B structure (Pathway 1, 2, or 3) at Ogboinbiri. Deploy modular containers with institutional-grade compute. Establish formal commercial track record with Oando.
2	**Ogboinbiri Scale-Up**	Based on pilot results, increase deployed capacity to absorb full available excess or flare volume. Optimize compute configuration for maximum revenue generation.
3	**Oando Flare Sites — GPA**	Expand partnership to Oando's active associated gas flare sites across OML 60–63. Structure Gas Purchase Agreements for direct gas offtake with NRG Bloom deploying co-located generation and data center infrastructure.
4	**Portfolio Replication**	Replicate the proven model across multiple Oando upstream assets, establishing NRG Bloom as Oando's strategic partner for stranded energy monetization across its Nigerian portfolio.



NRG Bloom scalable facility concept — HPC, expansion-ready

10. Proposed Next Steps

NRG Bloom is prepared to move immediately. Given the three pathways presented, the most valuable first step is a direct conversation between our teams to determine which structure Oando considers viable. We propose the following sequence:

1. Pathway confirmation discussion — A brief working session between NRG Bloom and Oando's commercial and legal teams to confirm which of the three pathways is appropriate given Oando's community obligations and regulatory position. This is the critical first step.
2. Technical and commercial alignment — For Pathway 3 (GPA), Oando to provide gas chromatographic data and flow measurements for the relevant flare sites. For Pathways 1 and 2, confirmation of power capacity availability and metering arrangements.
3. Letter of Intent (LOI) or Memorandum of Understanding (MOU) — To formally establish the agreed pathway and provide NRG Bloom with the contractual certainty required to initiate capital deployment for the expanded facility.
4. Agreement negotiation and execution — Finalization and execution of the PPA or GPA. NRG Bloom will commence infrastructure procurement and deployment immediately upon signing.

> *NRG Bloom does not require a lengthy evaluation cycle. The proof of concept has already been completed — on Oando's own infrastructure, at this site, over the past year. The question is not whether this model works. It does. The question is which structure best serves both organizations, and how quickly we can move from that answer to a signed agreement.*

11. Contact & Corporate Information

NRG Bloom Inc.

Canadian Parent Company

Incorporation: Quebec, Canada
Headquarters: Montreal, Quebec
Website: nrgbloom.com

Makir — Founder & CEO
makir@nrgbloom.com
+1 (514) 602-5411

NRG Bloom Services

Nigerian Subsidiary

Operational: Ogboinbiri, Bayelsa State
Established: 2024
Status: Active — Site operational since Feb 2025

This proposal is submitted in confidence to Oando Energy Resources — Commercial Department.

CONFIDENTIALITY & DISCLAIMER NOTICE

This document is confidential and has been prepared by NRG Bloom Inc. solely for the use of Oando Energy Resources. It contains proprietary commercial and financial information belonging to NRG Bloom Inc. and may not be reproduced, distributed, or disclosed to any third party without the prior written consent of NRG Bloom Inc. The financial projections and estimates contained herein are indicative only and are based on assumptions that are subject to change. They do not constitute a warranty, representation, or guarantee of future performance. Final commercial terms are subject to negotiation and execution of definitive agreements. This proposal does not constitute a binding offer or commitment on the part of either party.