


# Worksheet for reading QR V3L0



**> Step 1.**

Color in the QR code modules. If a module contains only a diagonal line, color only the upper left half. Only color in modules that are connected to the **green** line.

**> Step 2.**

For each (interleaved) data digit (4 consecutive bits along the green line), fill it inside the block table. Count squares with a diagonal line as flipped (white $\leftrightarrow$ black).

|   |   |      |   |   |      |
|---|---|------|---|---|------|
| 0 | : | 0000 | 8 | : | 1000 |
| 1 | : | 0001 | 9 | : | 1001 |
| 2 | : | 0010 | A | : | 1010 |
| 3 | : | 0011 | B | : | 1011 |
| 4 | : | 0100 | C | : | 1100 |
| 5 | : | 0101 | D | : | 1101 |
| 6 | : | 0110 | E | : | 1110 |
| 7 | : | 0111 | F | : | 1111 |

Data block (110 digits, 55 bytes)

[illegible]

### > Step 3.

Now, decode the data. Read the data block-by-block, essentially concatenating the blocks. The first digit indicates the encoding mode: 1 for numeric, 2 for alphanumeric, 4 for byte. If it's not byte, this tutorial will not work - sorry! The next two digits represent the number of characters to read. After, each two digits together form a number from 0 to 255, representing the ASCII values. It's easy to memorize: 31 (hex) is '1', 41 is 'A', 61 is 'a', 2E is '.', 2F is '/', and 3A is ':'. These are enough to reconstruct most URLs and texts.

|  |
|--|
|  |
|--|