



Journal of Statistical Software

MMMMMM YYYY, Volume VV, Issue II. doi: 10.18637/jss.v000.i00

A Capitalized Title: Something about a Package foo

Raúl
RStudio

Romain Lesur
Affiliation

Abstract

The abstract of the article.

Keywords: keywords, not capitalized, Java.

1. Introduction

This template demonstrates some of the basic markdown you'll need to know to create a JSS article with **pagedown** (Xie et al. 2020).

$$2 + 3$$

1.1. Code formatting

You should use **Pandoc**'s markdown but you also can use *L^AT_EX* commands:

- Java or Java
- **plyr**, **plyr** or **plyr**
- `print("abc")` or `print("abc")`

2. R code

Can be inserted in regular R Markdown blocks.

```
R> x <- 1:10  
R> x
```

```
[1] 1 2 3 4 5 6 7 8 9 10
```

3. Render the document

If you use the option `self_contained: false` (see line #22 of this Rmd file), don't click on the **Knit** button in RStudio. Use instead the **xaringan** (Xie 2020) RStudio add-in *Infinite Moon Reader*.

References

Xie Y (2020). *Xaringan: Presentation Ninja*. Retrieved from <https://github.com/yihui/xaringan>

Xie Y, Lesur R, Thorne B (2020). *Pagedown: Paginate the Html Output of R Markdown with Css for Print*. Retrieved from <https://github.com/rstudio/pagedown>

Affiliation:

Raúl

RStudio

First line

Second line

E-mail: name@company.com

URL: <https://rstudio.com>

Journal of Statistical Software

published by the Foundation for Open Access Statistics

MMMMMM YYYY, Volume VV, Issue II

doi: [10.18637/jss.v000.i00](https://doi.org/10.18637/jss.v000.i00)

<http://www.jstatsoft.org/>

<http://www.foastat.org/>

Submitted: yyyy-mm-dd

Accepted: yyyy-mm-dd
