

Izerwaren  
Order  
numbers

### 316 STAINLESS STEEL INVISIBLE HINGE

Invisible on hinge for Hatches, Bulwark Doors  
Cabinet doors.

316 polished stainless steel


135 degree opening

For inlay or up lay doors


42.7753 **Small: Max. 12 lb per hinge**  
invisible / easy on hinge 316 stainless steel  
size 75 x 42 mm (3 x 2 5/8 inch)

42.8865 **Medium: Max. 50 lb per hinge**  
invisible / easy on hinge 316 stainless steel  
size 110 x 64 mm (4 1/4 x 2 1/2 inch)


42.7755 **Big: Max. 75 lb per hinge**  
invisible / easy on hinge 316 stainless steel  
size 175 x 94 mm (6 7/8 x 3 3/4 inch)




42.7753 Small Size 3 x 2 5/8 inch



42.8865 Medium Size: 4 1/4 x 2 1/2 inch



42.7755 Big Size: 6 7/8 x 3 3/4 inch



125 degree hatch opening




42.7753





42.8865




42.7755






**42.7753 Small: Max. load:**  
12 lb per hinge.



**42.8865 Medium: Max. load:**  
50 lb per hinge.




**42.7755 Big: Max. load:**  
75 lb per hinge.

**INVISIBLE ON HINGE FOR HATCHES, BULWARK DOORS CABINET DOORS.**

\* 316 polished stainless steel

\* 115 degree opening


\* For inlay and up lay doors




Size 3 x 2 5/8 inch

Size 4 1/4 x 2 1/2 inch

Size 6 7/8 x 3 3/4 inch

**316 STAINLESS STEEL INVISIBLE HINGE 12 MM OR 1/2 INCH THICK MATERIAL**Izerwaren  
Order  
numbers


**Invisible on hinge for cabinet doors  
or small deck hatches  
316 polished stainless steel  
125 degree opening  
For inlay or up lay doors  
Load: Max. 12 lb per hinge  
12 mm door thickness**




42.7753

#42.7753 Easy On hinge;

Closed dimensions in mm: 73 long x 42 high x 48 wide




Open dimensions in mm: 113 long x 48 wide  
Footprint hinge plates: 48 x 38 mm




125 degree opening

125-degree max. opening by 125 degree




Drawing showing 125 degree opening door.  
With a hatch 12 mm thickness.




#42.7753 Easy On hinge; 135 degree 316 polished stainless steel



Easy on hinge closed: 73 x 62 x 2 mm thick.  
Footprint: 48 x 38 mm.




#42.7753; 125-degree 316 stainless steel easy on hinge



Half way open/ offset



125 degree fully open



Showing Turning Arc of Hinge Leaf as 75 mm by 52 mm