

Izerwaren  
Order  
numbers

## Offset Slam Latches

Stainless steel and zinc


- 88.2319 SET latch with 3 strike boxes  
Latch for flush and overlay doors.  
Polished chrome die cast zinc  
Available in flush, or 1/8, and 3/8 inch  
offset.

## MINI LATCHES



SET: #88.2319 Latch for flush doors with strike. Polished chrome die cast zinc  
Base: 1 1/2" x 2 1/8"; Strike 1/8", 3/8" and Flush Mounting Strike depicted  
3 strike boxes included


- 88.2389 SET: Latch and strike  
Latch for flush doors.  
Polished chrome die-cast zinc



SET: #88.2389 Latch and strike for flush doors. Polished chrome die-cast zinc.  
Base: 1 7/8" x 2 3/4"; Strike box for Flush Mounting.


## MEDIUM SIZE LATCHES

- 88.470 Latch for flush and overlay doors..  
Polished chrome die-cast zinc




88.470 Latch for overlay doors. With 3/4 to 1 1/8 inch offset. Polished chrome die-cast zinc.  
Strike Box adjustable 1/4 inch up or down. Strike box included

- 88.130 Latch for up lay doors  
For flush up to 1/2" inch offset only;  
Strike included,  
With padlock provision.  
**STAINLESS STEEL.**





#88.130 Latch for overlay doors with 0 to 1/2 inch offset;  
**Stainless Steel**, with padlock provision  
For flush and 1/2" offset applications

- 88.131 Latch for overlay doors  
For 5/8" up to 1 1/4" inch offset only;  
Strike included,  
With padlock provision  
**STAINLESS STEEL.**




#88.131 for 5/8" to 1 1/4" applications  
**Stainless Steel**, with padlock provision  
Base: 2 1/4" x 2 1/2". Strike included

- 42.255 Off set hinge die-cast aluminum  
29 x 60 mm; offset 20 mm (3/4 inch)  
Chrome plated.



#42.255 door hinge 3/4" offset die-cast aluminum - sizes in mm.





IZERWAREN  
Order  
numbers

Toggle Devices and hatch fasteners  
Stainless steel and brass  
• seawater resistant

## FULL SIZE LATCH 1/2 INCH OFFSET with padlock option

- 88.163 Latch for up lay doors with 1/2 inch offset; Strike included, with padlock provision **stainless steel**




88.163 Latch for up lay doors with 1/2 inch offset; **stainless steel**, with padlock provision  
Base 2 5/8" x 3" Strike included

- 88.066 Latch, toggle style, **stainless steel**  
88.067 Strike separate  
Adjustable 5/8 to 1 1/4 inch




- 88.067S Strike for flush door application  
(custom made; special order)  
Email our office

#88.066 Latch for up lay doors with offset from 5/8 inch to 1 1/4 inch offset;  
**stainless steel**, with padlock provision  
Base 2 5/16 inch x 2 3/16 inch"  
Strike Box for offset adjustable 5/8 x 1 1/4 inch



Latch #88.066 with several set ups. Stainless steel



Izerwaren  
Order  
numbers

Toggle Devices and hatch fasteners  
Stainless steel and brass  
• seawater resistant  
•

## OVER SIZE LATCH FOR HEAVY DOORS 3/8; 3/4; 1 5/8 & 2 1/2 INCH OFFSET



- 88.100 Latch, full size, for up lay doors;  
**Stainless steel**,  
Available with offset:  
3/8, 3/4, 1 5/8, 2 1/2 inch  
Latch for up lay doors, **stainless steel**  
Strike separated


88.001 #88.001 **Push Pin** for back release

88.099 Strike, adjustable  
from flush to offset 3/8 inch

88.098 Strike, adjustable  
offset 1/2 to 3/4 inch


88.097 Strike, adjustable  
offset 1 1/2 to 1 3/4 inch

#88.100 Latch for up lay doors; **stainless steel**. **Offset:** 3/8, 3/4, 1 5/8, 2 1/2 inch.  
Overall size: 11 3/16 inch. Satin stainless steel.  
Lockable with pad lock  
#88.001 **Push Pin** for back release (order separate)




- 42.48105 Strap hinge 1 5/8 offset  
13 1/2" x 5"  
Stainless steel  
Specify LEFT OR RIGHT

- 42.48115 Strap hinge flush  
10 3/8" x 4 1/4"  
Stainless steel



Push pins and Gaskets for latch #88.100


## FULL SIZE STAINLESS STEEL STRAP HINGES




;



#42.48105 strap hinge 1 5/8 offset Specify LEFT OR RIGHT  
13 1/2" x 5"



#42.273 with and without holes. Flush mounting only.



sizes in mm. NON HANDED




izerwaren  
Order  
numbers


Hatch hinges, brass and die cast  
aluminum and stainless steel

42.255

**Hinge** each, both handed  
Light duty  
Polished chrome plated dycast  
Offset:  $\frac{3}{4}$ " ~ 20 mm  
Overall size: 60 x 52 mm




#42.255 door hinge  $\frac{3}{4}$ " offset (20 mm)



#42.255 Door Hinge  $\frac{3}{4}$ " offset  
Chrome plated zinc die-cast

42.40119

**Hinge** each, size:  $3 \frac{1}{2}$ " x  $3 \frac{1}{16}$ "  
Medium Duty  
Available in flush mounting or  
offset.  
Offset form 0 to  $1 \frac{1}{8}$ " offset  
Polished Chrome Dycast




#42.40119; Size:  $3 \frac{1}{2}$ " x  $3 \frac{1}{16}$ " Medium Duty  
Available in flush mounting or offset.  
Offset from 0 to  $1 \frac{1}{8}$ " offset



#42.40119 size:  $3 \frac{1}{2}$ " x  $3 \frac{1}{16}$ "  
Polished chrome die-cast

42.300

**Hinge** each, size: 4 inch overall  
Heavy Duty  
Flush mounting only  
SATIN STAINLESS STEEL




#42.300 Flush mounting only



#42.300; size: 4 inch; Heavy Duty  
Available in flush mounting only  
SATIN STAINLESS STEEL

42.273

**Hinge** each, size:  $6 \frac{1}{4}$  inch overall  
Heavy Duty  
Flush mounting only  
SATIN STAINLESS STEEL




#42.273 Flush mounting only



#42.273 size:  $6 \frac{1}{4}$  inch; Heavy Duty  
Available in flush mounting only  
SATIN STAINLESS STEEL

42.274

**Hinge** each, size:  $8 \frac{1}{4}$  inch overall  
Heavy Duty  
Flush mounting only  
SATIN STAINLESS STEEL




#42.274 Flush mounting only



#42.274; size:  $9 \frac{3}{4}$  inch; Heavy Duty  
Available in flush mounting only  
SATIN STAINLESS STEEL

42.40233

**Hinges** strap hinge flush  
205 x 137 mm  
 $8 \frac{1}{8}$ " x  $5 \frac{13}{32}$ "  
Chrome Plated Brass



#42.40233 strap hinge flush 205 x 137 mm  
 $8 \frac{1}{8}$ " x  $5 \frac{13}{32}$ "



#42.40233 strap hinge flush 205 x 137 mm  
 $8 \frac{1}{8}$ " x  $5 \frac{13}{32}$ "  
Polished Chrome Plated Brass