



How Day 24 and Day 31 TGI are calculated from tumor growth
At each marked endpoint: $TGI = 100 \times (1 - \text{treated growth delta} / \text{mean injected-origin-matched control growth delta})$



Thin lines: individual mice. Dashed black: mean injected-origin-matched untreated controls. Red dashed: Day 24; red solid: Day 31.


B Treated CellCycle tumors: Day 24 TGI by Initial ploidy

Independent tumors; no one-to-one mouse pairing
Exact dose-stratified permutation
Adjusted delta (4N - 2N) = -23.844 percentage points; P = 0.167
n = 4 (2N) and 4 (4N)




C Day 24 TGI vs QC-passed terminal postprocessed CN score

5,335 QC-passed treated-tumor CBS cells; within-origin z score;
association adjusted for injected origin and dose



D Treated CellCycle tumors: Day 31 TGI by Initial ploidy

Independent tumors; no one-to-one mouse pairing
Exact dose-stratified permutation
Adjusted delta (4N - 2N) = -11.306 percentage points; P = 0.306
n = 4 (2N) and 4 (4N)



E Day 31 TGI vs QC-passed terminal postprocessed CN score

5,335 QC-passed treated-tumor CBS cells; within-origin z score;
association adjusted for injected origin and dose

