ToolRound[@t, i] RolesFrag

ROLE: ASSISTANT

resp.visible_text[@t.i]

◇ If sys.provider_needs_reasoning_replayed:

resp.chain_of_thought[@t.i]

↻ ForEach tc : sys.tool_requests[@t.i]

◇ If sys.summarize_old_tool_results
and in_last_k_messages(msg, sys.last_k_messages) :

shorten_arguments(tc.id_name_and_arguments)

◇ Else:

tc.id_name_and_arguments

// one tool row per call, in call order

↻ ForEach tc : sys.tool_requests[@t.i]

ROLE: TOOL

◇ If tc.success:

◇ If sys.summarize_old_tool_results
and tc.same_output_as_a_more_recent_call :

◆ SEE_MORE_RECENT_IDENTICAL_OUTPUT

◇ ElseIf sys.summarize_old_tool_results
and in_last_k_messages(msg, sys.last_k_messages) :
and tc.result_length_chars > 200

◆ ONE_LINE_SUMMARY_OF_TOOL_RESULT(tc.Name, tc.arguments, tc.result_digest)

// an image-bearing result with at least 3 newer image-bearing results after it: images dropped, text kept

◇ ElseIf tc.contains_images
and tc.count_of_more_recent_results_with_images ⩾ 3 :

tc.text_parts
◆ IMAGE_REMOVED_PLACEHOLDER

◇ Else:

tc.call_id_and_result
tc.discovered_context_file_hints

// The tool failed to run.

◇ Else:

⎇ Switch tc.error_message:

Case blocked_before_running:

◆ TOOL_BLOCKED_ERROR(tc.Name)

Case unknown_tool_name:

◆ UNKNOWN_TOOL_ERROR(tc.Name, sys.valid_tool_names)

Case malformed_arguments:

◆ MALFORMED_ARGUMENTS_ERROR(tc.Name)

Default:

◆ TOOL_EXECUTION_ERROR(tc.Name, tc.error_message)

// a /steer typed during the previous model call is appended to the newest tool row in the whole list

◇ If tc.is_last_tool_result_in_list
and env.steer_typed_during_last_call[@T.I] :

◆ USER_STEER_NOTE(env.steer_typed_during_last_call[@T.I])

◇ If tc.is_last_tool_result_in_list
and sys.run_budget_nearly_spent[@T.I] :

◆ RUN_BUDGET_WRAPUP_NOTICE