
```
(a) #2.4
data CLINIC;
      input ID 1-3 GENDER $ 4 RACE $ 5 HR 6-8 SBP 9-11 DBP 12-14 N_PROC 15-16;
     AVE_BP=DBP-(1/3) * (SBP-DBP);
      cards;
001MW08013008010
002FW08811007205
003MB05010010002
004FB
      10806801
005MW06812208204
006FB101 07404
007FW07810406603
008MW04811207006
009FB07719011009
010FB06616410610
proc freq data=CLINIC;
title "Clinic DATA Chapter 2 Problem 4 Freq And Bar charts for Gender";
tables GENDER / nocum;
```

Clinic DATA Chapter 2 Problem 4 Freq for Gender

The FREQ Procedure


GENDER	Frequency	Percent
F	6	60.00
M	4	40.00

```
proc sgplot data=CLINIC;
title "Clinic DATA Chapter 2 Problem 4 Bar charts for Gender";
vbar Gender;
run;
```




(b) #2.8

```
proc sgpanel data=CLINIC;
title "Clinic DATA Chapter 2 Problem 8 Bar charts of each Gender for each
Race";
panelby RACE;
vbar GENDER;
run;
```




proc sgpanel data=CLINIC; title "Clinic DATA Chapter 2 Problem 8 Distribution Of HR for each Gender"; panelby GENDER; histogram HR;



```
(c) #2.10
```


(a)

```
proc sgplot data=CLINIC;
title "Chapter 2 Problem 10 a sgplot x=HR y=SBP";
scatter x=HR y=SBP / markerattrs=(symbol=diamond
size=2.5mm color=blue) dataskin=sheen;
xaxis label="Heart Rate";
yaxis label="Systolic Blood Pressure";
run;
```




Interpretation for the graph
From the graph I do not see any relation between Heart Rate and the systolic pressure


```
proc sgplot data=CLINIC;
title "Chapter 2 Problem 10 b sgplot x=DBP y=SBP";
scatter x=DBP y=SBP / markerattrs=(symbol=diamond size=2.5mm color=blue)
dataskin=sheen;
xaxis label="Diastolic blood presure";
yaxis label="Systolic Blood Pressure";
run;
```



Interpretation for the graph From the graph I can say that Systolic blood pressure increases With increasing Diastolic blood pressure.


```
(c)
To display on two separate graphs :
data RACEW;
set CLINIC;
if RACE EQ "W";
data RACEB;
set CLINIC;
if RACE EQ "B";
proc sgplot data=RACEW;
title "Chapter 2 Problem 10 c sgplot x=DBP y=SBP";
by RACE;
scatter x=DBP y=SBP / markerattrs=(symbol=diamond
size=2.5mm colors=cxFF6666) dataskin=sheen;
xaxis label="Diastolic blood presure";
yaxis label="Systolic Blood Pressure";
proc sgplot data=RACEB;
title "Chapter 2 Problem 10 c sgplot x=DBP y=SBP";
by RACE;
scatter x=DBP y=SBP / markerattrs=(symbol=diamond
size=2.5mm colors=cxFF6666) dataskin=sheen;
xaxis label="Diastolic blood presure";
yaxis label="Systolic Blood Pressure";
run;
```





Interpretation for the graph
From the graph I can say that Systolic blood pressure increases
With increasing Diastolic blood pressure for race B.


```
proc sgpanel data=CLINIC;
title "Chapter 2 Problem 10 c sgpanel x=DBP y=SBP";
panelby RACE;
scatter x=DBP y=SBP / markerattrs=(symbol=diamond size=2.5mm colors=cxFF6666)
dataskin=sheen;
run;
```



- 2. The data set fueleconomy2016.csv, found in the Week One course content in D2L, summarizes the fuel economy and other information of 1211 different model cars in 2016. (Note that these data are from the website fueleconomy.gov and DASL, the Data and Story Library housed by Carnegie Mellon University.)
- (a) Create boxplots for the Combined MPG variable for each Class of car.

```
proc import datafile='/folders/myfolders/data/week1/fueleconomy2016.csv'
    out=fueleconomy2016 dbms=csv replace;
    delimiter=',';
    getnames=yes;
run;
options nodate ps=60 ls=80;


proc sgplot data=fueleconomy2016;
    TITLE "Fuel Economy 2016 (a) Combined MPG";
    vbox CombinedMPG /group=Class;
```



Variable Of interest CombinedMPG

11 classes found. Vbox plot shows that on each class of car the mean \sim median therefore the distributions are approximatly symmetric. The center is a mean and spread is standard deviation. Plot also shows outliers for each class of car; Compact Car has 3 outliers between 40 and 50 Large car has 2 outliers between 30 and 40 Midsize car has 3 outliers > 45 Minicompact car has 1 outlier between 30 and 40 Station Wag has 1 outlier between 40 and 50 Two seaters has 4 outliers between 40 and 50

(b) Is there a relationship between fuel economy, measured by the
Combined MPG variable and the engine displacement in liters,
measured by the Displacement variable. Create a scatterplot
of these two variables and explain what you see.
proc sgplot data=fueleconomy2016;
title "Fuel Economy 2016 (b) Combined MPG";
scatter x=Displacement y=CombinedMPG / markerattrs=(symbol=plus size=1.5mm
colors=maroon) dataskin=sheen;
xaxis label="Engine Displacement In Liters";
yaxis label="Fuel Economy";
run;



Interpretation for the graph

From the graph we can see that with increasing the displacement in liters the fuel economy decreases. The relationship is seems like ~ Hyperbolic decay of fuel economy with increasing the displacement in liters.