

Project 5: Forensics

This project is split into two parts, with the first checkpoint due on **Monday, April 25 at 6:00pm** and the second checkpoint due on **Wednesday, May 4 at 6:00pm**. The first checkpoint is worth 2% of your total grade, and the second checkpoint is worth 10%. We strongly recommend that you get started early. Each semester everyone will be given ONE late extension that allows you to turn in up to one assignment(checkpoint) up to 24 hours after the due date. Extensions are not automatic. So, if you want to use your late extension, you **MUST** send an e-mail to **ece422-staff@illinois.edu**. Late work will not be accepted after 24 hours past the due date.

Start early. It may be impossible to complete this project before the deadline unless you begin several days beforehand. Please plan accordingly.

This is a group project; you **SHOULD** work in **teams of two** and if you are in teams of two, you **MUST** submit one project per team. Please find a partner as soon as possible. If have trouble forming a team, post to Piazza's partner search forum.

Not all groups will finish all the tasks in all the MPs. The tasks in each MP are designed to be progressively harder with the final tasks in each MP having been designed as **significant** challenges. Some difficult tasks are placed earlier for better understanding of the scenario flow.

Strict NO-leaks policy. In this project you play the role of a computer forensic analyst working to solve a murder case. Since you don't want to be fired for jeopardizing an ongoing criminal investigation, you need to follow a strict policy on collaboration. *You are bound by the Student Code not to communicate with anyone regarding any aspect of the case or your investigation (other than within your group or with course staff)*. The number of pieces of evidence you find, the techniques you try, how successful said techniques are, the general process you follow, etc. are all considered part of your solution and must not be discussed with members of other groups.

Solutions **MUST** be submitted electronically in any one of the group member's svn directory, following the submission checklist given at the end of each checkpoint. Details on the filename and submission guideline is listed at the end of the document.

"In general, computer forensics is rather ad hoc. Traditional rules of evidence are broken all the time. But this seems like a pretty egregious example."

– Bruce Schneier

Introduction

In this project, you will play the role of a digital forensic analyst and investigate a murder mystery.

A few days after Halloween 2015, a terrible crime occurred on University of Illinois at Urbana Champaign campus. Hapless Victim was murdered in the dorm. Victim was last seen alive on November 4, 2015 early afternoon in class, and was discovered dead at approximately 11pm the same day.

Officers were not able to immediately detect the actual sign of the death and asked forensics team to investigate. While waiting for forensics team to share the result, they have performed digital forensics analysis on victim's hard disk. A suicidal note was left on the hard disk. Forensics team confirmed that the victim was dead as how the suicidal note mentioned. Hence, investigation department's initial conclusion to the case was suicidal.

However, with further investigation, they opened the possibility of murder and filtered out few suspects. They could not find all suspects, but instead, were able to obtain the hard disk of all suspects. Investigators successfully decrypted the hard disks and created image for further investigation.

Your job is to conduct a forensic examination of the disk image and document any evidence related to the murder. If you find sufficient evidence, the suspect will be extradited and face trial.

Objectives

- Understand how computer use can leave persistent traces and why such evidence is often difficult to remove or conceal.
- Gain experience applying the security mindset to investigate computer misuse and intrusion.
- Learn how to retrieve information from a disk image without booting the operating system, and understand why this is necessary to preserve forensic integrity.

Guidelines

- You **SHOULD** work in a group of 2.
- Your answers may or may not be the same as your classmates'.
- All the necessary files to start the project will be given under the folder called "mp5" in your SVN repository: <https://subversion.ews.illinois.edu/svn/sp16-ece422/NETID/mp5>.
- We generated files for you to submit your answers in. You **MUST** submit your answers in the provided files; we will only grade what's there!

- Each submission file contains an example of expected format. Failure to follow this format may result in autograder failure. You MAY delete the examples; they will be ignored (along with any other line starting with #) when grading.
- Solution format is case-insensitive.

Read this First

Collaboration: Strictly prohibited outside your group. As stated above, you are bound by the Student Code not to communicate with anyone regarding any aspect of the case or your investigation (other than within your group or with course staff). The number of pieces of evidence you find, the techniques you try, how successful said techniques are, the general process you follow, etc. are all considered part of your solution and must not be discussed with members of other groups. If anyone brings up the project, put your fingers in your ear, start yelling “LALALALA”, run around and refer them to your supervisor for an official spokesperson.

Getting Started

Tools and techniques you use for your investigation are up to you, but here are some suggestions to help you get started. This MP requires multiple tools to be downloaded and installed and you **MUST** use your own system. EWS is not supported for this MP: 1) Virtual Machine is not allowed, 2) generating files: decompressed disk image and virtual hard disk image, sums up to >10GB which exceeds allocated quota, 3) Autopsy version installed doesn't support our VM file system, 4) password-cracking software should be run on private computer. Finally, we **strongly recommend to use Autopsy on Windows OS** as it provides extra functions which pre-filters interesting evidence and will tremendously save your investigation time.

General Knowledge A general working knowledge of Linux is undoubtedly helpful for this project. If you don't have this yet, you may need to spend time Googling and/or experimenting to get up to speed. The TA will also answer general Linux questions as a last resort. For an excellent reference book, try *UNIX and Linux System Administration Handbook* by Nemeth, Snyder, Hein, and Whaley. Ebook can be found at https://subversion.ews.illinois.edu/svn/sp16-ece422/_shared/mp5/unix_system_handbook.pdf. Also, see http://en.wikipedia.org/wiki/Disk_partitioning for some additional background.

Live Analysis Live analysis is a forensic technique in which the investigator examines a running copy of the target system. We suggest using VirtualBox for this purpose.

1. Download the compressed raw disk image (1.5 GB):

```
$ wget https://subversion.ews.illinois.edu/svn/sp16-ece422/_shared/mp5/forensics_sp16_victim.raw.gz
```

2. Decompress the disk image.

```
$ gunzip forensics_sp16_victim.raw.gz
```

3. Download the checksum file. This contains two different checksums: compressed (raw.gz) and decompressed (raw) files. If either of the checksums matches, you are good to proceed.

```
$ wget https://subversion.ews.illinois.edu/svn/sp16-ece422/_shared/mp5/SHA256SUMS.txt
```

4. Verify the checksum. You can repeat this process for checkpoint 2 VM.

```
On Linux: $sha256sum -c SHA256SUMS.txt
```

```
On OS X: $shasum -a 256 -c SHA256SUMS.txt
```

5. Convert the raw disk image to a VirtualBox disk image:

```
$ VBoxManage convertdd forensics_sp16_victim.raw forensics.vdi -format VDI
```

6. Use the VirtualBox GUI to create a new VM. Select Linux / Ubuntu (32-bit) as the machine type. Select "Use an existing virtual hard disk file" and select the VDI you just created.

7. Start the VM and explore the system.

Dead Analysis In dead analysis, forensic investigator examines data artifacts from a target system without running the system. We suggest trying dead analysis with the Autopsy open-source forensics tool. The procedure below assumes you are working on Ubuntu Linux. Autopsy will also run on Windows and OS X. For OS X, Sleuth Kit should be installed prior to Autopsy installation. Sleuth Kit can be downloaded from <http://www.sleuthkit.org/sleuthkit/download.php>.

1. Compile and install the Autopsy digital forensics suite: visit below link and follow the instruction.

<http://www.sleuthkit.org/autopsy/download.php>

Note: Do not install using “apt-get” command. The version available from apt-get is Autopsy 2.24, which doesn’t support ext4. Our VM is based on ext4 which is unable to show all file system on version under 3.0.6. Make sure to download version 4.0.0 and compile.

2. Launch Autopsy in the background and open the browser-based GUI:

```
$ sudo autopsy &
```

In a browser on the local machine, go to the URL <http://localhost:9999/autopsy>.

3. Create a new case and add the disk image:

- (a) Click New Case. Enter a case name and click New Case.

- (b) Go back to <http://localhost:9999/autopsy> and open the case you created.

- (c) Click Add Host. Enter a host name and input the time zone of the system to analyze. If time zone is not specified, it will use your computer system time zone by default. Click Add Host.

- (d) Click Add Image. Click Add Image File. Enter the path to the decompressed raw disk image. Make sure you select Type=Disk and Import Method=Symlink. Click Next.

- (e) Leave the Image File Details and File System Details as the defaults. (Note that the disk image contains 3 partitions, which Autopsy will allow you to examine separately.) Click Add. Click OK.

- (f) Select a partition to examine and click Analyze. The buttons at the top give you several analysis tools. Try File Analysis and Keyword Search to get started.

4. In addition to hints dropped elsewhere, here is an incomplete list of things to try:

- Examine the system logs.
- Check for deleted or encrypted files.
- Search the drive image for strings that may indicate relevance to your investigation.

Note: If you are having issues with image mounting procedure (or mounts successfully but fails to provide the correcting mounting point), you may not see all file systems and directories with above instructions, so try below alternative.

This procedure will not completely replace Autopsy as you will need to do all the analysis/searches manually. You should find another operating system to run Autopsy properly.

1. Create a directory where you will mount the image.

```
$ sudo mkdir /mnt/victim
```

2. Mount the image to the mount directory you created.

```
$ sudo mount -t ext4 -o loop,ro,noexec,offset=1048576  
[raw_image_file_path] /mnt/victim
```

This command mounts the specified image to the specified location as a loop, read-only, no-execute ext4 (the filesystem that linux commonly uses) partition. The offset needs to be specified because your host system will not know exactly at where the linux partition resides within that disk image. The offset is 1048576 because the partition starts at sector 2048, and each sector is 512 bytes. $2048 * 512 = 1048576$.

3. Once the image is mounted, you can pretty much browse that partition as if it's part of your own filesystem.

4. Change directory to the mount directory.

```
$ cd /mnt/victim[or full_path_to_the_directory_you_created]
```

5. List the files in the directory. You will see files and folders that are similar to your root directory.

```
$ ls
```

Password Cracking Password crackers may be helpful in trying to brute-force decrypt password-protected files. Not all the tools will be used for this MP exploration, but here are some useful tools list. John the Ripper (<http://www.openwall.com/john/>) is the canonical Unix password cracker. Hydra (<http://www.thc.org/thc-hydra/>) is a tool used to brute force remote login passwords, fcrackzip (<http://home.schmorp.de/marc/fcrackzip.html>) is a ZIP password cracker, and pdfcrack (<http://sourceforge.net/projects/pdfcrack/>) is a PDF password cracker. John, fcrackzip, and pdfcrack are conveniently available in the Debian package repositories and can be installed with apt-get.

When using a password cracker, it is wise to make sure that the password is not susceptible to a dictionary attack and does not use a restricted character set (e.g., lowercase letters, letters only, letters and numbers only) before spending time on a full brute-force crack. It is also a good idea to crack a very vulnerable password first to make sure you are using the tool correctly.

Metadata Viewer There exists multiple metadata viewer, but for our MP, we will be using ExifTool by Phil Harvey. It can be downloaded at (<http://owl.phy.queensu.ca/~phil/exiftool/>). Follow the instructions on the website to view the metadata of the evidence.

5.1 Checkpoint 1 (20 points)

The deliverables for this project are your answers to the questions below. Your answers should be *complete* but *concise*.

For each prompt, you may optionally explain the investigatory methods you used and the evidence that supports your conclusion. The files can be included in a separate directory named `explanation/`. These explanations will not be graded but can be considered during manual regrading.

Exploring Victim's Traces

In this part of the project, you will be exploring the traces left on victim's hard disk.


5.1.1 Username (2 points)

(Difficulty: Easy)

What is the username of the victim used on OS?

What to submit: Submit a text file named `5.1.1.txt` that contains the username of the victim.

Note: Username is the id used to log on to the system. For example, there is a student, Yann Simpson, whose netid is yann. To access the University system, the netid, yann is used as username to log on. If logged on, they will display either the netid or the full name to indicate the user of the account. Illustrative example is shown below.



example content of 5.1.1.txt

```
# this line is ignored
yann
```

5.1.2 Timezone (2 points)

(Difficulty: Easy)

What is the timezone setting of the victim's system?

What to submit: Submit a text file named `5.1.2.txt` that contains the timezone of the victim's system.

Hint: The system is based on one of US time zones. Four time zones in US are EST, CST, MST, and PST. Do NOT submit in any other format, e.g. UTC, America/New York, Eastern Time Zone etc.

example content of 5.1.2.txt

```
EST
```

5.1.3 Conversation (4 points)

(Difficulty: Easy)

Whom did the victim have conversation(s) with? List each username in separate line, in the order of occurrences.

If the victim had multiple conversations with the same person in different times, list the username as many as the conversation history. Note that this does not equal to the message count transferred back and forth for single conversation.

What to submit: Submit a text file named 5.1.3.txt that contains the list of usernames the victim have conversation with.

Note: For example, let's assume that Alice is a victim and you are exploring the chat history. The list below is the summary of the chat histories you have explored. Then, the solution to this example will be the following.

```
<Alice's chat history>
(with bob@chat.org) @ Apr 2 7:00pm
(with eve@chat.org) @ Apr 3 10:00am
(with eve@chat.org) @ Apr 3 2:00pm
```

example content of 5.1.3.txt

```
bob
eve
eve
```

5.1.4 Evidence file (4 points)

(Difficulty: Easy)

The police initially thought that the victim committed suicide after finding a certain file on the victim's computer.

1. What is the name of the file? Include the file extension.
2. When was this file last modified? Submit the time in MMddhhmm 24-hr format. (MM=Month, dd=day, hh=hour, mm=minute). For example, 11:30pm on April 3rd is 04032330.

What to submit

1. Submit a text file named `5.1.4_name.txt` that contains the full name of the file.
2. Submit a text file named `5.1.4_time.txt` that contains the last modified time of the file.

example content of `5.1.4_name.txt`

```
evidencefile.txt
```

example content of `5.1.4_time.txt`

```
04032330
```

5.1.5 Attack (8 points)

(Difficulty: Medium)

After initial conclusion, the police started to be suspicious about possibility of the murder. Do you find any trace of the attack on victim's machine?

1. If so, when did the attacker make the first contact to the victim's computer? Any contact can either be successful login or failed attempt. Submit the time in MMddhhmm 24-hr format. (MM=Month, dd=day, hh=hour, mm=minute).
2. List all the IP addresses the attack originated from. Submit IPv4 addresses. If there are multiple attacker IP addresses, include one IP address per each line.
3. What was the victim's IP address during the attack? Submit IPv4 address.

What to submit

1. Submit a text file named `5.1.5_time.txt` that contains the first attack time.
2. Submit a text file named `5.1.5_attackerip.txt` that contains the list of IP addresses the attack came from.
3. Submit a text file named `5.1.5_victimip.txt` that contains the victim's IP address.

example content of `5.1.5_attackerip.txt`

```
1.2.3.4  
5.6.7.8
```

Checkpoint 1: Submission Checklist

Inside your mp5 directory svn, you will have the auto-generated files named as below. Make sure that your answers for all tasks up to this point are submitted in the following files before **Monday, April 25 at 6:00pm**:

SVN Directory

<https://subversion.ews.illinois.edu/svn/sp16-ece422/NETID/mp5>

- `partners.txt` [One netid on each line]
- `5.1.1.txt`
- `5.1.2.txt`
- `5.1.3.txt`
- `5.1.4_name.txt`
- `5.1.4_time.txt`
- `5.1.5_time.txt`
- `5.1.5_attackerip.txt`
- `5.1.5_victimip.txt`

5.2 Checkpoint 2 (100 points)

The deliverables for this project are your answers to the questions below. Your answers should be *complete* but *concise* following the submission template.

Suspect VM that you will explore is given individually in your SVN directory. Follow and download the disk image provided in `suspect_vm.txt`. We have also created `code.txt` in your SVN directory. The instruction for this file will be given at some point in the project, so be patient.

If you recover files that are relevant to your responses, include them with your submission in a directory named `evidence/`. Do not change the original file name on your submission. For each prompt, you may optionally explain the investigatory methods you used and the evidence that supports your conclusion. The files can be included in a separate directory named `explanation`.

Investigating Suspect Traces

In this part of the project, you will be exploring the traces left on suspect's hard disk.

5.2.1 Live Analysis (10 points)

(Difficulty: Hard)

Now, the police department has obtained multiple suspects' hard disk, distributed them across teams to be investigated in parallel. You are given with one disk image to analyze. Answer the following set of questions to fill out the report.

You were given with one disk image to analyze. Now, you want to try the live analysis of the evidence.

Let's first take a look at the machine environment. Be careful and specific; e.g., say "Windows 2000" instead of just "Windows."

1. Try booting the suspect's machine and using it normally. What operating system does it boot by default? Include OS name and the distribution release number in separate lines.
2. What specific or potentially dangerous behavior(s) of the default boot OS have on the machine? Find a script that executes the specific behavior. Submit the name of the script file.
3. What operating system did the suspect primarily use? Submit the OS's name and distribution release number in separate lines.

What to submit

1. Submit a text file named `5.2.1_default.txt` that contains the default booting OS.
2. Submit a text file named `5.2.1_behavior.txt` that contains the script file name that executes the specific behavior of the default booting OS.
3. Submit a text file named `5.2.1_primary.txt` that contains the primary OS the suspect used.

Note: Note that OS distribution number is not equivalent to the kernel number. Refer the details at <http://whatsmyos.com/> or <https://www.linux.com/learn/tutorials/824791-how-to-find-your-linux-version-or-distro-release-and-why-it-matters>.

example content of 5.2.1_{default,primary}.txt

```
OS X
10.10.4
```

example content of 5.2.1_behavior.txt

```
scriptfile.ext
```

5.2.2 Dead Analysis (90 points)

We have explored some system details through live analysis in section 5.2.1. There can be potential risks during live analysis and the act may contaminate the evidence. For this section, you will be strictly performing the dead analysis to complete the investigation.

Now, with the same disk image you have performed live analysis in the section 5.2.1, you will mount on Autopsy and explore without turning on the system. Answer the following set of questions to fill out the report.

5.2.2.1 Username (5 points)

(Difficulty: Easy)

What is the OS username of the suspect?

What to submit: Submit a text file named 5.2.2.1.txt that contains the OS username of the suspect.

5.2.2.2 Conversation (5 points)

(Difficulty: Easy)

You have investigated conversation history of the victim in section 5.1. Now, you will do the same for the suspect.

1. Whom did the suspect have conversation(s) with? List each username in separate line, in the order of occurrences. If the suspect had multiple conversations with the same person in different times, list the username as many as the conversation history. Note that this does not equal to the message count transferred back and forth for single conversation.
2. What is the suspect's relationship with the victim? Choose the most appropriate one among following choices. Submit just the alphabet of the choice.
 - (a) victim's best friend who liked victim's girlfriend
 - (b) victim's girlfriend

- (c) victim's boyfriend
- (d) course instructor who received bad feedback from victim
- (e) boyfriend of the girl whom victim cheated with
- (f) victim's course project partner who had to do all the work by himself/herself
- (g) none of the above

What to submit

1. Submit a text file named `5.2.2.2_usernames.txt` that contains the list of usernames the suspect have conversation with.
2. Submit a text file named `5.2.2.2_relationship.txt` that contains the relationship of the suspect and the victim.

example content of `5.2.2.2_relationship.txt`

```
# alphabet of the choice  
k
```

5.2.2.3 Search History (10 points)

(Difficulty: Medium)

There must be a reason that the user is considered as suspect.

1. Are there any indications that the suspect was trying to make an attack? How about any indication that the suspect owned or was researching weapons of the kind involved in the murder? What are the websites suspect visited potentially related with murder? List 5 website full links, one link per line in time order. They all have to come from different domains. E.g. Two different searches on Google count as 1. Don't forget to check the typos and whether all letters included.
2. What did the suspect plan to use as a weapon to murder the victim? Note that the toy evidence included in this case is considered lethal and dangerous.

What to submit

1. Submit a text file named `5.2.2.3_link.txt` that contains the list of websites visited related with the murder.
2. Submit a text file named `5.2.2.3_weapon.txt` that contains the weapon that suspect planned to use.

example content of 5.2.2.3_links.txt

```
https://www.google.com/maps  
https://www.cnet.com/news/
```

example content of 5.2.2.3_weapon.txt

```
lightsaber
```

5.2.2.4 Encrypted File (10 points)

(Difficulty: Medium)

Were there any suspicious-looking encrypted files on the machine? If so, what was the password that was used to encrypt this file? Also, attach the decrypted contents as evidence. *Note:* Submit the actual individual files, not the compressed format.

What to submit: Submit a text file named 5.2.2.4.txt that contains the password of the encrypted file and decrypted contents in evidence/ directory.

example content of 5.2.2.4.txt

```
p4ssw0rd
```

5.2.2.5 Attack (20 points)

(Difficulty: Hard)

1. Which account did the suspect use to access the victim's computer? Submit the username of the account.
2. What tools did the suspect use to gain access to the victim's computer? As you investigate, be on the lookout for evidence of any other machines or network services that the suspect may have used. Be careful. The suspect might have decided not to use some tools. List the terminal command name of each tool in separate line in the order of occurrence.
3. List the suspect's IP address(es) used during the attack.
4. Did the suspect successfully connect to the victim's computer? If so, list the filename of the private and public key used for the connection in separate line. *Hint:* Try to find what kind of algorithm was used to generate the key pair/signature.
5. What was the password of the account obtained/used by the suspect for the victim's computer?

What to submit

1. Submit a text file named 5.2.2.5_account.txt that contains the username of the suspect used to access victim's machine.

2. Submit a text file named `5.2.2.5_tools.txt` that contains the list of tools victim used during the attack.
3. Submit a text file named `5.2.2.5_ip.txt` that contains the ip address(es) of the suspect used in the attack.
4. Submit a text file named `5.2.2.5_connection.txt` that contains whether the connection was successful as well as private and public key filenames.
5. Submit a text file named `5.2.2.5_password.txt` that contains the password of the username the suspect obtained/used during the attack.

example content of 5.2.2.5_tools.txt

```
zip  
john
```

example content of 5.2.2.5_connection.txt

```
# first line would be either [yes/no]  
no  
private_key_file_name  
public_key_file_name
```

example content of 5.2.2.5_password.txt

```
p4ssw0rd
```

5.2.2.6 File Export/Recovery (10 points)

(Difficulty: Hard)

Did the suspect try to delete any files that may be related with the murder? List one file name that is the most suspiciously looking and export or recover the deleted file. *Hint:* If you have difficulty recovering the original deleted file, try to think of an alternative to obtain the file with same content. Double check the file size and content once you exported.

What to submit: Submit a text file named `5.2.2.6.txt` that contains the name of the deleted files with file extension and obtained files in evidence/ directory with the original file name.

example content of 5.2.2.6.txt

```
filename.ext
```

5.2.2.7 Escape Plan (20 points)

(Difficulty: Medium)

If the murder has happened, the suspect may have planned for after-murder scenario.

1. Are there any indications that the suspect had an accomplice who was physically present on the night of the crime, or any source that provided the escape method/transportation after the crime? If so, submit the contact information of the accomplice or source company.
2. What is the location of the escape plan? Submit the GPS coordinates (latitude and longitude) in signed 3rd decimal format in separate lines. If you view more than 3 decimal places, do not round and drop from 4th decimal (e.g. -1.2345 -> -1.234). Use ExifTool (<http://owl.phy.queensu.ca/~phil/exiftool/>) to view the metadata.

Notes:

- ExifTool has options to convert geotag coordinates into preferred format.
- However, if you obtained geotag from elsewhere in <deg ' "> or <° ' "> format AND cannot use exiftool to convert, then you should use converter from this link: <http://www.gps-coordinates.net/gps-coordinates-converter>. **IMPORTANT:** Different converters can result in slightly different values and may fail our grader if specified tool is not used.
- Signs for four directions in GPS coordinate: North (+), South (-), East (+), West (-).

Hints: If you have trouble viewing the file, check the metadata (e.g. file type, file extension, file format etc.) and think of the possibilities to resolve.

3. What was the original time of the escape? Submit in 24-hr hhmm format (hh=hour, mm=minute)
4. Do you think that the suspect successfully escape? If so, submit the actual escape time in 24-hr hhmm (hh=hour, mm=minute). If not, simply say, "unknown" without the quotation.

What to submit

1. Submit a text file named 5.2.2.7_accomplice.txt that contains the contact information of the accomplice.
2. Submit a text file named 5.2.2.7_location.txt that contains the escape location coordinate.
3. Submit a text file named 5.2.2.7_originaltime.txt that contains the original planned escape time.
4. Submit a text file named 5.2.2.7_actualetime.txt that contains the actual escape time.

example content of 5.2.2.7_location.txt

```
# latitude on first line
# longitude on second line
1.234
5.678
```

example content of 5.2.2.7_{originaltime,actualtime}.txt

```
2330
```

5.2.2.8 File Metadata (5 points)*(Difficulty: Easy)*

Now, go back to the victim's VM. What is the creator/writer/author (Full Name) of the evidence file you found on 5.1.4? Do NOT submit the username or the userid.

What to submit: Submit a text file named 5.2.2.8.txt that contains the creator of the evidence file.

Note: From the same example as 5.1.1, the full name is Yann Simpson.

example content of 5.2.2.8.txt

```
Yann Simpson
```

5.2.2.9 Final Decision (5 points)*(Difficulty: Medium)*

With gathered evidences from previous questions, try to complete the scenario of the suspect you investigated. Do you think the suspect actually murdered the victim? If so, say yes. Otherwise, no.

What to submit: Submit a text file named 5.2.2.9.txt that contains whether you think the suspect is the real criminal or not.

Checkpoint 2: Submission Checklist

Inside your mp5 directory svn, you will have the auto-generated files named as below. Make sure that your answers for all tasks up to this point are submitted in the following files before **Wednesday, May 4 at 6:00pm**:

SVN Directory

<https://subversion.ews.illinois.edu/svn/sp16-ece422/NETID/mp5>

- partners.txt [One netid on each line]
- 5.2.1_default.txt
- 5.2.1_behavior.txt
- 5.2.1_primary.txt
- 5.2.2.1.txt
- 5.2.2.2_usernames.txt
- 5.2.2.2_relationship.txt
- 5.2.2.3_link.txt
- 5.2.2.3_weapon.txt
- 5.2.2.4.txt
- evidence/"decrypted_file"
- 5.2.2.5_account.txt
- 5.2.2.5_tools.txt
- 5.2.2.5_ip.txt
- 5.2.2.5_connection.txt
- 5.2.2.5_password.txt
- 5.2.2.6.txt
- evidence/"recovered_file"
- 5.2.2.7_accomplice.txt
- 5.2.2.7_location.txt

- 5.2.2.7_originaltime.txt
- 5.2.2.7_actualltime.txt
- 5.2.2.8.txt
- 5.2.2.9.txt