



### List of projects

<b>Projects Map</b> . . . . .	<b>3</b>
<b>Nokia integration game</b> . . . . .	<b>3</b>
<b>Developers dashboard</b> . . . . .	<b>4</b>
<b>Mailing groups browser</b> . . . . .	<b>5</b>
<b>Comparing graph databases</b> . . . . .	<b>6</b>
<b>Comparing map-reduce methods</b> . . . . .	<b>7</b>
<b>Converter for table-based data to trees</b> . . . . .	<b>8</b>
<b>Web component with Tanks game</b> . . . . .	<b>9</b>
<b>APT plugin for Nexus</b> . . . . .	<b>10</b>
<b>Donation application</b> . . . . .	<b>11</b>
<b>Recruitment application</b> . . . . .	<b>12</b>
<b>UI issue feedback</b> . . . . .	<b>13</b>
<b>NERD - NEwcomer Request Delivery</b> . . . . .	<b>14</b>
<b>Cross application notification system</b> . . . . .	<b>15</b>
<b>Cross-applications shortcuts as a web component</b> . . . . .	<b>16</b>

#1	Projects Map
<b>Project goals</b>	Web Application that allows to create map of projects that are developed in given department/company. Projects should be described by: short description, technologies, list of developers etc. Each developer should be described by list of technologies/frameworks that they know - that will allow to get help in given topic by others developers.
<b>Scope definition</b>	Features: <ul style="list-style-type: none"><li>• Drawing map of office with projects/developers</li><li>• Adding/editing projects/developers</li><li>• Hierarchy view of department/company</li><li>• Adding/editing department/company</li></ul>
<b>Requirements</b>	Basic knowledge about Javascript
<b>Author</b>	Mateusz Wierzbicki
<b>Planned duration</b>	1 semester
<b>Team size</b>	2-3

#2	Nokia integration game
Project goals	Corporation version of "Time's up" game for mobile phones with centralized DB. One part of app is web application which allow to add custom characters to game. Second part is game for mobiles. Game ask backed for random set of characters and leading 4 rounds of game (description, one word, showing without speaking and pose) - like in original "Time's up" game.
Scope definition	<p>Web application:</p> <ul style="list-style-type: none"><li>• List of collections</li><li>• Managing user collections of characters (adding, editing, exporting, importing, tagging)</li><li>• API for mobile app</li><li>• Downloading random set of characters from chosen collection</li><li>• Downloading random set of characters for specific characters tags (e.g. #sport, #fantasy)</li><li>• Adding new tags to characters</li></ul> <p>Mobile application:</p> <ul style="list-style-type: none"><li>• Downloading characters from webapp</li><li>• Showing list of characters and possibility to reject/exchange a few of them</li><li>• Gameplay (4 round, 2 teams) with counting down time, points and displaying rules of each round</li></ul>
Requirements	<ul style="list-style-type: none"><li>• Basic of JavaScript,</li><li>• Be open to learning mobile technologies like: Ionic, React Native, etc.</li></ul>
Author	Kamil Mleczko
Planned duration	1 semester
Team size	2-3

#3	Developers dashboard
<b>Project goals</b>	<p>Application allows creating dashboards with information about important things for developers like result of builds in CIs systems. Dashboard contains tiles with results and is customizable via web interface. Sources should be connectable via plugins. Plugin is a piece of code which contains fetching data, mapping fetched data to results and presenting result on tiles.</p> <p>Target of the project is to run additional computer which presents for all developers dashboard with project development status.</p>
<b>Scope definition</b>	<p>Features:</p> <ul style="list-style-type: none"><li>• Dashboard with tiles</li><li>• Configuration of dashboard via web app</li><li>• Sources connectable via plugins</li><li>• Notification about events (mail, slack)</li><li>• Static and dynamic tiles (for example develop branch and feature builds)</li></ul>
<b>Requirements</b>	Basic knowledge about Javascript
<b>Author</b>	Mateusz Sikora
<b>Planned duration</b>	1 semester
<b>Team size</b>	2-4

#4	Mailing groups browser
<b>Project goals</b>	Application subscribes to mailing group via email (like normal user) and aggregates received mails to threads. Threads should be searchable and filterable in the frontend part of application.
<b>Scope definition</b>	Features: <ul style="list-style-type: none"><li>• Mailing group client which parses mails, aggregates and persists them in DB</li><li>• API for data</li><li>• Client side for browsing, filtering, searching and possibility to contact with author of threads</li><li>• Personalized settings for spam filters and searching</li></ul>
<b>Requirements</b>	Basic knowledge about Javascript
<b>Author</b>	Mateusz Sikora
<b>Planned duration</b>	1 semester
<b>Team size</b>	2-4

#5	Comparing graph databases
<b>Project goals</b>	<p>Based on prepared dataset that describes relations between ancestors (family tree) you will have to present those relations in a tree form, store and transform them using graph databases:</p> <ul style="list-style-type: none"><li>• OrientDB</li><li>• HGraphDB</li></ul> <p>As a conclusion you should compare those two databases based on performance and convenience for that task.</p>
<b>Scope definition</b>	<p>Following project includes::</p> <ul style="list-style-type: none"><li>• Storing and presenting relation data in tree form in graph databases</li><li>• Scripts that perform transformations on the data, such as:<ul style="list-style-type: none"><li>– retrieve n-th ancestor/child based on relation column</li><li>– filter children based on column value</li><li>– get all elements with given ancestor</li></ul></li></ul>
<b>Requirements</b>	<ul style="list-style-type: none"><li>• Basic knowledge about databases</li><li>• Basic knowledge about data structures</li><li>• Willing to learn new technologies</li></ul>
<b>Author</b>	Filip Płotnicki
<b>Planned duration</b>	1 semester
<b>Team size</b>	2-4

#6	Comparing map-reduce methods
<b>Project goals</b>	<p>Based on prepared dataset that describes relations between ancestors (family tree) you will have to present those relations in a tree form and store in MongoDB. Additionally you should be able to transform them using two methods:</p> <ul style="list-style-type: none"><li>• default map-reduce mechanism in MongoDB</li><li>• Spark connector for MongoDB</li></ul> <p>As a conclusion you should compare those two methods based on performance and convenience for that task.</p>
<b>Scope definition</b>	<p>Following project includes::</p> <ul style="list-style-type: none"><li>• Storing and presenting relation data in tree form in MongoDB</li><li>• Transformations on the data using default map-reduce and Spark connector:<ul style="list-style-type: none"><li>– retrieve n-th ancestor/child based on relation column</li><li>– filter children based on column value</li><li>– get all elements with given ancestor</li></ul></li></ul>
<b>Requirements</b>	<ul style="list-style-type: none"><li>• Basic knowledge about databases (MongoDB)</li><li>• Basic knowledge about data structures</li><li>• Willing to learn new technologies (Spark)</li></ul>
<b>Author</b>	Krzysztof Grining
<b>Planned duration</b>	1 semester
<b>Team size</b>	2-4



#7	Converter for table-based data to trees
<b>Project goals</b>	Based on prepared dataset that describes relations between ancestors (family tree) stored in a flat table you will have to prepare a "converter" that transforms the data in the flat table to a tree structure, which should be stored in Hbase. You should be able to perform transformations on the stored tree. You are free to choose or come up with a method for generating and storing the trees.
<b>Scope definition</b>	Following project includes:: <ul style="list-style-type: none"><li>• Converter script/application that converts flat table data into tree structured data</li><li>• Script that performs transformations on the tree-structured data<ul style="list-style-type: none"><li>– retrieve n-th ancestor/child based on relation column</li><li>– filter children based on column value</li><li>– get all elements with given ancestor</li></ul></li></ul>
<b>Requirements</b>	<ul style="list-style-type: none"><li>• Basic knowledge about distributed computing and databases</li><li>• Basic knowledge about data structures</li><li>• Willing to learn new technologies</li></ul>
<b>Author</b>	Filip Płotnicki
<b>Planned duration</b>	1 semester
<b>Team size</b>	2-4

#8	Web component with Tanks game
<b>Project goals</b>	The goal of project is to preare a React component, that can be included on web-page and after pressing a certain combination of keys it overlays the webpage and opens up a game based on "Tanks" (see: <a href="https://pl.wikipedia.org/wiki/Battle_City">https://pl.wikipedia.org/wiki/Battle_City</a> ).
<b>Scope definition</b>	Following project includes:: <ul style="list-style-type: none"><li>• React component with playable game of Tanks</li><li>• Basic gameplay features: driving the tank, shooting at the enemies, collisions, destructible terrain</li><li>• Simple AI for enemies</li><li>• Highscores</li></ul> You can add your own features and ideas in the game.
<b>Requirements</b>	<ul style="list-style-type: none"><li>• Basic knowledge about JavaScript</li><li>• Basic knowledge about WebGL</li><li>• Willing to learn new technologies</li></ul>
<b>Author</b>	Andrzej Rozenfeld
<b>Planned duration</b>	1 semester
<b>Team size</b>	2-4

#9	APT plugin for Nexus
<b>Project goals</b>	The goal of this project is to prepare a plugin for Nexus repository application ( <a href="https://www.sonatype.com/nexus-repository-sonatype">https://www.sonatype.com/nexus-repository-sonatype</a> ) for managing APT repositories.
<b>Scope definition</b>	Following project includes:: <ul style="list-style-type: none"><li>• Plugin that adds functionalities to Nexus:<ul style="list-style-type: none"><li>– creating/removing/modifying APT repositories</li><li>– APT repository management through Web GUI</li></ul></li></ul>
<b>Requirements</b>	<ul style="list-style-type: none"><li>• Basic knowledge about Java</li><li>• Basic knowledge about APT repositories</li><li>• Willing to learn new technologies</li></ul>
<b>Author</b>	Mateusz Stanuch
<b>Planned duration</b>	1 semester
<b>Team size</b>	2-4

#10	Donation application
<b>Project goals</b>	<p>Donation platform based on constant contact between both sides (receivers and donors). Users are able to support receivers with payments and they receive information about some progress etc. Donors use mobile application where they can see messages from receivers, list of payments and donate using external payments system like PayU. Receivers use web application for monitoring donations and sending messages to donors.</p> <p>*Receivers are understood as some foundation, startup etc.</p>
<b>Scope definition</b>	<p>Web application:</p> <ul style="list-style-type: none"><li>• List of payments</li><li>• Sending messages to all or selected users</li></ul> <p>Mobile application:</p> <ul style="list-style-type: none"><li>• Payments (test of services like dotpay, PayU, PayPal, etc.)</li><li>• Receiving messages, notifications etc.</li></ul> <p>Final scope of project will be set with the team.</p>
<b>Requirements</b>	<ul style="list-style-type: none"><li>• Basic knowledge about Android</li><li>• Basic knowledge about Web programming</li><li>• Willing to learn new technologies</li></ul>
<b>Author</b>	Ewa Kaczmarek
<b>Planned duration</b>	1 semester
<b>Team size</b>	3-4

#11	Recruitment application
<b>Project goals</b>	Mobile application on Android to support job fairs with web application for management. Tablets are taken to job fairs where candidates can fill the form for selected job offers. All the applications are presented then in web application where recruiters can see the list of candidates and contact with them via mail. List of job offers can be changed between different job fairs. Some statistics should be provided to compare job fairs and job offers interest.
<b>Scope definition</b>	<p>Web application:</p> <ul style="list-style-type: none"><li>• List of job offers</li><li>• List of applications for selected job offers</li><li>• Create new events</li><li>• Create new job offers for events</li><li>• Statistics (how many candidates on specific event applied on selected job offer)</li><li>• Sending mails to one or more candidates</li></ul> <p>Mobile application:</p> <ul style="list-style-type: none"><li>• Present job offers</li><li>• Simple form per job offer</li><li>• Work in offline mode</li><li>• Send forms when online</li></ul> <p>Final scope of project will be set with the team.</p>
<b>Requirements</b>	<ul style="list-style-type: none"><li>• Basic knowledge about Android</li><li>• Basic knowledge about Web programming</li><li>• Willing to learn new technologies</li></ul>
<b>Author</b>	Ewa Kaczmarek
<b>Planned duration</b>	1 semester
<b>Team size</b>	3-4

#12	UI issue feedback
<b>Project goals</b>	A Chrome (web browser) extension or web application for finding and selecting those parts of web application (website) which are considered as ugly, bugged or defected.
<b>Scope definition</b>	<p>Following project includes:</p> <ul style="list-style-type: none"><li>• An extension or web application for giving feedback about unliked part of application with a visual preview (an image or live) of that part (or the entire page with those parts selected).</li><li>• A control panel(also web application) where those feedbacks are stored and managed.</li></ul> <p>Developing applications by group of developers comes with troubles with making an agreement of visual aspects or functionality of an app. Writing e-mails and describing something using only text consume too much time and sometimes just doesn't work, specially if one feature has more than one author. Gathering feedbacks from many sources is also hard.</p> <p>Project described above makes this whole process faster, easier and much cleaner, specially for someone who is responsible for fixing.</p>
<b>Requirements</b>	<ul style="list-style-type: none"><li>• Basic knowledge about any web programming language (and optionally creating Chrome extensions) and any database system.</li><li>• Willing to learn new technologies</li></ul>
<b>Author</b>	Maciej Bakowicz
<b>Planned duration</b>	1 semester
<b>Team size</b>	2-4

#13	NERD - Newcomer Request Delivery
<b>Project goals</b>	Develop a tool that will speed up / automate newcomer enablement process by adding new user to projects, sending mail requests or manuals, and creating Jira tickets via REST API.
<b>Scope definition</b>	<p>Manager wants to give access rights to tools required to work with project for every member that joins development team (Jenkins, application server, Jira, confluence, GIT repository, etc). There also must be mail notification aimed to development team and product owner about new team member. Newcomer should get mail with set of instructions/manuals/requirements for quick start-up.</p> <p>There are two main use scenarios:</p> <ul style="list-style-type: none"><li>• Project configuration in NERD Tool via web gui:<ul style="list-style-type: none"><li>– Setup of messages to be sent on new team member arrival<ul style="list-style-type: none"><li>* Configuration of message/content. Mail message template can be edited with BBCode or Markdown.</li><li>* Configuration of list of recipients</li></ul></li><li>– Configuration of issues to be created on Jira service - target project, required fields etc</li></ul></li><li>• New team member arrival - particular group of people can trigger actions configured in previous step for newcomer</li></ul>
<b>Requirements</b>	<p>Minimal experience or eager to learn:</p> <ul style="list-style-type: none"><li>• Some language for backend logic (i.e. Java + Play Framework)</li><li>• Some language for frontend logic (i.e. JavaScript + Angular2 or Java + Vaadin)</li><li>• Database knowledge</li><li>• RESTful web services</li></ul>
<b>Author</b>	Blazej Krystek
<b>Planned duration</b>	1 semester
<b>Team size</b>	3-5

#14	Cross application notification system
<b>Project goals</b>	Implement platform allowing for easy management and aggregation of users notifications. Service should collect notifications from multiple applications and/or users. Platform should distribute notifications to subscribed end users. Additionally, there should be embeddable web component capable to displaying all unread user notification.
<b>Scope definition</b>	<ol style="list-style-type: none"><li>1. Web component should allow for:<ul style="list-style-type: none"><li>• easy embed inside external applications</li><li>• display aggregated notifications</li><li>• dismiss single/all notification</li><li>• show details and links</li><li>• manage subscribed notification sources and channels</li></ul></li><li>2. Service should:<ul style="list-style-type: none"><li>• be secured source of data for web component</li><li>• provide API for automatic notifications from applications</li><li>• provide way to create manual notifications</li><li>• allow scope notification message by type (info/warning/error), applications, topic and user/user groups</li><li>• create easy way to notify end user about not read messages</li><li>• allow for scale up for high-traffic</li></ul></li></ol>
<b>Requirements</b>	<ul style="list-style-type: none"><li>• Any programming language</li><li>• Base web technologies knowledge</li><li>• Any DB system knowledge</li><li>• Eager to learn new technologies</li></ul>
<b>Author</b>	Dominik Markiewicz
<b>Planned duration</b>	1 semester
<b>Team size</b>	2-6



#15	Cross-applications shortcuts as a web component
<b>Project goals</b>	<p>When many web services are operated and advertised by one entity (department, company, whatever) it is wise to have consistent way to easily move user between applications. Good example are Google web apps or Microsoft web apps, where it's always obvious how to jump between services in given company portfolio - by using same looking shortcuts button in every application. The goal of the project is to have web-based service that would allow for creation, management and display of such common component for consistent linking to many web applications/pages.</p>
<b>Scope definition</b>	<p>Minimal finished project allows for:</p> <ul style="list-style-type: none"><li>• Separate web application where one can<ul style="list-style-type: none"><li>– create new apps - with their icons and links</li><li>– order or position of particular application on applications list</li></ul></li><li>• Web component in any technology, that can be embedded in navbar of any application, and when clicked will display list of applications user can jump to with clickable links/anchors.</li></ul> <p>Possible extension: created app could monitor health of linked applications and disable/enable or modify view of the links displayed depending on the status of linked application (unresponsive, maintenance or similar).</p>
<b>Requirements</b>	<ul style="list-style-type: none"><li>• Any programming language</li><li>• Web technologies knowledge</li><li>• Any DB system knowledge</li><li>• Eager to learn new technologies</li></ul>
<b>Author</b>	Mateusz Wronski, Dominik Markiewicz
<b>Planned duration</b>	1 semester
<b>Team size</b>	4