

加古川大堰操作記録Ⅰ

2017年10月22日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微調 節ゲート	魚道 ゲート						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³ m³	m³/s	m³/s																							
0:10	12. 49	8. 34	1632	269. 16	363. 78	145	0	71	0	71	0	71	0	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54				1	2	定刻	
						109. 12	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	109. 12	0. 00	27. 19	27. 38		45. 37		45. 60							1
0:20	12. 48	8. 34	1623	267. 37	360. 35	145	0	71	0	71	0	71	0	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						107. 75	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	107. 75	0. 00	27. 07	27. 27		45. 14		45. 37							1
0:30	12. 48	8. 33	1623	263. 10	360. 35	145	0	71	0	71	0	71	0	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						107. 75	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	107. 75	0. 00	27. 07	27. 27		45. 14		45. 37							1
0:40	12. 47	8. 33	1615	263. 10	356. 91	145	0	71	0	71	0	71	0	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						106. 38	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	106. 38	0. 00	26. 95	27. 15		44. 91		45. 14							1
0:40	12. 47	8. 33	1615	263. 10	356. 91	145	0	71	0	71	0	71	0	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54	1 C			1	2	制御開始	
						106. 38	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	106. 38	0. 00	26. 95	27. 15		44. 91		45. 14				1	2		
0:41	12. 47	8. 32	1615	263. 10	338. 11	120	0	71	0	71	0	71	0	120	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54	1 C			1	2	機器動作	
						96. 98	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	96. 98	0. 00	26. 95	27. 15		44. 91		45. 14							
0:50	12. 47	8. 32	1615	260. 62	338. 11	120	0	71	0	71	0	71	0	120	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						96. 98	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	96. 98	0. 00	26. 95	27. 15		44. 91		45. 14							1
1:00	12. 46	8. 31	1607	260. 62	334. 78	120	0	71	0	71	0	71	0	120	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						95. 66	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	95. 66	0. 00	26. 84	27. 03		44. 68		44. 91							1
1:00	12. 46	8. 31	1607	260. 62	334. 78	120	0	71	0	71	0	71	0	120	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54	1 C			1	2	制御開始	
						95. 66	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	95. 66	0. 00	26. 84	27. 03		44. 68		44. 91							
1:00	12. 46	8. 31	1607	260. 62	316. 64	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54	1 C			1	2	機器動作	
						86. 59	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	86. 59	0. 00	26. 84	27. 03		44. 68		44. 91							
1:10	12. 46	8. 27	1607	258. 88	316. 64	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						86. 59	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	86. 59	0. 00	26. 84	27. 03		44. 68		44. 91							1
1:20	12. 46	8. 27	1607	258. 88	316. 64	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						86. 59	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	86. 59	0. 00	26. 84	27. 03		44. 68		44. 91							1
1:30	12. 46	8. 27	1607	256. 42	316. 64	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						86. 59	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	86. 59	0. 00	26. 84	27. 03		44. 68		44. 91							1
1:40	12. 46	8. 27	1607	252. 25	316. 64	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						86. 59	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	86. 59	0. 00	26. 84	27. 03		44. 68		44. 91							1
1:50	12. 46	8. 27	1607	252. 25	316. 64	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						86. 59	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	86. 59	0. 00	26. 84	27. 03		44. 68		44. 91							1
2:00	12. 46	8. 27	1607	250. 56	316. 64	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						86. 59	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	86. 59	0. 00	26. 84	27. 03		44. 68		44. 91							1
2:10	12. 46	8. 27	1607	248. 13	316. 64	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						86. 59	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	86. 59	0. 00	26. 84	27. 03		44. 68		44. 91							1
2:20	12. 46	8. 26	1607	248. 13	316. 64	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						86. 59	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	86. 59	0. 00	26. 84	27. 03		44. 68		44. 91							1
2:30	12. 46	8. 26	1607	246. 46	316. 64	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						86. 59	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	86. 59	0. 00	26. 84	27. 03		44. 68		44. 91							1
2:40	12. 46	8. 26	1607	244. 04	316. 64	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						86. 59	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	86. 59	0. 00	26. 84	27. 03		44. 68		44. 91							1
2:50	12. 45	8. 25	1599	242. 40	313. 40	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						85. 32	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	85. 32	0. 00	26. 72	26. 91		44. 45		44. 68							1
2:50	12. 45	8. 25	1599	242. 40	313. 40	109	0	71	0	71	0	71	0	109	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54	1 C			1	2	制御開始	
						85. 32	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	85. 32	0. 00	26. 72	26. 91		44. 45		44. 68							
2:50	12. 45	8. 25	1599	242. 40	293. 54	99	0	71	0	71	0	71	0	99	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54	1 C			1	2	機器動作	
						75. 39	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	75. 39	0. 00	26. 72	26. 91		44. 45		44. 68							
3:00	12. 45	8. 21	1599	240. 00	293. 54	99	0	71	0	71	0	71	0	99	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						75. 39	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	75. 39	0. 00	26. 72	26. 91		44. 45		44. 68							1

加古川大堰操作記録Ⅰ

2017年10月22日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
3:10	12.45	8.21	1599	238.39	293.54	99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54	1 C			1	2	定刻	
3:20	12.45	8.21	1599	238.39	293.54	75.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.39	0.00	26.72	26.91	G=4	9.55	G=4	9.54				1	2	定刻	
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
3:30	12.45	8.21	1599	234.41	293.54	75.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.39	0.00	26.72	26.91	G=4	9.55	G=4	9.54				1	2	定刻	
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
3:40	12.45	8.21	1599	234.41	293.54	75.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.39	0.00	26.72	26.91	G=4	9.55	G=4	9.54				1	2	定刻	
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
3:50	12.45	8.21	1599	232.04	293.54	75.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.39	0.00	26.72	26.91	G=4	9.55	G=4	9.54				1	2	定刻	
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
4:00	12.45	8.21	1599	230.49	293.54	75.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.39	0.00	26.72	26.91	G=4	9.55	G=4	9.54				1	2	定刻	
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
4:10	12.45	8.21	1599	230.49	293.54	75.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.39	0.00	26.72	26.91	G=4	9.55	G=4	9.54				1	2	定刻	
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
4:20	12.45	8.20	1599	228.13	293.54	75.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.39	0.00	26.72	26.91	G=4	9.55	G=4	9.54				1	2	定刻	
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
4:30	12.45	8.20	1599	228.13	293.54	75.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.39	0.00	26.72	26.91	G=4	9.55	G=4	9.54				1	2	定刻	
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
4:40	12.45	8.20	1599	228.13	293.54	75.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.39	0.00	26.72	26.91	G=4	9.55	G=4	9.54				1	2	定刻	
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
4:50	12.45	8.20	1599	228.13	293.54	75.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.39	0.00	26.72	26.91	G=4	9.55	G=4	9.54				1	2	定刻	
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
5:00	12.44	8.19	1590	225.79	290.43	75.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.39	0.00	26.72	26.91	G=4	9.55	G=4	9.54				1	2	定刻	
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
5:00	12.44	8.19	1590	225.79	290.43	74.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	74.18	0.00	26.60	26.80	G=4	9.55	G=4	9.54				1 C	1	2	制御開始
						99	0	71	0	71	0	71	0	99	0	9.02	8.98	G=4	9.55	G=4	9.54							
5:00	12.44	8.19	1590	225.79	273.81	74.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	74.18	0.00	26.60	26.80	G=4	9.55	G=4	9.54	1 C	1	2	機器動作			
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54							
5:10	12.44	8.15	1590	225.79	273.81	65.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	65.87	0.00	26.60	26.80	G=4	9.55	G=4	9.54	1	2	定刻				
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54							
5:20	12.45	8.14	1599	225.79	276.84	65.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	65.87	0.00	26.60	26.80	G=4	9.55	G=4	9.54	1	2	定刻				
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54							
5:30	12.46	8.14	1607	225.79	279.88	67.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	67.04	0.00	26.72	26.91	G=4	9.55	G=4	9.54	1	2	定刻				
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54							
5:40	12.46	8.14	1607	225.79	279.88	68.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	68.21	0.00	26.84	27.03	G=4	9.55	G=4	9.54	1	2	定刻				
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54							
5:50	12.46	8.15	1607	225.79	279.88	68.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	68.21	0.00	26.84	27.03	G=4	9.55	G=4	9.54	1	2	定刻				
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54							
6:00	12.47	8.15	1615	223.46	282.93	68.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	68.21	0.00	26.84	27.03	G=4	9.55	G=4	9.54	1	2	定刻				
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54							
6:10	12.47	8.15	1615	223.46	282.93	69.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	69.39	0.00	26.95	27.15	G=4	9.55	G=4	9.54	1	2	定刻				
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54							
6:20	12.47	8.16	1615	223.46	282.93	69.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	69.39	0.00	26.95	27.15	G=4	9.55	G=4	9.54	1	2	定刻				
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54							
6:30	12.47	8.16	1615	223.46	282.93	69.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	69.39	0.00	26.95	27.15	G=4	9.55	G=4	9.54	1	2	定刻				
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54							
6:40	12.48	8.16	1623	223.46	286.01	69.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	69.39	0.00	26.95	27.15	G=4	9.55	G=4	9.54	1	2	定刻				
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54				1	2	定刻	
						70.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	70.58	0.00	27.07	27.27		45.14		45.37							

加古川大堰操作記録Ⅰ

2017年10月22日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因		
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲー ト	微 調 節 ゲー ト	魚 道 ゲー ト							
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸										
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段														
	T. Pm	T. Pm	10³m³	m³/s	m³/s																								
6:50	12.48	8.17	1623	223.46	286.01	91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54	1	C		1	2	定刻		
7:00	12.48	8.17	1623	225.01	286.01	70.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	70.58	0.00	27.07	27.27		45.14		45.37				1	2	定刻		
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54								
7:10	12.48	8.17	1623	225.01	286.01	70.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	70.58	0.00	27.07	27.27		45.14		45.37				1	2	定刻		
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54								
7:20	12.49	8.17	1632	226.60	289.08	70.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	70.58	0.00	27.07	27.27		45.14		45.37				1	2	定刻		
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54								
7:30	12.49	8.18	1632	228.93	289.08	71.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	71.77	0.00	27.19	27.38		45.37		45.60				1	2	定刻		
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54								
7:40	12.50	8.18	1640	228.93	292.17	71.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	71.77	0.00	27.19	27.38		45.37		45.60				1	2	定刻		
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54								
7:50	12.50	8.19	1640	232.18	292.17	72.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	72.97	0.00	27.30	27.50		45.60		45.83				1	2	定刻		
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54								
8:00	12.51	8.20	1649	232.18	295.54	72.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	72.97	0.00	27.30	27.50		45.60		45.83				1	2	定刻		
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54								
8:10	12.51	8.21	1649	233.85	295.54	74.18	0.00	0.08	0.00	0.08	0.00	0.08	0.00	74.18	0.00	27.42	27.62		45.83		46.07				1	2	定刻		
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54								
8:20	12.52	8.21	1657	233.85	299.15	74.18	0.00	0.08	0.00	0.08	0.00	0.08	0.00	74.18	0.00	27.42	27.62		45.83		46.07				1	2	定刻		
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54								
8:30	12.53	8.22	1666	239.60	302.89	75.39	0.00	0.24	0.00	0.24	0.00	0.24	0.00	75.39	0.00	27.54	27.74		46.07		46.30				1	2	定刻		
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54								
8:30	12.53	8.22	1666	239.60	302.89	76.61	0.00	0.44	0.00	0.44	0.00	0.44	0.00	76.61	0.00	27.66	27.86		46.30		46.53				1 C		1	2	制御開始
						91	0	71	0	71	0	71	0	91	0	9.02	8.98	G=4	9.55	G=4	9.54								
8:30	12.53	8.22	1666	239.60	322.85	76.61	0.00	0.44	0.00	0.44	0.00	0.44	0.00	76.61	0.00	27.66	27.86		46.30		46.53				1 C		1	2	機器動作
						100	0	71	0	71	0	71	0	100	0	9.02	8.98	G=4	9.55	G=4	9.54								
8:40	12.53	8.28	1666	241.34	322.85	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		46.30		46.53			1	2	定刻			
						100	0	71	0	71	0	71	0	100	0	9.02	8.98	G=4	9.55	G=4	9.54								
8:50	12.53	8.28	1666	245.48	322.85	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		46.30		46.53			1	2	定刻			
						100	0	71	0	71	0	71	0	100	0	9.02	8.98	G=4	9.55	G=4	9.54								
9:00	12.53	8.29	1666	247.27	322.85	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		46.30		46.53			1	2	定刻			
						100	0	71	0	71	0	71	0	100	0	9.02	8.98	G=4	9.55	G=4	9.54								
9:10	12.53	8.29	1666	251.47	322.85	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		46.30		46.53			1	2	定刻			
						100	0	71	0	71	0	71	0	100	0	9.02	8.98	G=4	9.55	G=4	9.54								
9:20	12.53	8.30	1666	253.32	322.85	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		46.30		46.53			1	2	定刻			
						100	0	71	0	71	0	71	0	100	0	9.02	8.98	G=4	9.55	G=4	9.54								
9:30	12.54	8.31	1675	259.50	326.80	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		46.30		46.53			1	2	定刻			
						100	0	71	0	71	0	71	0	100	0	9.02	8.98	G=4	9.55	G=4	9.54								
9:30	12.54	8.31	1675	259.50	326.80	87.87	0.00	0.67	0.00	0.67	0.00	0.67	0.00	87.87	0.00	27.78	27.97		46.53		46.77	1 C		1	2	制御開始			
						100	0	71	0	71	0	71	0	100	0	9.02	8.98	G=4	9.55	G=4	9.54								
9:30	12.54	8.31	1675	259.50	345.02	87.87	0.00	0.67	0.00	0.67	0.00	0.67	0.00	87.87	0.00	27.78	27.97		46.53		46.77	1 C		1	2	機器動作			
						109	0	71	0	71	0	71	0	109	0	9.02	8.98	G=4	9.55	G=4	9.54								
9:40	12.54	8.35	1675	261.90	345.02	96.98	0.00	0.67	0.00	0.67	0.00	0.67	0.00	96.98	0.00	27.78	27.97		46.53		46.77			1	2	定刻			
						109	0	71	0	71	0	71	0	109	0	9.02	8.98	G=4	9.55	G=4	9.54								
9:50	12.55	8.37	1684	268.21	349.18	96.98	0.00	0.67	0.00	0.67	0.00	0.67	0.00	96.98	0.00	27.78	27.97		46.53		46.77			1	2	定刻			
						109	0	71	0	71	0	71	0	109	0	9.02	8.98	G=4	9.55	G=4	9.54								
9:50	12.55	8.37	1684	268.21	349.18	98.30	0.00	0.94	0.00	0.94	0.00	0.94	0.00	98.30	0.00	27.90	28.09		46.77		47.00			1	2	定刻			
						109	0	71	0	71	0	71	0	109	0	9.02	8.98	G=4	9.55	G=4	9.54								
9:50	12.55	8.37	1684	268.21	349.18	98.30	0.00	0.94	0.00	0.94	0.00	0.94	0.00	98.30	0.00	27.90	28.09		46.77		47.00	1 C		1	2	制御開始			

加古川大堰操作記録Ⅰ

2017年10月22日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
9:50	12.55	8.37	1684	268.21	368.08	120	0	71	0	71	0	71	0	120	0	9.02	8.98	G=4	9.55	G=4	9.54	1 C			1	2	機器動作
10:00	12.55	8.42	1684	272.62	368.08	107.75	0.00	0.94	0.00	0.94	0.00	0.94	0.00	107.75	0.00	27.90	28.09		46.77		47.00				1	2	定刻
						120	0	71	0	71	0	71	0	120	0	9.02	8.98	G=4	9.55	G=4	9.54						
10:10	12.55	8.43	1684	279.12	368.08	107.75	0.00	0.94	0.00	0.94	0.00	0.94	0.00	107.75	0.00	27.90	28.09		46.77		47.00				1	2	定刻
						120	0	71	0	71	0	71	0	120	0	9.02	8.98	G=4	9.55	G=4	9.54						
10:16	12.56	8.44	1692	283.65	372.41	107.75	0.00	0.94	0.00	0.94	0.00	0.94	0.00	107.75	0.00	27.90	28.09		46.77		47.00	1 C			1	2	制御終了
						120	0	71	0	71	0	71	0	120	0	9.02	8.98	G=4	9.55	G=4	9.54						
10:16	12.56	8.44	1692	283.65	372.41	109.12	0.00	1.24	0.00	1.24	0.00	1.24	0.00	109.12	0.00	28.01	28.21		47.00		47.23	1 C			1	2	制御不能
						120	0	71	0	71	0	71	0	120	0	9.02	8.98	G=4	9.55	G=4	9.54						
10:17	12.56	8.44	1692	283.65	372.41	109.12	0.00	1.24	0.00	1.24	0.00	1.24	0.00	109.12	0.00	28.01	28.21		47.00		47.23	1 C			1	2	制御開始
						120	0	71	0	71	0	71	0	120	0	9.02	8.98	G=4	9.55	G=4	9.54						
10:20	12.56	8.45	1692	285.74	372.41	109.12	0.00	1.24	0.00	1.24	0.00	1.24	0.00	109.12	0.00	28.01	28.21		47.00		47.23	1 C			1	2	定刻
						120	0	71	0	71	0	71	0	120	0	9.02	8.98	G=4	9.55	G=4	9.54						
10:20	12.56	8.45	1692	285.74	372.41	109.12	0.00	1.24	0.00	1.24	0.00	1.24	0.00	109.12	0.00	28.01	28.21		47.00		47.23	1 C			1	2	制御開始
						120	0	71	0	71	0	71	0	120	0	9.02	8.98	G=4	9.55	G=4	9.54						
10:21	12.57	8.45	1701	285.74	396.46	145	0	71	0	71	0	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54	1 C			1	2	機器動作
						120.31	0.00	1.56	0.00	1.56	0.00	1.56	0.00	120.31	0.00	28.13	28.33		47.23		47.47						
10:30	12.58	8.47	1710	294.98	401.03	145	0	71	0	71	0	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54				1	2	定刻
						121.73	0.00	1.90	0.00	1.90	0.00	1.90	0.00	121.73	0.00	28.25	28.45		47.47		47.70						
10:40	12.60	8.50	1727	301.86	410.48	145	0	71	0	71	0	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54				1	2	定刻
						124.60	0.00	2.66	0.00	2.66	0.00	2.66	0.00	124.60	0.00	28.49	28.69		47.94		48.18						
10:50	12.62	8.52	1745	313.67	420.15	145	0	71	0	71	0	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54				1	2	定刻
						127.48	0.00	3.49	0.00	3.49	0.00	3.49	0.00	127.48	0.00	28.73	28.93		48.41		48.65						
11:00	12.64	8.55	1762	323.43	430.13	145	0	71	0	71	0	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54				1	2	定刻
						130.39	0.00	4.40	0.00	4.40	0.00	4.40	0.00	130.39	0.00	28.97	29.17		48.89		49.12						
11:07	12.66	8.57	1780	330.76	440.36	145	0	71	0	71	0	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54	1 C			1	2	制御終了
						133.32	0.00	5.38	0.00	5.38	0.00	5.38	0.00	133.32	0.00	29.21	29.41		49.36		49.60						
11:07	12.66	8.57	1780	330.76	440.36	145	0	71	0	71	0	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54	2 E			2	2	制御開始
						133.32	0.00	5.38	0.00	5.38	0.00	5.38	0.00	133.32	0.00	29.21	29.41		49.36		49.60						
11:10	12.66	8.59	1780	333.17	440.36	145	0	71	0	71	0	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54				2	2	定刻
						133.32	0.00	5.38	0.00	5.38	0.00	5.38	0.00	133.32	0.00	29.21	29.41		49.36		49.60						
11:10	12.66	8.59	1780	333.17	440.36	145	0	71	0	71	0	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54	2 E			2	2	制御開始
						133.32	0.00	5.38	0.00	5.38	0.00	5.38	0.00	133.32	0.00	29.21	29.41		49.36		49.60						
11:15	12.67	8.60	1789	338.21	516.58	145	0	71	0	0	25	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54	2 E			2	2	機器動作
						134.79	0.00	5.89	0.00	0.00	76.92	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.84						
11:20	12.67	8.71	1789	343.29	516.58	145	0	71	0	0	25	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54				2	2	定刻
						134.79	0.00	5.89	0.00	0.00	76.92	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.84						
11:20	12.67	8.71	1789	343.29	516.58	145	0	71	0	0	25	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54	2 E			2	2	制御開始
						134.79	0.00	5.89	0.00	0.00	76.92	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.84						
11:21	12.67	8.72	1789	345.78	591.49	145	0	71	0	0	50	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54	2 E			2	2	機器動作
						134.79	0.00	5.89	0.00	0.00	151.83	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.84						
11:30	12.63	8.88	1753	356.11	572.42	145	0	71	0	0	50	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54				2	2	定刻
						128.93	0.00	3.94	0.00	0.00	151.24	3.94	0.00	128.93	0.00	28.85	29.05		48.65		48.89						
11:30	12.63	8.88	1753	356.11	572.42	145	0	71	0	0	50	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54	2 E			2	2	制御開始
						128.93	0.00	3.94	0.00	0.00	151.24	3.94	0.00	128.93	0.00	28.85	29.05		48.65		48.89						
11:35	12.61	8.89	1736	361.28	651.65	145	0	0	30	0	50	71	0	146	0	9.02	8.98	G=4	9.55	G=4	9.54	2 E			2	2	機器動作
						126.04	0.00	0.00	91.54	0.00	150.95	3.07	0.00	126.04	0.00	28.61	28.81		48.18		48.41						

加古川大堰操作記録Ⅰ

2017年10月22日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
11:40	12. 54	8. 97	1675	369. 22	622. 70	145	0	0	30	0	50	71	0	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54				2	2	定刻	
11:40	12. 54	8. 97	1675	369. 22	622. 70	116. 07	0. 00	0. 00	90. 92	0. 00	149. 92	0. 67	0. 00	116. 07	0. 00	27. 78	27. 97		46. 53		46. 77				2 E		2	2
11:44	12. 48	9. 04	1623	374. 57	711. 92	116. 07	0. 00	0. 00	90. 92	0. 00	149. 92	0. 67	0. 00	116. 07	0. 00	27. 78	27. 97		46. 53		46. 77	2 E			2	2	機器動作	
						145	0	0	50	0	50	0	20	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
11:50	12. 40	9. 12	1557	382. 69	680. 88	107. 75	0. 00	0. 00	149. 03	0. 00	149. 03	0. 00	53. 51	107. 75	0. 00	27. 07	27. 27		45. 14		45. 37				2	2	定刻	
11:50	12. 40	9. 12	1557	382. 69	680. 88	145	0	0	50	0	50	0	20	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
11:51	12. 39	9. 13	1549	382. 69	801. 54	96. 98	0. 00	0. 00	147. 83	0. 00	147. 83	0. 00	51. 96	96. 98	0. 00	26. 14	26. 33		43. 30		43. 53	2 E			2	2	制御開始	
						145	0	0	50	0	50	0	20	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:00	12. 21	9. 25	1406	399. 21	735. 26	96. 98	0. 00	0. 00	147. 83	0. 00	147. 83	0. 00	51. 96	96. 98	0. 00	26. 14	26. 33		43. 30		43. 53	2 E			2	2	機器動作	
						145	0	0	50	0	60	0	50	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:00	12. 21	9. 25	1406	399. 21	735. 26	72. 97	0. 00	0. 00	144. 96	0. 00	172. 98	0. 00	144. 96	72. 97	0. 00	23. 96	24. 15		39. 04		39. 27	2 E			2	2	定刻	
						145	0	0	50	0	60	0	50	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:01	12. 20	9. 25	1398	399. 21	854. 69	72. 97	0. 00	0. 00	144. 96	0. 00	172. 98	0. 00	144. 96	72. 97	0. 00	23. 96	24. 15		39. 04		39. 27	2 E			2	2	制御開始	
						145	0	0	55	0	100	0	50	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:10	11. 96	9. 37	1213	413. 31	763. 63	71. 77	0. 00	0. 00	158. 84	0. 00	281. 75	0. 00	144. 81	71. 77	0. 00	23. 85	24. 04		38. 82		39. 04	2 E			2	2	機器動作	
						145	0	0	55	0	100	0	50	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:20	11. 81	9. 31	1103	427. 73	722. 13	45. 07	0. 00	0. 00	154. 74	0. 00	274. 16	0. 00	134. 45	45. 07	0. 00	21. 20	21. 39		33. 67		33. 88	2 E			2	2	定刻	
						145	0	0	55	0	100	0	50	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:20	11. 81	9. 31	1103	427. 73	722. 13	30. 62	0. 00	0. 00	152. 12	0. 00	269. 32	0. 00	138. 71	30. 62	0. 00	19. 60	19. 78		30. 58		30. 78	2 E			2	2	定刻	
						145	0	0	55	0	100	0	50	146	0	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:27	11. 77	9. 22	1075	439. 38	839. 32	30. 62	0. 00	0. 00	152. 12	0. 00	269. 32	0. 00	138. 71	30. 62	0. 00	19. 60	19. 78		30. 58		30. 78	2 E			2	2	制御開始	
						0	50	0	55	0	100	0	50	0	20	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:30	11. 63	9. 30	977	442. 43	798. 98	0. 00	138. 07	0. 00	151. 41	0. 00	268. 01	0. 00	138. 07	0. 00	45. 48	19. 18	19. 36		29. 77		29. 97	2 E			2	2	機器動作	
						0	50	0	55	0	100	0	50	0	20	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:30	11. 63	9. 30	977	442. 43	798. 98	0. 00	126. 76	0. 00	148. 92	0. 00	263. 39	0. 00	126. 76	0. 00	43. 32	17. 73	17. 91		27. 00		27. 19	2 E			2	2	定刻	
						0	50	0	55	0	100	0	50	0	20	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:32	11. 60	9. 33	957	445. 27	919. 12	0. 00	126. 76	0. 00	148. 92	0. 00	263. 39	0. 00	126. 76	0. 00	43. 32	17. 73	17. 91		27. 00		27. 19	2 E			2	2	制御開始	
						0	50	0	75	0	100	0	50	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:40	11. 36	9. 45	801	460. 31	848. 44	0. 00	122. 95	0. 00	199. 81	0. 00	262. 39	0. 00	122. 95	0. 00	122. 95	17. 43	17. 61		26. 42		26. 61	2 E			2	2	機器動作	
						0	50	0	75	0	100	0	50	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
12:50	11. 16	9. 42	678	478. 56	810. 42	0. 00	108. 70	0. 00	193. 77	0. 00	254. 26	0. 00	108. 70	0. 00	108. 70	15. 06	15. 23		21. 92		22. 10	2 E			2	2	定刻	
						0	50	0	75	0	100	0	50	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
13:00	11. 03	9. 36	604	497. 20	790. 99	0. 00	103. 70	0. 00	188. 59	0. 00	247. 28	0. 00	103. 70	0. 00	103. 70	13. 17	13. 33		18. 39		18. 56	2 E			2	2	定刻	
						0	50	0	75	0	100	0	50	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
13:00	11. 03	9. 36	604	497. 20	790. 99	0. 00	102. 16	0. 00	185. 15	0. 00	242. 65	0. 00	102. 16	0. 00	102. 16	11. 99	12. 15		16. 20		16. 37	2 E			2	2	制御開始	
						0	50	0	75	0	100	0	50	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
13:01	11. 02	9. 36	598	497. 20	917. 61	0. 00	102. 16	0. 00	185. 15	0. 00	242. 65	0. 00	102. 16	0. 00	102. 16	11. 99	12. 15		16. 20		16. 37	2 E			2	2	機器動作	
						0	50	0	100	0	100	0	70	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
13:10	10. 84	9. 41	500	515. 85	850. 39	0. 00	101. 83	0. 00	242. 29	0. 00	242. 29	0. 00	173. 17	0. 00	101. 83	11. 90	12. 06		16. 04		16. 20	2 E			2	2	定刻	
						0	50	0	100	0	100	0	70	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
13:20	10. 77	9. 38	465	541. 72	838. 30	0. 00	93. 51	0. 00	235. 72	0. 00	235. 72	0. 00	144. 59	0. 00	93. 51	10. 33	10. 48		13. 19		13. 34	2 E			2	2	制御開始	
						0	50	0	100	0	100	0	70	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
13:20	10. 77	9. 38	465	541. 72	838. 30	0. 00	92. 41	0. 00	233. 12	0. 00	233. 12	0. 00	143. 20	0. 00	92. 41	9. 74	9. 89		12. 13		12. 28	2 E			2	2	定刻	
						0	50	0	100	0	100	0	70	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54							
						0. 00	92. 41	0. 00	233. 12	0. 00	233. 12	0. 00	143. 20	0. 00	92. 41	9. 74	9. 89		12. 13		12. 28				2	2	制御開始	

加古川大堰操作記録Ⅰ

2017年10月22日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
13:21	10. 77	9. 37	465	544. 82	980. 58	0	70	0	100	0	100	0	100	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	機器動作
13:30	10. 65	9. 42	405	567. 87	942. 41	0. 00	144. 33	0. 00	233. 12	0. 00	233. 12	0. 00	233. 12	0. 00	92. 85	9. 74	9. 89		12. 13		12. 28				2	2	定刻
						0	70	0	100	0	100	0	100	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54						
13:40	10. 63	9. 41	394	594. 63	938. 59	0. 00	131. 70	0. 00	228. 60	0. 00	228. 60	0. 00	228. 60	0. 00	86. 35	8. 75	8. 90		10. 38		10. 53				2	2	定刻
						0	70	0	100	0	100	0	100	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54						
13:40	10. 63	9. 41	394	594. 63	938. 59	0. 00	131. 34	0. 00	227. 84	0. 00	227. 84	0. 00	227. 84	0. 00	86. 06	8. 59	8. 74		10. 10		10. 24	2 E			2	2	制御開始
						0	70	0	100	0	100	0	100	0	50	9. 02	8. 98	G=4	9. 55	G=4	9. 54						
13:41	10. 63	9. 41	394	594. 63	1080. 37	0	100	0	100	0	100	0	100	0	70	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	機器動作
						0. 00	227. 84	0. 00	227. 84	0. 00	227. 84	0. 00	227. 84	0. 00	131. 34	8. 59	8. 74		10. 10	10. 24							
13:50	10. 56	9. 46	359	618. 69	1058. 09	0	100	0	100	0	100	0	100	0	70	9. 02	8. 98	G=4	9. 55	G=4	9. 54				2	2	定刻
						0. 00	225. 15	0. 00	225. 15	0. 00	225. 15	0. 00	225. 15	0. 00	122. 86	8. 04	8. 18		9. 14	9. 27							
13:50	10. 56	9. 46	359	618. 69	1058. 09	0	100	0	100	0	100	0	100	0	70	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	制御開始
						0. 00	225. 15	0. 00	225. 15	0. 00	225. 15	0. 00	225. 15	0. 00	122. 86	8. 04	8. 18		9. 14	9. 27							
13:52	10. 56	9. 46	359	629. 04	1211. 49	0	100	0	100	0	125	0	100	0	100	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	機器動作
						0. 00	225. 15	0. 00	225. 15	0. 00	276. 26	0. 00	225. 15	0. 00	225. 15	8. 04	8. 18		9. 14	9. 27							
14:00	10. 48	9. 52	320	646. 62	1055. 75	0	100	0	100	0	125	0	100	0	100	9. 02	8. 98	G=4	9. 55	G=4	9. 54				2	2	定刻
						0. 00	188. 04	0. 00	188. 04	0. 00	272. 34	0. 00	188. 04	0. 00	188. 04	7. 42	7. 56		8. 07	8. 20							
14:00	10. 48	9. 52	320	646. 62	1055. 75	0	100	0	100	0	125	0	100	0	100	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	制御開始
						0. 00	188. 04	0. 00	188. 04	0. 00	272. 34	0. 00	188. 04	0. 00	188. 04	7. 42	7. 56		8. 07	8. 20							
14:01	10. 48	9. 52	320	650. 41	1208. 22	0	100	0	135	0	150	0	100	0	100	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	機器動作
						0. 00	188. 04	0. 00	291. 96	0. 00	320. 89	0. 00	188. 04	0. 00	188. 04	7. 42	7. 56		8. 07	8. 20							
14:10	10. 42	9. 56	293	675. 15	1152. 43	0	100	0	135	0	150	0	100	0	100	9. 02	8. 98	G=4	9. 55	G=4	9. 54				2	2	定刻
						0. 00	172. 52	0. 00	288. 75	0. 00	317. 31	0. 00	172. 52	0. 00	172. 52	6. 97	7. 11		7. 30	7. 43							
14:10	10. 42	9. 56	293	675. 15	1152. 43	0	100	0	135	0	150	0	100	0	100	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	制御開始
						0. 00	172. 52	0. 00	288. 75	0. 00	317. 31	0. 00	172. 52	0. 00	172. 52	6. 97	7. 11		7. 30	7. 43							
14:12	10. 42	9. 56	293	679. 03	1316. 32	0	100	0	150	0	150	0	145	0	100	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	機器動作
						0. 00	172. 52	0. 00	317. 31	0. 00	317. 31	0. 00	307. 85	0. 00	172. 52	6. 97	7. 11		7. 30	7. 43							
14:20	10. 38	9. 59	275	701. 23	1288. 39	0	100	0	150	0	150	0	145	0	100	9. 02	8. 98	G=4	9. 55	G=4	9. 54				2	2	定刻
						0. 00	162. 92	0. 00	314. 90	0. 00	314. 90	0. 00	305. 53	0. 00	162. 92	6. 67	6. 81		6. 81	6. 93							
14:20	10. 38	9. 59	275	701. 23	1288. 39	0	100	0	150	0	150	0	145	0	100	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	制御開始
						0. 00	162. 92	0. 00	314. 90	0. 00	314. 90	0. 00	305. 53	0. 00	162. 92	6. 67	6. 81		6. 81	6. 93							
14:22	10. 38	9. 59	275	701. 23	1452. 71	0	150	0	150	0	150	0	145	0	105	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	機器動作
						0. 00	314. 90	0. 00	314. 90	0. 00	314. 90	0. 00	305. 53	0. 00	175. 26	6. 67	6. 81		6. 81	6. 93							
14:30	10. 37	9. 62	271	719. 77	1443. 42	0	150	0	150	0	150	0	145	0	105	9. 02	8. 98	G=4	9. 55	G=4	9. 54				2	2	定刻
						0. 00	314. 29	0. 00	314. 29	0. 00	314. 29	0. 00	304. 94	0. 00	168. 79	6. 60	6. 73		6. 68	6. 81							
14:30	10. 37	9. 62	271	719. 77	1443. 42	0	150	0	150	0	150	0	145	0	105	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	制御開始
						0. 00	314. 29	0. 00	314. 29	0. 00	314. 29	0. 00	304. 94	0. 00	168. 79	6. 60	6. 73		6. 68	6. 81							
14:32	10. 37	9. 63	271	727. 36	1625. 69	0	150	0	150	0	170	0	145	0	150	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	機器動作
						0. 00	314. 29	0. 00	314. 29	0. 00	351. 06	0. 00	304. 94	0. 00	314. 29	6. 60	6. 73		6. 68	6. 81							
14:40	10. 36	9. 66	266	746. 26	1622. 22	0	150	0	150	0	170	0	145	0	150	9. 02	8. 98	G=4	9. 55	G=4	9. 54				2	2	定刻
						0. 00	313. 69	0. 00	313. 69	0. 00	350. 37	0. 00	304. 36	0. 00	313. 69	6. 52	6. 66		6. 56	6. 68							
14:40	10. 36	9. 66	266	746. 26	1622. 22	0	150	0	150	0	170	0	145	0	150	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	制御開始
						0. 00	313. 69	0. 00	313. 69	0. 00	350. 37	0. 00	304. 36	0. 00	313. 69	6. 52	6. 66		6. 56	6. 68							
14:42	10. 36	9. 67	266	746. 26	1811. 39	0	150	0	200	0	200	0	170	0	150	9. 02	8. 98	G=4	9. 55	G=4	9. 54	2 E			2	2	機器動作
						0. 00	313. 69	0. 00	403. 61	0. 00	403. 61	0. 00	350. 37	0. 00	313. 69	6. 52	6. 66		6. 56	6. 68							
14:50	10. 36	9. 71	266	765. 38	1811. 39	0	150	0	200	0	200	0	170	0	150	9. 02	8. 98	G=4	9. 55	G=4	9. 54				2	2	定刻
						0. 00	313. 69	0. 00	403. 61	0. 00	403. 61	0. 00	350. 37	0. 00	313. 69	6. 52	6. 66		6. 56	6. 68							