

加古川大堰操作記録Ⅰ

2020年06月13日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ー ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
0:00	12. 58	7. 23	1710	47. 34	45. 21	0	0	71	0	71	0	71	0	0	0	10. 11	10. 11	G=1	12. 47	G=1	12. 45		1 A		1	1	制御開始
0:02	12. 58	7. 25	1710	48. 63	55. 21	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	17. 48	17. 48		0. 33		0. 42		1 A			1	1
						0	0	71	0	71	0	71	0	0	0	9. 59	9. 59	G=1	12. 47	G=1	12. 45						
0:05	12. 58	7. 28	1710	50. 33	55. 12	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	22. 48	22. 48		0. 33		0. 42			1	1	機器動作	
						0	0	71	0	71	0	71	0	0	0	9. 59	9. 59	G=1	12. 49	G=1	12. 45						
0:08	12. 59	7. 30	1718	52. 02	57. 20	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	22. 48	22. 48		0. 24		0. 42			1	1	機器動作	
						0	0	71	0	71	0	71	0	0	0	9. 59	9. 59	G=1	12. 49	G=1	12. 47						
0:10	12. 59	7. 34	1718	52. 05	57. 16	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	22. 60	22. 60		0. 28		0. 37			1	2	定刻	
						0	0	71	0	71	0	71	0	0	0	9. 59	9. 59	G=1	12. 50	G=1	12. 47						
0:10	12. 59	7. 34	1718	52. 05	57. 16	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	22. 60	22. 60		0. 24		0. 37	1 A		1	2	制御開始	
						0	0	71	0	71	0	71	0	0	0	9. 59	9. 59	G=1	12. 50	G=1	12. 47						
0:12	12. 60	7. 35	1727	52. 05	71. 18	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	22. 60	22. 60		0. 24		0. 37	1 A		1	2	機器動作	
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 47						
0:20	12. 61	7. 39	1736	61. 96	73. 57	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	28. 49	28. 69		0. 28		0. 42			1	2	定刻	
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 47						
0:22	12. 61	7. 40	1736	61. 96	73. 47	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	28. 61	28. 81		0. 33		0. 47			1	2	機器動作	
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 49						
0:30	12. 62	7. 41	1745	67. 29	75. 85	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	28. 61	28. 81		0. 33		0. 37			1	2	定刻	
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
0:30	12. 62	7. 41	1745	67. 29	75. 85	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	28. 73	28. 93		0. 37		0. 37	1 C		1	2	制御開始	
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
0:31	12. 62	7. 42	1745	67. 29	91. 15	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	28. 73	28. 93		0. 37		0. 37	1 C		1	2	機器動作	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
0:40	12. 62	7. 51	1745	70. 04	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
0:50	12. 62	7. 52	1745	71. 44	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
1:00	12. 62	7. 52	1745	71. 44	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
1:10	12. 62	7. 52	1745	74. 28	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
1:20	12. 62	7. 52	1745	74. 28	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
1:30	12. 62	7. 52	1745	72. 85	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
1:40	12. 62	7. 52	1745	72. 29	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
1:50	12. 62	7. 52	1745	72. 29	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:00	12. 62	7. 52	1745	72. 29	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:10	12. 62	7. 52	1745	72. 29	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:20	12. 62	7. 52	1745	70. 88	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:30	12. 62	7. 52	1745	70. 88	91. 15	11. 14	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	11. 14	0. 00	28. 73	28. 93		0. 37		0. 37			1	2	定刻	

加古川大堰操作記録Ⅰ

2020年06月13日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
2:40	12.62	7.52	1745	70.88	91.15	15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻	
2:50	12.62	7.52	1745	70.88	91.15	11.14	0.00	3.49	0.00	3.49	0.00	3.49	0.00	11.14	0.00	28.73	28.93		0.37		0.37				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.50							
3:00	12.62	7.51	1745	70.88	91.15	11.14	0.00	3.49	0.00	3.49	0.00	3.49	0.00	11.14	0.00	28.73	28.93		0.37		0.37				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.50							
3:10	12.62	7.51	1745	69.48	91.15	11.14	0.00	3.49	0.00	3.49	0.00	3.49	0.00	11.14	0.00	28.73	28.93		0.37		0.37				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.50							
3:18	12.62	7.51	1745	69.48	91.25	11.14	0.00	3.49	0.00	3.49	0.00	3.49	0.00	11.14	0.00	28.73	28.93		0.37		0.37				1	2	機器動作	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
3:20	12.62	7.51	1745	69.48	91.25	11.14	0.00	3.49	0.00	3.49	0.00	3.49	0.00	11.14	0.00	28.73	28.93		0.37		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
3:30	12.62	7.50	1745	69.48	91.25	11.14	0.00	3.49	0.00	3.49	0.00	3.49	0.00	11.14	0.00	28.73	28.93		0.37		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
3:40	12.62	7.50	1745	68.65	91.25	11.14	0.00	3.49	0.00	3.49	0.00	3.49	0.00	11.14	0.00	28.73	28.93		0.37		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
3:50	12.62	7.50	1745	68.65	91.25	11.14	0.00	3.49	0.00	3.49	0.00	3.49	0.00	11.14	0.00	28.73	28.93		0.37		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
4:00	12.62	7.50	1745	68.65	91.25	11.14	0.00	3.49	0.00	3.49	0.00	3.49	0.00	11.14	0.00	28.73	28.93		0.37		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
4:10	12.62	7.50	1745	69.24	91.25	11.14	0.00	3.49	0.00	3.49	0.00	3.49	0.00	11.14	0.00	28.73	28.93		0.37		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
4:20	12.61	7.50	1736	69.24	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
4:30	12.61	7.50	1736	69.86	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
4:40	12.61	7.50	1736	69.86	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
4:50	12.61	7.50	1736	69.86	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
5:00	12.61	7.50	1736	69.86	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
5:10	12.61	7.50	1736	68.50	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
5:20	12.61	7.50	1736	68.50	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
5:30	12.61	7.50	1736	68.50	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
5:40	12.61	7.49	1736	67.14	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
5:50	12.61	7.49	1736	67.14	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
6:00	12.61	7.49	1736	67.14	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
6:10	12.61	7.49	1736	65.80	88.40	10.51	0.00	3.07	0.00	3.07	0.00	3.07	0.00	10.51	0.00	28.61	28.81		0.33		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48							
6:20	12.60	7.48	1727	65.80	85.57	15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.48				1	2	定刻	
						9.88	0.00	2.66	0.00	2.66	0.00	2.66	0.00	9.88	0.00	28.49	28.69		0.28		0.37							

加古川大堰操作記録Ⅰ

2020年06月13日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
6:28	12.60	7.48	1727	65.80	85.67	15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.46				1	2	機器動作	
6:30	12.60	7.48	1727	64.48	85.67	9.88	0.00	2.66	0.00	2.66	0.00	2.66	0.00	9.88	0.00	28.49	28.69		0.28		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.46							
6:40	12.60	7.48	1727	64.48	85.67	9.88	0.00	2.66	0.00	2.66	0.00	2.66	0.00	9.88	0.00	28.49	28.69		0.28		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.46							
6:50	12.60	7.48	1727	64.48	85.67	9.88	0.00	2.66	0.00	2.66	0.00	2.66	0.00	9.88	0.00	28.49	28.69		0.28		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.50	G=1	12.46							
6:59	12.60	7.47	1727	64.48	85.81	9.88	0.00	2.66	0.00	2.66	0.00	2.66	0.00	9.88	0.00	28.49	28.69		0.28		0.47				1	2	機器動作	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.46							
7:00	12.60	7.47	1727	64.48	85.81	9.88	0.00	2.66	0.00	2.66	0.00	2.66	0.00	9.88	0.00	28.49	28.69		0.42		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.46							
7:10	12.59	7.47	1718	63.17	83.08	9.88	0.00	2.66	0.00	2.66	0.00	2.66	0.00	9.88	0.00	28.49	28.69		0.42		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.46							
7:20	12.59	7.47	1718	63.17	83.08	9.27	0.00	2.27	0.00	2.27	0.00	2.27	0.00	9.27	0.00	28.37	28.57		0.37		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.46							
7:30	12.59	7.47	1718	61.88	83.08	9.27	0.00	2.27	0.00	2.27	0.00	2.27	0.00	9.27	0.00	28.37	28.57		0.37		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.46							
7:40	12.59	7.46	1718	61.88	83.08	9.27	0.00	2.27	0.00	2.27	0.00	2.27	0.00	9.27	0.00	28.37	28.57		0.37		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.46							
7:50	12.58	7.46	1710	60.60	80.44	9.27	0.00	2.27	0.00	2.27	0.00	2.27	0.00	9.27	0.00	28.37	28.57		0.37		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.46							
7:58	12.58	7.45	1710	60.60	80.54	8.67	0.00	1.90	0.00	1.90	0.00	1.90	0.00	8.67	0.00	28.25	28.45		0.33		0.37				1	2	機器動作	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
8:00	12.58	7.45	1710	60.60	80.54	8.67	0.00	1.90	0.00	1.90	0.00	1.90	0.00	8.67	0.00	28.25	28.45		0.33		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
8:10	12.58	7.45	1710	60.60	80.54	8.67	0.00	1.90	0.00	1.90	0.00	1.90	0.00	8.67	0.00	28.25	28.45		0.33		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
8:20	12.58	7.45	1710	60.60	80.54	8.67	0.00	1.90	0.00	1.90	0.00	1.90	0.00	8.67	0.00	28.25	28.45		0.33		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
8:30	12.58	7.45	1710	60.60	80.54	8.67	0.00	1.90	0.00	1.90	0.00	1.90	0.00	8.67	0.00	28.25	28.45		0.33		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
8:40	12.58	7.44	1710	60.60	80.54	8.67	0.00	1.90	0.00	1.90	0.00	1.90	0.00	8.67	0.00	28.25	28.45		0.33		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
8:50	12.57	7.44	1701	60.60	78.02	8.67	0.00	1.90	0.00	1.90	0.00	1.90	0.00	8.67	0.00	28.25	28.45		0.33		0.47				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
9:00	12.57	7.44	1701	60.60	78.02	8.09	0.00	1.56	0.00	1.56	0.00	1.56	0.00	8.09	0.00	28.13	28.33		0.28		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
9:10	12.57	7.44	1701	59.98	78.02	8.09	0.00	1.56	0.00	1.56	0.00	1.56	0.00	8.09	0.00	28.13	28.33		0.28		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
9:20	12.57	7.44	1701	61.26	78.02	8.09	0.00	1.56	0.00	1.56	0.00	1.56	0.00	8.09	0.00	28.13	28.33		0.28		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
9:30	12.57	7.44	1701	61.26	78.02	8.09	0.00	1.56	0.00	1.56	0.00	1.56	0.00	8.09	0.00	28.13	28.33		0.28		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
9:40	12.57	7.44	1701	61.26	78.02	8.09	0.00	1.56	0.00	1.56	0.00	1.56	0.00	8.09	0.00	28.13	28.33		0.28		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
9:50	12.57	7.44	1701	61.26	78.02	8.09	0.00	1.56	0.00	1.56	0.00	1.56	0.00	8.09	0.00	28.13	28.33		0.28		0.42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9.02	8.99	G=1	12.47	G=1	12.44							
						8.09	0.00	1.56	0.00	1.56	0.00	1.56	0.00	8.09	0.00	28.13	28.33		0.28		0.42				1	2	定刻	

加古川大堰操作記録Ⅰ

2020年06月13日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
10:00	12. 57	7. 44	1701	61. 26	78. 02	15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44	1 C			1	2	定刻	
10:10	12. 57	7. 45	1701	61. 26	78. 02	8. 09	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	8. 09	0. 00	28. 13	28. 33		0. 28		0. 42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
10:20	12. 57	7. 45	1701	62. 55	78. 02	8. 09	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	8. 09	0. 00	28. 13	28. 33		0. 28		0. 42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
10:30	12. 57	7. 45	1701	62. 55	78. 02	8. 09	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	8. 09	0. 00	28. 13	28. 33		0. 28		0. 42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
10:40	12. 57	7. 45	1701	62. 55	78. 02	8. 09	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	8. 09	0. 00	28. 13	28. 33		0. 28		0. 42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
10:50	12. 57	7. 46	1701	63. 86	78. 02	8. 09	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	8. 09	0. 00	28. 13	28. 33		0. 28		0. 42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
11:00	12. 58	7. 46	1710	63. 86	80. 54	8. 09	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	8. 09	0. 00	28. 13	28. 33		0. 28		0. 42				1	2	定刻	
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
11:00	12. 58	7. 46	1710	63. 86	80. 54	8. 67	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	8. 67	0. 00	28. 25	28. 45		0. 33		0. 47				1 C	1	2	制御開始
						15	0	71	0	71	0	71	0	15	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
11:00	12. 58	7. 46	1710	63. 86	96. 54	8. 67	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	8. 67	0. 00	28. 25	28. 45		0. 33		0. 47				1 C	1	2	機器動作
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
11:10	12. 58	7. 53	1710	65. 18	96. 54	16. 67	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	16. 67	0. 00	28. 25	28. 45		0. 33		0. 47					1	2	定刻
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
11:20	12. 58	7. 54	1710	66. 52	96. 54	16. 67	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	16. 67	0. 00	28. 25	28. 45		0. 33		0. 47					1	2	定刻
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
11:30	12. 57	7. 53	1701	67. 88	93. 72	16. 67	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	16. 67	0. 00	28. 25	28. 45		0. 33		0. 47					1	2	定刻
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
11:40	12. 57	7. 53	1701	68. 65	93. 72	15. 94	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	15. 94	0. 00	28. 13	28. 33		0. 28		0. 42					1	2	定刻
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
11:50	12. 57	7. 53	1701	70. 04	93. 72	15. 94	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	15. 94	0. 00	28. 13	28. 33		0. 28		0. 42		1	2	定刻			
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
12:00	12. 57	7. 53	1701	70. 04	93. 72	15. 94	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	15. 94	0. 00	28. 13	28. 33		0. 28		0. 42		1	2	定刻			
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
12:10	12. 57	7. 53	1701	72. 85	93. 72	15. 94	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	15. 94	0. 00	28. 13	28. 33		0. 28		0. 42		1	2	定刻			
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
12:20	12. 57	7. 53	1701	74. 28	93. 72	15. 94	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	15. 94	0. 00	28. 13	28. 33		0. 28		0. 42		1	2	定刻			
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
12:30	12. 57	7. 54	1701	75. 72	93. 72	15. 94	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	15. 94	0. 00	28. 13	28. 33		0. 28		0. 42		1	2	定刻			
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
12:40	12. 57	7. 54	1701	77. 18	93. 72	15. 94	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	15. 94	0. 00	28. 13	28. 33		0. 28		0. 42		1	2	定刻			
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44							
12:49	12. 58	7. 56	1710	77. 18	96. 44	15. 94	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	15. 94	0. 00	28. 13	28. 33		0. 28		0. 42		1	2	機器動作			
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 46							
12:50	12. 58	7. 56	1710	77. 18	96. 44	16. 67	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	16. 67	0. 00	28. 25	28. 45		0. 33		0. 37		1	2	定刻			
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 46							
12:50	12. 58	7. 56	1710	77. 18	96. 44	16. 67	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	16. 67	0. 00	28. 25	28. 45		0. 33		0. 37	1 C	1	2	制御開始			
						27	0	71	0	71	0	71	0	27	0	9. 02	8. 99	G=1	12. 47	G=1	12. 46							
12:50	12. 58	7. 56	1710	77. 18	115. 56	16. 67	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	16. 67	0. 00	28. 25	28. 45		0. 33		0. 37	1 C	1	2	機器動作			
						39	0	71	0	71	0	71	0	39	0	9. 02	8. 99	G=1	12. 47	G=1	12. 46							
13:00	12. 58	7. 64	1710	77. 18	115. 56	26. 23	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	26. 23	0. 00	28. 25	28. 45		0. 33		0. 37		1	2	定刻			
						39	0	71	0	71	0	71	0	39	0	9. 02	8. 99	G=1	12. 47	G=1	12. 46				1	2	定刻	
						26. 23	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	26. 23	0. 00	28. 25	28. 45		0. 33		0. 37							

加古川大堰操作記録Ⅰ

2020年06月13日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
13:10	12.58	7.65	1710	86.25	115.56	39	0	71	0	71	0	71	0	39	0	9.02	8.99	G=1	12.47	G=1	12.46	1 C			1	2	定刻	
13:20	12.58	7.65	1710	90.99	115.56	26.23	0.00	1.90	0.00	1.90	0.00	1.90	0.00	26.23	0.00	28.25	28.45		0.33		0.37				1	2	定刻	
						39	0	71	0	71	0	71	0	39	0	9.02	8.99	G=1	12.47	G=1	12.46							
13:30	12.58	7.65	1710	94.23	115.56	26.23	0.00	1.90	0.00	1.90	0.00	1.90	0.00	26.23	0.00	28.25	28.45		0.33		0.37				1	2	定刻	
						39	0	71	0	71	0	71	0	39	0	9.02	8.99	G=1	12.47	G=1	12.46							
13:40	12.58	7.65	1710	95.87	115.56	26.23	0.00	1.90	0.00	1.90	0.00	1.90	0.00	26.23	0.00	28.25	28.45		0.33		0.37				1	2	定刻	
						39	0	71	0	71	0	71	0	39	0	9.02	8.99	G=1	12.47	G=1	12.46							
13:50	12.58	7.65	1710	95.87	115.56	26.23	0.00	1.90	0.00	1.90	0.00	1.90	0.00	26.23	0.00	28.25	28.45		0.33		0.37				1	2	定刻	
						39	0	71	0	71	0	71	0	39	0	9.02	8.99	G=1	12.47	G=1	12.46							
13:56	12.58	7.65	1710	95.87	115.47	26.23	0.00	1.90	0.00	1.90	0.00	1.90	0.00	26.23	0.00	28.25	28.45		0.33		0.37				1	2	機器動作	
						39	0	71	0	71	0	71	0	39	0	9.02	8.99	G=1	12.49	G=1	12.46							
14:00	12.59	7.65	1718	95.87	118.63	26.23	0.00	1.90	0.00	1.90	0.00	1.90	0.00	26.23	0.00	28.25	28.45		0.24		0.37				1	2	定刻	
						39	0	71	0	71	0	71	0	39	0	9.02	8.99	G=1	12.49	G=1	12.46							
14:00	12.59	7.65	1718	95.87	118.63	27.09	0.00	2.27	0.00	2.27	0.00	2.27	0.00	27.09	0.00	28.37	28.57		0.28		0.42				1 C	1	2	制御開始
						39	0	71	0	71	0	71	0	39	0	9.02	8.99	G=1	12.49	G=1	12.46							
14:00	12.59	7.65	1718	95.87	136.79	27.09	0.00	2.27	0.00	2.27	0.00	2.27	0.00	27.09	0.00	28.37	28.57		0.28		0.42				1 C	1	2	機器動作
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.49	G=1	12.46							
14:10	12.59	7.72	1718	95.87	136.79	36.17	0.00	2.27	0.00	2.27	0.00	2.27	0.00	36.17	0.00	28.37	28.57		0.28		0.42				1	2	定刻	
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.49	G=1	12.46							
14:20	12.59	7.73	1718	97.53	136.79	36.17	0.00	2.27	0.00	2.27	0.00	2.27	0.00	36.17	0.00	28.37	28.57		0.28		0.42				1	2	定刻	
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.49	G=1	12.46							
14:30	12.59	7.73	1718	105.47	136.79	36.17	0.00	2.27	0.00	2.27	0.00	2.27	0.00	36.17	0.00	28.37	28.57		0.28		0.42	1	2	定刻				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.49	G=1	12.46							
14:40	12.59	7.73	1718	114.91	136.79	36.17	0.00	2.27	0.00	2.27	0.00	2.27	0.00	36.17	0.00	28.37	28.57		0.28		0.42	1	2	定刻				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.49	G=1	12.46							
14:50	12.59	7.73	1718	118.57	136.79	36.17	0.00	2.27	0.00	2.27	0.00	2.27	0.00	36.17	0.00	28.37	28.57		0.28		0.42	1	2	定刻				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.49	G=1	12.46							
15:00	12.59	7.73	1718	118.01	136.79	36.17	0.00	2.27	0.00	2.27	0.00	2.27	0.00	36.17	0.00	28.37	28.57		0.28		0.42	1	2	定刻				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.49	G=1	12.46							
15:10	12.59	7.72	1718	112.55	136.79	36.17	0.00	2.27	0.00	2.27	0.00	2.27	0.00	36.17	0.00	28.37	28.57		0.28		0.42	1	2	定刻				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.49	G=1	12.46							
15:20	12.58	7.72	1710	109.54	133.47	36.17	0.00	2.27	0.00	2.27	0.00	2.27	0.00	36.17	0.00	28.37	28.57		0.28		0.42	1	2	定刻				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.49	G=1	12.46							
15:21	12.58	7.72	1710	108.98	133.60	35.23	0.00	1.90	0.00	1.90	0.00	1.90	0.00	35.23	0.00	28.25	28.45		0.24		0.37	1	2	機器動作				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.46	G=1	12.46							
15:25	12.58	7.71	1710	108.98	133.70	35.23	0.00	1.90	0.00	1.90	0.00	1.90	0.00	35.23	0.00	28.25	28.45		0.37		0.37	1	2	機器動作				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.46	G=1	12.44							
15:30	12.58	7.71	1710	105.47	133.70	35.23	0.00	1.90	0.00	1.90	0.00	1.90	0.00	35.23	0.00	28.25	28.45		0.37		0.47	1	2	定刻				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.46	G=1	12.44							
15:40	12.57	7.71	1701	102.58	130.47	35.23	0.00	1.90	0.00	1.90	0.00	1.90	0.00	35.23	0.00	28.25	28.45		0.37		0.47	1	2	定刻				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.46	G=1	12.44							
15:50	12.57	7.70	1701	100.32	130.47	34.29	0.00	1.56	0.00	1.56	0.00	1.56	0.00	34.29	0.00	28.13	28.33		0.33		0.42	1	2	定刻				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.46	G=1	12.44							
16:00	12.57	7.69	1701	100.32	130.47	34.29	0.00	1.56	0.00	1.56	0.00	1.56	0.00	34.29	0.00	28.13	28.33		0.33		0.42	1	2	定刻				
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.46	G=1	12.44							
16:10	12.56	7.69	1692	99.20	127.31	34.29	0.00	1.56	0.00	1.56	0.00	1.56	0.00	34.29	0.00	28.13	28.33		0.33		0.42				1	2	定刻	
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.46	G=1	12.44				1	2	定刻	
						33.36	0.00	1.24	0.00	1.24	0.00	1.24	0.00	33.36	0.00	28.01	28.21		0.28		0.37							

加古川大堰操作記録Ⅰ

2020年06月13日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
16:20	12.56	7.69	1692	99.20	127.31	49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.46	G=1	12.44				1	2	定刻	
16:30	12.56	7.70	1692	100.88	127.31	33.36	0.00	1.24	0.00	1.24	0.00	1.24	0.00	33.36	0.00	28.01	28.21		0.28	0.37								
16:40	12.56	7.70	1692	104.30	127.31	49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.46	G=1	12.44				1	2	定刻	
16:50	12.57	7.71	1701	106.03	130.47	33.36	0.00	1.24	0.00	1.24	0.00	1.24	0.00	33.36	0.00	28.01	28.21		0.28	0.37								
16:50	12.57	7.71	1701	106.03	130.47	49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.46	G=1	12.44	1 C			1	2	定刻	
16:50	12.57	7.71	1701	106.03	130.47	34.29	0.00	1.56	0.00	1.56	0.00	1.56	0.00	34.29	0.00	28.01	28.21		0.28	0.37								
16:50	12.57	7.71	1701	106.03	154.09	49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.46	G=1	12.44	1 C			1	2	機器動作	
17:00	12.57	7.78	1701	106.03	154.09	34.29	0.00	1.56	0.00	1.56	0.00	1.56	0.00	34.29	0.00	28.13	28.33		0.33	0.42								
17:10	12.57	7.79	1701	113.11	154.09	46.10	0.00	1.56	0.00	1.56	0.00	1.56	0.00	46.10	0.00	28.13	28.33		0.33	0.42				1	2	定刻		
17:20	12.57	7.79	1701	119.16	154.09	61	0	71	0	71	0	71	0	61	0	9.02	8.99	G=1	12.46	G=1				12.44				
17:26	12.57	7.80	1701	119.16	154.00	46.10	0.00	1.56	0.00	1.56	0.00	1.56	0.00	46.10	0.00	28.13	28.33		0.33	0.42				1	2	定刻		
17:30	12.58	7.80	1710	124.76	157.43	61	0	71	0	71	0	71	0	61	0	9.02	8.99	G=1	12.48	G=1				12.44				
17:30	12.58	7.80	1710	124.76	157.43	47.14	0.00	1.90	0.00	1.90	0.00	1.90	0.00	47.14	0.00	28.25	28.45		0.28	0.47	1 C			1	2	機器動作		
17:30	12.58	7.80	1710	124.76	178.97	61	0	71	0	71	0	71	0	61	0	9.02	8.99	G=1	12.48	G=1				12.44				
17:40	12.58	7.86	1710	127.93	178.97	47.14	0.00	1.90	0.00	1.90	0.00	1.90	0.00	47.14	0.00	28.25	28.45		0.28	0.47	1 C			1	2	制御開始		
17:42	12.58	7.87	1710	127.93	178.97	57.91	0.00	1.90	0.00	1.90	0.00	1.90	0.00	57.91	0.00	28.25	28.45		0.28	0.47								
17:42	12.58	7.87	1710	127.93	178.97	71	0	71	0	71	0	71	0	71	0	9.02	8.99	G=1	12.48	G=1	12.44	1 C			1	2	制御終了	
17:43	12.58	7.87	1710	127.93	178.87	57.91	0.00	1.90	0.00	1.90	0.00	1.90	0.00	57.91	0.00	28.25	28.45		0.28	0.47								
17:43	12.58	7.87	1710	127.93	178.87	71	0	71	0	71	0	71	0	71	0	9.02	8.99	G=1	12.48	G=1	12.46	1 C			1	2	制御開始	
17:49	12.59	7.88	1718	128.60	182.45	57.91	0.00	1.90	0.00	1.90	0.00	1.90	0.00	57.91	0.00	28.25	28.45		0.28	0.37								
17:50	12.60	7.88	1727	134.39	186.21	71	0	71	0	71	0	71	0	71	0	9.02	8.99	G=1	12.50	G=1	12.46				1	2	機器動作	
17:50	12.60	7.88	1727	134.39	186.21	59.02	0.00	2.27	0.00	2.27	0.00	2.27	0.00	59.02	0.00	28.37	28.57		0.24	0.42								
17:50	12.60	7.88	1727	134.39	207.07	60.15	0.00	2.66	0.00	2.66	0.00	2.66	0.00	60.15	0.00	28.49	28.69		0.28	0.47	1 C			1	2	定刻		
17:57	12.61	7.94	1736	135.82	210.92	71	0	71	0	71	0	71	0	71	0	9.02	8.99	G=1	12.50	G=1				12.46				
18:00	12.62	7.96	1745	136.57	214.91	60.15	0.00	2.66	0.00	2.66	0.00	2.66	0.00	60.15	0.00	28.49	28.69		0.28	0.47	1 C			1	2	制御開始		
						80	0	71	0	71	0	71	0	80	0	9.02	8.99	G=1	12.50	G=1				12.48				
						71.77	0.00	3.07	0.00	3.07	0.00	3.07	0.00	71.77	0.00	28.61	28.81		0.33	0.42				1	2	機器動作		
						72.97	0.00	3.49	0.00	3.49	0.00	3.49	0.00	72.97	0.00	28.73	28.93		0.37	0.47								

加古川大堰操作記録Ⅰ

2020年06月13日
加古川大堰

[illegible]

操 作 モ ー ド	1 文字目：運転モード	2 文字目：制御モード		
	1：自動	A：定水位Ⅰ（微調節）	E：事前放流	I：貯留回復Ⅱ
	2：半自動	B：全開（微調節）	F：定水位	J：開度一回
	3：遠方手動	C：定水位Ⅰ（調節上段）	G：全開	
	4：機側	D：設定流量	H：貯留回復Ⅰ	

制御パターン	1：平水 2：洪水
--------	--------------

流入量判定	1：堰水位 換算流入量 2：上流流入量
-------	---------------------------

G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
---	-------------------------------------