

加古川大堰操作記録Ⅰ

2020年06月18日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
19:00	12. 58	7. 36	1710	70. 36	66. 99	0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 46	G=1	12. 45				1	1	定刻	
19:00	12. 58	7. 36	1710	70. 36	66. 99	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	28. 25	28. 45		0. 37		0. 42				1 C			1
19:01	12. 58	7. 36	1710	70. 81	81. 73	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	28. 25	28. 45	G=1	12. 46	G=1	12. 45	1 C			1	1	機器動作	
19:09	12. 58	7. 41	1710	75. 19	81. 64	9. 27	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	9. 27	0. 00	28. 25	28. 45		0. 37		0. 42				1	1	機器動作	
19:10	12. 58	7. 42	1710	50. 05	81. 64	16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 48	G=1	12. 45							1
19:18	12. 59	7. 44	1718	50. 94	84. 21	9. 27	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	9. 27	0. 00	28. 25	28. 45		0. 28		0. 42				1	2	定刻	
19:20	12. 60	7. 44	1727	56. 35	86. 97	16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 48	G=1	12. 45							1
19:20	12. 60	7. 44	1727	56. 35	86. 97	10. 51	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	10. 51	0. 00	28. 49	28. 69		0. 37		0. 42	1 C			1	2	定刻	
19:20	12. 60	7. 44	1727	56. 35	86. 97	16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 48	G=1	12. 47	1 C			1	2	制御開始	
19:20	12. 60	7. 44	1727	56. 35	100. 77	10. 51	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	10. 51	0. 00	28. 49	28. 69		0. 37		0. 42	1 C			1	2	機器動作	
19:29	12. 60	7. 51	1727	57. 27	100. 68	26	0	71	0	71	0	71	0	26	0	9. 02	8. 99	G=1	12. 50	G=1	12. 47				1	2	定刻	
19:30	12. 60	7. 51	1727	67. 95	100. 68	17. 41	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	17. 41	0. 00	28. 49	28. 69		0. 28		0. 42				1 C			1
19:40	12. 61	7. 54	1736	77. 11	103. 75	26	0	71	0	71	0	71	0	26	0	9. 02	8. 99	G=1	12. 50	G=1	12. 47				1	2	定刻	
19:40	12. 61	7. 54	1736	77. 11	103. 75	18. 16	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	18. 16	0. 00	28. 61	28. 81		0. 33		0. 47				1 C			1
19:40	12. 61	7. 54	1736	77. 11	121. 61	18. 16	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	18. 16	0. 00	28. 61	28. 81	G=1	12. 50	G=1	12. 47	1 C			1	2	機器動作	
19:47	12. 62	7. 60	1745	78. 06	124. 82	27. 09	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	27. 09	0. 00	28. 61	28. 81		0. 33		0. 47				1	2	定刻	
19:50	12. 63	7. 62	1753	82. 21	128. 22	37	0	71	0	71	0	71	0	37	0	9. 02	8. 99	G=1	12. 50	G=1	12. 49				1 C			1
19:50	12. 63	7. 62	1753	82. 21	128. 22	27. 95	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	27. 95	0. 00	28. 73	28. 93		0. 37		0. 42				1	2	定刻	
19:50	12. 63	7. 62	1753	82. 21	128. 22	37	0	71	0	71	0	71	0	37	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50				1 C			1
19:50	12. 63	7. 62	1753	82. 21	144. 82	28. 83	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	28. 83	0. 00	28. 85	29. 05		0. 42		0. 42	1 C			1	2	機器動作	
20:00	12. 64	7. 71	1762	85. 21	148. 46	46	0	71	0	71	0	71	0	46	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C			1	2	定刻	
20:00	12. 64	7. 71	1762	85. 21	148. 46	37. 13	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	37. 13	0. 00	28. 85	29. 05		0. 42		0. 42				1	2	制御開始	
20:00	12. 64	7. 71	1762	85. 21	166. 56	38. 09	0. 00	4. 40	0. 00	4. 40	0. 00	4. 40	0. 00	38. 09	0. 00	28. 97	29. 17	G=1	12. 50	G=1	12. 50				1 C			1
20:00	12. 64	7. 71	1762	85. 21	166. 56	46	0	71	0	71	0	71	0	46	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C			1	2	定刻	
20:10	12. 63	7. 75	1753	101. 09	162. 76	47. 14	0. 00	4. 40	0. 00	4. 40	0. 00	4. 40	0. 00	47. 14	0. 00	28. 97	29. 17		0. 47		0. 47				1	2	機器動作	
20:15	12. 62	7. 75	1745	102. 51	159. 11	55	0	71	0	71	0	71	0	55	0	9. 02	8. 99	G=1	12. 50	G=1	12. 48							1
20:20	12. 61	7. 73	1736	98. 30	155. 48	45. 07	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	45. 07	0. 00	28. 73	28. 93		0. 37		0. 47				1	2	機器動作	
						55	0	71	0	71	0	71	0	55	0	9. 02	8. 99	G=1	12. 50	G=1	12. 48							1
						44. 05	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	44. 05	0. 00	28. 61	28. 81		0. 33		0. 42							

操 作 モ ー ド	1文字目：運転モード	2文字目：制御モード		制 御 パ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動 2：半自動 3：遠方手動 4：機側	A：定水位Ⅰ（微調節） B：全開（微調節） C：定水位Ⅰ（調節上段） D：設定流量	E：事前放流 F：定水位 G：全開 H：貯留回復Ⅰ						

加古川大堰操作記録Ⅰ

2020年06月18日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因			
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート								
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸											
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段															
	T. Pm	T. Pm	10³m³	m³/s	m³/s																									
20:22	12.60	7.73	1727	98.30	151.99	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.50	G=1	12.46				1	2	機器動作			
						43.04	0.00	2.66	0.00	2.66	0.00	2.66	0.00	43.04	0.00	28.49	28.69		0.28		0.47							1	2	機器動作
20:24	12.60	7.72	1727	98.30	152.13	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.47	G=1	12.46							1	2	機器動作
						43.04	0.00	2.66	0.00	2.66	0.00	2.66	0.00	43.04	0.00	28.49	28.69		0.42		0.47							1	2	機器動作
20:28	12.59	7.71	1718	96.92	148.70	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.47	G=1	12.44							1	2	機器動作
						42.03	0.00	2.27	0.00	2.27	0.00	2.27	0.00	42.03	0.00	28.37	28.57		0.37		0.52							1	2	機器動作
20:30	12.58	7.70	1710	94.20	145.28	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.47	G=1	12.44							1	2	定刻
						41.04	0.00	1.90	0.00	1.90	0.00	1.90	0.00	41.04	0.00	28.25	28.45		0.33		0.47							1	2	機器動作
20:34	12.57	7.69	1701	92.87	142.08	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.44	G=1	12.44							1	2	機器動作
						40.05	0.00	1.56	0.00	1.56	0.00	1.56	0.00	40.05	0.00	28.13	28.33		0.42		0.42							1	2	機器動作
20:36	12.57	7.69	1701	91.56	142.18	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.44	G=1	12.42							1	2	機器動作
						40.05	0.00	1.56	0.00	1.56	0.00	1.56	0.00	40.05	0.00	28.13	28.33		0.42		0.52							1	2	機器動作
20:40	12.56	7.68	1692	87.59	138.92	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.44	G=1	12.42							1	2	定刻
						39.07	0.00	1.24	0.00	1.24	0.00	1.24	0.00	39.07	0.00	28.01	28.21		0.37		0.47							1	2	機器動作
20:44	12.55	7.67	1684	85.12	135.84	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.44	G=1	12.40							1	2	機器動作
						38.09	0.00	0.94	0.00	0.94	0.00	0.94	0.00	38.09	0.00	27.90	28.09		0.33		0.52							1	2	機器動作
20:46	12.54	7.66	1675	85.12	132.91	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.41	G=1	12.40							1	2	機器動作
						37.13	0.00	0.67	0.00	0.67	0.00	0.67	0.00	37.13	0.00	27.78	27.97		0.42		0.47							1	2	機器動作
20:50	12.53	7.65	1666	81.43	129.97	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.41	G=1	12.40							1	2	定刻
						36.17	0.00	0.44	0.00	0.44	0.00	0.44	0.00	36.17	0.00	27.66	27.86		0.37		0.42							1	2	機器動作
20:53	12.52	7.64	1657	81.43	127.26	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.41	G=1	12.38							1	2	機器動作
						35.23	0.00	0.24	0.00	0.24	0.00	0.24	0.00	35.23	0.00	27.54	27.74		0.33		0.47							1	2	機器動作
21:00	12.51	7.63	1649	79.18	124.70	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.38	G=1	12.38							1	2	定刻
						34.29	0.00	0.08	0.00	0.08	0.00	0.08	0.00	34.29	0.00	27.42	27.62		0.42		0.42							1	2	機器動作
21:00	12.51	7.63	1649	79.18	124.70	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.38	G=1	12.38				1	2	機器動作			
						34.29	0.00	0.08	0.00	0.08	0.00	0.08	0.00	34.29	0.00	27.42	27.62		0.42		0.42				1	2	機器動作			
21:02	12.50	7.63	1640	77.87	122.36	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.38	G=1	12.36				1	2	機器動作			
						33.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	33.36	0.00	27.30	27.50		0.37		0.47				1	2	機器動作			
21:10	12.49	7.62	1632	76.79	120.18	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.38	G=1	12.36				1	2	定刻			
						32.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	32.43	0.00	27.19	27.38		0.33		0.42				1	2	機器動作			
21:12	12.48	7.61	1623	76.79	118.13	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.38	G=1	12.34				1	2	機器動作			
						31.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	31.52	0.00	27.07	27.27		0.28		0.47				1	2	機器動作			
21:15	12.48	7.61	1623	76.79	118.27	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.35	G=1	12.34				1	2	機器動作			
						31.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	31.52	0.00	27.07	27.27		0.42		0.47				1	2	機器動作			
21:20	12.47	7.60	1615	75.50	116.13	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.35	G=1	12.34				1	2	定刻			
						30.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	30.62	0.00	26.95	27.15		0.37		0.42				1	2	機器動作			
21:20	12.47	7.60	1615	75.50	116.13	55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.35	G=1	12.34	1 C			1	2	制御開始			
						30.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	30.62	0.00	26.95	27.15		0.37		0.42				1	2	機器動作			
21:20	12.47	7.60	1615	75.50	107.35	50	0	71	0	71	0	71	0	50	0	9.02	8.99	G=1	12.35	G=1	12.34	1 C			1	2	機器動作			
						26.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26.23	0.00	26.95	27.15		0.37		0.42				1	2	機器動作			
21:30	12.47	7.55	1615	75.50	107.35	50	0	71	0	71	0	71	0	50	0	9.02	8.99	G=1	12.35	G=1	12.34				1	2	定刻			
						26.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26.23	0.00	26.95	27.15		0.37		0.42				1	2	機器動作			
21:30	12.47	7.55	1615	75.50	107.45	50	0	71	0	71	0	71	0	50	0	9.02	8.99	G=1	12.35	G=1	12.32				1	2	機器動作			
						26.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26.23	0.00	26.95	27.15		0.37		0.52				1	2	機器動作			
21:40	12.46	7.54	1607	75.50	105.43	50	0	71	0	71	0	71	0	50	0	9.02	8.99	G=1	12.35	G=1	12.32				1	2	定刻			
						25.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	25.38	0.00	26.84	27.03		0.33		0.47				1	2	機器動作			
21:40	12.46	7.54	1607	75.50	105.43	50	0	71	0	71	0	71	0	50	0	9.02	8.99	G=1	12.35	G=1	12.32	1 C			1	2	制御開始			
						25.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	25.38	0.00	26.84	27.03		0.33		0.47				1	2	機器動作			

加古川大堰操作記録Ⅰ

2020年06月18日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
21:40	12.46	7.54	1607	75.50	95.61	44	0	71	0	71	0	71	0	44	0	9.02	8.99	G=1	12.35	G=1	12.32	1	C		1	2	機器動作
21:50	12.46	7.51	1607	77.87	95.61	20.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.47	0.00	26.84	27.03		0.33		0.47				1	2	定刻
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.35	G=1	12.32								
22:00	12.46	7.51	1607	77.87	95.61	20.47	0.00	0.00	0.00	0.00	0.00	0.00	20.47	0.00	26.84	27.03		0.33		0.47	1				2	定刻	
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.35	G=1	12.32								
22:10	12.46	7.51	1607	77.87	95.61	20.47	0.00	0.00	0.00	0.00	0.00	0.00	20.47	0.00	26.84	27.03		0.33		0.47	1				2	定刻	
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.35	G=1	12.32								
22:16	12.47	7.51	1615	77.87	97.43	20.47	0.00	0.00	0.00	0.00	0.00	0.00	20.47	0.00	26.84	27.03		0.33		0.47	1				2	機器動作	
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.35	G=1	12.34								
22:20	12.47	7.51	1615	78.99	97.43	21.27	0.00	0.00	0.00	0.00	0.00	0.00	21.27	0.00	26.95	27.15		0.37		0.42	1				2	定刻	
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.35	G=1	12.34								
22:22	12.47	7.52	1615	78.99	97.34	21.27	0.00	0.00	0.00	0.00	0.00	0.00	21.27	0.00	26.95	27.15		0.37		0.42	1				2	機器動作	
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.37	G=1	12.34								
22:30	12.47	7.52	1615	80.30	97.34	21.27	0.00	0.00	0.00	0.00	0.00	0.00	21.27	0.00	26.95	27.15		0.28		0.42	1				2	定刻	
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.37	G=1	12.34								
22:40	12.48	7.52	1623	80.30	99.28	21.27	0.00	0.00	0.00	0.00	0.00	0.00	21.27	0.00	26.95	27.15		0.28		0.42	1				2	定刻	
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.37	G=1	12.34								
22:50	12.48	7.53	1623	81.62	99.28	22.07	0.00	0.00	0.00	0.00	0.00	0.00	22.07	0.00	27.07	27.27		0.33		0.47	1				2	定刻	
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.37	G=1	12.34								
23:00	12.49	7.53	1632	81.62	101.22	22.07	0.00	0.00	0.00	0.00	0.00	0.00	22.07	0.00	27.07	27.27		0.33		0.47	1				2	定刻	
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.37	G=1	12.34								
23:06	12.49	7.53	1632	82.75	101.12	22.88	0.00	0.00	0.00	0.00	0.00	0.00	22.88	0.00	27.19	27.38		0.37		0.52	1				2	機器動作	
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.37	G=1	12.36								
23:10	12.49	7.53	1632	82.75	101.12	22.88	0.00	0.00	0.00	0.00	0.00	0.00	22.88	0.00	27.19	27.38		0.37		0.42	1				2	定刻	
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.37	G=1	12.36								
23:14	12.49	7.54	1632	82.75	101.03	22.88	0.00	0.00	0.00	0.00	0.00	0.00	22.88	0.00	27.19	27.38		0.37		0.42	1	2	機器動作				
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.39	G=1	12.36								
23:20	12.49	7.54	1632	82.75	101.03	22.88	0.00	0.00	0.00	0.00	0.00	0.00	22.88	0.00	27.19	27.38		0.28		0.42	1	2	定刻				
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.39	G=1	12.36								
23:30	12.50	7.54	1640	82.75	103.00	22.88	0.00	0.00	0.00	0.00	0.00	0.00	22.88	0.00	27.19	27.38		0.28		0.42	1	2	定刻				
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.39	G=1	12.36								
23:40	12.50	7.55	1640	82.75	103.00	23.70	0.00	0.00	0.00	0.00	0.00	0.00	23.70	0.00	27.30	27.50		0.33		0.47	1	2	定刻				
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.39	G=1	12.36								
23:50	12.51	7.55	1649	82.75	105.23	23.70	0.00	0.00	0.00	0.00	0.00	0.00	23.70	0.00	27.30	27.50		0.33		0.47	1	2	定刻				
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.39	G=1	12.36								
23:54	12.51	7.55	1649	82.75	105.13	24.53	0.00	0.08	0.00	0.08	0.00	0.08	0.00	24.53	0.00	27.42	27.62		0.37		0.52	1	2	機器動作			
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.39	G=1	12.38								
23:56	12.51	7.55	1649	82.75	105.04	24.53	0.00	0.08	0.00	0.08	0.00	0.08	0.00	24.53	0.00	27.42	27.62		0.37		0.42	1	2	機器動作			
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.41	G=1	12.38								
24:00	12.51	7.56	1649	82.75	105.04	24.53	0.00	0.08	0.00	0.08	0.00	0.08	0.00	24.53	0.00	27.42	27.62		0.28		0.42	1	2	定刻			
						44	0	71	0	71	0	44	0	9.02	8.99	G=1	12.41	G=1	12.38								
						24.53	0.00	0.08	0.00	0.08	0.00	0.08	0.00	24.53	0.00	27.42	27.62		0.28		0.42						

操 作 モ ー ド	1文字目：運転モード	2文字目：制御モード		制 御 パ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動 2：半自動 3：遠方手動 4：機側	A：定水位Ⅰ（微調節） B：全開（微調節） C：定水位Ⅰ（調節上段） D：設定流量	E：事前放流 F：定水位 G：全開 H：貯留回復Ⅰ						

加古川大堰操作記録Ⅰ

2020年06月19日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³ m³	m³/s	m³/s																						
0:10	12. 52	7. 56	1657	82. 75	107. 56	44	0	71	0	71	0	71	0	44	0	9. 02	8. 99	G=1	12. 41	G=1	12. 38				1	2	定刻
0:20	12. 52	7. 56	1657	82. 75	107. 56	25. 38	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	25. 38	0. 00	27. 54	27. 74		0. 33		0. 47						
0:27	12. 53	7. 57	1666	82. 75	110. 09	44	0	71	0	71	0	71	0	44	0	9. 02	8. 99	G=1	12. 41	G=1	12. 40				1	2	機器動作
						26. 23	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	26. 23	0. 00	27. 66	27. 86		0. 37		0. 42						
0:29	12. 53	7. 57	1666	82. 75	110. 00	44	0	71	0	71	0	71	0	44	0	9. 02	8. 99	G=1	12. 43	G=1	12. 40				1	2	機器動作
0:30	12. 53	7. 57	1666	82. 75	110. 00	26. 23	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	26. 23	0. 00	27. 66	27. 86		0. 28		0. 42						
0:30	12. 53	7. 57	1666	82. 75	110. 00	44	0	71	0	71	0	71	0	44	0	9. 02	8. 99	G=1	12. 43	G=1	12. 40	1 C			1	2	制御開始
						26. 23	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	26. 23	0. 00	27. 66	27. 86		0. 28		0. 42						
0:30	12. 53	7. 57	1666	82. 75	118. 78	49	0	71	0	71	0	71	0	49	0	9. 02	8. 99	G=1	12. 43	G=1	12. 40	1 C			1	2	機器動作
0:40	12. 53	7. 61	1666	83. 92	118. 78	30. 62	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	30. 62	0. 00	27. 66	27. 86		0. 28		0. 42				1	2	定刻
						49	0	71	0	71	0	71	0	49	0	9. 02	8. 99	G=1	12. 43	G=1	12. 40						
0:50	12. 54	7. 62	1675	83. 92	121. 60	30. 62	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	30. 62	0. 00	27. 66	27. 86		0. 28		0. 42				1	2	定刻
0:50	12. 54	7. 62	1675	83. 92	121. 60	49	0	71	0	71	0	71	0	49	0	9. 02	8. 99	G=1	12. 43	G=1	12. 40				1 C		
0:50	12. 54	7. 62	1675	83. 92	130. 90	31. 52	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	31. 52	0. 00	27. 78	27. 97		0. 33		0. 47	1 C			1	2	機器動作
						49	0	71	0	71	0	71	0	49	0	9. 02	8. 99	G=1	12. 43	G=1	12. 40						
1:00	12. 54	7. 66	1675	85. 12	130. 90	31. 52	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	31. 52	0. 00	27. 78	27. 97		0. 33		0. 47	1 C			1	2	定刻
						54	0	71	0	71	0	71	0	54	0	9. 02	8. 99	G=1	12. 43	G=1	12. 40						
1:10	12. 54	7. 66	1675	87. 68	130. 90	36. 17	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	36. 17	0. 00	27. 78	27. 97		0. 33		0. 47				1	2	定刻
1:20	12. 54	7. 67	1675	90. 20	130. 90	54	0	71	0	71	0	71	0	54	0	9. 02	8. 99	G=1	12. 43	G=1	12. 40						
1:25	12. 55	7. 67	1684	92. 84	133. 86	36. 17	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	36. 17	0. 00	27. 78	27. 97		0. 33		0. 47				1	2	機器動作
						54	0	71	0	71	0	71	0	54	0	9. 02	8. 99	G=1	12. 43	G=1	12. 42						
1:26	12. 55	7. 67	1684	92. 84	133. 77	37. 13	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	37. 13	0. 00	27. 90	28. 09		0. 37		0. 42				1	2	機器動作
1:30	12. 56	7. 68	1692	95. 56	136. 92	54	0	71	0	71	0	71	0	54	0	9. 02	8. 99	G=1	12. 45	G=1	12. 42						
1:30	12. 56	7. 68	1692	95. 56	136. 92	38. 09	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	38. 09	0. 00	28. 01	28. 21		0. 33		0. 47	1 C			1	2	制御開始
						54	0	71	0	71	0	71	0	54	0	9. 02	8. 99	G=1	12. 45	G=1	12. 42						
1:30	12. 56	7. 68	1692	95. 56	155. 02	38. 09	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	38. 09	0. 00	28. 01	28. 21		0. 33		0. 47	1 C			1	2	機器動作
1:40	12. 56	7. 74	1692	99. 72	155. 02	47. 14	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	47. 14	0. 00	28. 01	28. 21		0. 33		0. 47				1	2	定刻
						63	0	71	0	71	0	71	0	63	0	9. 02	8. 99	G=1	12. 45	G=1	12. 42						
1:50	12. 56	7. 75	1692	104. 02	155. 02	47. 14	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	47. 14	0. 00	28. 01	28. 21		0. 33		0. 47				1	2	定刻
1:59	12. 57	7. 76	1701	105. 51	158. 20	63	0	71	0	71	0	71	0	63	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44						
2:00	12. 57	7. 76	1701	105. 51	158. 20	48. 18	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	48. 18	0. 00	28. 13	28. 33		0. 28		0. 42				1	2	定刻
						63	0	71	0	71	0	71	0	63	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44						
2:00	12. 57	7. 76	1701	105. 51	158. 20	48. 18	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	48. 18	0. 00	28. 13	28. 33		0. 28		0. 42	1 C			1	2	制御開始
						48. 18	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	48. 18	0. 00	28. 13	28. 33		0. 28		0. 42						

加古川大堰操作記録Ⅰ

2020年06月19日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要 因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³ m³	m³/s	m³/s																						
2:00	12. 57	7. 76	1701	105. 51	179. 88	73	0	71	0	71	0	71	0	73	0	9. 02	8. 99	G=1	12. 47	G=1	12. 44	1 C			1	2	機器動作
2:07	12. 60	7. 83	1727	108. 44	190. 80	59. 02	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	59. 02	0. 00	28. 13	28. 33		0. 28		0. 42				1	2	機器動作
						73	0	71	0	71	0	71	0	73	0	9. 02	8. 99	G=1	12. 49	G=1	12. 46						
2:08	12. 60	7. 85	1727	108. 44	190. 75	62. 42	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	62. 42	0. 00	28. 49	28. 69		0. 33		0. 47				1	2	機器動作
						73	0	71	0	71	0	71	0	73	0	9. 02	8. 99	G=1	12. 50	G=1	12. 46						
2:10	12. 61	7. 86	1736	111. 40	194. 60	62. 42	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	62. 42	0. 00	28. 49	28. 69		0. 28		0. 47				1	2	定刻
						73	0	71	0	71	0	71	0	73	0	9. 02	8. 99	G=1	12. 50	G=1	12. 46						
2:10	12. 61	7. 86	1736	111. 40	194. 60	63. 56	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	63. 56	0. 00	28. 61	28. 81		0. 33		0. 52	1 C			1	2	制御開始
						73	0	71	0	71	0	71	0	73	0	9. 02	8. 99	G=1	12. 50	G=1	12. 46						
2:10	12. 61	7. 86	1736	111. 40	210. 92	63. 56	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	63. 56	0. 00	28. 61	28. 81		0. 33		0. 52				1	2	機器動作
						80	0	71	0	71	0	71	0	80	0	9. 02	8. 99	G=1	12. 50	G=1	12. 48						
2:16	12. 64	7. 93	1762	111. 40	223. 06	71. 77	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	71. 77	0. 00	28. 61	28. 81		0. 33		0. 42				1	2	機器動作
						80	0	71	0	71	0	71	0	80	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:20	12. 66	7. 96	1780	114. 41	231. 58	75. 39	0. 00	4. 40	0. 00	4. 40	0. 00	4. 40	0. 00	75. 39	0. 00	28. 97	29. 17		0. 47		0. 47				1	2	定刻
						80	0	71	0	71	0	71	0	80	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:20	12. 66	7. 96	1780	114. 41	231. 58	77. 83	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	77. 83	0. 00	29. 21	29. 41		0. 58		0. 58	1 C			1	2	制御開始
						80	0	71	0	71	0	71	0	80	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:20	12. 66	7. 96	1780	114. 41	244. 04	77. 83	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	77. 83	0. 00	29. 21	29. 41		0. 58		0. 58	1 C			1	2	機器動作
						85	0	71	0	71	0	71	0	85	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:30	12. 67	8. 02	1789	167. 99	248. 43	84. 06	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	84. 06	0. 00	29. 21	29. 41		0. 58		0. 58				1	2	定刻
						85	0	71	0	71	0	71	0	85	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:30	12. 67	8. 02	1789	167. 99	248. 43	85. 32	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	85. 32	0. 00	29. 33	29. 53		0. 63		0. 63	1 C			1	2	制御開始
						85	0	71	0	71	0	71	0	85	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:30	12. 67	8. 02	1789	167. 99	274. 39	85. 32	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	85. 32	0. 00	29. 33	29. 53		0. 63		0. 63	1 C			1	2	機器動作
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:40	12. 66	8. 07	1780	207. 43	269. 88	98. 30	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	98. 30	0. 00	29. 33	29. 53		0. 63		0. 63				1	2	定刻
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
2:50	12. 66	8. 07	1780	179. 38	269. 88	96. 98	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	96. 98	0. 00	29. 21	29. 41		0. 58		0. 58				1	2	定刻
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
3:00	12. 66	8. 08	1780	159. 49	269. 88	96. 98	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	96. 98	0. 00	29. 21	29. 41		0. 58		0. 58				1	2	定刻
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
3:10	12. 68	8. 10	1797	164. 99	279. 02	96. 98	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	96. 98	0. 00	29. 21	29. 41		0. 58		0. 58				1	2	定刻
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
3:10	12. 68	8. 10	1797	164. 99	279. 02	99. 64	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	99. 64	0. 00	29. 45	29. 65		0. 69		0. 69	1 C			1	2	制御開始
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
3:10	12. 68	8. 10	1797	164. 99	303. 50	99. 64	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	99. 64	0. 00	29. 45	29. 65		0. 69		0. 69	1 C			1	2	機器動作
						105	0	71	0	71	0	71	0	105	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
3:16	12. 69	8. 17	1806	162. 97	308. 26	111. 88	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	111. 88	0. 00	29. 45	29. 65		0. 69		0. 69	1 C			1	2	制御終了
						105	0	71	0	71	0	71	0	105	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
3:16	12. 69	8. 17	1806	162. 97	308. 26	113. 27	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	113. 27	0. 00	29. 57	29. 77		0. 75		0. 75	1 C			1	2	制御不能
						105	0	71	0	71	0	71	0	105	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
3:17	12. 69	8. 18	1806	164. 99	308. 26	113. 27	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	113. 27	0. 00	29. 57	29. 77		0. 75		0. 75	1 C			1	2	制御開始
						105	0	71	0	71	0	71	0	105	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
3:20	12. 70	8. 20	1815	173. 42	313. 08	113. 27	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	113. 27	0. 00	29. 57	29. 77		0. 75		0. 75				1	2	定刻
						105	0	71	0	71	0	71	0	105	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
3:20	12. 70	8. 20	1815	173. 42	313. 08	114. 67	0. 00	7. 52	0. 00	7. 52	0. 00	7. 52	0. 00	114. 67	0. 00	29. 69	29. 89		0. 80		0. 80	1 C			1	2	制御開始
						105	0	71	0	71	0	71	0	105	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
						114. 67	0. 00	7. 52	0. 00	7. 52	0. 00	7. 52	0. 00	114. 67	0. 00	29. 69	29. 89		0. 80		0. 80						

加古川大堰操作記録Ⅰ

2020年06月19日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ー ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
3:20	12.70	8.20	1815	173.42	313.08	105	0	71	0	71	0	71	0	105	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C		3	1	2	機器動作
3:20	12.70	8.20	1815	173.42	338.70	114.67	0.00	7.52	0.00	7.52	0.00	7.52	0.00	114.67	0.00	29.69	29.89		0.80		0.80				1	2	機器動作
3:30	12.73	8.30	1843	195.53	367.45	127.48	0.00	7.52	0.00	7.52	0.00	7.52	0.00	127.48	0.00	29.69	29.89		0.80		0.80	1 C		3	1	2	定刻
						118	0	71	0	71	0	71	0	118	0	9.02	8.99	G=4	11.82	G=4	11.82				1	2	制御開始
3:30	12.73	8.30	1843	195.53	367.45	131.85	0.00	9.27	0.00	9.27	0.00	9.27	0.00	131.85	0.00	30.06	30.26		7.81		7.81	1 C		3	1	2	定刻
						118	0	71	0	71	0	71	0	118	0	9.02	8.99	G=4	11.82	G=4	11.82				1	2	制御開始
3:40	12.76	8.38	1870	223.35	398.36	131.85	0.00	9.27	0.00	9.27	0.00	9.27	0.00	131.85	0.00	30.06	30.26		7.81		7.81	1 C		3	1	2	定刻
						129	0	71	0	71	0	71	0	129	0	9.02	8.99	G=4	11.82	G=4	11.82				1	2	制御開始
3:40	12.76	8.38	1870	223.35	398.36	143.75	0.00	11.14	0.00	11.14	0.00	11.14	0.00	143.75	0.00	30.42	30.62		8.20		8.20	1 C		3	1	2	定刻
						129	0	71	0	71	0	71	0	129	0	9.02	8.99	G=4	11.82	G=4	11.82				1	2	制御開始
3:42	12.76	8.39	1870	225.50	407.44	143.75	0.00	11.14	0.00	11.14	0.00	11.14	0.00	143.75	0.00	30.42	30.62		8.20		8.20	1 C		3	1	2	機器動作
						145	0	71	0	71	0	71	0	145	0	9.02	8.99	G=4	11.82	G=4	11.82				1	2	機器動作
3:50	12.80	8.45	1907	257.90	429.77	148.29	0.00	11.14	0.00	11.14	0.00	11.14	0.00	148.29	0.00	30.42	30.62		8.20		8.20	1 C		3	1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	11.82	G=4	11.82				1	2	機器動作
3:55	12.83	8.51	1935	257.90	469.89	154.43	0.00	13.81	0.00	13.81	0.00	13.81	0.00	154.43	0.00	30.91	31.11		8.73		8.73	1 C		3	1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	10.50	G=4	11.82				1	2	機器動作
4:00	12.84	8.59	1944	260.14	496.55	159.08	0.00	15.94	0.00	15.94	0.00	15.94	0.00	159.08	0.00	31.28	31.48		32.01		9.14	1 C		3	1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.58	G=4	11.82				1	2	機器動作
4:00	12.84	8.59	1944	260.14	497.29	160.65	0.00	16.67	0.00	16.67	0.00	16.67	0.00	160.65	0.00	31.40	31.60		52.97		9.27	1 C		3	1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	11.82				1	2	機器動作
4:08	12.87	8.70	1971	288.11	560.11	160.65	0.00	16.67	0.00	16.67	0.00	16.67	0.00	160.65	0.00	31.40	31.60		53.71		9.27	1 C		3	1	2	機器動作
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
4:10	12.87	8.73	1971	302.68	560.11	165.36	0.00	18.92	0.00	18.92	0.00	18.92	0.00	165.36	0.00	31.77	31.98		54.44		54.44	1 C		3	1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	機器動作
4:20	12.90	8.81	1999	343.15	578.93	165.36	0.00	18.92	0.00	18.92	0.00	18.92	0.00	165.36	0.00	31.77	31.98		54.44		54.44	1 C		3	1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	機器動作
4:30	12.94	8.87	2036	395.27	604.50	170.13	0.00	21.27	0.00	21.27	0.00	21.27	0.00	170.13	0.00	32.15	32.35		55.18		55.18	1 C		3	1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	機器動作
4:30	12.94	8.87	2036	395.27	604.50	176.54	0.00	24.53	0.00	24.53	0.00	24.53	0.00	176.54	0.00	32.64	32.85		56.17		56.17	1 C		3	1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	機器動作
4:30	12.94	8.87	2036	395.27	604.50	176.54	0.00	24.53	0.00	24.53	0.00	24.53	0.00	176.54	0.00	32.64	32.85		56.17		56.17	1 C		3	1	2	制御終了
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	制御不能
4:40	12.97	8.94	2064	447.33	624.17	176.54	0.00	24.53	0.00	24.53	0.00	24.53	0.00	176.54	0.00	32.64	32.85		56.17		56.17	1 C		3	1	2	制御不能
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
4:50	13.00	8.99	2092	483.49	644.14	181.41	0.00	27.09	0.00	27.09	0.00	27.09	0.00	181.41	0.00	33.02	33.22		56.92		56.92	1 C		3	1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	機器動作
4:52	13.01	9.00	2101	483.49	650.89	186.32	0.00	29.72	0.00	29.72	0.00	29.72	0.00	186.32	0.00	33.40	33.60		57.67		57.67	2 E		3	2	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	制御開始
5:00	13.03	9.04	2120	494.69	664.46	187.97	0.00	30.62	0.00	30.62	0.00	30.62	0.00	187.97	0.00	33.52	33.73		57.92		57.92	2 E		3	2	2	制御開始
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	機器動作
5:00	13.03	9.04	2120	494.69	664.46	191.28	0.00	32.43	0.00	32.43	0.00	32.43	0.00	191.28	0.00	33.77	33.98		58.43		58.43	2 E		3	2	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	制御開始
5:05	13.07	9.01	2157	516.83	835.80	191.28	0.00	32.43	0.00	32.43	0.00	32.43	0.00	191.28	0.00	33.77	33.98		58.43		58.43	2 E		3	2	2	機器動作
						145	0	0	20	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
5:10	12.99	9.24	2083	529.35	791.52	197.95	0.00	0.00	58.52	0.00	157.56	36.17	0.00	197.95	0.00	34.28	34.49		59.44		59.44	2 E		3	2	2	機器動作
						145	0	0	20	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						184.68	0.00	0.00	55.32	0.00	156.43	28.83	0.00	184.68	0.00	33.27	33.47		57.42		57.42						