

加古川大堰操作記録Ⅰ

2016年09月18日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因																																											
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート																																																
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸																																																			
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段																																																							
	T. Pm	T. Pm	10³m³	m³/s	m³/s																																																																	
13:10	12.54	7.45	1675	67.35	84.91	26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.41	G=1	12.40	1	C	1	2	定刻																																												
13:12	12.54	7.45	1675	67.35	85.02	13.13	0.00	0.67	0.00	0.67	0.00	0.67	0.00	13.13	0.00	27.78	27.97		0.42		0.47					1	2	機器動作																																										
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.41	G=1	12.38																																																	
13:20	12.53	7.44	1666	66.09	82.63	13.13	0.00	0.67	0.00	0.67	0.00	0.67	0.00	13.13	0.00	27.78	27.97		0.42		0.58					1	2	定刻																																										
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.41	G=1	12.38																																																	
13:24	12.53	7.44	1666	66.09	82.78	12.45	0.00	0.44	0.00	0.44	0.00	0.44	0.00	12.45	0.00	27.66	27.86		0.37		0.52					1	C	1	2	機器動作																																								
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.38	G=1	12.38																																																	
13:30	12.52	7.43	1657	64.16	80.52	12.45	0.00	0.44	0.00	0.44	0.00	0.44	0.00	12.45	0.00	27.66	27.86		0.52		0.52									1	C	1	2	定刻																																				
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.38	G=1	12.38																																																	
13:37	12.52	7.43	1657	64.16	80.63	11.79	0.00	0.24	0.00	0.24	0.00	0.24	0.00	11.79	0.00	27.54	27.74		0.47		0.47													1	C	1	2	機器動作																																
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.38	G=1	12.36																			0.58																														
13:40	12.51	7.43	1649	62.93	78.50	11.79	0.00	0.24	0.00	0.24	0.00	0.24	0.00	11.79	0.00	27.54	27.74		0.47		0.58																	1	C	1	2	定刻																												
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.38	G=1	12.36																																																	
13:50	12.50	7.42	1640	62.93	76.66	11.14	0.00	0.08	0.00	0.08	0.00	0.08	0.00	11.14	0.00	27.42	27.62		0.42		0.52																					1	C	1	2	定刻																								
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.38	G=1	12.36																																																	
13:55	12.50	7.41	1640	62.93	76.81	10.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.51	0.00	27.30	27.50		0.37		0.47																									1	C	1	2	機器動作																				
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.35	G=1	12.36																																																	
13:56	12.49	7.41	1632	62.93	75.32	10.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.51	0.00	27.30	27.50		0.52		0.47																													1	C	1	2	機器動作																
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.35	G=1	12.34																																																	
14:00	12.49	7.41	1632	62.93	75.32	9.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.88	0.00	27.19	27.38		0.47		0.52																																	1	C	1	2	定刻												
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.35	G=1	12.34																																																	
14:10	12.48	7.40	1623	62.26	73.77	9.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.88	0.00	27.19	27.38		0.47		0.52																																					1	C	1	2	定刻								
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.35	G=1	12.34																																																	
14:14	12.47	7.39	1615	62.26	72.33	9.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.27	0.00	27.07	27.27		0.42		0.47																																									1	C	1	2	機器動作				
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.35	G=1	12.32																																																	
14:20	12.47	7.39	1615	62.26	72.33	8.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.67	0.00	26.95	27.15		0.37		0.52	1	C	1	2																																									定刻				
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.35	G=1	12.32																																																	
14:20	12.47	7.39	1615	62.26	72.33	8.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.67	0.00	26.95	27.15		0.37		0.52																																													1	C	1	2	制御開始
						26	0	71	0	71	0	71	0	26	0	9.02	8.99	G=1	12.35	G=1	12.32																																																	
14:21	12.47	7.38	1615	62.26	62.92	8.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.67	0.00	26.95	27.15		0.37		0.52					1	C	1	2																																									機器動作
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.34	G=1	12.32																																																	
14:30	12.47	7.33	1615	63.49	62.92	3.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.94	0.00	26.95	27.15		0.42		0.52									1	C	1	2																																					定刻
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.34	G=1	12.32																																																	
14:40	12.46	7.32	1607	62.84	61.69	3.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.94	0.00	26.95	27.15		0.42		0.52													1	C	1	2																																	定刻
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.34	G=1	12.32																																																	
14:40	12.46	7.32	1607	62.84	61.69	3.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.49	0.00	26.84	27.03		0.37		0.47																	1	C	1	2																													制御開始
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.34	G=1	12.32																																																	
14:41	12.46	7.31	1607	62.84	54.71	3.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.49	0.00	26.84	27.03		0.37		0.47																					1	C	1	2																									機器動作
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.34	G=1	12.32																																																	
14:50	12.47	7.29	1615	62.84	55.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26.84	27.03		0.37		0.47																									1	C	1	2																					定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.34	G=1	12.32																																																	
15:00	12.47	7.28	1615	62.84	55.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26.95	27.15		0.42		0.52																													1	C	1	2																	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.34	G=1	12.32																																																	
15:10	12.48	7.28	1623	61.61	55.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26.95	27.15		0.42		0.52																																	1	C	1	2													定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.34	G=1	12.32																																																	
15:16	12.49	7.28	1632	60.98	55.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27.07	27.27		0.47		0.58																																					1	C	1	2									定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.36	G=1	12.32																																																	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27.19	27.38		0.42		0.63																																																		

加古川大堰操作記録Ⅰ

2016年09月18日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因			
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート								
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸											
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段															
	T. Pm	T. Pm	10³m³	m³/s	m³/s																									
15:19	12.49	7.28	1632	60.98	55.51	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.36	G=1	12.34	1 C			1	2	機器動作			
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27.19	27.38		0.42		0.52										
15:20	12.49	7.28	1632	60.98	55.51	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.36	G=1	12.34							1	2	定刻
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27.19	27.38		0.42		0.52										
15:30	12.50	7.28	1640	60.98	55.85	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.36	G=1	12.34							1	2	定刻
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27.30	27.50		0.47		0.58										
15:40	12.51	7.30	1649	60.98	56.59	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.36	G=1	12.34							1	2	定刻
						0.08	0.00	0.08	0.00	0.08	0.00	0.08	0.00	0.08	0.00	27.42	27.62		0.52		0.63									
15:41	12.51	7.30	1649	60.98	56.49	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.38	G=1	12.34							1	2	機器動作
						0.08	0.00	0.08	0.00	0.08	0.00	0.08	0.00	0.08	0.00	27.42	27.62		0.42		0.63									
15:43	12.51	7.30	1649	60.98	56.38	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.38	G=1	12.36							1	2	機器動作
						0.08	0.00	0.08	0.00	0.08	0.00	0.08	0.00	0.08	0.00	27.42	27.62		0.42		0.52									
15:48	12.53	7.30	1666	60.98	58.77	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.40	G=1	12.36							1	2	機器動作
						0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	27.66	27.86		0.42		0.63									
15:50	12.54	7.30	1675	60.98	60.26	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.40	G=1	12.36							1	2	定刻
						0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	27.78	27.97		0.47		0.69									
15:50	12.54	7.30	1675	60.98	60.26	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.40	G=1	12.36				1 C			1	2	制御開始
						0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	27.78	27.97		0.47		0.69									
15:51	12.54	7.30	1675	60.98	69.57	13	0	71	0	71	0	71	0	13	0	9.02	8.99	G=1	12.40	G=1	12.38							1	2	機器動作
						5.38	0.00	0.67	0.00	0.67	0.00	0.67	0.00	5.38	0.00	27.78	27.97		0.47		0.58									
15:53	12.55	7.30	1684	60.98	71.64	13	0	71	0	71	0	71	0	13	0	9.02	8.99	G=1	12.42	G=1	12.38							1	2	機器動作
						5.89	0.00	0.94	0.00	0.94	0.00	0.94	0.00	5.89	0.00	27.90	28.09		0.42		0.63									
15:58	12.55	7.35	1684	60.98	71.53	13	0	71	0	71	0	71	0	13	0	9.02	8.99	G=1	12.42	G=1	12.40							1	2	機器動作
						5.89	0.00	0.94	0.00	0.94	0.00	0.94	0.00	5.89	0.00	27.90	28.09		0.42		0.52									
16:00	12.55	7.35	1684	60.98	71.53	13	0	71	0	71	0	71	0	13	0	9.02	8.99	G=1	12.42	G=1	12.40				1	2	定刻			
						5.89	0.00	0.94	0.00	0.94	0.00	0.94	0.00	5.89	0.00	27.90	28.09		0.42		0.52									
16:00	12.55	7.35	1684	60.98	71.53	13	0	71	0	71	0	71	0	13	0	9.02	8.99	G=1	12.42	G=1	12.40	1 C			1	2	制御開始			
						5.89	0.00	0.94	0.00	0.94	0.00	0.94	0.00	5.89	0.00	27.90	28.09		0.42		0.52									
16:00	12.55	7.35	1684	60.98	80.77	21	0	71	0	71	0	71	0	21	0	9.02	8.99	G=1	12.42	G=1	12.40	1 C			1	2	機器動作			
						10.51	0.00	0.94	0.00	0.94	0.00	0.94	0.00	10.51	0.00	27.90	28.09		0.42		0.52									
16:10	12.55	7.40	1684	60.98	80.77	21	0	71	0	71	0	71	0	21	0	9.02	8.99	G=1	12.42	G=1	12.40				1	2	定刻			
						10.51	0.00	0.94	0.00	0.94	0.00	0.94	0.00	10.51	0.00	27.90	28.09		0.42		0.52									
16:20	12.56	7.42	1692	60.36	83.27	21	0	71	0	71	0	71	0	21	0	9.02	8.99	G=1	12.42	G=1	12.40				1	2	定刻			
						11.14	0.00	1.24	0.00	1.24	0.00	1.24	0.00	11.14	0.00	28.01	28.21		0.47		0.58									
16:20	12.56	7.42	1692	60.36	83.27	21	0	71	0	71	0	71	0	21	0	9.02	8.99	G=1	12.42	G=1	12.40	1 C			1	2	制御開始			
						11.14	0.00	1.24	0.00	1.24	0.00	1.24	0.00	11.14	0.00	28.01	28.21		0.47		0.58									
16:20	12.56	7.42	1692	60.36	92.87	28	0	71	0	71	0	71	0	28	0	9.02	8.99	G=1	12.42	G=1	12.40	1 C			1	2	機器動作			
						15.94	0.00	1.24	0.00	1.24	0.00	1.24	0.00	15.94	0.00	28.01	28.21		0.47		0.58									
16:30	12.56	7.48	1692	60.36	92.87	28	0	71	0	71	0	71	0	28	0	9.02	8.99	G=1	12.42	G=1	12.40				1	2	定刻			
						15.94	0.00	1.24	0.00	1.24	0.00	1.24	0.00	15.94	0.00	28.01	28.21		0.47		0.58									
16:33	12.57	7.48	1701	61.59	95.53	28	0	71	0	71	0	71	0	28	0	9.02	8.99	G=1	12.44	G=1	12.40				1	2	機器動作			
						16.67	0.00	1.56	0.00	1.56	0.00	1.56	0.00	16.67	0.00	28.13	28.33		0.42		0.63									
16:35	12.57	7.49	1701	61.59	95.42	28	0	71	0	71	0	71	0	28	0	9.02	8.99	G=1	12.44	G=1	12.42				1	2	機器動作			
						16.67	0.00	1.56	0.00	1.56	0.00	1.56	0.00	16.67	0.00	28.13	28.33		0.42		0.52									
16:40	12.58	7.50	1710	64.09	98.27	28	0	71	0	71	0	71	0	28	0	9.02	8.99	G=1	12.44	G=1	12.42				1	2	定刻			
						17.41	0.00	1.90	0.00	1.90	0.00	1.90	0.00	17.41	0.00	28.25	28.45		0.47		0.58									
16:40	12.58	7.50	1710	64.09	98.27	28	0	71	0	71	0	71	0	28	0	9.02	8.99	G=1	12.44	G=1	12.42	1 C			1	2	制御開始			
						17.41	0.00	1.90	0.00	1.90	0.00	1.90	0.00	17.41	0.00	28.25	28.45		0.47		0.58									

加古川大堰操作記録Ⅰ

2016年09月18日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
16:40	12.58	7.50	1710	64.09	107.59	34	0	71	0	71	0	71	0	34	0	9.02	8.99	G=1	12.44	G=1	12.42	1 C			1	2	機器動作
16:48	12.59	7.55	1718	69.89	110.56	22.07	0.00	1.90	0.00	1.90	0.00	1.90	0.00	22.07	0.00	28.25	28.45		0.47		0.58				1	2	機器動作
						34	0	71	0	71	0	71	0	34	0	9.02	8.99	G=1	12.46	G=1	12.42						
16:50	12.59	7.57	1718	71.22	110.45	22.88	0.00	2.27	0.00	2.27	0.00	2.27	0.00	22.88	0.00	28.37	28.57		0.42		0.63				1	2	定刻
						34	0	71	0	71	0	71	0	34	0	9.02	8.99	G=1	12.46	G=1	12.44						
16:50	12.59	7.57	1718	71.22	110.45	22.88	0.00	2.27	0.00	2.27	0.00	2.27	0.00	22.88	0.00	28.37	28.57		0.42		0.52	1 C			1	2	制御開始
						34	0	71	0	71	0	71	0	34	0	9.02	8.99	G=1	12.46	G=1	12.44						
16:50	12.59	7.57	1718	71.22	110.45	22.88	0.00	2.27	0.00	2.27	0.00	2.27	0.00	22.88	0.00	28.37	28.57		0.42		0.52				1	2	機器動作
						34	0	71	0	71	0	71	0	34	0	9.02	8.99	G=1	12.46	G=1	12.44						
16:50	12.59	7.57	1718	71.22	129.55	22.88	0.00	2.27	0.00	2.27	0.00	2.27	0.00	22.88	0.00	28.37	28.57		0.42		0.52	1 C			1	2	機器動作
						45	0	71	0	71	0	71	0	45	0	9.02	8.99	G=1	12.46	G=1	12.44						
17:00	12.60	7.68	1727	80.17	132.93	32.43	0.00	2.27	0.00	2.27	0.00	2.27	0.00	32.43	0.00	28.37	28.57		0.42		0.52				1	2	定刻
						45	0	71	0	71	0	71	0	45	0	9.02	8.99	G=1	12.46	G=1	12.44						
17:00	12.60	7.68	1727	80.17	132.93	33.36	0.00	2.66	0.00	2.66	0.00	2.66	0.00	33.36	0.00	28.49	28.69		0.47		0.58	1 C			1	2	制御開始
						45	0	71	0	71	0	71	0	45	0	9.02	8.99	G=1	12.46	G=1	12.44						
17:00	12.60	7.68	1727	80.17	152.29	33.36	0.00	2.66	0.00	2.66	0.00	2.66	0.00	33.36	0.00	28.49	28.69		0.47		0.58	1 C			1	2	機器動作
						55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.46	G=1	12.44						
17:10	12.59	7.77	1718	86.66	148.75	43.04	0.00	2.66	0.00	2.66	0.00	2.66	0.00	43.04	0.00	28.49	28.69		0.47		0.58				1	2	定刻
						55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.46	G=1	12.44						
17:20	12.58	7.77	1710	94.81	145.32	42.03	0.00	2.27	0.00	2.27	0.00	2.27	0.00	42.03	0.00	28.37	28.57		0.42		0.52				1	2	定刻
						55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.46	G=1	12.44						
17:30	12.58	7.77	1710	100.98	145.32	41.04	0.00	1.90	0.00	1.90	0.00	1.90	0.00	41.04	0.00	28.25	28.45		0.37		0.47				1	2	定刻
						55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.46	G=1	12.44						
17:32	12.59	7.77	1718	102.58	148.75	41.04	0.00	1.90	0.00	1.90	0.00	1.90	0.00	41.04	0.00	28.25	28.45		0.37		0.47			3	1	2	機器動作
						55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.46	G=1	12.44						
17:35	12.59	7.77	1718	104.20	148.61	42.03	0.00	2.27	0.00	2.27	0.00	2.27	0.00	42.03	0.00	28.37	28.57		0.42		0.52			3	1	2	機器動作
						55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.49	G=1	12.44						
17:40	12.60	7.78	1727	107.49	153.08	42.03	0.00	2.27	0.00	2.27	0.00	2.27	0.00	42.03	0.00	28.37	28.57		0.28		0.52				1	2	定刻
						55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.33	G=1	12.44						
17:40	12.60	7.78	1727	107.49	153.08	43.04	0.00	2.66	0.00	2.66	0.00	2.66	0.00	43.04	0.00	28.49	28.69		1.26		0.58	1 C			1	2	制御開始
						55	0	71	0	71	0	71	0	55	0	9.02	8.99	G=1	12.33	G=1	12.44						
17:50	12.62	7.88	1745	115.96	186.64	43.04	0.00	2.66	0.00	2.66	0.00	2.66	0.00	43.04	0.00	28.49	28.69		1.26		0.58				1	2	定刻
						65	0	71	0	71	0	71	0	65	0	9.02	8.99	G=4	11.82	G=1	12.44						
17:50	12.62	7.88	1745	115.96	186.64	55.69	0.00	3.49	0.00	3.49	0.00	3.49	0.00	55.69	0.00	28.73	28.93		6.44		0.69	1 C			1	2	制御開始
						65	0	71	0	71	0	71	0	65	0	9.02	8.99	G=4	11.82	G=1	12.44						
17:56	12.62	7.97	1745	122.27	213.93	55.69	0.00	3.49	0.00	3.49	0.00	3.49	0.00	55.69	0.00	28.73	28.93		6.44		0.69	1 C		3	1	2	機器動作
						77	0	71	0	71	0	71	0	77	0	9.02	8.99	G=4	11.82	G=1	12.46						
18:00	12.63	8.01	1753	131.42	241.28	69.39	0.00	3.49	0.00	3.49	0.00	3.49	0.00	69.39	0.00	28.73	28.93		6.44		0.58				1	2	定刻
						77	0	71	0	71	0	71	0	77	0	9.02	8.99	G=4	10.41	G=1	12.46						
18:00	12.63	8.01	1753	131.42	241.28	70.58	0.00	3.94	0.00	3.94	0.00	3.94	0.00	70.58	0.00	28.85	29.05		29.77		0.63	1 C			1	2	制御開始
						77	0	71	0	71	0	71	0	77	0	9.02	8.99	G=4	10.41	G=1	12.46						
18:08	12.62	8.12	1745	156.27	263.06	70.58	0.00	3.94	0.00	3.94	0.00	3.94	0.00	70.58	0.00	28.85	29.05		29.77		0.63	1 C		3	1	2	機器動作
						80	0	71	0	71	0	71	0	80	0	9.02	8.99	G=4	9.55	G=1	12.46						
18:10	12.63	8.13	1753	162.53	267.36	72.97	0.00	3.49	0.00	3.49	0.00	3.49	0.00	72.97	0.00	28.73	28.93		48.41		0.58				1	2	定刻
						80	0	71	0	71	0	71	0	80	0	9.02	8.99	G=4	9.55	G=1	12.46						
18:10	12.63	8.13	1753	162.53	267.36	74.18	0.00	3.94	0.00	3.94	0.00	3.94	0.00	74.18	0.00	28.85	29.05		48.65		0.63				1	2	定刻
						80	0	71	0	71	0	71	0	80	0	9.02	8.99	G=4	9.55	G=1	12.49						
18:11	12.63	8.14	1753	166.78	267.20	74.18	0.00	3.94	0.00	3.94	0.00	3.94	0.00	74.18	0.00	28.85	29.05		48.65		0.47			3	1	2	機器動作

加古川大堰操作記録Ⅰ

2016年09月18日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
18:14	12. 63	8. 14	1753	177. 66	267. 42	80	0	71	0	71	0	71	0	80	0	9. 02	8. 99	G=4	9. 55	G=1	12. 45	1 C			1	2	制御終了
18:14	12. 63	8. 14	1753	177. 66	267. 42	74. 18	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	74. 18	0. 00	28. 85	29. 05		48. 65		0. 69	1 C			1	2	制御不能
						80	0	71	0	71	0	80	0	9. 02	8. 99	G=4	9. 55	G=1	12. 45								
18:15	12. 64	8. 14	1762	179. 88	272. 14	74. 18	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	74. 18	0. 00	28. 85	29. 05		48. 65		0. 69	1 C			1	2	制御開始
						80	0	71	0	71	0	80	0	9. 02	8. 99	G=4	9. 55	G=1	12. 39								
18:20	12. 67	8. 18	1789	195. 86	291. 08	75. 39	0. 00	4. 40	0. 00	4. 40	0. 00	4. 40	0. 00	75. 39	0. 00	28. 97	29. 17		48. 89		1. 13	1 C			1	2	定刻
						80	0	71	0	71	0	80	0	9. 02	8. 99	G=4	9. 55	G=1	11. 84								
18:20	12. 67	8. 18	1789	195. 86	291. 08	79. 07	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	79. 07	0. 00	29. 33	29. 53		49. 60		6. 81	1 C			1	2	制御開始
						80	0	71	0	71	0	80	0	9. 02	8. 99	G=4	9. 55	G=1	11. 84								
18:30	12. 71	8. 33	1824	220. 67	336. 17	79. 07	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	79. 07	0. 00	29. 33	29. 53		49. 60		6. 81				1	2	定刻
						90	0	71	0	71	0	90	0	9. 02	8. 99	G=4	9. 55	G=4	11. 82								
18:30	12. 71	8. 33	1824	220. 67	336. 17	96. 98	0. 00	8. 09	0. 00	8. 09	0. 00	8. 09	0. 00	96. 98	0. 00	29. 81	30. 01		50. 56		7. 56	1 C			1	2	制御開始
						90	0	71	0	71	0	90	0	9. 02	8. 99	G=4	9. 55	G=4	11. 82								
18:32	12. 71	8. 35	1824	223. 16	371. 55	96. 98	0. 00	8. 09	0. 00	8. 09	0. 00	8. 09	0. 00	96. 98	0. 00	29. 81	30. 01		50. 56		7. 56	1 C	3		1	2	機器動作
						103	0	71	0	71	0	103	0	9. 02	8. 99	G=4	9. 55	G=4	11. 82								
18:40	12. 69	8. 47	1806	238. 11	404. 14	114. 67	0. 00	8. 09	0. 00	8. 09	0. 00	8. 09	0. 00	114. 67	0. 00	29. 81	30. 01		50. 56		7. 56				1	2	定刻
						103	0	71	0	71	0	103	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
18:40	12. 69	8. 47	1806	238. 11	404. 14	111. 88	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	111. 88	0. 00	29. 57	29. 77		50. 08		50. 08			3	1	2	機器動作
						103	0	71	0	71	0	103	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
18:50	12. 68	8. 50	1797	295. 96	399. 04	111. 88	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	111. 88	0. 00	29. 57	29. 77		50. 08		50. 08				1	2	定刻
						103	0	71	0	71	0	103	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
19:00	12. 67	8. 50	1789	317. 01	393. 97	110. 50	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	110. 50	0. 00	29. 45	29. 65		49. 84		49. 84				1	2	定刻
						103	0	71	0	71	0	103	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
19:10	12. 68	8. 50	1797	309. 58	399. 04	109. 12	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	109. 12	0. 00	29. 33	29. 53		49. 60		49. 60				1	2	定刻
						103	0	71	0	71	0	103	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
19:10	12. 68	8. 50	1797	309. 58	399. 04	110. 50	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	110. 50	0. 00	29. 45	29. 65		49. 84		49. 84	1 C			1	2	制御開始
						103	0	71	0	71	0	103	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
19:11	12. 68	8. 50	1797	307. 89	433. 00	110. 50	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	110. 50	0. 00	29. 45	29. 65		49. 84		49. 84	1 C			1	2	機器動作
						122	0	71	0	71	0	122	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
19:20	12. 67	8. 54	1789	318. 63	427. 81	127. 48	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	127. 48	0. 00	29. 45	29. 65		49. 84		49. 84				1	2	定刻
						122	0	71	0	71	0	122	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
19:29	12. 67	8. 56	1789	332. 78	427. 81	126. 04	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	126. 04	0. 00	29. 33	29. 53		49. 60		49. 60	1 C			1	2	制御終了
						122	0	71	0	71	0	122	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
19:30	12. 67	8. 56	1789	334. 18	427. 81	126. 04	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	126. 04	0. 00	29. 33	29. 53		49. 60		49. 60				2	2	定刻
						122	0	71	0	71	0	122	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
19:30	12. 67	8. 56	1789	334. 18	427. 81	126. 04	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	126. 04	0. 00	29. 33	29. 53		49. 60		49. 60	2 E			2	2	制御開始
						122	0	71	0	71	0	122	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
19:40	12. 68	8. 57	1797	347. 65	433. 00	126. 04	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	126. 04	0. 00	29. 33	29. 53		49. 60		49. 60				2	2	定刻
						122	0	71	0	71	0	122	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
19:40	12. 68	8. 57	1797	347. 65	433. 00	127. 48	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	127. 48	0. 00	29. 45	29. 65		49. 84		49. 84				2	2	制御開始
						122	0	71	0	71	0	122	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55								
19:46	12. 69	8. 57	1806	355. 39	510. 76	127. 48	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	127. 48	0. 00	29. 45	29. 65		49. 84		49. 84				2	2	機器動作
						145	0	71	0	0	20	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55						
19:50	12. 66	8. 64	1780	360. 17	496. 38	137. 76	0. 00	6. 96	0. 00	0. 00	61. 82	6. 96	0. 00	137. 76	0. 00	29. 57	29. 77		50. 08		50. 08				2	2	定刻
						145	0	71	0	0	20	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55						
19:50	12. 66	8. 64	1780	360. 17	496. 38	133. 32	0. 00	5. 38	0. 00	0. 00	61. 64	5. 38	0. 00	133. 32	0. 00	29. 21	29. 41		49. 36		49. 36	2 E			2	2	制御開始
						145	0	71	0	0	20	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55						
						133. 32	0. 00	5. 38	0. 00	0. 00	61. 64	5. 38	0. 00	133. 32	0. 00	29. 21	29. 41		49. 36		49. 36						

加古川大堰操作記録Ⅰ

2016年09月18日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
19:51	12.66	8.65	1780	360.17	571.61	145	0	71	0	0	45	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作	
20:00	12.60	8.81	1727	372.47	543.66	133.32	0.00	5.38	0.00	0.00	136.87	5.38	0.00	133.32	0.00	29.21	29.41		49.36		49.36				2	2	定刻	
						145	0	71	0	0	45	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:00	12.60	8.81	1727	372.47	543.66	124.60	0.00	2.66	0.00	0.00	136.08	2.66	0.00	124.60	0.00	28.49	28.69		47.94		47.94			2 E		2	2	制御開始
						145	0	71	0	0	45	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:05	12.58	8.81	1710	377.12	609.09	124.60	0.00	2.66	0.00	0.00	136.08	2.66	0.00	124.60	0.00	28.49	28.69		47.94		47.94			2 E		2	2	機器動作
						145	0	0	25	0	45	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:10	12.52	8.89	1657	381.81	583.08	121.73	0.00	0.00	76.27	0.00	135.82	1.90	0.00	121.73	0.00	28.25	28.45		47.47		47.47			2 E		2	2	定刻
						145	0	0	25	0	45	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:10	12.52	8.89	1657	381.81	583.08	113.27	0.00	0.00	73.86	0.00	135.02	0.24	0.00	113.27	0.00	27.54	27.74		46.07		46.07			2 E		2	2	制御開始
						145	0	0	25	0	45	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:11	12.51	8.89	1649	385.01	654.90	113.27	0.00	0.00	73.86	0.00	135.02	0.24	0.00	113.27	0.00	27.54	27.74		46.07		46.07			2 E		2	2	制御開始
						145	0	0	50	0	45	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:20	12.41	8.99	1565	394.52	617.89	111.88	0.00	0.00	149.47	0.00	134.89	0.08	0.00	111.88	0.00	27.42	27.62		45.83		45.83			2 E		2	2	機器動作
						145	0	0	50	0	45	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:20	12.41	8.99	1565	394.52	617.89	98.30	0.00	0.00	147.98	0.00	133.55	0.00	0.00	98.30	0.00	26.25	26.45		43.53		43.53			2 E		2	2	定刻
						145	0	0	50	0	45	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:25	12.36	8.99	1525	401.06	718.35	98.30	0.00	0.00	147.98	0.00	133.55	0.00	0.00	98.30	0.00	26.25	26.45		43.53		43.53			2 E		2	2	制御開始
						145	0	0	50	0	45	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:25	12.36	8.99	1525	401.06	718.35	91.74	0.00	0.00	147.23	0.00	132.88	0.00	118.44	91.74	0.00	25.67	25.87		42.39		42.39			2 E		2	2	機器動作
						145	0	0	50	0	45	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:30	12.25	9.10	1438	407.71	678.61	77.83	0.00	0.00	145.57	0.00	131.38	0.00	117.11	77.83	0.00	24.42	24.61		39.93		39.93			2 E		2	2	定刻
						145	0	0	50	0	45	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:30	12.25	9.10	1438	407.71	678.61	77.83	0.00	0.00	145.57	0.00	131.38	0.00	117.11	77.83	0.00	24.42	24.61		39.93		39.93			2 E		2	2	制御開始
						145	0	0	50	0	45	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:32	12.23	9.12	1422	409.45	797.44	75.39	0.00	0.00	145.26	0.00	228.59	0.00	145.26	75.39	0.00	24.19	24.38		39.49		39.49			2 E		2	2	機器動作
						145	0	0	50	0	80	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:40	12.04	9.26	1273	418.11	730.60	53.51	0.00	0.00	142.34	0.00	223.85	0.00	142.34	53.51	0.00	22.07	22.26		35.36		35.36			2 E		2	2	定刻
						145	0	0	50	0	80	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:50	11.89	9.22	1162	437.52	681.70	38.09	0.00	0.00	139.98	0.00	220.04	0.00	139.98	38.09	0.00	20.45	20.63		32.22		32.22			2 E		2	2	制御開始
						145	0	0	50	0	80	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:50	11.89	9.22	1162	437.52	681.70	38.09	0.00	0.00	139.98	0.00	220.04	0.00	139.98	38.09	0.00	20.45	20.63		32.22		32.22			2 E		2	2	機器動作
						0	50	0	50	0	80	0	50	0	25	9.02	8.99	G=4	9.55	G=4	9.55							
21:00	11.73	9.22	1046	453.56	781.33	0.00	139.51	0.00	139.51	0.00	219.27	0.00	139.51	0.00	60.39	20.13	20.31		31.60		31.60			2 E		2	2	定刻
						0	50	0	50	0	80	0	50	0	25	9.02	8.99	G=4	9.55	G=4	9.55							
21:00	11.73	9.22	1046	453.56	781.33	0.00	137.43	0.00	137.43	0.00	215.90	0.00	137.43	0.00	57.50	18.76	18.94		28.97		28.97			2 E		2	2	制御開始
						0	50	0	50	0	80	0	50	0	25	9.02	8.99	G=4	9.55	G=4	9.55							
21:02	11.71	9.26	1032	459.00	908.92	0.00	137.43	0.00	137.43	0.00	215.90	0.00	137.43	0.00	57.50	18.76	18.94		28.97		28.97			2 E		2	2	機器動作
						0	50	0	50	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55							
21:10	11.48	9.41	876	476.82	796.52	0.00	137.11	0.00	137.11	0.00	266.04	0.00	137.11	0.00	137.11	18.56	18.74		28.57		28.57			2 E		2	2	定刻
						0	50	0	50	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55							
21:20	11.29	9.39	758	499.85	759.05	0.00	114.32	0.00	114.32	0.00	258.35	0.00	114.32	0.00	114.32	16.23	16.40		24.13		24.13			2 E		2	2	制御開始
						0	50	0	50	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55							
21:20	11.29	9.39	758	499.85	759.05	0.00	109.24	0.00	109.24	0.00	251.84	0.00	109.24	0.00	109.24	14.38	14.55		20.66		20.66			2 E		2	2	機器動作
						0	50	0	50	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55							
21:22	11.26	9.39	739	503.38	883.28	0.00	109.24	0.00	109.24	0.00	251.84	0.00	109.24	0.00	109.24	14.38	14.55		20.66		20.66			2 E		2	2	制御開始
						0	50	0	95	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55							
						0.00	108.28	0.00	239.02	0.00	250.79	0.00	108.28	0.00	108.28	14.10	14.27		20.13		20.13			2 E		2	2	機器動作

加古川大堰操作記録Ⅰ

2016年09月18日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
21:30	11.05	9.45	615	527.07	829.37	0	50	0	95	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	98.82	0.00	231.98	0.00	243.37	0.00	98.82	0.00	98.82	12.17	12.33		16.53		16.53						
21:40	10.91	9.41	537	556.59	803.70	0	50	0	95	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	95.89	0.00	227.17	0.00	238.30	0.00	95.89	0.00	95.89	10.93	11.09		14.27		14.27						
21:50	10.86	9.38	511	592.68	796.58	0	50	0	95	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	95.52	0.00	225.43	0.00	236.46	0.00	95.52	0.00	95.52	10.50	10.65		13.49		13.49						
21:50	10.86	9.38	511	592.68	796.58	0	50	0	95	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						0.00	95.52	0.00	225.43	0.00	236.46	0.00	95.52	0.00	95.52	10.50	10.65		13.49		13.49						
21:52	10.86	9.38	511	594.44	926.49	0	50	0	95	0	100	0	95	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						0.00	95.52	0.00	225.43	0.00	236.46	0.00	225.43	0.00	95.52	10.50	10.65		13.49		13.49						
22:00	10.75	9.44	455	624.14	896.56	0	50	0	95	0	100	0	95	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	89.06	0.00	221.56	0.00	232.37	0.00	221.56	0.00	89.06	9.57	9.72		11.83		11.83						
22:10	10.73	9.44	445	652.76	892.07	0	50	0	95	0	100	0	95	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	88.35	0.00	220.85	0.00	231.62	0.00	220.85	0.00	88.35	9.41	9.56		11.54		11.54						
22:10	10.73	9.44	445	652.76	892.07	0	50	0	95	0	100	0	95	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						0.00	88.35	0.00	220.85	0.00	231.62	0.00	220.85	0.00	88.35	9.41	9.56		11.54		11.54						
22:12	10.74	9.45	450	661.10	1037.16	0	100	0	95	0	100	0	95	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						0.00	232.00	0.00	221.20	0.00	232.00	0.00	221.20	0.00	88.27	9.49	9.64		11.68		11.68						
22:20	10.67	9.52	415	688.76	979.69	0	100	0	95	0	100	0	95	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	229.36	0.00	199.48	0.00	229.36	0.00	199.48	0.00	82.70	8.91	9.06		10.67		10.67						
22:20	10.67	9.52	415	688.76	979.69	0	100	0	95	0	100	0	95	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						0.00	229.36	0.00	199.48	0.00	229.36	0.00	199.48	0.00	82.70	8.91	9.06		10.67		10.67						
22:22	10.66	9.52	410	691.04	1120.35	0	100	0	95	0	100	0	95	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						0.00	228.98	0.00	197.27	0.00	228.98	0.00	197.27	0.00	228.98	8.83	8.98		10.53		10.53						
22:30	10.58	9.58	369	719.58	950.23	0	100	0	95	0	100	0	95	0	100	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	188.95	0.00	174.01	0.00	188.95	0.00	174.01	0.00	188.95	8.20	8.34		9.41		9.41						
22:30	10.58	9.58	369	719.58	950.23	0	100	0	95	0	100	0	95	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						0.00	188.95	0.00	174.01	0.00	188.95	0.00	174.01	0.00	188.95	8.20	8.34		9.41		9.41						
22:32	10.58	9.59	369	722.05	1081.03	0	100	0	95	0	150	0	95	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						0.00	186.98	0.00	172.46	0.00	326.79	0.00	172.46	0.00	186.98	8.20	8.34		9.41		9.41						
22:40	10.51	9.64	334	751.49	1012.03	0	100	0	95	0	150	0	95	0	100	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	170.30	0.00	158.19	0.00	322.67	0.00	158.19	0.00	170.30	7.65	7.79		8.47		8.47						
22:40	10.51	9.64	334	751.49	1012.03	0	100	0	95	0	150	0	95	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						0.00	170.30	0.00	158.19	0.00	322.67	0.00	158.19	0.00	170.30	7.65	7.79		8.47		8.47						
22:42	10.51	9.66	334	754.12	1158.27	0	100	0	145	0	150	0	95	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						0.00	167.31	0.00	313.03	0.00	322.67	0.00	155.57	0.00	167.31	7.65	7.79		8.47		8.47						
22:50	10.47	9.71	316	784.45	1118.46	0	100	0	145	0	150	0	95	0	100	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	155.76	0.00	310.74	0.00	320.30	0.00	145.19	0.00	155.76	7.34	7.49		7.94		7.94						
22:50	10.47	9.71	316	784.45	1118.46	0	100	0	145	0	150	0	95	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						0.00	155.76	0.00	310.74	0.00	320.30	0.00	145.19	0.00	155.76	7.34	7.49		7.94		7.94						
22:52	10.48	9.71	320	793.79	1278.76	0	100	0	145	0	150	0	140	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						0.00	156.88	0.00	311.32	0.00	320.89	0.00	301.67	0.00	156.88	7.42	7.56		8.07		8.07						
23:00	10.48	9.78	320	818.49	1164.09	0	100	0	145	0	150	0	140	0	100	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	147.40	0.00	269.03	0.00	320.89	0.00	248.25	0.00	147.40	7.42	7.56		8.07		8.07						
23:00	10.48	9.78	320	818.49	1164.09	0	100	0	145	0	150	0	140	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						0.00	147.40	0.00	269.03	0.00	320.89	0.00	248.25	0.00	147.40	7.42	7.56		8.07		8.07						
23:02	10.50	9.79	329	828.07	1366.04	0	145	0	145	0	150	0	150	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						0.00	270.82	0.00	270.82	0.00	322.08	0.00	322.08	0.00	148.29	7.57	7.72		8.33		8.33						