

加古川大堰操作記録Ⅰ

2016年08月30日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要 因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲー ト	微調 節ゲ ート	魚道 ゲー ト					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
0:05	12.66	8.50	1780	287.07	394.48	106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=4	9.55	G=4	9.55			3	1	2	機器動作
						110.50	0.00	5.38	0.00	5.38	0.00	5.38	0.00	110.50	0.00	29.21	29.41		49.36		49.36						
0:10	12.66	8.50	1780	298.09	394.48	106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						110.50	0.00	5.38	0.00	5.38	0.00	5.38	0.00	110.50	0.00	29.21	29.41		49.36		49.36						
0:20	12.66	8.51	1780	312.22	394.48	106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						110.50	0.00	5.38	0.00	5.38	0.00	5.38	0.00	110.50	0.00	29.21	29.41		49.36		49.36						
0:30	12.67	8.52	1789	326.71	399.49	106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						111.88	0.00	5.89	0.00	5.89	0.00	5.89	0.00	111.88	0.00	29.33	29.53		49.60		49.60						
0:30	12.67	8.52	1789	326.71	399.49	106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	制御開始
						111.88	0.00	5.89	0.00	5.89	0.00	5.89	0.00	111.88	0.00	29.33	29.53		49.60		49.60						
0:31	12.67	8.52	1789	326.71	433.59	126	0	71	0	71	0	71	0	126	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	機器動作
						128.93	0.00	5.89	0.00	5.89	0.00	5.89	0.00	128.93	0.00	29.33	29.53		49.60		49.60						
0:40	12.67	8.56	1789	344.57	433.59	126	0	71	0	71	0	71	0	126	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						128.93	0.00	5.89	0.00	5.89	0.00	5.89	0.00	128.93	0.00	29.33	29.53		49.60		49.60						
0:50	12.68	8.58	1797	361.36	438.82	126	0	71	0	71	0	71	0	126	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						130.39	0.00	6.42	0.00	6.42	0.00	6.42	0.00	130.39	0.00	29.45	29.65		49.84		49.84						
0:50	12.68	8.58	1797	361.36	438.82	126	0	71	0	71	0	71	0	126	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	制御開始
						130.39	0.00	6.42	0.00	6.42	0.00	6.42	0.00	130.39	0.00	29.45	29.65		49.84		49.84						
0:51	12.68	8.59	1797	361.36	450.58	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	機器動作
						136.27	0.00	6.42	0.00	6.42	0.00	6.42	0.00	136.27	0.00	29.45	29.65		49.84		49.84						
0:55	12.69	8.59	1806	367.57	455.90	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	制御終了
						137.76	0.00	6.96	0.00	6.96	0.00	6.96	0.00	137.76	0.00	29.57	29.77		50.08		50.08						
0:55	12.69	8.59	1806	367.57	455.90	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	制御不能
						137.76	0.00	6.96	0.00	6.96	0.00	6.96	0.00	137.76	0.00	29.57	29.77		50.08		50.08						
0:57	12.69	8.60	1806	370.69	455.90	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						137.76	0.00	6.96	0.00	6.96	0.00	6.96	0.00	137.76	0.00	29.57	29.77		50.08		50.08						
1:00	12.70	8.61	1815	373.84	461.28	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						139.25	0.00	7.52	0.00	7.52	0.00	7.52	0.00	139.25	0.00	29.69	29.89		50.32		50.32						
1:00	12.70	8.61	1815	373.84	461.28	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						139.25	0.00	7.52	0.00	7.52	0.00	7.52	0.00	139.25	0.00	29.69	29.89		50.32		50.32						
1:05	12.71	8.61	1824	381.71	551.01	145	0	71	0	0	30	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						140.74	0.00	8.09	0.00	0.00	92.41	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56						
1:10	12.67	8.73	1789	384.90	531.48	145	0	71	0	0	30	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						134.79	0.00	5.89	0.00	0.00	92.06	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.60						
1:10	12.67	8.73	1789	384.90	531.48	145	0	71	0	0	30	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						134.79	0.00	5.89	0.00	0.00	92.06	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.60						
1:11	12.67	8.74	1789	388.10	591.25	145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						134.79	0.00	5.89	0.00	0.00	151.83	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.60						
1:20	12.62	8.88	1745	402.64	567.52	145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						127.48	0.00	3.49	0.00	0.00	151.10	3.49	0.00	127.48	0.00	28.73	28.93		48.41		48.41						
1:20	12.62	8.88	1745	402.64	567.52	145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						127.48	0.00	3.49	0.00	0.00	151.10	3.49	0.00	127.48	0.00	28.73	28.93		48.41		48.41						
1:25	12.60	8.88	1727	402.64	647.17	145	0	0	30	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						124.60	0.00	0.00	91.45	0.00	150.80	2.66	0.00	124.60	0.00	28.49	28.69		47.94		47.94						
1:30	12.52	8.96	1657	409.21	614.57	145	0	0	30	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						113.27	0.00	0.00	90.75	0.00	149.62	0.24	0.00	113.27	0.00	27.54	27.74		46.07		46.07						
1:30	12.52	8.96	1657	409.21	614.57	145	0	0	30	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						113.27	0.00	0.00	90.75	0.00	149.62	0.24	0.00	113.27	0.00	27.54	27.74		46.07		46.07						

加古川大堰操作記録Ⅰ

2016年08月30日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ー ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
1:34	12.46	9.02	1607	417.45	704.31	145	0	0	50	0	50	0	20	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
1:40	12.37	9.11	1533	427.51	669.67	105.02	0.00	0.00	148.73	0.00	148.73	0.00	53.58	105.02	0.00	26.84	27.03		44.68		44.68				2	2	定刻
						145	0	0	50	0	50	0	20	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
1:40	12.37	9.11	1533	427.51	669.67	93.04	0.00	0.00	147.38	0.00	147.38	0.00	51.82	93.04	0.00	25.79	25.98		42.62		42.62	2 E			2	2	制御開始
						145	0	0	50	0	50	0	20	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
1:42	12.34	9.12	1510	430.89	782.47	93.04	0.00	0.00	147.38	0.00	147.38	0.00	51.82	93.04	0.00	25.79	25.98		42.62		42.62	2 E			2	2	機器動作
						145	0	0	50	0	60	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
1:50	12.16	9.23	1366	437.70	717.40	89.15	0.00	0.00	146.93	0.00	175.35	0.00	146.93	89.15	0.00	25.44	25.64		41.94		41.94				2	2	定刻
						145	0	0	50	0	60	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
2:00	12.00	9.17	1243	449.66	663.42	67.04	0.00	0.00	144.19	0.00	172.05	0.00	144.19	67.04	0.00	23.40	23.59		37.95		37.95				2	2	定刻
						145	0	0	50	0	60	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
2:00	12.00	9.17	1243	449.66	663.42	49.23	0.00	0.00	141.71	0.00	169.06	0.00	141.71	49.23	0.00	21.64	21.82		34.51		34.51	2 E			2	2	制御開始
						145	0	0	50	0	60	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
2:07	11.97	9.05	1221	453.14	780.76	49.23	0.00	0.00	141.71	0.00	169.06	0.00	141.71	49.23	0.00	21.64	21.82		34.51		34.51	2 E			2	2	機器動作
						0	50	0	50	0	60	0	50	0	30	9.02	8.99	G=4	9.55	G=4	9.55						
2:10	11.80	9.16	1096	453.14	753.62	0.00	141.24	0.00	141.24	0.00	168.50	0.00	141.24	0.00	77.97	21.31	21.50		33.88		33.88				2	2	定刻
						0	50	0	50	0	60	0	50	0	30	9.02	8.99	G=4	9.55	G=4	9.55						
2:20	11.64	9.21	984	453.14	729.65	0.00	138.55	0.00	138.55	0.00	165.25	0.00	138.55	0.00	72.78	19.50	19.68		30.38		30.38				2	2	定刻
						0	50	0	50	0	60	0	50	0	30	9.02	8.99	G=4	9.55	G=4	9.55						
2:20	11.64	9.21	984	453.14	729.65	0.00	135.97	0.00	135.97	0.00	162.14	0.00	135.97	0.00	69.36	17.84	18.02		27.19		27.19	2 E			2	2	制御開始
						0	50	0	50	0	60	0	50	0	30	9.02	8.99	G=4	9.55	G=4	9.55						
2:22	11.59	9.21	950	454.81	852.67	0.00	135.97	0.00	135.97	0.00	162.14	0.00	135.97	0.00	69.36	17.84	18.02		27.19		27.19	2 E			2	2	機器動作
						0	50	0	50	0	85	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
2:30	11.32	9.30	776	458.29	748.75	0.00	135.15	0.00	135.15	0.00	224.79	0.00	135.15	0.00	135.15	17.33	17.51		26.22		26.22				2	2	定刻
						0	50	0	50	0	85	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
2:30	11.32	9.30	776	458.29	748.75	0.00	114.96	0.00	114.96	0.00	217.02	0.00	114.96	0.00	114.96	14.67	14.84		21.19		21.19	2 E			2	2	制御開始
						0	50	0	50	0	85	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
2:32	11.27	9.29	745	458.29	610.63	0.00	114.96	0.00	114.96	0.00	217.02	0.00	114.96	0.00	114.96	14.67	14.84		21.19		21.19	2 E			2	2	機器動作
						0	50	0	50	0	50	0	50	0	40	9.02	8.99	G=4	9.55	G=4	9.55						
2:40	11.20	9.12	701	458.29	670.49	0.00	113.81	0.00	113.81	0.00	113.81	0.00	113.81	0.00	86.23	14.20	14.36		20.30		20.30				2	2	定刻
						0	50	0	50	0	50	0	50	0	40	9.02	8.99	G=4	9.55	G=4	9.55						
2:40	11.20	9.12	701	458.29	670.49	0.00	128.61	0.00	128.61	0.00	128.61	0.00	128.61	0.00	90.64	13.54	13.71		19.08		19.08	2 E			2	2	制御開始
						0	50	0	50	0	50	0	50	0	40	9.02	8.99	G=4	9.55	G=4	9.55						
2:41	11.19	9.11	695	461.79	743.86	0.00	128.61	0.00	128.61	0.00	128.61	0.00	128.61	0.00	90.64	13.54	13.71		19.08		19.08	2 E			2	2	機器動作
						0	50	0	50	0	65	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
2:50	11.01	9.12	593	461.79	683.68	0.00	128.44	0.00	128.44	0.00	165.25	0.00	128.44	0.00	128.44	13.44	13.61		18.90		18.90				2	2	定刻
						0	50	0	50	0	65	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
2:50	11.01	9.12	593	461.79	683.68	0.00	116.75	0.00	116.75	0.00	161.14	0.00	116.75	0.00	116.75	11.81	11.97		15.88		15.88	2 E			2	2	制御開始
						0	50	0	50	0	65	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
2:51	11.00	9.12	587	465.31	806.07	0.00	116.75	0.00	116.75	0.00	161.14	0.00	116.75	0.00	116.75	11.81	11.97		15.88		15.88	2 E			2	2	機器動作
						0	50	0	65	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
3:00	10.71	9.19	435	463.64	724.41	0.00	116.19	0.00	160.91	0.00	241.57	0.00	116.19	0.00	116.19	11.72	11.88		15.71		15.71				2	2	定刻
						0	50	0	65	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
3:00	10.71	9.19	435	463.64	724.41	0.00	99.46	0.00	154.05	0.00	230.87	0.00	99.46	0.00	99.46	9.24	9.39		11.24		11.24	2 E			2	2	制御開始
						0	50	0	65	0	100	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
3:01	10.69	9.19	425	467.17	588.70	0.00	99.46	0.00	154.05	0.00	230.87	0.00	99.46	0.00	99.46	9.24	9.39		11.24		11.24	2 E			2	2	機器動作
						0	50	0	50	0	65	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
						0.00	98.73	0.00	98.73	0.00	153.57	0.00	98.73	0.00	98.73	9.08	9.23		10.95		10.95						

加古川大堰操作記録Ⅰ

2016年08月30日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制 御 バ タ ー ン	流 入 量 判 定	印 字 要 因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
3:10	10.65	9.00	405	470.72	640.09	0	50	0	50	0	65	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	定刻
3:10	10.65	9.00	405	470.72	640.09	0.00	112.27	0.00	112.27	0.00	152.60	0.00	112.27	0.00	112.27	8.75	8.90		10.38		10.38				2	2	制御開始
3:11	10.65	9.00	405	470.72	705.47	0.00	112.27	0.00	112.27	0.00	152.60	0.00	112.27	0.00	112.27	8.75	8.90		10.38		10.38	2 E			2	2	機器動作
						0	50	0	50	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
3:20	10.50	9.03	329	474.28	648.65	0.00	112.27	0.00	112.27	0.00	217.98	0.00	112.27	0.00	112.27	8.75	8.90		10.38		10.38	2 E			2	2	定刻
						0	50	0	50	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
3:30	10.40	8.99	284	476.22	635.18	0.00	101.05	0.00	101.05	0.00	212.50	0.00	101.05	0.00	101.05	7.57	7.72		8.33		8.33	2 E			2	2	定刻
						0	50	0	50	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
3:40	10.33	8.95	253	481.81	629.76	0.00	99.63	0.00	99.63	0.00	208.78	0.00	99.63	0.00	99.63	6.82	6.96		7.05		7.05	2 E			2	2	定刻
						0	50	0	50	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
3:40	10.33	8.95	253	481.81	629.76	0.00	99.62	0.00	99.62	0.00	206.13	0.00	99.62	0.00	99.62	6.31	6.44		6.20		6.20	2 E			2	2	制御開始
						0	50	0	50	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
3:42	10.32	8.94	248	481.81	746.28	0.00	99.62	0.00	99.62	0.00	206.13	0.00	99.62	0.00	99.62	6.31	6.44		6.20		6.20	2 E			2	2	機器動作
						0	50	0	100	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
3:50	10.16	9.00	176	485.44	693.28	0.00	100.02	0.00	215.71	0.00	205.75	0.00	100.02	0.00	100.02	6.23	6.37		6.08		6.08	2 E			2	2	定刻
						0	50	0	100	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:00	10.08	8.95	140	491.14	682.98	0.00	88.52	0.00	209.19	0.00	199.58	0.00	88.52	0.00	88.52	5.12	5.25		4.29		4.29	2 E			2	2	定刻
						0	50	0	100	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:00	10.08	8.95	140	491.14	682.98	0.00	88.15	0.00	205.87	0.00	196.42	0.00	88.15	0.00	88.15	4.59	4.71		3.47		3.47	2 E			2	2	制御開始
						0	50	0	100	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:02	10.07	8.94	136	487.48	799.56	0.00	88.15	0.00	205.87	0.00	196.42	0.00	88.15	0.00	88.15	4.59	4.71		3.47		3.47	2 E			2	2	機器動作
						0	50	0	100	0	95	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:10	9.96	8.96	93	489.59	769.98	0.00	88.36	0.00	205.45	0.00	196.02	0.00	205.45	0.00	88.36	4.53	4.65		3.37		3.37	2 E			2	2	定刻
						0	50	0	100	0	95	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:20	9.92	8.92	78	488.05	765.09	0.00	82.16	0.00	200.78	0.00	191.60	0.00	200.78	0.00	82.16	3.83	3.95		2.36		2.36	2 E			2	2	定刻
						0	50	0	100	0	95	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:20	9.92	8.92	78	488.05	765.09	0.00	82.82	0.00	199.06	0.00	189.97	0.00	199.06	0.00	82.82	3.59	3.71		2.03		2.03	2 E			2	2	制御開始
						0	50	0	100	0	95	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:21	9.91	8.91	75	491.72	763.88	0.00	82.82	0.00	199.06	0.00	189.97	0.00	199.06	0.00	82.82	3.59	3.71		2.03		2.03	2 E			2	2	制御開始
						0	50	0	100	0	95	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:21	9.91	8.91	75	491.72	763.88	0.00	83.00	0.00	198.63	0.00	189.56	0.00	198.63	0.00	83.00	3.53	3.65		1.94		1.94	2 E			1	2	制御終了
						0	50	0	100	0	95	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:21	9.91	8.91	75	491.72	763.88	0.00	83.00	0.00	198.63	0.00	189.56	0.00	198.63	0.00	83.00	3.53	3.65		1.94		1.94	2 I			2	2	制御開始
						0	50	0	100	0	95	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:30	9.90	8.89	71	486.55	764.01	0.00	83.00	0.00	198.63	0.00	189.56	0.00	198.63	0.00	83.00	3.53	3.65		1.94		1.94	2 I			2	2	定刻
						0	50	0	100	0	95	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:30	9.90	8.89	71	486.55	764.01	0.00	83.85	0.00	198.19	0.00	189.15	0.00	198.19	0.00	83.85	3.47	3.59		1.86		1.86	2 I			2	2	制御開始
						0	50	0	100	0	95	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:31	9.90	8.89	71	486.55	675.67	0.00	83.85	0.00	198.19	0.00	189.15	0.00	198.19	0.00	83.85	3.47	3.59		1.86		1.86	2 I			2	2	機器動作
						0	50	0	100	0	95	0	60	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:40	9.94	8.85	86	488.74	704.43	0.00	83.85	0.00	198.19	0.00	189.15	0.00	109.85	0.00	83.85	3.47	3.59		1.86		1.86	2 I			2	2	定刻
						0	50	0	100	0	95	0	60	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
4:50	9.95	8.85	90	483.62	706.82	0.00	88.65	0.00	199.92	0.00	190.78	0.00	124.51	0.00	88.65	3.71	3.83		2.19		2.19	2 I			2	2	定刻
						0	50	0	100	0	95	0	60	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
5:00	9.94	8.85	86	482.19	704.43	0.00	89.15	0.00	200.35	0.00	191.19	0.00	124.76	0.00	89.15	3.77	3.89		2.28		2.28	2 I			2	2	定刻
						0	50	0	100	0	95	0	60	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
						0.00	88.65	0.00	199.92	0.00	190.78	0.00	124.51	0.00	88.65	3.71	3.83		2.19		2.19				2	2	定刻

加古川大堰操作記録Ⅰ

2016年08月30日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
5:00	9.94	8.85	86	482.19	704.43	0	50	0	100	0	95	0	60	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 I			2	2	制御開始
5:01	9.94	8.85	86	482.19	612.53	0.00	88.65	0.00	199.92	0.00	190.78	0.00	124.51	0.00	88.65	3.71	3.83		2.19		2.19	2 I			2	2	機器動作
						0	50	0	70	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
5:10	10.01	8.80	112	480.79	647.76	0.00	88.65	0.00	143.88	0.00	190.78	0.00	88.65	0.00	88.65	3.71	3.83		2.19		2.19				2	2	定刻
						0	50	0	70	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
5:20	10.03	8.80	120	479.42	655.66	0.00	98.06	0.00	145.94	0.00	193.62	0.00	98.06	0.00	98.06	4.14	4.26		2.81		2.81				2	2	定刻
						0	50	0	70	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
5:30	10.03	8.80	120	474.41	655.66	0.00	100.02	0.00	146.53	0.00	194.43	0.00	100.02	0.00	100.02	4.27	4.39		2.99		2.99				2	2	定刻
						0	50	0	70	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55						
5:30	10.03	8.80	120	474.41	655.66	0	50	0	70	0	95	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 I			2	2	制御開始
						0.00	100.02	0.00	146.53	0.00	194.43	0.00	100.02	0.00	100.02	4.27	4.39		2.99		2.99						
5:31	10.03	8.80	120	474.41	571.00	0	50	0	50	0	75	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 I			2	2	機器動作
						0.00	100.02	0.00	100.02	0.00	156.28	0.00	100.02	0.00	100.02	4.27	4.39		2.99		2.99						
5:40	10.13	8.75	162	469.46	612.12	0	50	0	50	0	75	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	108.70	0.00	108.70	0.00	159.39	0.00	108.70	0.00	108.70	4.92	5.05		3.98		3.98						
5:50	10.17	8.75	180	469.46	617.95	0	50	0	50	0	75	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	109.51	0.00	109.51	0.00	160.62	0.00	109.51	0.00	109.51	5.19	5.32		4.39		4.39						
6:00	10.18	8.76	185	464.54	619.39	0	50	0	50	0	75	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	109.71	0.00	109.71	0.00	160.92	0.00	109.71	0.00	109.71	5.25	5.38		4.50		4.50						
6:00	10.18	8.76	185	464.54	619.39	0	50	0	50	0	75	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 I			2	2	制御開始
						0.00	109.71	0.00	109.71	0.00	160.92	0.00	109.71	0.00	109.71	5.25	5.38		4.50		4.50						
6:01	10.18	8.76	185	463.27	537.22	0	50	0	50	0	50	0	50	0	40	9.02	8.99	G=4	9.55	G=4	9.55	2 I			2	2	機器動作
						0.00	109.71	0.00	109.71	0.00	109.71	0.00	109.71	0.00	78.75	5.25	5.38		4.50		4.50						
6:10	10.29	8.69	235	459.67	561.55	0	50	0	50	0	50	0	50	0	40	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	111.90	0.00	111.90	0.00	111.90	0.00	111.90	0.00	90.32	6.02	6.15		5.73		5.73						
6:20	10.32	8.69	248	454.84	565.47	0	50	0	50	0	50	0	50	0	40	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	112.48	0.00	112.48	0.00	112.48	0.00	112.48	0.00	90.79	6.23	6.37		6.08		6.08						
6:30	10.32	8.69	248	450.04	565.47	0	50	0	50	0	50	0	50	0	40	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	112.48	0.00	112.48	0.00	112.48	0.00	112.48	0.00	90.79	6.23	6.37		6.08		6.08						
6:30	10.32	8.69	248	450.04	565.47	0	50	0	50	0	50	0	50	0	40	9.02	8.99	G=4	9.55	G=4	9.55	2 I			2	2	制御開始
						0.00	112.48	0.00	112.48	0.00	112.48	0.00	112.48	0.00	90.79	6.23	6.37		6.08		6.08						
6:31	10.32	8.69	248	450.04	512.00	0	50	0	50	0	50	0	50	0	20	9.02	8.99	G=4	9.55	G=4	9.55	2 I			2	2	機器動作
						0.00	112.48	0.00	112.48	0.00	112.48	0.00	112.48	0.00	37.32	6.23	6.37		6.08		6.08						
6:40	10.36	8.64	266	445.30	517.92	0	50	0	50	0	50	0	50	0	20	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	113.27	0.00	113.27	0.00	113.27	0.00	113.27	0.00	38.54	6.52	6.66		6.56		6.56						
6:50	10.39	8.64	280	440.59	521.77	0	50	0	50	0	50	0	50	0	20	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	113.85	0.00	113.85	0.00	113.85	0.00	113.85	0.00	38.89	6.74	6.88		6.93		6.93						
7:00	10.41	8.64	289	437.06	524.36	0	50	0	50	0	50	0	50	0	20	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	114.24	0.00	114.24	0.00	114.24	0.00	114.24	0.00	39.12	6.89	7.03		7.18		7.18						
7:00	10.41	8.64	289	437.06	524.36	0	50	0	50	0	50	0	50	0	20	9.02	8.99	G=4	9.55	G=4	9.55	2 I			2	2	制御開始
						0.00	114.24	0.00	114.24	0.00	114.24	0.00	114.24	0.00	39.12	6.89	7.03		7.18		7.18						
7:01	10.41	8.64	289	433.54	452.01	0	35	0	50	0	50	0	50	0	0	9.02	8.99	G=4	9.55	G=4	9.55	2 I			2	2	機器動作
						0.00	81.01	0.00	114.24	0.00	114.24	0.00	114.24	0.00	0.00	6.89	7.03		7.18		7.18						
7:10	10.53	8.57	344	428.91	465.40	0	35	0	50	0	50	0	50	0	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	82.60	0.00	116.53	0.00	116.53	0.00	116.53	0.00	0.00	7.80	7.95		8.73		8.73						
7:20	10.60	8.57	379	420.84	473.28	0	35	0	50	0	50	0	50	0	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						0.00	83.52	0.00	117.85	0.00	117.85	0.00	117.85	0.00	0.00	8.35	8.50		9.68		9.68						

加古川大堰操作記録Ⅰ

2016年08月29日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
16:10	12.60	7.34	1727	65.82	71.58	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.46	G=1	12.43	1 C			1	2	制御開始
16:11	12.60	7.34	1727	67.17	87.28	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	28.49	28.69		0.47		0.63	1 C			1	2	機器動作
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.46	G=1	12.43						
16:20	12.60	7.43	1727	72.71	87.28	10.51	0.00	2.66	0.00	2.66	0.00	2.66	0.00	10.51	0.00	28.49	28.69		0.47		0.63				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.46	G=1	12.43						
16:30	12.59	7.45	1718	72.71	84.51	10.51	0.00	2.66	0.00	2.66	0.00	2.66	0.00	10.51	0.00	28.49	28.69		0.47		0.63				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.46	G=1	12.43						
16:40	12.58	7.44	1710	69.91	81.83	9.88	0.00	2.27	0.00	2.27	0.00	2.27	0.00	9.88	0.00	28.37	28.57		0.42		0.58				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.46	G=1	12.43						
16:50	12.58	7.43	1710	67.17	81.83	9.27	0.00	1.90	0.00	1.90	0.00	1.90	0.00	9.27	0.00	28.25	28.45		0.37		0.52				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.46	G=1	12.43						
16:59	12.57	7.42	1701	63.17	79.53	9.27	0.00	1.90	0.00	1.90	0.00	1.90	0.00	9.27	0.00	28.25	28.45		0.37		0.52				1	2	機器動作
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.43	G=1	12.41						
17:00	12.57	7.42	1701	61.87	79.53	8.67	0.00	1.56	0.00	1.56	0.00	1.56	0.00	8.67	0.00	28.13	28.33		0.47		0.58				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.43	G=1	12.41						
17:10	12.56	7.41	1692	59.31	77.06	8.67	0.00	1.56	0.00	1.56	0.00	1.56	0.00	8.67	0.00	28.13	28.33		0.47		0.58				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.43	G=1	12.41						
17:19	12.55	7.40	1684	56.81	74.80	8.09	0.00	1.24	0.00	1.24	0.00	1.24	0.00	8.09	0.00	28.01	28.21		0.42		0.52				1	2	機器動作
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.43	G=1	12.39						
17:20	12.55	7.40	1684	56.04	74.80	7.52	0.00	0.94	0.00	0.94	0.00	0.94	0.00	7.52	0.00	27.90	28.09		0.37		0.58				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.43	G=1	12.39						
17:30	12.54	7.39	1675	53.63	72.53	7.52	0.00	0.94	0.00	0.94	0.00	0.94	0.00	7.52	0.00	27.90	28.09		0.37		0.58				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.43	G=1	12.39						
17:31	12.54	7.39	1675	53.63	72.67	6.96	0.00	0.67	0.00	0.67	0.00	0.67	0.00	6.96	0.00	27.78	27.97		0.33		0.52				1	2	機器動作
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.40	G=1	12.39						
17:40	12.53	7.38	1666	51.76	70.57	6.96	0.00	0.67	0.00	0.67	0.00	0.67	0.00	6.96	0.00	27.78	27.97		0.47		0.52				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.40	G=1	12.39						
17:42	12.53	7.38	1666	52.26	70.68	6.42	0.00	0.44	0.00	0.44	0.00	0.44	0.00	6.42	0.00	27.66	27.86		0.42		0.47				1	2	機器動作
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.40	G=1	12.37						
17:50	12.52	7.38	1657	51.62	68.67	6.42	0.00	0.44	0.00	0.44	0.00	0.44	0.00	6.42	0.00	27.66	27.86		0.42		0.58				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.40	G=1	12.37						
18:00	12.52	7.37	1657	51.02	68.67	5.89	0.00	0.24	0.00	0.24	0.00	0.24	0.00	5.89	0.00	27.54	27.74		0.37		0.52				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.40	G=1	12.37						
18:09	12.51	7.36	1649	51.02	66.95	5.89	0.00	0.24	0.00	0.24	0.00	0.24	0.00	5.89	0.00	27.54	27.74		0.37		0.52				1	2	機器動作
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.40	G=1	12.35						
18:10	12.51	7.36	1649	51.02	66.95	5.38	0.00	0.08	0.00	0.08	0.00	0.08	0.00	5.38	0.00	27.42	27.62		0.33		0.58				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.40	G=1	12.35						
18:14	12.51	7.36	1649	51.57	67.09	5.38	0.00	0.08	0.00	0.08	0.00	0.08	0.00	5.38	0.00	27.42	27.62		0.33		0.58				1	2	機器動作
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.37	G=1	12.35						
18:20	12.51	7.36	1649	51.57	67.09	5.38	0.00	0.08	0.00	0.08	0.00	0.08	0.00	5.38	0.00	27.42	27.62		0.47		0.58				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.37	G=1	12.35						
18:30	12.50	7.35	1640	55.06	65.50	5.38	0.00	0.08	0.00	0.08	0.00	0.08	0.00	5.38	0.00	27.42	27.62		0.47		0.58				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.37	G=1	12.35						
18:40	12.50	7.35	1640	55.06	65.50	4.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.88	0.00	27.30	27.50		0.42		0.52				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.37	G=1	12.35						
18:50	12.50	7.35	1640	55.01	65.50	4.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.88	0.00	27.30	27.50		0.42		0.52				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9.02	8.99	G=1	12.37	G=1	12.35						
						4.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.88	0.00	27.30	27.50		0.42		0.52						

加古川大堰操作記録Ⅰ

2016年08月29日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
19:00	12. 50	7. 35	1640	56. 17	65. 50	16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 37	G=1	12. 35				1	2	定刻
19:10	12. 51	7. 35	1649	57. 95	67. 09	4. 88	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	4. 88	0. 00	27. 30	27. 50		0. 42		0. 52				1	2	定刻
						16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 37	G=1	12. 35						
19:18	12. 51	7. 35	1649	57. 95	66. 99	5. 38	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	5. 38	0. 00	27. 42	27. 62		0. 47		0. 58	1	2	機器動作			
						16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 39	G=1	12. 35						
19:20	12. 51	7. 35	1649	57. 95	66. 99	5. 38	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	5. 38	0. 00	27. 42	27. 62		0. 37		0. 58	1	2	定刻			
						16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 39	G=1	12. 35						
19:21	12. 51	7. 35	1649	57. 95	66. 99	5. 38	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	5. 38	0. 00	27. 42	27. 62		0. 37		0. 58	1 C	1	2	制御終了		
						16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 39	G=1	12. 35						
19:21	12. 51	7. 35	1649	57. 95	66. 99	5. 38	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	5. 38	0. 00	27. 42	27. 62		0. 37		0. 58	1 C	1	2	制御不能		
						16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 39	G=1	12. 35						
19:21	12. 51	7. 35	1649	57. 95	66. 99	5. 38	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	5. 38	0. 00	27. 42	27. 62		0. 37		0. 58	1 C	1	2	制御開始		
						16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 39	G=1	12. 35						
19:30	12. 52	7. 36	1657	59. 76	68. 83	5. 38	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	5. 38	0. 00	27. 42	27. 62		0. 37		0. 58	1	2	定刻			
						16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 39	G=1	12. 35						
19:39	12. 53	7. 36	1666	61. 61	70. 73	5. 89	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	5. 89	0. 00	27. 54	27. 74		0. 42		0. 63	1	2	機器動作			
						16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 39	G=1	12. 37						
19:40	12. 53	7. 36	1666	61. 61	70. 73	6. 42	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	6. 42	0. 00	27. 66	27. 86		0. 47		0. 58	1	2	定刻			
						16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 39	G=1	12. 37						
19:40	12. 53	7. 36	1666	61. 61	70. 73	6. 42	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	6. 42	0. 00	27. 66	27. 86		0. 47		0. 58	1 C	1	2	制御開始		
						16	0	71	0	71	0	71	0	16	0	9. 02	8. 99	G=1	12. 39	G=1	12. 37						
19:40	12. 53	7. 36	1666	61. 61	80. 17	6. 42	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	6. 42	0. 00	27. 66	27. 86		0. 47		0. 58	1 C	1	2	機器動作		
						24	0	71	0	71	0	71	0	24	0	9. 02	8. 99	G=1	12. 39	G=1	12. 37						
19:50	12. 53	7. 41	1666	64. 08	80. 17	11. 14	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	11. 14	0. 00	27. 66	27. 86		0. 47		0. 58	1	2	定刻			
						24	0	71	0	71	0	71	0	24	0	9. 02	8. 99	G=1	12. 39	G=1	12. 37						
19:52	12. 53	7. 42	1666	64. 08	80. 07	11. 14	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	11. 14	0. 00	27. 66	27. 86		0. 47		0. 58	1	2	機器動作			
						24	0	71	0	71	0	71	0	24	0	9. 02	8. 99	G=1	12. 41	G=1	12. 37						
20:00	12. 54	7. 43	1675	65. 34	82. 39	11. 14	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	11. 14	0. 00	27. 66	27. 86		0. 37		0. 58	1	2	定刻			
						24	0	71	0	71	0	71	0	24	0	9. 02	8. 99	G=1	12. 41	G=1	12. 37						
20:00	12. 54	7. 43	1675	65. 34	82. 39	11. 79	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	11. 79	0. 00	27. 78	27. 97		0. 42		0. 63	1 C	1	2	制御開始		
						24	0	71	0	71	0	71	0	24	0	9. 02	8. 99	G=1	12. 41	G=1	12. 37						
20:00	12. 54	7. 43	1675	65. 34	92. 15	11. 79	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	11. 79	0. 00	27. 78	27. 97		0. 42		0. 63	1 C	1	2	機器動作		
						31	0	71	0	71	0	71	0	31	0	9. 02	8. 99	G=1	12. 41	G=1	12. 37						
20:05	12. 55	7. 46	1684	65. 99	94. 68	16. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	16. 67	0. 00	27. 78	27. 97		0. 42		0. 63	1	2	機器動作			
						31	0	71	0	71	0	71	0	31	0	9. 02	8. 99	G=1	12. 41	G=1	12. 39						
20:10	12. 55	7. 49	1684	67. 26	94. 68	17. 41	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	17. 41	0. 00	27. 90	28. 09		0. 47		0. 58	1	2	定刻			
						31	0	71	0	71	0	71	0	31	0	9. 02	8. 99	G=1	12. 41	G=1	12. 39						
20:10	12. 55	7. 49	1684	67. 26	94. 68	17. 41	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	17. 41	0. 00	27. 90	28. 09		0. 47		0. 58	1 C	1	2	制御開始		
						31	0	71	0	71	0	71	0	31	0	9. 02	8. 99	G=1	12. 41	G=1	12. 39						
20:11	12. 55	7. 49	1684	67. 26	103. 90	17. 41	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	17. 41	0. 00	27. 90	28. 09		0. 47		0. 58	1	2	機器動作			
						37	0	71	0	71	0	71	0	37	0	9. 02	8. 99	G=1	12. 43	G=1	12. 39						
20:20	12. 55	7. 55	1684	69. 91	103. 90	22. 07	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	22. 07	0. 00	27. 90	28. 09		0. 37		0. 58	1	2	定刻			
						37	0	71	0	71	0	71	0	37	0	9. 02	8. 99	G=1	12. 43	G=1	12. 39						
20:30	12. 55	7. 56	1684	85. 31	103. 90	22. 07	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	22. 07	0. 00	27. 90	28. 09		0. 37		0. 58	1	2	定刻			
						37	0	71	0	71	0	71	0	37	0	9. 02	8. 99	G=1	12. 43	G=1	12. 39						
20:40	12. 55	7. 56	1684	85. 46	103. 90	22. 07	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	22. 07	0. 00	27. 90	28. 09		0. 37		0. 58	1	2	定刻			
						37	0	71	0	71	0	71	0	37	0	9. 02	8. 99	G=1	12. 43	G=1	12. 39						
						22. 07	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	22. 07	0. 00	27. 90	28. 09		0. 37		0. 58				1	2	定刻

加古川大堰操作記録Ⅰ

2016年08月29日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T.Pm	T.Pm	10³m³	m³/s	m³/s																						
20:50	12.56	7.56	1692	83.69	106.75	37	0	71	0	71	0	71	0	37	0	9.02	8.99	G=1	12.43	G=1	12.39	1 C			1	2	定刻
20:50	12.56	7.56	1692	83.69	106.75	22.88	0.00	1.24	0.00	1.24	0.00	1.24	0.00	22.88	0.00	28.01	28.21		0.42		0.63				1	2	制御開始
20:50	12.56	7.56	1692	83.69	115.17	37	0	71	0	71	0	71	0	37	0	9.02	8.99	G=1	12.43	G=1	12.39	1 C			1	2	機器動作
						22.88	0.00	1.24	0.00	1.24	0.00	1.24	0.00	22.88	0.00	28.01	28.21		0.42		0.63						
21:00	12.55	7.60	1684	83.80	112.22	42	0	71	0	71	0	71	0	42	0	9.02	8.99	G=1	12.43	G=1	12.39				1	2	定刻
						27.09	0.00	1.24	0.00	1.24	0.00	1.24	0.00	27.09	0.00	28.01	28.21		0.42		0.63						
21:10	12.55	7.61	1684	87.28	112.22	42	0	71	0	71	0	71	0	42	0	9.02	8.99	G=1	12.43	G=1	12.39				1	2	定刻
						26.23	0.00	0.94	0.00	0.94	0.00	0.94	0.00	26.23	0.00	27.90	28.09		0.37		0.58						
21:20	12.55	7.61	1684	88.74	112.22	42	0	71	0	71	0	71	0	42	0	9.02	8.99	G=1	12.43	G=1	12.39				1	2	定刻
						26.23	0.00	0.94	0.00	0.94	0.00	0.94	0.00	26.23	0.00	27.90	28.09		0.37		0.58						
21:30	12.56	7.61	1692	92.48	115.17	42	0	71	0	71	0	71	0	42	0	9.02	8.99	G=1	12.43	G=1	12.39	1 C			1	2	定刻
						27.09	0.00	1.24	0.00	1.24	0.00	1.24	0.00	27.09	0.00	28.01	28.21		0.42		0.63						
21:30	12.56	7.61	1692	92.48	124.03	42	0	71	0	71	0	71	0	42	0	9.02	8.99	G=1	12.43	G=1	12.39	1 C			1	2	機器動作
						31.52	0.00	1.24	0.00	1.24	0.00	1.24	0.00	31.52	0.00	28.01	28.21		0.42		0.63						
21:40	12.55	7.65	1684	94.78	121.00	47	0	71	0	71	0	71	0	47	0	9.02	8.99	G=1	12.43	G=1	12.39				1	2	定刻
						30.62	0.00	0.94	0.00	0.94	0.00	0.94	0.00	30.62	0.00	27.90	28.09		0.37		0.58						
21:50	12.55	7.66	1684	97.10	121.00	47	0	71	0	71	0	71	0	47	0	9.02	8.99	G=1	12.43	G=1	12.39				1	2	定刻
						30.62	0.00	0.94	0.00	0.94	0.00	0.94	0.00	30.62	0.00	27.90	28.09		0.37		0.58						
22:00	12.55	7.66	1684	98.63	121.00	47	0	71	0	71	0	71	0	47	0	9.02	8.99	G=1	12.43	G=1	12.39				1	2	定刻
						30.62	0.00	0.94	0.00	0.94	0.00	0.94	0.00	30.62	0.00	27.90	28.09		0.37		0.58						
22:10	12.55	7.66	1684	101.23	121.00	47	0	71	0	71	0	71	0	47	0	9.02	8.99	G=1	12.43	G=1	12.39				1	2	定刻
						30.62	0.00	0.94	0.00	0.94	0.00	0.94	0.00	30.62	0.00	27.90	28.09		0.37		0.58						
22:20	12.58	7.68	1710	102.79	130.17	47	0	71	0	71	0	71	0	47	0	9.02	8.99	G=1	12.45	G=1	12.41				1	2	定刻
						33.36	0.00	1.90	0.00	1.90	0.00	1.90	0.00	33.36	0.00	28.25	28.45		0.42		0.63						
22:20	12.58	7.68	1710	102.79	130.17	47	0	71	0	71	0	71	0	47	0	9.02	8.99	G=1	12.45	G=1	12.41	1 C			1	2	制御開始
						33.36	0.00	1.90	0.00	1.90	0.00	1.90	0.00	33.36	0.00	28.25	28.45		0.42		0.63						
22:20	12.58	7.68	1710	102.79	143.55	54	0	71	0	71	0	71	0	54	0	9.02	8.99	G=1	12.45	G=1	12.41	1 C			1	2	機器動作
						40.05	0.00	1.90	0.00	1.90	0.00	1.90	0.00	40.05	0.00	28.25	28.45		0.42		0.63						
22:25	12.60	7.75	1727	104.36	150.27	54	0	71	0	71	0	71	0	54	0	9.02	8.99	G=1	12.47	G=1	12.43				1	2	機器動作
						42.03	0.00	2.66	0.00	2.66	0.00	2.66	0.00	42.03	0.00	28.49	28.69		0.42		0.63						
22:29	12.62	7.79	1745	107.03	157.28	54	0	71	0	71	0	71	0	54	0	9.02	8.99	G=1	12.49	G=1	12.45				1	2	機器動作
						44.05	0.00	3.49	0.00	3.49	0.00	3.49	0.00	44.05	0.00	28.73	28.93		0.42		0.63						
22:30	12.62	7.80	1745	107.03	157.28	54	0	71	0	71	0	71	0	54	0	9.02	8.99	G=1	12.49	G=1	12.45				1	2	定刻
						44.05	0.00	3.49	0.00	3.49	0.00	3.49	0.00	44.05	0.00	28.73	28.93		0.42		0.63						
22:30	12.62	7.80	1745	107.03	157.28	54	0	71	0	71	0	71	0	54	0	9.02	8.99	G=1	12.49	G=1	12.45	1 C			1	2	制御開始
						44.05	0.00	3.49	0.00	3.49	0.00	3.49	0.00	44.05	0.00	28.73	28.93		0.42		0.63						
22:30	12.62	7.80	1745	107.03	167.64	59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.49	G=1	12.45	1 C			1	2	機器動作
						49.23	0.00	3.49	0.00	3.49	0.00	3.49	0.00	49.23	0.00	28.73	28.93		0.42		0.63						
22:32	12.63	7.81	1753	107.03	171.41	59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.45				1	2	機器動作
						50.29	0.00	3.94	0.00	3.94	0.00	3.94	0.00	50.29	0.00	28.85	29.05		0.42		0.69						
22:35	12.64	7.85	1762	109.74	175.16	59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.47				1	2	機器動作
						51.36	0.00	4.40	0.00	4.40	0.00	4.40	0.00	51.36	0.00	28.97	29.17		0.47		0.63						
22:38	12.65	7.88	1771	111.36	179.09	59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.47	1 C			1	2	制御終了
						52.43	0.00	4.88	0.00	4.88	0.00	4.88	0.00	52.43	0.00	29.09	29.29		0.52		0.69						

加古川大堰操作記録Ⅰ

2016年08月29日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³ m³	m³/s	m³/s																						
22:38	12.65	7.88	1771	111.36	179.09	59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.47	1 C			1	2	制御不能
22:39	12.66	7.88	1780	111.36	182.99	52.43	0.00	4.88	0.00	4.88	0.00	4.88	0.00	52.43	0.00	29.09	29.29		0.52		0.69				1	2	機器動作
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.49						
22:40	12.66	7.89	1780	112.49	182.99	53.51	0.00	5.38	0.00	5.38	0.00	5.38	0.00	53.51	0.00	29.21	29.41		0.58		0.63				1	2	定刻
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.49						
22:42	12.67	7.90	1789	114.13	186.99	53.51	0.00	5.38	0.00	5.38	0.00	5.38	0.00	53.51	0.00	29.21	29.41		0.58		0.63				1	2	機器動作
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50						
22:42	12.67	7.90	1789	114.13	186.99	54.60	0.00	5.89	0.00	5.89	0.00	5.89	0.00	54.60	0.00	29.33	29.53		0.63		0.63	1 C			1	2	制御開始
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50						
22:50	12.67	7.93	1789	145.70	186.99	54.60	0.00	5.89	0.00	5.89	0.00	5.89	0.00	54.60	0.00	29.33	29.53		0.63		0.63				1	2	定刻
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50						
22:50	12.67	7.93	1789	145.70	186.99	54.60	0.00	5.89	0.00	5.89	0.00	5.89	0.00	54.60	0.00	29.33	29.53		0.63		0.63	1 C			1	2	制御開始
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50						
22:50	12.67	7.93	1789	145.70	214.21	71	0	71	0	71	0	71	0	71	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	機器動作
						68.21	0.00	5.89	0.00	5.89	0.00	5.89	0.00	68.21	0.00	29.33	29.53		0.63		0.63						
23:00	12.66	7.99	1780	190.16	210.00	71	0	71	0	71	0	71	0	71	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻
						67.04	0.00	5.38	0.00	5.38	0.00	5.38	0.00	67.04	0.00	29.21	29.41		0.58		0.58						
23:10	12.67	8.01	1789	173.77	214.21	71	0	71	0	71	0	71	0	71	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻
						68.21	0.00	5.89	0.00	5.89	0.00	5.89	0.00	68.21	0.00	29.33	29.53		0.63		0.63						
23:10	12.67	8.01	1789	173.77	214.21	71	0	71	0	71	0	71	0	71	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	制御開始
						68.21	0.00	5.89	0.00	5.89	0.00	5.89	0.00	68.21	0.00	29.33	29.53		0.63		0.63						
23:16	12.66	8.06	1780	169.16	234.06	81	0	71	0	71	0	71	0	81	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C	3		1	2	機器動作
						79.07	0.00	5.38	0.00	5.38	0.00	5.38	0.00	79.07	0.00	29.21	29.41		0.58		0.58						
23:20	12.67	8.08	1789	168.23	238.41	81	0	71	0	71	0	71	0	81	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻
						80.31	0.00	5.89	0.00	5.89	0.00	5.89	0.00	80.31	0.00	29.33	29.53		0.63		0.63						
23:30	12.70	8.15	1815	182.30	265.12	81	0	71	0	71	0	71	0	81	0	9.02	8.99	G=4	11.82	G=4	11.82				1	2	定刻
						84.06	0.00	7.52	0.00	7.52	0.00	7.52	0.00	84.06	0.00	29.69	29.89		7.43		7.43						
23:30	12.70	8.15	1815	182.30	265.12	81	0	71	0	71	0	71	0	81	0	9.02	8.99	G=4	11.82	G=4	11.82	1 C			1	2	制御開始
						84.06	0.00	7.52	0.00	7.52	0.00	7.52	0.00	84.06	0.00	29.69	29.89		7.43		7.43						
23:40	12.71	8.26	1824	216.63	298.49	91	0	71	0	71	0	71	0	91	0	9.02	8.99	G=4	11.82	G=4	11.82				1	2	定刻
						99.64	0.00	8.09	0.00	8.09	0.00	8.09	0.00	99.64	0.00	29.81	30.01		7.56		7.56						
23:40	12.71	8.26	1824	216.63	298.49	91	0	71	0	71	0	71	0	91	0	9.02	8.99	G=4	11.82	G=4	11.82	1 C			1	2	制御開始
						99.64	0.00	8.09	0.00	8.09	0.00	8.09	0.00	99.64	0.00	29.81	30.01		7.56		7.56						
23:40	12.71	8.26	1824	216.63	334.17	106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=4	11.82	G=4	11.82	1 C			1	2	制御終了
						117.48	0.00	8.09	0.00	8.09	0.00	8.09	0.00	117.48	0.00	29.81	30.01		7.56		7.56						
23:40	12.71	8.26	1824	216.63	334.17	106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=4	11.82	G=4	11.82	1 C			1	2	制御不能
						117.48	0.00	8.09	0.00	8.09	0.00	8.09	0.00	117.48	0.00	29.81	30.01		7.56		7.56						
23:41	12.72	8.27	1833	218.94	339.21	106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=4	11.82	G=4	11.82	1 C	3		1	2	機器動作
						118.89	0.00	8.67	0.00	8.67	0.00	8.67	0.00	118.89	0.00	29.93	30.13		7.68		7.68						
23:42	12.72	8.28	1833	225.09	339.21	106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=4	11.82	G=4	11.82	1 C			1	2	制御開始
						118.89	0.00	8.67	0.00	8.67	0.00	8.67	0.00	118.89	0.00	29.93	30.13		7.68		7.68						
23:50	12.69	8.41	1806	253.35	367.30	106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=4	10.50	G=4	10.53				1	2	定刻
						114.67	0.00	6.96	0.00	6.96	0.00	6.96	0.00	114.67	0.00	29.57	29.77		29.17		28.57						
24:00	12.68	8.48	1797	277.76	391.29	106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=4	9.78	G=4	9.89				1	2	定刻
						113.27	0.00	6.42	0.00	6.42	0.00	6.42	0.00	113.27	0.00	29.45	29.65		44.45		41.94						