

加古川大堰操作記録Ⅰ

2021年07月07日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
10:17	12. 57	7. 25	1701	44. 30	39. 88	0	0	71	0	71	0	71	0	0	0	10. 29	10. 29	G=1	12. 46	G=1	12. 45				1	1	機器動作
10:20	12. 57	7. 25	1701	44. 93	39. 88	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	15. 69	15. 69		0. 33		0. 37						
						0	0	71	0	71	0	71	0	0	0	10. 29	10. 29	G=1	12. 46	G=1	12. 45						
10:20	12. 57	7. 25	1701	44. 93	39. 88	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	15. 69	15. 69		0. 33		0. 37	1 A			1	1	制御開始
						0	0	71	0	71	0	71	0	0	0	10. 29	10. 29	G=1	12. 46	G=1	12. 45						
10:22	12. 57	7. 25	1701	45. 36	49. 74	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	15. 69	15. 69		0. 33		0. 37	1 A			1	1	機器動作
						0	0	71	0	71	0	71	0	0	0	9. 77	9. 77	G=1	12. 46	G=1	12. 45						
10:27	12. 59	7. 28	1718	48. 08	53. 73	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	20. 62	20. 62		0. 33		0. 37				1	1	機器動作
						0	0	71	0	71	0	71	0	0	0	9. 77	9. 77	G=1	12. 48	G=1	12. 47						
10:30	12. 60	7. 31	1727	50. 68	55. 99	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	20. 84	20. 84		0. 33		0. 37				1	1	定刻
						0	0	71	0	71	0	71	0	0	0	9. 77	9. 77	G=1	12. 48	G=1	12. 47						
10:30	12. 60	7. 31	1727	50. 68	55. 99	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	20. 95	20. 95		0. 37		0. 42	1 A			1	1	制御開始
						0	0	71	0	71	0	71	0	0	0	9. 77	9. 77	G=1	12. 48	G=1	12. 47						
10:32	12. 61	7. 32	1736	52. 91	67. 80	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	20. 95	20. 95		0. 37		0. 42	1 A			1	1	機器動作
						0	0	71	0	71	0	71	0	0	0	9. 30	9. 30	G=1	12. 48	G=1	12. 49						
10:35	12. 61	7. 35	1736	56. 59	67. 71	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	25. 83	25. 83		0. 42		0. 37				1	1	機器動作
						0	0	71	0	71	0	71	0	0	0	9. 30	9. 30	G=1	12. 50	G=1	12. 49						
10:37	12. 61	7. 36	1736	57. 71	67. 67	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	25. 83	25. 83		0. 33		0. 37				1	1	機器動作
						0	0	71	0	71	0	71	0	0	0	9. 30	9. 30	G=1	12. 50	G=1	12. 50						
10:40	12. 63	7. 39	1753	52. 01	72. 68	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	25. 83	25. 83		0. 33		0. 33				1	1	機器動作
						0	0	71	0	71	0	71	0	0	0	9. 30	9. 30	G=1	12. 50	G=1	12. 50						
10:40	12. 63	7. 39	1753	52. 01	72. 68	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	26. 07	26. 07		0. 42		0. 42	1 A			1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9. 30	9. 30	G=1	12. 50	G=1	12. 50						
10:41	12. 63	7. 40	1753	52. 90	78. 44	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	26. 07	26. 07		0. 42		0. 42	1 A			1	2	制御開始
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
10:50	12. 66	7. 46	1780	65. 25	86. 68	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	28. 85	29. 05		0. 42		0. 42				1	2	機器動作
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
10:50	12. 66	7. 46	1780	65. 25	86. 68	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	29. 21	29. 41		0. 58		0. 58	1 C			1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
10:50	12. 66	7. 46	1780	65. 25	96. 94	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	29. 21	29. 41		0. 58		0. 58	1 C			1	2	制御開始
						9	0	71	0	71	0	71	0	9	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
11:00	12. 66	7. 54	1780	65. 29	96. 94	10. 51	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	10. 51	0. 00	29. 21	29. 41		0. 58		0. 58				1	2	機器動作
						9	0	71	0	71	0	71	0	9	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
11:10	12. 67	7. 56	1789	69. 74	100. 07	10. 51	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	10. 51	0. 00	29. 21	29. 41		0. 58		0. 58	1 A			1	2	定刻
						9	0	71	0	71	0	71	0	9	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
11:10	12. 67	7. 56	1789	69. 74	100. 07	11. 14	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	11. 14	0. 00	29. 33	29. 53		0. 63		0. 63	1 C			1	2	制御開始
						9	0	71	0	71	0	71	0	9	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
11:10	12. 67	7. 56	1789	69. 74	117. 17	11. 14	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	11. 14	0. 00	29. 33	29. 53		0. 63		0. 63	1 C			1	2	機器動作
						22	0	71	0	71	0	71	0	22	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
11:20	12. 67	7. 64	1789	89. 20	117. 17	19. 69	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	19. 69	0. 00	29. 33	29. 53		0. 63		0. 63				1	2	定刻
						22	0	71	0	71	0	71	0	22	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
11:30	12. 69	7. 67	1806	115. 73	124. 26	19. 69	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	19. 69	0. 00	29. 33	29. 53		0. 63		0. 63	1 C			1	2	制御開始
						22	0	71	0	71	0	71	0	22	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
11:30	12. 69	7. 67	1806	115. 73	124. 26	21. 27	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	21. 27	0. 00	29. 57	29. 77		0. 75		0. 75	1 C			1	2	機器動作
						22	0	71	0	71	0	71	0	22	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
11:30	12. 69	7. 67	1806	115. 73	139. 38	21. 27	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	21. 27	0. 00	29. 57	29. 77		0. 75		0. 75	1 C			1	2	制御開始
						31	0	71	0	71	0	71	0	31	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
11:30	12. 69	7. 67	1806	115. 73		28. 83	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	28. 83	0. 00	29. 57	29. 77		0. 75		0. 75				1	2	機器動作

加古川大堰操作記録Ⅰ

2021年07月07日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ー ン	流入 量 判 定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³ m³	m³/s	m³/s																						
11:40	12. 69	7. 73	1806	132. 73	139. 38	31	0	71	0	71	0	71	0	31	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50				1	2	定刻
11:50	12. 71	7. 75	1824	143. 03	147. 07	28. 83	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	28. 83	0. 00	29. 57	29. 77		0. 75		0. 75				1	2	定刻
						31	0	71	0	71	0	71	0	31	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
11:50	12. 71	7. 75	1824	143. 03	147. 07	30. 62	0. 00	8. 09	0. 00	8. 09	0. 00	8. 09	0. 00	30. 62	0. 00	29. 81	30. 01		0. 87		0. 87				1	2	制御開始
						31	0	71	0	71	0	71	0	31	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
11:50	12. 71	7. 75	1824	143. 03	163. 97	30. 62	0. 00	8. 09	0. 00	8. 09	0. 00	8. 09	0. 00	30. 62	0. 00	29. 81	30. 01		0. 87		0. 87				1	2	機器動作
						40	0	71	0	71	0	71	0	40	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
12:00	12. 74	7. 83	1852	151. 08	176. 38	39. 07	0. 00	8. 09	0. 00	8. 09	0. 00	8. 09	0. 00	39. 07	0. 00	29. 81	30. 01		0. 87		0. 87				1	2	定刻
						40	0	71	0	71	0	71	0	40	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
12:00	12. 74	7. 83	1852	151. 08	176. 38	42. 03	0. 00	9. 88	0. 00	9. 88	0. 00	9. 88	0. 00	42. 03	0. 00	30. 18	30. 38		1. 06		1. 06				1	2	制御開始
						40	0	71	0	71	0	71	0	40	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
12:00	12. 74	7. 83	1852	151. 08	190. 78	42. 03	0. 00	9. 88	0. 00	9. 88	0. 00	9. 88	0. 00	42. 03	0. 00	30. 18	30. 38		1. 06		1. 06				1	2	機器動作
						47	0	71	0	71	0	71	0	47	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
12:10	12. 79	7. 95	1898	160. 98	213. 19	49. 23	0. 00	9. 88	0. 00	9. 88	0. 00	9. 88	0. 00	49. 23	0. 00	30. 18	30. 38		1. 06		1. 06				1	2	定刻
						47	0	71	0	71	0	71	0	47	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
12:10	12. 79	7. 95	1898	160. 98	213. 19	54. 60	0. 00	13. 13	0. 00	13. 13	0. 00	13. 13	0. 00	54. 60	0. 00	30. 79	30. 99		1. 41		1. 41				1	2	制御開始
						47	0	71	0	71	0	71	0	47	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
12:10	12. 79	7. 95	1898	160. 98	224. 29	54. 60	0. 00	13. 13	0. 00	13. 13	0. 00	13. 13	0. 00	54. 60	0. 00	30. 79	30. 99		1. 41		1. 41				1	2	機器動作
						52	0	71	0	71	0	71	0	52	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
12:20	12. 83	8. 05	1935	176. 34	243. 44	60. 15	0. 00	13. 13	0. 00	13. 13	0. 00	13. 13	0. 00	60. 15	0. 00	30. 79	30. 99		1. 41		1. 41				1	2	定刻
						52	0	71	0	71	0	71	0	52	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
12:20	12. 83	8. 05	1935	176. 34	243. 44	64. 72	0. 00	15. 94	0. 00	15. 94	0. 00	15. 94	0. 00	64. 72	0. 00	31. 28	31. 48		1. 71		1. 71				1	2	制御開始
						52	0	71	0	71	0	71	0	52	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
12:20	12. 83	8. 05	1935	176. 34	255. 16	64. 72	0. 00	15. 94	0. 00	15. 94	0. 00	15. 94	0. 00	64. 72	0. 00	31. 28	31. 48		1. 71		1. 71				1	2	機器動作
						57	0	71	0	71	0	71	0	57	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
12:30	12. 85	8. 13	1953	301. 77	265. 15	70. 58	0. 00	15. 94	0. 00	15. 94	0. 00	15. 94	0. 00	70. 58	0. 00	31. 28	31. 48		1. 71		1. 71				1	2	定刻
						57	0	71	0	71	0	71	0	57	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
12:30	12. 85	8. 13	1953	301. 77	265. 15	72. 97	0. 00	17. 41	0. 00	17. 41	0. 00	17. 41	0. 00	72. 97	0. 00	31. 53	31. 73		1. 86		1. 86				1	2	制御開始
						57	0	71	0	71	0	71	0	57	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
12:30	12. 85	8. 13	1953	301. 77	287. 33	72. 97	0. 00	17. 41	0. 00	17. 41	0. 00	17. 41	0. 00	72. 97	0. 00	31. 53	31. 73		1. 86		1. 86				1	2	機器動作
						66	0	71	0	71	0	71	0	66	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
12:40	12. 86	8. 22	1962	317. 25	292. 50	84. 06	0. 00	17. 41	0. 00	17. 41	0. 00	17. 41	0. 00	84. 06	0. 00	31. 53	31. 73		1. 86		1. 86				1	2	定刻
						66	0	71	0	71	0	71	0	66	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
12:40	12. 86	8. 22	1962	317. 25	292. 50	85. 32	0. 00	18. 16	0. 00	18. 16	0. 00	18. 16	0. 00	85. 32	0. 00	31. 65	31. 85		1. 94		1. 94				1	2	制御開始
						66	0	71	0	71	0	71	0	66	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
12:40	12. 86	8. 22	1962	317. 25	326. 50	85. 32	0. 00	18. 16	0. 00	18. 16	0. 00	18. 16	0. 00	85. 32	0. 00	31. 65	31. 85		1. 94		1. 94				1	2	機器動作
						79	0	71	0	71	0	71	0	79	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
12:50	12. 85	8. 30	1953	307. 65	321. 15	102. 32	0. 00	18. 16	0. 00	18. 16	0. 00	18. 16	0. 00	102. 32	0. 00	31. 65	31. 85		1. 94		1. 94				1	2	定刻
						79	0	71	0	71	0	71	0	79	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
13:00	12. 84	8. 30	1944	311. 43	315. 85	100. 97	0. 00	17. 41	0. 00	17. 41	0. 00	17. 41	0. 00	100. 97	0. 00	31. 53	31. 73		1. 86		1. 86				1	2	定刻
						79	0	71	0	71	0	71	0	79	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
13:07	12. 83	8. 29	1935	314. 93	310. 60	99. 64	0. 00	16. 67	0. 00	16. 67	0. 00	16. 67	0. 00	99. 64	0. 00	31. 40	31. 60		1. 78		1. 78				1	2	定刻
						79	0	71	0	71	0	71	0	79	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C					
13:07	12. 83	8. 29	1935	314. 93	310. 60	98. 30	0. 00	15. 94	0. 00	15. 94	0. 00	15. 94	0. 00	98. 30	0. 00	31. 28	31. 48		1. 71		1. 71				1	2	制御開始
						79	0	71	0	71	0	71	0	79	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	J					
13:08	12. 83	8. 29	1935	314. 93	310. 60	98. 30	0. 00	15. 94	0. 00	15. 94	0. 00	15. 94	0. 00	98. 30	0. 00	31. 28	31. 48		1. 71		1. 71				1	2	定刻
						79	0	71	0	71	0	71	0	79	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	J					
						98. 30	0. 00	15. 94	0. 00	15. 94	0. 00	15. 94	0. 00	98. 30	0. 00	31. 28	31. 48		1. 71		1. 71				1	2	制御開始

加古川大堰操作記録Ⅰ

2021年07月07日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
13:08	12.83	8.29	1935	314.93	332.24	87	0	71	0	71	0	71	0	87	0	9.02	8.99	G=1	12.50	G=1	12.50	J			1	2	制御終了
13:08	12.83	8.29	1935	314.93	332.24	109.12	0.00	15.94	0.00	15.94	0.00	15.94	0.00	109.12	0.00	31.28	31.48		1.71		1.71				1	2	機器動作
13:08	12.83	8.29	1935	314.93	332.24	109.12	0.00	15.94	0.00	15.94	0.00	15.94	0.00	109.12	0.00	31.28	31.48		1.71		1.71	1 C			1	2	制御開始
13:10	12.82	8.29	1925	314.93	326.94	87	0	71	0	71	0	71	0	87	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻
13:20	12.80	8.30	1907	308.41	316.45	107.75	0.00	15.22	0.00	15.22	0.00	15.22	0.00	107.75	0.00	31.16	31.36		1.63		1.63				1	2	定刻
13:20	12.80	8.30	1907	308.41	316.45	87	0	71	0	71	0	71	0	87	0	9.02	8.99	G=1	12.50	G=1	12.50				3		
13:30	12.78	8.30	1889	303.85	320.47	105.02	0.00	13.81	0.00	13.81	0.00	13.81	0.00	105.02	0.00	30.91	31.11		1.48		1.48	1	2	定刻			
13:40	12.77	8.30	1879	302.02	315.25	87	0	71	0	71	0	71	0	87	0	9.02	8.99	G=4	11.82	G=4	11.82				1	2	定刻
13:50	12.74	8.34	1852	301.15	365.01	102.32	0.00	12.45	0.00	12.45	0.00	12.45	0.00	102.32	0.00	30.67	30.87		8.47		8.47				1	2	定刻
13:55	12.72	8.38	1833	301.15	376.37	100.97	0.00	11.79	0.00	11.79	0.00	11.79	0.00	100.97	0.00	30.54	30.74		8.33		8.33		3		1	2	定刻
14:00	12.71	8.39	1824	303.00	371.29	96.98	0.00	9.88	0.00	9.88	0.00	9.88	0.00	96.98	0.00	30.18	30.38		51.28		29.57				1	2	機器動作
14:06	12.69	8.38	1806	307.58	361.26	87	0	71	0	71	0	71	0	87	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	定刻
14:07	12.69	8.38	1806	304.88	361.26	94.35	0.00	8.67	0.00	8.67	0.00	8.67	0.00	94.35	0.00	29.93	30.13		50.80		50.80				1	2	機器動作
14:07	12.69	8.38	1806	304.88	361.26	87	0	71	0	71	0	71	0	87	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
14:07	12.69	8.38	1806	304.88	379.66	90.44	0.00	6.96	0.00	6.96	0.00	6.96	0.00	90.44	0.00	29.57	29.77		50.08		50.08				1	2	制御終了
14:07	12.69	8.38	1806	304.88	379.66	93	0	71	0	71	0	71	0	93	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	制御終了
14:07	12.69	8.38	1806	304.88	379.66	99.64	0.00	6.96	0.00	6.96	0.00	6.96	0.00	99.64	0.00	29.57	29.77		50.08		50.08				1	2	制御開始
14:07	12.69	8.38	1806	304.88	379.66	93	0	71	0	71	0	71	0	93	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	制御開始
14:08	12.68	8.38	1797	304.88	374.64	99.64	0.00	6.96	0.00	6.96	0.00	6.96	0.00	99.64	0.00	29.57	29.77		50.08		50.08				1	2	機器動作
14:08	12.68	8.38	1797	304.88	374.64	93	0	71	0	71	0	71	0	93	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	制御終了
14:08	12.68	8.38	1797	304.88	374.64	98.30	0.00	6.42	0.00	6.42	0.00	6.42	0.00	98.30	0.00	29.45	29.65		49.84		49.84				1	2	制御開始
14:08	12.68	8.38	1797	304.88	374.64	93	0	71	0	71	0	71	0	93	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	制御開始
14:10	12.67	8.38	1789	304.88	369.69	98.30	0.00	6.42	0.00	6.42	0.00	6.42	0.00	98.30	0.00	29.45	29.65		49.84		49.84				1	2	定刻
14:14	12.67	8.38	1789	309.49	369.69	93	0	71	0	71	0	71	0	93	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	定刻
14:14	12.67	8.38	1789	309.49	369.69	96.98	0.00	5.89	0.00	5.89	0.00	5.89	0.00	96.98	0.00	29.33	29.53		49.60		49.60				1	2	機器動作
14:15	12.67	8.38	1789	309.49	369.69	93	0	71	0	71	0	71	0	93	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
14:15	12.67	8.38	1789	309.49	369.69	96.98	0.00	5.89	0.00	5.89	0.00	5.89	0.00	96.98	0.00	29.33	29.53		49.60		49.60				1	2	機器動作
14:15	12.67	8.38	1789	309.49	369.69	93	0	71	0	71	0	71	0	93	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
14:15	12.67	8.38	1789	309.49	369.69	96.98	0.00	5.89	0.00	5.89	0.00	5.89	0.00	96.98	0.00	29.33	29.53		49.60		49.60				1	2	機器動作

加古川大堰操作記録Ⅰ

2021年07月07日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
14:15	12. 67	8. 38	1789	309. 49	385. 77	100	0	71	0	71	0	71	0	100	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55	1 C			1	2	制御終了
14:15	12. 67	8. 38	1789	309. 49	385. 77	105. 02	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	105. 02	0. 00	29. 33	29. 53	G=4	9. 55	G=4	9. 55				1	2	制御開始
14:16	12. 66	8. 38	1780	309. 49	380. 82	105. 02	0. 00	5. 89	0. 00	5. 89	0. 00	5. 89	0. 00	105. 02	0. 00	29. 33	29. 53	G=4	9. 60	G=4	49. 60	J			1	2	機器動作
14:20	12. 65	8. 39	1771	311. 43	375. 90	100	0	71	0	71	0	71	0	100	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				1	2	定刻
14:25	12. 65	8. 39	1771	316. 10	375. 90	102. 32	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	102. 32	0. 00	29. 09	29. 29	G=4	49. 12	G=4	49. 12	1 C			1	2	制御終了
14:26	12. 65	8. 39	1771	316. 10	375. 90	100	0	71	0	71	0	71	0	100	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				J		
14:26	12. 65	8. 39	1771	316. 10	375. 90	102. 32	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	102. 32	0. 00	29. 09	29. 29	G=4	49. 12	G=4	49. 12	J			1	2	制御開始
14:26	12. 65	8. 39	1771	316. 10	397. 80	110	0	71	0	71	0	71	0	110	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				1	2	制御終了
14:26	12. 65	8. 39	1771	316. 10	397. 80	113. 27	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	113. 27	0. 00	29. 09	29. 29	G=4	49. 12	G=4	49. 12	1 C			1	2	制御開始
14:27	12. 65	8. 39	1771	316. 10	397. 80	110	0	71	0	71	0	71	0	110	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				J		
14:30	12. 63	8. 41	1753	318. 09	388. 02	113. 27	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	113. 27	0. 00	29. 09	29. 29	G=4	49. 12	G=4	49. 12				1	2	定刻
14:40	12. 61	8. 41	1736	322. 84	378. 49	110	0	71	0	71	0	71	0	110	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				1	2	定刻
14:46	12. 60	8. 40	1727	327. 63	373. 80	107. 75	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	107. 75	0. 00	28. 61	28. 81	G=4	48. 18	G=4	48. 18	1 C			1	2	制御終了
14:47	12. 60	8. 40	1727	327. 63	373. 80	110	0	71	0	71	0	71	0	110	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				J		
14:47	12. 60	8. 40	1727	327. 63	373. 80	106. 38	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	106. 38	0. 00	28. 49	28. 69	G=4	47. 94	G=4	47. 94	J			1	2	制御開始
14:47	12. 60	8. 40	1727	327. 63	390. 38	110	0	71	0	71	0	71	0	110	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				1	2	制御終了
14:48	12. 60	8. 40	1727	327. 63	390. 38	106. 38	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	106. 38	0. 00	28. 49	28. 69	G=4	47. 94	G=4	47. 94	1 C			1	2	制御開始
14:48	12. 60	8. 40	1727	329. 71	390. 38	120	0	71	0	71	0	71	0	120	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				J		
14:48	12. 60	8. 40	1727	329. 71	390. 38	114. 67	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	114. 67	0. 00	28. 49	28. 69	G=4	47. 94	G=4	47. 94				1	2	定刻
14:50	12. 59	8. 40	1718	329. 71	385. 69	120	0	71	0	71	0	71	0	120	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				1	2	定刻
15:00	12. 58	8. 40	1710	332. 47	381. 10	113. 27	0. 00	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	113. 27	0. 00	28. 37	28. 57	G=4	47. 70	G=4	47. 70	1 C			1	2	定刻
15:01	12. 58	8. 40	1710	332. 47	381. 10	120	0	71	0	71	0	71	0	120	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				J		
15:02	12. 58	8. 40	1710	334. 57	381. 10	111. 88	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	111. 88	0. 00	28. 25	28. 45	G=4	47. 47	G=4	47. 47	J			1	2	制御開始
15:02	12. 58	8. 40	1710	334. 57	381. 10	120	0	71	0	71	0	71	0	120	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				1	2	制御開始
15:02	12. 58	8. 40	1710	334. 57	381. 10	111. 88	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	111. 88	0. 00	28. 25	28. 45	G=4	47. 47	G=4	47. 47	J			1	2	制御開始
15:02	12. 58	8. 40	1710	334. 57	397. 96	120	0	71	0	71	0	71	0	120	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				1	2	制御終了
15:02	12. 58	8. 40	1710	334. 57	397. 96	135	0	71	0	71	0	71	0	135	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55				1	2	制御終了
15:02	12. 58	8. 40	1710	334. 57	397. 96	120. 31	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	120. 31	0. 00	28. 25	28. 45	G=4	47. 47	G=4	47. 47				1	2	制御終了

加古川大堰操作記録 I

2021年07月07日

加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判 定	印字要因		
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト							
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸										
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段														
T.Pm	T.Pm	10³m³	m³/s	m³/s																									
15:03	12.58	8.39	1710	334.57	397.96	135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	機器動作		
15:10	12.58	8.39	1710	334.57	397.96	120.31	0.00	1.90	0.00	1.90	0.00	1.90	0.00	120.31	0.00	28.25	28.45	G=4	47.47	G=4	47.47				1	2	定刻		
						135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=4	9.55	G=4	9.55								
						120.31	0.00	1.90	0.00	1.90	0.00	1.90	0.00	120.31	0.00	28.25	28.45		47.47		47.47								
15:13	12.58	8.39	1710	334.57	397.96	135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	制御開始		
15:13	12.58	8.39	1710	334.57	397.96	120.31	0.00	1.90	0.00	1.90	0.00	1.90	0.00	120.31	0.00	28.25	28.45		47.47		47.47				1	2	制御開始		
						135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=4	9.55	G=4	9.55	J							
						120.31	0.00	1.90	0.00	1.90	0.00	1.90	0.00	120.31	0.00	28.25	28.45		47.47		47.47								
15:13	12.58	8.39	1710	334.57	400.80	145	0	71	0	71	0	71	0	145	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	制御終了		
15:13	12.58	8.39	1710	334.57	400.80	121.73	0.00	1.90	0.00	1.90	0.00	1.90	0.00	121.73	0.00	28.25	28.45		47.47		47.47				1	2	機器動作		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J							
						121.73	0.00	1.90	0.00	1.90	0.00	1.90	0.00	121.73	0.00	28.25	28.45		47.47		47.47								
15:20	12.58	8.39	1710	334.57	400.80	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻		
15:30	12.60	8.41	1727	339.47	410.24	121.73	0.00	1.90	0.00	1.90	0.00	1.90	0.00	121.73	0.00	28.25	28.45		47.47		47.47				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
						124.60	0.00	2.66	0.00	2.66	0.00	2.66	0.00	124.60	0.00	28.49	28.69		47.94		47.94								
15:40	12.62	8.42	1745	344.41	419.91	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻		
15:50	12.64	8.45	1762	357.26	429.90	127.48	0.00	3.49	0.00	3.49	0.00	3.49	0.00	127.48	0.00	28.73	28.93		48.41		48.41				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
						130.39	0.00	4.40	0.00	4.40	0.00	4.40	0.00	130.39	0.00	28.97	29.17		48.89		48.89								
16:00	12.67	8.49	1789	370.37	445.31	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻		
16:10	12.71	8.54	1824	384.33	466.69	134.79	0.00	5.89	0.00	5.89	0.00	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.60				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
						140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56								
16:14	12.73	8.56	1843	390.26	477.71	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E		2	2	制御開始			
16:20	12.77	8.60	1879	401.58	500.29	143.75	0.00	9.27	0.00	9.27	0.00	9.27	0.00	143.75	0.00	30.06	30.26		51.04		51.04				2	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
						149.82	0.00	11.79	0.00	11.79	0.00	11.79	0.00	149.82	0.00	30.54	30.74		52.00		52.00								
16:20	12.77	8.60	1879	401.58	500.29	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E		2	2	制御開始			
16:25	12.81	8.64	1916	411.48	602.43	149.82	0.00	11.79	0.00	11.79	0.00	11.79	0.00	149.82	0.00	30.54	30.74		52.00		52.00				2 E		2	2	機器動作
						145	0	71	0	0	30	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E							
						155.97	0.00	14.51	0.00	0.00	93.27	14.51	0.00	155.97	0.00	31.03	31.23		52.97		52.97								
16:30	12.81	8.79	1916	423.94	602.43	145	0	71	0	0	30	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55			2	2	定刻			
16:30	12.81	8.79	1916	423.94	602.43	155.97	0.00	14.51	0.00	0.00	93.27	14.51	0.00	155.97	0.00	31.03	31.23		52.97		52.97				2	2	制御開始		
						145	0	71	0	0	30	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E							
						155.97	0.00	14.51	0.00	0.00	93.27	14.51	0.00	155.97	0.00	31.03	31.23		52.97		52.97								
16:34	12.82	8.90	1925	434.35	711.32	145	0	0	20	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E		2	2	機器動作			
16:40	12.82	9.06	1925	457.16	709.21	157.53	0.00	0.00	58.08	0.00	154.00	15.22	0.00	157.53	0.00	31.16	31.36		53.22		53.22				2	2	定刻		
						145	0	0	20	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
						157.53	0.00	0.00	55.97	0.00	154.00	15.22	0.00	157.53	0.00	31.16	31.36		53.22		53.22								
16:40	12.82	9.06	1925	457.16	709.21	145	0	0	20	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E		2	2	制御開始			
16:41	12.82	9.07	1925	460.47	807.24	157.53	0.00	0.00	55.97	0.00	154.00	15.22	0.00	157.53	0.00	31.16	31.36		53.22		53.22				2 E		2	2	機器動作
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E							
						157.53	0.00	0.00	154.00	0.00	154.00	15.22	0.00	157.53	0.00	31.16	31.36		53.22		53.22								
16:50	12.80	9.27	1907	506.09	797.57	145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55			2	2	定刻			
16:50	12.80	9.27	1907	506.09	797.57	154.43	0.00	0.00	153.71	0.00	153.71	13.81	0.00	154.43	0.00	30.91	31.11		52.73		52.73				2	2	制御開始		
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E							
						154.43	0.00	0.00	153.71	0.00	153.71	13.81	0.00	154.43	0.00	30.91	31.11		52.73		52.73								

操作 モード	1 文字目：運転モード	2 文字目：制御モード		
	1：自動	A：定水位Ⅰ（微調節）	E：事前放流	I：貯留回復Ⅱ
	2：半自動	B：全開（微調節）	F：定水位	J：開度一回
	3：遠方手動	C：定水位Ⅰ（調節上段）	G：全開	
	4：機側	D：設定流量	H：貯留回復Ⅰ	

制御パターン	1：平水 2：洪水
--------	--------------

流入 量 判 定	1：堰水位 換算流入量 2：上流流入量
-------------------	---------------------------

G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
---	-------------------------------------

加古川大堰操作記録Ⅰ

2021年07月07日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
16:55	12.82	9.30	1925	539.36	946.02	145	0	0	50	0	50	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作	
17:00	12.76	9.47	1870	577.46	920.56	157.53	0.00	0.00	154.00	0.00	154.00	0.00	154.00	157.53	0.00	31.16	31.36		53.22		53.22				2	2	定刻	
						145	0	0	50	0	50	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
17:00	12.76	9.47	1870	577.46	920.56	148.29	0.00	0.00	153.14	0.00	153.14	0.00	153.14	148.29	0.00	30.42	30.62		51.76		51.76			2 E		2	2	制御開始
						145	0	0	50	0	50	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
17:02	12.76	9.53	1870	595.10	1110.57	148.29	0.00	0.00	153.14	0.00	153.14	0.00	153.14	148.29	0.00	30.42	30.62		51.76		51.76			2 E		2	2	機器動作
						145	0	0	65	0	100	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
17:10	12.63	9.78	1753	665.77	1033.52	148.29	0.00	0.00	197.57	0.00	298.72	0.00	153.14	148.29	0.00	30.42	30.62		51.76		51.76			2 E		2	2	定刻
						145	0	0	65	0	100	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
17:10	12.63	9.78	1753	665.77	1033.52	128.93	0.00	0.00	195.09	0.00	294.87	0.00	130.50	128.93	0.00	28.85	29.05		48.65		48.65			2 E		2	2	制御開始
						145	0	0	65	0	100	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
17:11	12.62	9.79	1745	673.93	1222.31	128.93	0.00	0.00	195.09	0.00	294.87	0.00	130.50	128.93	0.00	28.85	29.05		48.65		48.65			2 E		2	2	機器動作
						145	0	0	100	0	100	0	75	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
17:20	12.43	9.97	1582	759.69	1119.45	127.48	0.00	0.00	294.57	0.00	294.57	0.00	223.73	127.48	0.00	28.73	28.93		48.41		48.41			2 E		2	2	定刻
						145	0	0	100	0	100	0	75	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
17:30	12.35	9.97	1518	843.68	1083.40	100.97	0.00	0.00	288.84	0.00	288.84	0.00	198.68	100.97	0.00	26.49	26.68		43.99		43.99			2 E		2	2	定刻
						145	0	0	100	0	100	0	75	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
17:30	12.35	9.97	1518	843.68	1083.40	90.44	0.00	0.00	286.39	0.00	286.39	0.00	194.09	90.44	0.00	25.56	25.75		42.17		42.17			2 E		2	2	制御開始
						145	0	0	100	0	100	0	75	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
17:32	12.34	9.97	1510	862.43	1277.82	90.44	0.00	0.00	286.39	0.00	286.39	0.00	194.09	90.44	0.00	25.56	25.75		42.17		42.17			2 E		2	2	機器動作
						145	0	0	100	0	140	0	100	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
17:40	12.19	10.10	1390	910.36	1214.72	89.15	0.00	0.00	286.08	0.00	392.40	0.00	286.08	89.15	0.00	25.44	25.64		41.94		41.94			2 E		2	2	定刻
						145	0	0	100	0	140	0	100	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
17:40	12.19	10.10	1390	910.36	1214.72	70.58	0.00	0.00	281.43	0.00	385.81	0.00	281.43	70.58	0.00	23.74	23.93		38.61		38.61			2 E		2	2	制御開始
						145	0	0	100	0	140	0	100	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
17:49	12.14	10.08	1350	960.11	1439.14	70.58	0.00	0.00	281.43	0.00	385.81	0.00	281.43	70.58	0.00	23.74	23.93		38.61		38.61			2 E		2	2	機器動作
						0	95	0	100	0	140	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
17:50	12.08	10.12	1303	970.15	1361.19	0.00	266.60	0.00	279.87	0.00	383.60	0.00	279.87	0.00	107.63	23.18	23.37		37.51		37.51			2 E		2	2	定刻
						0	95	0	100	0	140	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55							
17:50	12.08	10.12	1303	970.15	1361.19	0.00	234.85	0.00	261.53	0.00	380.92	0.00	261.53	0.00	104.71	22.51	22.70		36.22		36.22			2 E		2	2	制御開始
						0	95	0	100	0	140	0	100	0	50	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
17:53	12.00	10.23	1243	980.25	1461.32	0.00	234.85	0.00	261.53	0.00	380.92	0.00	261.53	0.00	104.71	22.51	22.70		36.22		36.22			2 E		2	2	機器動作
						0	95	0	110	0	150	0	100	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
18:00	11.82	10.34	1111	1021.52	1329.72	0.00	214.88	0.00	269.70	0.00	402.14	0.00	231.06	0.00	231.06	21.64	21.82		34.51		34.51			2 E		2	2	定刻
						0	95	0	110	0	150	0	100	0	100	9.02	8.99	G=4	9.55	G=4	9.55							
18:10	11.68	10.32	1011	1069.29	1278.14	0.00	191.80	0.00	233.36	0.00	393.32	0.00	205.04	0.00	205.04	19.71	19.89		30.78		30.78			2 E		2	2	定刻
						0	95	0	110	0	150	0	100	0	100	9.02	8.99	G=4	9.55	G=4	9.55							
18:10	11.68	10.32	1011	1069.29	1278.14	0.00	183.67	0.00	223.00	0.00	386.33	0.00	196.25	0.00	196.25	18.25	18.43		27.98		27.98			2 E		2	2	制御開始
						0	95	0	110	0	150	0	100	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
18:11	11.68	10.31	1011	1074.57	1501.34	0.00	183.67	0.00	223.00	0.00	386.33	0.00	196.25	0.00	196.25	18.25	18.43		27.98		27.98			2 E		2	2	機器動作
						0	95	0	150	0	150	0	120	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
18:20	11.53	10.36	909	1112.86	1323.15	0.00	184.58	0.00	386.33	0.00	386.33	0.00	254.20	0.00	197.26	18.25	18.43		27.98		27.98			2 E		2	2	定刻
						0	95	0	150	0	150	0	120	0	100	9.02	8.99	G=4	9.55	G=4	9.55							
18:20	11.53	10.36	909	1112.86	1323.15	0.00	169.03	0.00	330.03	0.00	330.03	0.00	229.91	0.00	180.38	16.73	16.90		25.07		25.07			2 E		2	2	制御開始
						0	95	0	150	0	150	0	120	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
18:22	11.52	10.36	902	1121.21	1533.22	0.00	169.03	0.00	330.03	0.00	330.03	0.00	229.91	0.00	180.38	16.73	16.90		25.07		25.07			2 E		2	2	機器動作
						0	140	0	150	0	150	0	150	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E						
						0.00	288.27	0.00	327.39	0.00	327.39	0.00	327.39	0.00	179.57	16.63	16.80		24.89		24.89					2	2	

加古川大堰操作記録Ⅰ

2021年07月07日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制 御 バ タ ー ン	流 入 量 判 定	印 字 要 因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
18:27	11.40	10.40	826	1144.20	1374.96	0	140	0	150	0	150	0	150	0	100	9.02	8.99	G=4	9.55	G=4	9.55	2 E			1	2	制御終了
18:28	11.39	10.40	820	1149.62	1366.59	0.00	261.09	0.00	290.64	0.00	290.64	0.00	290.64	0.00	165.59	15.44	15.62		22.65		22.65	2 G			2	2	制御開始
						0	140	0	150	0	150	0	150	0	100	9.02	8.99	G=4	9.55	G=4	9.55						
18:30	11.38	10.40	814	1161.32	1358.26	0.00	259.58	0.00	288.83	0.00	288.83	0.00	288.83	0.00	164.73	15.35	15.52		22.46		22.46	2 G			2	2	定刻
						0	140	0	150	0	150	0	150	0	100	9.02	8.99	G=4	9.55	G=4	9.55						
18:30	11.38	10.40	814	1161.32	1358.26	0.00	258.07	0.00	287.03	0.00	287.03	0.00	287.03	0.00	163.87	15.25	15.42		22.28		22.28	2 G			2	2	制御開始
						0	140	0	150	0	150	0	150	0	100	9.02	8.99	G=4	9.55	G=4	9.55						
18:40	10.97	10.57	570	1205.98	3684.67	0.00	258.07	0.00	287.03	0.00	287.03	0.00	287.03	0.00	163.87	15.25	15.42		22.28		22.28	2 G			2	2	定刻
						0	350	0	350	0	350	0	350	0	350	9.02	8.99	G=4	9.55	G=4	9.55						
18:50	10.86	10.48	511	1450.56	1441.99	0.00	726.23	0.00	726.23	0.00	726.23	0.00	726.23	0.00	726.23	11.45	11.61		15.23		15.23	2 G			2		定刻
						0	600	0	600	0	601	0	600	0	600	9.02	8.99	G=4	9.55	G=4	9.55						
18:51	10.86	10.48	511	1450.56	1450.56	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		機器動作
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
19:00	10.85	10.46	506	1476.42	1476.42	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
19:10	10.88	10.48	521	1511.26	1511.26	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
19:20	10.92	10.52	542	1555.38	1546.51	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
19:30	10.97	10.58	570	1591.14	1591.14	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
19:40	11.02	10.65	598	1636.40	1636.40	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
19:50	11.09	10.72	637	1682.30	1682.30	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
20:00	11.14	10.80	666	1728.84	1728.84	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
20:10	11.20	10.87	701	1776.01	1766.52	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
20:20	11.26	10.94	739	1804.61	1804.61	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
20:30	11.31	11.00	770	1843.11	1833.45	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
20:40	11.36	11.05	801	1872.25	1862.51	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
20:50	11.39	11.10	820	1891.80	1882.01	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
21:00	11.43	11.14	845	1911.46	1911.46	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
21:10	11.45	11.17	857	1921.32	1921.32	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
21:20	11.47	11.20	869	1941.13	1941.13	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
21:30	11.50	11.22	888	1951.07	1951.07	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						
21:40	11.51	11.24	895	1961.04	1961.04	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		定刻
						0	630	0	630	0	630	0	630	0	630	9.02	8.99	G=4	9.55	G=4	9.55						