

加古川大堰操作記録Ⅰ

2022年09月19日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
19:10	12. 51	7. 06	1649	25. 37	21. 07	0	0	71	0	71	0	71	0	0	0	10. 87	10. 87	G=1	12. 39	G=1	12. 38				1	1	定刻	
						0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	9. 94	9. 94		0. 37		0. 42							1
19:13	12. 51	7. 06	1649	25. 37	21. 03	0	0	71	0	71	0	71	0	0	0	10. 87	10. 87	G=1	12. 40	G=1	12. 38				1	1	定刻	
						0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	9. 94	9. 94		0. 33		0. 42							1
19:20	12. 52	7. 06	1657	26. 74	22. 10	0	0	71	0	71	0	71	0	0	0	10. 87	10. 87	G=1	12. 40	G=1	12. 38				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	10. 03	10. 03		0. 37		0. 47							1
19:30	12. 52	7. 06	1657	27. 79	22. 10	0	0	71	0	71	0	71	0	0	0	10. 87	10. 87	G=1	12. 40	G=1	12. 38				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	10. 03	10. 03		0. 37		0. 47							1
19:37	12. 52	7. 06	1657	27. 91	22. 00	0	0	71	0	71	0	71	0	0	0	10. 87	10. 87	G=1	12. 40	G=1	12. 40				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	10. 03	10. 03		0. 37		0. 37							1
19:40	12. 52	7. 06	1657	27. 96	22. 00	0	0	71	0	71	0	71	0	0	0	10. 87	10. 87	G=1	12. 40	G=1	12. 40				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	10. 03	10. 03		0. 37		0. 37							1
19:50	12. 52	7. 06	1657	28. 12	22. 00	0	0	71	0	71	0	71	0	0	0	10. 87	10. 87	G=1	12. 40	G=1	12. 40				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	10. 03	10. 03		0. 37		0. 37							1
19:58	12. 53	7. 06	1666	28. 50	23. 19	0	0	71	0	71	0	71	0	0	0	10. 87	10. 87	G=1	12. 42	G=1	12. 40				1	1	定刻	
						0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	10. 12	10. 12		0. 33		0. 42							1
20:00	12. 53	7. 06	1666	29. 04	23. 19	0	0	71	0	71	0	71	0	0	0	10. 87	10. 87	G=1	12. 42	G=1	12. 40				1	1	定刻	
						0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	10. 12	10. 12		0. 33		0. 42							1
20:00	12. 53	7. 06	1666	29. 04	23. 19	0	0	71	0	71	0	71	0	0	0	10. 87	10. 87	G=1	12. 42	G=1	12. 40	1 A			1	1	制御開始	
						0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	10. 12	10. 12		0. 33		0. 42							1
20:02	12. 53	7. 06	1666	29. 61	28. 07	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 42	G=1	12. 40				1	1	定刻	
						0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	12. 56	12. 56		0. 33		0. 42							1
20:10	12. 53	7. 10	1666	31. 51	28. 07	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 42	G=1	12. 40				1	1	定刻	
						0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	12. 56	12. 56		0. 33		0. 42							1
20:20	12. 53	7. 13	1666	31. 30	28. 07	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 42	G=1	12. 40				1	1	定刻	
						0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	12. 56	12. 56		0. 33		0. 42							1
20:30	12. 52	7. 13	1657	31. 17	26. 77	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 42	G=1	12. 40				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 28		0. 37							1
20:30	12. 52	7. 13	1657	31. 17	26. 91	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 39	G=1	12. 40				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 42		0. 37							1
20:32	12. 52	7. 13	1657	30. 86	26. 86	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 40				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 37							1
20:40	12. 52	7. 13	1657	29. 78	26. 86	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 40				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 37							1
20:50	12. 52	7. 13	1657	30. 59	26. 86	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 40				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 37							1
21:00	12. 52	7. 13	1657	30. 63	26. 86	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 40				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 37							1
21:10	12. 52	7. 13	1657	29. 12	26. 86	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 40				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 37							1
21:15	12. 52	7. 13	1657	29. 02	26. 96	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 38				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 47							1
21:20	12. 52	7. 13	1657	28. 91	26. 96	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 38				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 47							1
21:30	12. 52	7. 13	1657	28. 97	26. 96	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 38				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 47							1
21:40	12. 52	7. 13	1657	31. 15	26. 96	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 38				1	1	定刻	
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 47							1

加古川大堰操作記録Ⅰ

2022年09月19日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
21:50	12. 52	7. 14	1657	31. 16	26. 96	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 38				1	1	定刻
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 47						
22:00	12. 52	7. 15	1657	31. 17	26. 96	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 38				1	1	定刻
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 47						
22:06	12. 52	7. 15	1657	31. 18	26. 86	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 40				1	1	機器動作
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 37						
22:10	12. 52	7. 16	1657	31. 18	26. 86	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 40	G=1	12. 40				1	1	定刻
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 37		0. 37						
22:13	12. 52	7. 16	1657	31. 18	26. 77	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 42	G=1	12. 40				1	1	機器動作
						0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	12. 46	12. 46		0. 28		0. 37						
22:20	12. 53	7. 17	1666	32. 72	28. 07	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 42	G=1	12. 40				1	1	定刻
						0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	12. 56	12. 56		0. 33		0. 42						
22:20	12. 53	7. 17	1666	32. 72	28. 07	0	0	71	0	71	0	71	0	0	0	10. 59	10. 59	G=1	12. 42	G=1	12. 40	1 A			1	1	制御開始
						0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	12. 56	12. 56		0. 33		0. 42						
22:21	12. 53	7. 17	1666	32. 99	32. 95	0	0	71	0	71	0	71	0	0	0	10. 32	10. 32	G=1	12. 42	G=1	12. 40	1 A			1	1	機器動作
						0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	15. 00	15. 00		0. 33		0. 42						
22:30	12. 53	7. 19	1666	34. 30	32. 95	0	0	71	0	71	0	71	0	0	0	10. 32	10. 32	G=1	12. 42	G=1	12. 40				1	1	定刻
						0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	15. 00	15. 00		0. 33		0. 42						
22:40	12. 53	7. 21	1666	35. 28	32. 95	0	0	71	0	71	0	71	0	0	0	10. 32	10. 32	G=1	12. 42	G=1	12. 40				1	1	定刻
						0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	15. 00	15. 00		0. 33		0. 42						
22:50	12. 54	7. 21	1675	37. 29	34. 39	0	0	71	0	71	0	71	0	0	0	10. 32	10. 32	G=1	12. 42	G=1	12. 40				1	1	定刻
						0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	15. 10	15. 10		0. 37		0. 47						
22:50	12. 54	7. 21	1675	37. 29	34. 39	0	0	71	0	71	0	71	0	0	0	10. 32	10. 32	G=1	12. 42	G=1	12. 40	1 A			1	1	制御開始
						0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	15. 10	15. 10		0. 37		0. 47						
22:51	12. 54	7. 21	1675	37. 66	39. 25	0	0	71	0	71	0	71	0	0	0	10. 06	10. 06	G=1	12. 42	G=1	12. 40	1 A			1	1	機器動作
						0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	17. 53	17. 53		0. 37		0. 47						
22:55	12. 54	7. 22	1675	39. 22	39. 15	0	0	71	0	71	0	71	0	0	0	10. 06	10. 06	G=1	12. 42	G=1	12. 42				1	1	機器動作
						0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	17. 53	17. 53		0. 37		0. 37						
23:00	12. 54	7. 24	1675	40. 39	39. 15	0	0	71	0	71	0	71	0	0	0	10. 06	10. 06	G=1	12. 42	G=1	12. 42				1	1	定刻
						0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	17. 53	17. 53		0. 37		0. 37						
23:10	12. 54	7. 25	1675	42. 41	39. 15	0	0	71	0	71	0	71	0	0	0	10. 06	10. 06	G=1	12. 42	G=1	12. 42				1	1	定刻
						0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	17. 53	17. 53		0. 37		0. 37						
23:14	12. 54	7. 25	1675	43. 22	39. 11	0	0	71	0	71	0	71	0	0	0	10. 06	10. 06	G=1	12. 43	G=1	12. 42				1	1	機器動作
						0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	17. 53	17. 53		0. 33		0. 37						
23:20	12. 55	7. 26	1684	44. 46	40. 75	0	0	71	0	71	0	71	0	0	0	10. 06	10. 06	G=1	12. 43	G=1	12. 42				1	1	定刻
						0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	17. 63	17. 63		0. 37		0. 42						
23:20	12. 55	7. 26	1684	44. 46	40. 75	0	0	71	0	71	0	71	0	0	0	10. 06	10. 06	G=1	12. 43	G=1	12. 42	1 A			1	1	制御開始
						0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	17. 63	17. 63		0. 37		0. 42						
23:21	12. 55	7. 26	1684	44. 67	45. 71	0	0	71	0	71	0	71	0	0	0	9. 80	9. 80	G=1	12. 43	G=1	12. 42	1 A			1	1	機器動作
						0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	20. 11	20. 11		0. 37		0. 42						
23:30	12. 55	7. 29	1684	46. 56	45. 71	0	0	71	0	71	0	71	0	0	0	9. 80	9. 80	G=1	12. 43	G=1	12. 42				1	1	定刻
						0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	20. 11	20. 11		0. 37		0. 42						
23:36	12. 55	7. 30	1684	47. 83	45. 62	0	0	71	0	71	0	71	0	0	0	9. 80	9. 80	G=1	12. 45	G=1	12. 42				1	1	機器動作
						0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	20. 11	20. 11		0. 28		0. 42						
23:39	12. 56	7. 30	1692	49. 15	47. 34	0	0	71	0	71	0	71	0	0	0	9. 80	9. 80	G=1	12. 45	G=1	12. 44				1	1	機器動作
						1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	20. 22	20. 22		0. 33		0. 37						
23:40	12. 56	7. 30	1692	49. 60	47. 34	0	0	71	0	71	0	71	0	0	0	9. 80	9. 80	G=1	12. 45	G=1	12. 44				1	1	定刻
						1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	20. 22	20. 22		0. 33		0. 37						

加古川大堰操作記録Ⅰ

2022年09月19日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微調 節ゲ ート	魚道 ゲート					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³ m³	m³/s	m³/s																						
23:40	12. 56	7. 30	1692	49. 60	47. 34	0	0	71	0	71	0	71	0	0	0	9. 80	9. 80	G=1	12. 45	G=1	12. 44	1 A		1	1	制御開始	
23:41	12. 56	7. 30	1692	50. 05	52. 26	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	20. 22	20. 22		0. 33		0. 37			1	1	機器動作	
						0	0	71	0	71	0	71	0	0	0	9. 55	9. 55	G=1	12. 45	G=1	12. 44						
23:50	12. 56	7. 33	1692	52. 68	52. 26	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	22. 68	22. 68		0. 33		0. 37					1	1
						0	0	71	0	71	0	71	0	0	0	9. 55	9. 55	G=1	12. 45	G=1	12. 44						
24:00	12. 57	7. 34	1701	51. 10	54. 17	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	22. 68	22. 68		0. 33		0. 37			1	2	定刻	
						0	0	71	0	71	0	71	0	0	0	9. 55	9. 55	G=1	12. 45	G=1	12. 44						
						1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	22. 79	22. 79		0. 37		0. 42						

操 作 モ ー ド	1 文字目：運転モード	2 文字目：制御モード			制 御 パ タ ー ン			流 入 量 判 定			G		
	1：自動 2：半自動 3：遠方手動 4：機側	A：定水位Ⅰ（微調節） B：全開（微調節） C：定水位Ⅰ（調節上段） D：設定流量	E：事前放流 F：定水位 G：全開 H：貯留回復Ⅰ	I：貯留回復Ⅱ J：開度一回		1：平水 2：洪水			1：堰水位 換算流入量 2：上流流入量			最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート	

加古川大堰操作記録Ⅰ

2022年09月20日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
0:00	12. 57	7. 34	1701	51. 10	54. 17	0	0	71	0	71	0	71	0	0	0	9. 55	9. 55	G=1	12. 45	G=1	12. 44	1 A	1 A	1	2	制御開始		
0:02	12. 57	7. 34	1701	52. 17	64. 07	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	22. 79	22. 79		0. 37		0. 42					1	2	機器動作
						0	0	71	0	71	0	71	0	0	0	9. 06	9. 06	G=1	12. 45	G=1	12. 44							
0:10	12. 57	7. 36	1701	54. 14	64. 07	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	27. 74	27. 74		0. 37		0. 42					1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9. 06	9. 06	G=1	12. 45	G=1	12. 44							
0:20	12. 57	7. 37	1701	56. 35	64. 07	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	27. 74	27. 74		0. 37		0. 42					1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9. 06	9. 06	G=1	12. 45	G=1	12. 44							
0:30	12. 57	7. 38	1701	58. 62	64. 07	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	27. 74	27. 74		0. 37		0. 42					1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9. 06	9. 06	G=1	12. 45	G=1	12. 44							
0:31	12. 57	7. 38	1701	58. 62	64. 03	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	27. 74	27. 74		0. 37		0. 42					1	2	機器動作
						0	0	71	0	71	0	71	0	0	0	9. 06	9. 06	G=1	12. 46	G=1	12. 44							
0:35	12. 58	7. 38	1710	59. 77	65. 96	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	27. 74	27. 74		0. 33		0. 42	1	2	機器動作				
						0	0	71	0	71	0	71	0	0	0	9. 06	9. 06	G=1	12. 46	G=1	12. 46							
0:40	12. 58	7. 38	1710	62. 13	65. 96	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	27. 86	27. 86		0. 37		0. 37	1	2	定刻				
						0	0	71	0	71	0	71	0	0	0	9. 06	9. 06	G=1	12. 46	G=1	12. 46							
0:40	12. 58	7. 38	1710	62. 13	65. 96	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	27. 86	27. 86		0. 37		0. 37	1 A	1	2	制御開始			
						0	0	71	0	71	0	71	0	0	0	9. 06	9. 06	G=1	12. 46	G=1	12. 46							
0:40	12. 58	7. 38	1710	62. 13	66. 94	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	27. 86	27. 86		0. 37		0. 37	1 A	1	2	機器動作			
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 46	G=1	12. 46							
0:41	12. 58	7. 38	1710	62. 13	66. 85	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	28. 25	28. 45		0. 37		0. 37	1	2	機器動作				
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 48	G=1	12. 46							
0:49	12. 60	7. 39	1727	64. 89	71. 22	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	28. 25	28. 45		0. 28		0. 37	1	2	機器動作				
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 48	G=1	12. 48							
0:50	12. 60	7. 39	1727	64. 89	71. 22	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	28. 49	28. 69		0. 37		0. 37	1	2	機器動作				
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 48	G=1	12. 48							
0:53	12. 61	7. 40	1736	67. 40	73. 52	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	28. 49	28. 69		0. 37		0. 37	1	2	定刻				
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 48	G=1	12. 48							
0:57	12. 62	7. 41	1745	71. 28	75. 85	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	28. 61	28. 81		0. 33		0. 42	1	2	機器動作				
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
1:00	12. 63	7. 42	1753	73. 94	78. 44	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	28. 73	28. 93		0. 37		0. 37	1	2	定刻				
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
1:00	12. 63	7. 42	1753	73. 94	78. 44	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	28. 85	29. 05		0. 42		0. 42	1 C	1	2	制御開始			
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
1:00	12. 63	7. 42	1753	73. 94	89. 10	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	28. 85	29. 05		0. 42		0. 42	1 C	1	2	機器動作			
						10	0	71	0	71	0	71	0	10	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
1:10	12. 66	7. 51	1780	90. 55	98. 20	9. 27	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	9. 27	0. 00	28. 85	29. 05		0. 42		0. 42	1	2	定刻				
						10	0	71	0	71	0	71	0	10	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
1:10	12. 66	7. 51	1780	90. 55	98. 20	11. 14	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	11. 14	0. 00	29. 21	29. 41		0. 58		0. 58	1 C	1	2	制御開始			
						10	0	71	0	71	0	71	0	10	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
1:10	12. 66	7. 51	1780	90. 55	109. 26	11. 14	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	11. 14	0. 00	29. 21	29. 41		0. 58		0. 58	1 C	1	2	機器動作			
						19	0	71	0	71	0	71	0	19	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
1:20	12. 68	7. 61	1797	109. 02	116. 06	16. 67	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	16. 67	0. 00	29. 21	29. 41		0. 58		0. 58	1 C	1	2	定刻			
						19	0	71	0	71	0	71	0	19	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
1:20	12. 68	7. 61	1797	109. 02	116. 06	18. 16	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	18. 16	0. 00	29. 45	29. 65		0. 69		0. 69	1 C	1	2	制御開始			
						19	0	71	0	71	0	71	0	19	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
1:20	12. 68	7. 61	1797	109. 02	130. 50	18. 16	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	18. 16	0. 00	29. 45	29. 65		0. 69		0. 69	1 C	1	2	機器動作			
						28	0	71	0	71	0	71	0	28	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
1:20	12. 68	7. 61	1797	109. 02		25. 38	0. 00	6. 42	0. 00	6. 42	0. 00	6. 42	0. 00	25. 38	0. 00	29. 45	29. 65		0. 69		0. 69							

加古川大堰操作記録Ⅰ

2022年09月20日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
1:28	12.70	7.69	1815	123.88	137.92	28	0	71	0	71	0	71	0	28	0	9.02	8.99	G=1	12.50	G=1	12.50			3	1	2	機器動作	
1:30	12.70	7.70	1815	126.65	137.92	27.09	0.00	7.52	0.00	7.52	0.00	7.52	0.00	27.09	0.00	29.69	29.89		0.80		0.80						1	2
1:30	12.70	7.70	1815	126.65	137.92	27.09	0.00	7.52	0.00	7.52	0.00	7.52	0.00	27.09	0.00	29.69	29.89		0.80		0.80	1 C		1	2	制御開始		
1:30	12.70	7.70	1815	126.65	158.00	27.09	0.00	7.52	0.00	7.52	0.00	7.52	0.00	27.09	0.00	29.69	29.89		0.80		0.80	1 C		1	2	機器動作		
1:40	12.71	7.80	1824	137.81	162.01	37.13	0.00	7.52	0.00	7.52	0.00	7.52	0.00	37.13	0.00	29.69	29.89		0.80		0.80			1	2	定刻		
1:40	12.71	7.80	1824	137.81	162.01	39	0	71	0	71	0	71	0	39	0	9.02	8.99	G=1	12.50	G=1	12.50				1 C		1	2
1:40	12.71	7.80	1824	137.81	184.29	38.09	0.00	8.09	0.00	8.09	0.00	8.09	0.00	38.09	0.00	29.81	30.01		0.87		0.87	1 C		1	2	機器動作		
1:50	12.71	7.88	1824	150.52	184.29	50	0	71	0	71	0	71	0	50	0	9.02	8.99	G=1	12.50	G=1	12.50			1	2	定刻		
2:00	12.71	7.90	1824	158.62	184.29	49.23	0.00	8.09	0.00	8.09	0.00	8.09	0.00	49.23	0.00	29.81	30.01		0.87		0.87						1	2
2:10	12.72	7.92	1833	169.09	188.51	50	0	71	0	71	0	71	0	50	0	9.02	8.99	G=1	12.50	G=1	12.50			1	2	定刻		
2:10	12.72	7.92	1833	169.09	188.51	50.29	0.00	8.67	0.00	8.67	0.00	8.67	0.00	50.29	0.00	29.93	30.13		0.93		0.93				1 C		1	2
2:10	12.72	7.92	1833	169.09	212.77	50.29	0.00	8.67	0.00	8.67	0.00	8.67	0.00	50.29	0.00	29.93	30.13		0.93		0.93	1 C		1	2	機器動作		
2:20	12.72	8.00	1833	179.94	212.77	61	0	71	0	71	0	71	0	61	0	9.02	8.99	G=1	12.50	G=1	12.50			1	2	定刻		
2:30	12.73	8.02	1843	192.20	217.23	62.42	0.00	8.67	0.00	8.67	0.00	8.67	0.00	62.42	0.00	29.93	30.13		0.93		0.93						1	2
2:30	12.73	8.02	1843	192.20	217.23	61	0	71	0	71	0	71	0	61	0	9.02	8.99	G=1	12.50	G=1	12.50			1	2	定刻		
2:40	12.73	8.11	1843	203.80	256.97	63.56	0.00	9.27	0.00	9.27	0.00	9.27	0.00	63.56	0.00	30.06	30.26		0.99		0.99				1 C		1	2
2:40	12.73	8.11	1843	203.80	256.97	63.56	0.00	9.27	0.00	9.27	0.00	9.27	0.00	63.56	0.00	30.06	30.26		0.99		0.99			1	2	定刻		
2:43	12.73	8.14	1843	207.23	256.97	72	0	71	0	71	0	71	0	72	0	9.02	8.99	G=4	11.82	G=4	11.82				1 C		1	2
2:43	12.73	8.14	1843	207.23	256.97	76.61	0.00	9.27	0.00	9.27	0.00	9.27	0.00	76.61	0.00	30.06	30.26		7.81		7.81	1 C		1	2	制御不能		
2:44	12.73	8.14	1843	207.23	256.97	72	0	71	0	71	0	71	0	72	0	9.02	8.99	G=4	11.82	G=4	11.82	1 C		1	2	制御開始		
2:50	12.73	8.16	1843	216.62	256.97	76.61	0.00	9.27	0.00	9.27	0.00	9.27	0.00	76.61	0.00	30.06	30.26		7.81		7.81			1	2	定刻		
2:51	12.73	8.16	1843	220.17	256.97	72	0	71	0	71	0	71	0	72	0	9.02	8.99	G=4	11.82	G=4	11.82				1 C		1	2
2:59	12.71	8.25	1824	236.14	333.57	76.61	0.00	9.27	0.00	9.27	0.00	9.27	0.00	76.61	0.00	30.06	30.26		7.81		7.81			3	1	2	機器動作	
3:00	12.71	8.27	1824	234.87	333.57	74.18	0.00	8.09	0.00	8.09	0.00	8.09	0.00	74.18	0.00	29.81	30.01		50.56		50.56						1	2
3:10	12.70	8.30	1815	243.86	328.72	74.18	0.00	8.09	0.00	8.09	0.00	8.09	0.00	74.18	0.00	29.81	30.01		50.56		50.56			1	2	定刻		
						72	0	71	0	71	0	71	0	72	0	9.02	8.99	G=4	9.55	G=4	9.55							
						72.97	0.00	7.52	0.00	7.52	0.00	7.52	0.00	72.97	0.00	29.69	29.89		50.32		50.32							

加古川大堰操作記録Ⅰ

2022年09月20日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
3:20	12.69	8.29	1806	254.60	323.92	72	0	71	0	71	0	71	0	72	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						71.77	0.00	6.96	0.00	6.96	0.00	6.96	0.00	71.77	0.00	29.57	29.77		50.08		50.08						
3:30	12.69	8.29	1806	266.90	323.92	72	0	71	0	71	0	71	0	72	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						71.77	0.00	6.96	0.00	6.96	0.00	6.96	0.00	71.77	0.00	29.57	29.77		50.08		50.08						
3:40	12.69	8.30	1806	280.70	323.92	72	0	71	0	71	0	71	0	72	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						71.77	0.00	6.96	0.00	6.96	0.00	6.96	0.00	71.77	0.00	29.57	29.77		50.08		50.08						
3:50	12.70	8.31	1815	292.01	328.72	72	0	71	0	71	0	71	0	72	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						72.97	0.00	7.52	0.00	7.52	0.00	7.52	0.00	72.97	0.00	29.69	29.89		50.32		50.32						
3:50	12.70	8.31	1815	292.01	328.72	72	0	71	0	71	0	71	0	72	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	制御開始
						72.97	0.00	7.52	0.00	7.52	0.00	7.52	0.00	72.97	0.00	29.69	29.89		50.32		50.32						1
3:50	12.70	8.31	1815	292.01	361.08	85	0	71	0	71	0	71	0	85	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	機器動作
						89.15	0.00	7.52	0.00	7.52	0.00	7.52	0.00	89.15	0.00	29.69	29.89		50.32		50.32						1
4:00	12.70	8.37	1815	303.56	361.08	85	0	71	0	71	0	71	0	85	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						89.15	0.00	7.52	0.00	7.52	0.00	7.52	0.00	89.15	0.00	29.69	29.89		50.32		50.32						
4:10	12.70	8.39	1815	313.50	361.08	85	0	71	0	71	0	71	0	85	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						89.15	0.00	7.52	0.00	7.52	0.00	7.52	0.00	89.15	0.00	29.69	29.89		50.32		50.32						
4:20	12.70	8.39	1815	322.46	361.08	85	0	71	0	71	0	71	0	85	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						89.15	0.00	7.52	0.00	7.52	0.00	7.52	0.00	89.15	0.00	29.69	29.89		50.32		50.32						
4:28	12.70	8.40	1815	329.64	361.08	85	0	71	0	71	0	71	0	85	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C			1	2	制御終了
						89.15	0.00	7.52	0.00	7.52	0.00	7.52	0.00	89.15	0.00	29.69	29.89		50.32		50.32						1
4:30	12.70	8.40	1815	329.64	361.08	85	0	71	0	71	0	71	0	85	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						89.15	0.00	7.52	0.00	7.52	0.00	7.52	0.00	89.15	0.00	29.69	29.89		50.32		50.32						
4:32	12.70	8.40	1815	332.69	361.08	85	0	71	0	71	0	71	0	85	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						89.15	0.00	7.52	0.00	7.52	0.00	7.52	0.00	89.15	0.00	29.69	29.89		50.32		50.32						2
4:40	12.71	8.41	1824	336.92	366.09	85	0	71	0	71	0	71	0	85	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						90.44	0.00	8.09	0.00	8.09	0.00	8.09	0.00	90.44	0.00	29.81	30.01		50.56		50.56						
4:40	12.71	8.41	1824	336.92	366.09	85	0	71	0	71	0	71	0	85	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						90.44	0.00	8.09	0.00	8.09	0.00	8.09	0.00	90.44	0.00	29.81	30.01		50.56		50.56						2
4:41	12.71	8.41	1824	336.92	425.83	109	0	71	0	71	0	71	0	109	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						120.31	0.00	8.09	0.00	8.09	0.00	8.09	0.00	120.31	0.00	29.81	30.01		50.56		50.56						2
4:50	12.69	8.51	1806	340.00	415.34	109	0	71	0	71	0	71	0	109	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						117.48	0.00	6.96	0.00	6.96	0.00	6.96	0.00	117.48	0.00	29.57	29.77		50.08		50.08						
4:50	12.69	8.51	1806	340.00	415.34	109	0	71	0	71	0	71	0	109	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						117.48	0.00	6.96	0.00	6.96	0.00	6.96	0.00	117.48	0.00	29.57	29.77		50.08		50.08						2
4:52	12.69	8.52	1806	344.29	455.90	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						137.76	0.00	6.96	0.00	6.96	0.00	6.96	0.00	137.76	0.00	29.57	29.77		50.08		50.08						2
5:00	12.67	8.53	1789	350.52	445.31	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						134.79	0.00	5.89	0.00	5.89	0.00	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.60						
5:00	12.67	8.53	1789	350.52	445.31	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						134.79	0.00	5.89	0.00	5.89	0.00	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.60						2
5:05	12.67	8.53	1789	351.74	531.48	145	0	71	0	0	30	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						134.79	0.00	5.89	0.00	0.00	92.06	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.60						2
5:10	12.61	8.62	1736	354.88	503.54	145	0	71	0	0	30	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻
						126.04	0.00	3.07	0.00	0.00	91.54	3.07	0.00	126.04	0.00	28.61	28.81		48.18		48.18						
5:10	12.61	8.62	1736	354.88	503.54	145	0	71	0	0	30	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						126.04	0.00	3.07	0.00	0.00	91.54	3.07	0.00	126.04	0.00	28.61	28.81		48.18		48.18						2
5:14	12.57	8.71	1701	359.28	604.58	145	0	0	20	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						120.31	0.00	0.00	61.12	0.00	150.36	1.56	0.00	120.31	0.00	28.13	28.33		47.23		47.23						2

加古川大堰操作記録Ⅰ

2022年09月20日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制 御 バ タ ー ン	流 入 量 判 定	印 字 要 因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
5:20	12.49	8.81	1632	362.45	569.50	145	0	0	20	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	定刻
						109.12	0.00	0.00	56.77	0.00	149.18	0.00	0.00	109.12	0.00	27.19	27.38		45.37		45.37						
5:20	12.49	8.81	1632	362.45	569.50	145	0	0	20	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						109.12	0.00	0.00	56.77	0.00	149.18	0.00	0.00	109.12	0.00	27.19	27.38		45.37		45.37						
5:21	12.49	8.81	1632	365.63	647.35	145	0	0	45	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						109.12	0.00	0.00	134.62	0.00	149.18	0.00	0.00	109.12	0.00	27.19	27.38		45.37		45.37						
5:30	12.34	8.91	1510	370.10	592.80	145	0	0	45	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	定刻
						89.15	0.00	0.00	132.61	0.00	146.93	0.00	0.00	89.15	0.00	25.44	25.64		41.94		41.94						
5:30	12.34	8.91	1510	370.10	592.80	145	0	0	45	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作
						89.15	0.00	0.00	132.61	0.00	146.93	0.00	0.00	89.15	0.00	25.44	25.64		41.94		41.94						
5:35	12.28	8.89	1462	376.54	641.92	145	0	0	45	0	50	0	25	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	定刻
						81.55	0.00	0.00	131.79	0.00	146.02	0.00	70.10	81.55	0.00	24.76	24.95		40.60		40.60						
5:40	12.18	8.94	1382	381.09	605.44	145	0	0	45	0	50	0	25	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						69.39	0.00	0.00	130.42	0.00	144.50	0.00	67.51	69.39	0.00	23.63	23.82		38.39		38.39						
5:40	12.18	8.94	1382	381.09	605.44	145	0	0	45	0	50	0	25	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						69.39	0.00	0.00	130.42	0.00	144.50	0.00	67.51	69.39	0.00	23.63	23.82		38.39		38.39						
5:41	12.17	8.95	1374	381.09	601.77	145	0	0	45	0	50	0	25	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
						68.21	0.00	0.00	130.28	0.00	144.35	0.00	67.17	68.21	0.00	23.51	23.70		38.17		38.17						
5:41	12.17	8.95	1374	381.09	601.77	145	0	0	45	0	50	0	25	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			1	2	制御終了
						68.21	0.00	0.00	130.28	0.00	144.35	0.00	67.17	68.21	0.00	23.51	23.70		38.17		38.17						
5:45	12.12	8.94	1334	387.62	585.08	145	0	0	45	0	50	0	25	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	制御開始
						62.42	0.00	0.00	129.59	0.00	143.58	0.00	66.80	62.42	0.00	22.96	23.15		37.08		37.08						
5:45	12.12	8.94	1334	387.62	585.08	145	0	0	45	0	50	0	25	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	制御開始
						62.42	0.00	0.00	129.59	0.00	143.58	0.00	66.80	62.42	0.00	22.96	23.15		37.08		37.08						
5:46	12.11	8.93	1326	384.35	588.37	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	制御終了
						61.28	0.00	0.00	115.40	0.00	115.40	0.00	115.40	61.28	0.00	22.85	23.04		36.86		36.86						
5:46	12.11	8.93	1326	384.35	588.37	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	機器動作
						61.28	0.00	0.00	115.40	0.00	115.40	0.00	115.40	61.28	0.00	22.85	23.04		36.86		36.86						
5:50	12.07	8.90	1296	390.91	575.32	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
						56.80	0.00	0.00	114.91	0.00	114.91	0.00	114.91	56.80	0.00	22.40	22.59		36.00		36.00						
6:00	11.98	8.84	1228	402.20	546.86	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
						47.14	0.00	0.00	113.79	0.00	113.79	0.00	113.79	47.14	0.00	21.42	21.61		34.09		34.09						
6:10	11.92	8.80	1184	412.29	528.61	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
						41.04	0.00	0.00	113.04	0.00	113.04	0.00	113.04	41.04	0.00	20.77	20.96		32.84		32.84						
6:20	11.88	8.76	1154	421.19	516.77	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
						37.13	0.00	0.00	112.54	0.00	112.54	0.00	112.54	37.13	0.00	20.34	20.53		32.01		32.01						
6:30	11.85	8.74	1133	428.08	508.07	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
						34.29	0.00	0.00	112.16	0.00	112.16	0.00	112.16	34.29	0.00	20.02	20.21		31.39		31.39						
6:40	11.84	8.72	1125	435.04	505.21	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
						33.36	0.00	0.00	112.03	0.00	112.03	0.00	112.03	33.36	0.00	19.92	20.10		31.19		31.19						
6:50	11.82	8.71	1111	440.74	499.54	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
						31.52	0.00	0.00	111.78	0.00	111.78	0.00	111.78	31.52	0.00	19.71	19.89		30.78		30.78						
7:00	11.81	8.70	1103	446.55	496.73	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
						30.62	0.00	0.00	111.65	0.00	111.65	0.00	111.65	30.62	0.00	19.60	19.78		30.58		30.58						
7:10	11.81	8.70	1103	448.86	496.73	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
						30.62	0.00	0.00	111.65	0.00	111.65	0.00	111.65	30.62	0.00	19.60	19.78		30.58		30.58						
7:20	11.81	8.70	1103	454.81	496.73	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	J			1	2	定刻
						30.62	0.00	0.00	111.65	0.00	111.65	0.00	111.65	30.62	0.00	19.60	19.78		30.58		30.58						

加古川大堰操作記録Ⅰ

2022年09月20日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
7:30	11.80	8.70	1096	454.81	493.97	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 I			1	2	定刻	
						29.72	0.00	0.00	111.53	0.00	111.53	0.00	111.53	29.72	0.00	19.50	19.68		30.38		30.38				1	2	定刻	
7:40	11.80	8.69	1096	450.62	493.97	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						29.72	0.00	0.00	111.53	0.00	111.53	0.00	111.53	29.72	0.00	19.50	19.68		30.38		30.38				1	2	定刻	
7:50	11.80	8.69	1096	455.28	493.97	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						29.72	0.00	0.00	111.53	0.00	111.53	0.00	111.53	29.72	0.00	19.50	19.68		30.38		30.38				1	2	定刻	
8:00	11.80	8.69	1096	454.91	493.97	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						29.72	0.00	0.00	111.53	0.00	111.53	0.00	111.53	29.72	0.00	19.50	19.68		30.38		30.38				1	2	定刻	
8:10	11.79	8.69	1089	454.91	491.16	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						28.83	0.00	0.00	111.40	0.00	111.40	0.00	111.40	28.83	0.00	19.39	19.57		30.17		30.17				1	2	定刻	
8:20	11.79	8.68	1089	451.31	491.16	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						28.83	0.00	0.00	111.40	0.00	111.40	0.00	111.40	28.83	0.00	19.39	19.57		30.17		30.17				1	2	定刻	
8:30	11.77	8.68	1075	450.19	485.68	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						27.09	0.00	0.00	111.14	0.00	111.14	0.00	111.14	27.09	0.00	19.18	19.36		29.77		29.77				1	2	定刻	
8:40	11.76	8.67	1068	445.52	483.00	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						26.23	0.00	0.00	111.02	0.00	111.02	0.00	111.02	26.23	0.00	19.08	19.26		29.57		29.57				1	2	定刻	
8:50	11.74	8.65	1053	441.94	477.60	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						24.53	0.00	0.00	110.76	0.00	110.76	0.00	110.76	24.53	0.00	18.87	19.05		29.17		29.17				1	2	定刻	
9:00	11.71	8.64	1032	437.32	469.72	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						22.07	0.00	0.00	110.38	0.00	110.38	0.00	110.38	22.07	0.00	18.56	18.74		28.57		28.57				1	2	定刻	
9:10	11.69	8.62	1018	433.78	464.52	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						20.47	0.00	0.00	110.12	0.00	110.12	0.00	110.12	20.47	0.00	18.35	18.53		28.17		28.17				1	2	定刻	
9:20	11.67	8.61	1005	425.70	459.44	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						18.92	0.00	0.00	109.86	0.00	109.86	0.00	109.86	18.92	0.00	18.14	18.32		27.78		27.78				1	2	定刻	
9:30	11.66	8.60	998	422.20	456.93	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	1	2	定刻				
						18.16	0.00	0.00	109.73	0.00	109.73	0.00	109.73	18.16	0.00	18.04	18.22		27.58		27.58	1	2	定刻				
9:40	11.64	8.59	984	417.71	451.99	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	1	2	定刻				
						16.67	0.00	0.00	109.47	0.00	109.47	0.00	109.47	16.67	0.00	17.84	18.02		27.19		27.19	1	2	定刻				
9:50	11.63	8.58	977	414.24	449.54	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	1	2	定刻				
						15.94	0.00	0.00	109.34	0.00	109.34	0.00	109.34	15.94	0.00	17.73	17.91		27.00		27.00	1	2	定刻				
10:00	11.61	8.57	964	409.82	444.72	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	1	2	定刻				
						14.51	0.00	0.00	109.08	0.00	109.08	0.00	109.08	14.51	0.00	17.53	17.71		26.61		26.61	1	2	定刻				
10:10	11.59	8.56	950	396.15	440.00	145	0	0	40	0	40	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	1	2	定刻				
						13.13	0.00	0.00	108.82	0.00	108.82	0.00	108.82	13.13	0.00	17.33	17.51		26.22		26.22	1	2	定刻				
10:20	11.57	8.55	936	391.82	432.73	145	0	0	40	0	39	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	1	2	定刻				
						11.79	0.00	0.00	108.56	0.00	105.92	0.00	108.56	11.79	0.00	17.13	17.30		25.84		25.84	2 I			2	2	制御開始	
10:29	11.55	8.54	923	388.46	428.23	145	0	0	40	0	39	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻	
						10.51	0.00	0.00	108.30	0.00	105.66	0.00	108.30	10.51	0.00	16.93	17.10		25.46		25.46	2	2	定刻				
10:30	11.55	8.54	923	385.11	428.23	145	0	0	40	0	39	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2	2	定刻				
						10.51	0.00	0.00	108.30	0.00	105.66	0.00	108.30	10.51	0.00	16.93	17.10		25.46		25.46	2	2	定刻				
10:40	11.52	8.52	902	377.54	421.65	145	0	0	40	0	39	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2	2	定刻				
						8.67	0.00	0.00	107.91	0.00	105.28	0.00	107.91	8.67	0.00	16.63	16.80		24.89		24.89	2	2	定刻				
10:50	11.49	8.51	882	370.94	415.30	145	0	0	40	0	39	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2	2	定刻				
						6.96	0.00	0.00	107.51	0.00	104.89	0.00	107.51	6.96	0.00	16.33	16.50		24.32		24.32	2 I			2	2	定刻	
11:00	11.45	8.49	857	364.41	407.28	145	0	0	40	0	39	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻	
						4.88	0.00	0.00	106.98	0.00	104.38	0.00	106.98	4.88	0.00	15.93	16.11		23.57		23.57	2	2	定刻				
11:00	11.45	8.49	857	364.41	407.28	145	0	0	40	0	39	0	40	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 I			2	2	制御開始	
						4.88	0.00	0.00	106.98	0.00	104.38	0.00	106.98	4.88	0.00	15.93	16.11		23.57		23.57				2	2	制御開始	

操 作 モ ー ド	1 文字目：運転モード	2 文字目：制御モード		制 御 パ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動 2：半自動 3：遠方手動 4：機側	A：定水位Ⅰ（微調節） B：全開（微調節） C：定水位Ⅰ（調節上段） D：設定流量	E：事前放流 F：定水位 G：全開 H：貯留回復Ⅰ						