

加古川大堰操作記録Ⅰ

2018年09月30日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因									
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)						本川 ゲート	微 調節 ゲート	魚道 ゲート												
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸																	
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段																					
	T. Pm	T. Pm	10³m³	m³/s	m³/s																															
0:02	12.56	8.15	1692	168.12	298.20	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.48	G=1	12.46				1	2	機器動作									
0:10	12.57	8.15	1701	170.10	302.33	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21		0.20		0.28				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.48	G=1	12.46															
0:20	12.57	8.16	1701	170.10	302.33	120.31	0.00	1.56	0.00	1.56	0.00	1.56	0.00	120.31	0.00	28.13	28.33		0.24		0.33				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.48	G=1	12.46															
0:30	12.58	8.16	1710	174.10	306.51	120.31	0.00	1.56	0.00	1.56	0.00	1.56	0.00	120.31	0.00	28.13	28.33		0.24		0.33				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.48	G=1	12.46															
0:34	12.58	8.16	1710	174.10	306.42	121.73	0.00	1.90	0.00	1.90	0.00	1.90	0.00	121.73	0.00	28.25	28.45		0.28		0.37				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.48	G=1	12.48						機器動作									
0:36	12.58	8.17	1710	174.10	306.34	121.73	0.00	1.90	0.00	1.90	0.00	1.90	0.00	121.73	0.00	28.25	28.45		0.28		0.28				1	2	機器動作									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.48															
0:40	12.59	8.17	1718	176.13	310.64	121.73	0.00	1.90	0.00	1.90	0.00	1.90	0.00	121.73	0.00	28.25	28.45		0.20		0.28				1	2	機器動作									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.48						定刻									
0:50	12.59	8.17	1718	177.58	310.64	123.16	0.00	2.27	0.00	2.27	0.00	2.27	0.00	123.16	0.00	28.37	28.57		0.24		0.33				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.48															
1:00	12.60	8.18	1727	177.58	315.01	123.16	0.00	2.27	0.00	2.27	0.00	2.27	0.00	123.16	0.00	28.37	28.57		0.24		0.33				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.48															
1:05	12.60	8.19	1727	179.62	314.92	124.60	0.00	2.66	0.00	2.66	0.00	2.66	0.00	124.60	0.00	28.49	28.69		0.28		0.37				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50						機器動作									
1:10	12.61	8.19	1736	179.62	319.37	124.60	0.00	2.66	0.00	2.66	0.00	2.66	0.00	124.60	0.00	28.49	28.69		0.28		0.28				1	2	機器動作									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50						定刻									
1:20	12.62	8.20	1745	183.16	323.83	126.04	0.00	3.07	0.00	3.07	0.00	3.07	0.00	126.04	0.00	28.61	28.81		0.33		0.33				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50															
1:30	12.62	8.21	1745	187.32	323.83	127.48	0.00	3.49	0.00	3.49	0.00	3.49	0.00	127.48	0.00	28.73	28.93		0.37		0.37				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50															
1:40	12.63	8.22	1753	189.42	328.42	127.48	0.00	3.49	0.00	3.49	0.00	3.49	0.00	127.48	0.00	28.73	28.93		0.37		0.37				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50															
1:50	12.64	8.23	1762	191.53	333.06	128.93	0.00	3.94	0.00	3.94	0.00	3.94	0.00	128.93	0.00	28.85	29.05		0.42		0.42				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50															
2:00	12.65	8.24	1771	193.03	337.76	130.39	0.00	4.40	0.00	4.40	0.00	4.40	0.00	130.39	0.00	28.97	29.17		0.47		0.47				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50															
2:10	12.66	8.25	1780	199.47	342.56	131.85	0.00	4.88	0.00	4.88	0.00	4.88	0.00	131.85	0.00	29.09	29.29		0.52		0.52				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50															
2:20	12.66	8.25	1780	203.84	342.56	133.32	0.00	5.38	0.00	5.38	0.00	5.38	0.00	133.32	0.00	29.21	29.41		0.58		0.58				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50															
2:30	12.67	8.26	1789	207.59	347.37	133.32	0.00	5.38	0.00	5.38	0.00	5.38	0.00	133.32	0.00	29.21	29.41		0.58		0.58				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50															
2:40	12.68	8.28	1797	212.05	352.28	134.79	0.00	5.89	0.00	5.89	0.00	5.89	0.00	134.79	0.00	29.33	29.53		0.63		0.63				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50															
2:50	12.69	8.28	1806	214.30	357.24	136.27	0.00	6.42	0.00	6.42	0.00	6.42	0.00	136.27	0.00	29.45	29.65		0.69		0.69				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50															
3:00	12.69	8.29	1806	215.85	357.24	137.76	0.00	6.96	0.00	6.96	0.00	6.96	0.00	137.76	0.00	29.57	29.77		0.75		0.75				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50															
3:10	12.70	8.30	1815	218.12	362.24	137.76	0.00	6.96	0.00	6.96	0.00	6.96	0.00	137.76	0.00	29.57	29.77		0.75		0.75				1	2	定刻									
						145	0	71	0	71	0	71	0	146	0	9.02	8.99																			

2018年09月30日

加 古 川 大 堰 操 作 記 録 I

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要 因		
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト							
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸										
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段														
	T. Pm	T. Pm	10³ m³	m³/s	m³/s																								
3:30	12.71	8.32	1824	228.21	367.31	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻		
3:40	12.72	8.33	1833	230.54	372.41	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		0.87	0.87					1	2	定刻		
3:50	12.73	8.34	1843	232.88	377.61	142.24	0.00	8.67	0.00	8.67	0.00	8.67	0.00	142.24	0.00	29.93	30.13	G=1	12.50	G=1	12.50				1	2	定刻		
4:00	12.74	8.35	1852	234.52	382.84	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻		
4:10	12.74	8.36	1852	239.25	382.84	145.26	0.00	9.88	0.00	9.88	0.00	9.88	0.00	145.26	0.00	30.18	30.38	G=1	12.50	G=1	12.50				1	2	定刻		
4:20	12.75	8.37	1861	244.04	388.13	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻		
4:30	12.76	8.38	1870	248.89	393.42	146.77	0.00	10.51	0.00	10.51	0.00	10.51	0.00	146.77	0.00	30.30	30.50	G=1	12.50	G=1	1.13				1.13	1	2	定刻	
4:40	12.77	8.39	1879	251.34	398.81	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻		
4:50	12.78	8.41	1889	256.28	404.25	148.29	0.00	11.14	0.00	11.14	0.00	11.14	0.00	148.29	0.00	30.42	30.62	G=1	12.50	G=1	1.19				1.19	1	2	定刻	
5:00	12.79	8.43	1898	254.64	409.77	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	1.26				1.26	1	2	定刻	
5:10	12.81	8.46	1916	264.70	420.83	151.35	0.00	12.45	0.00	12.45	0.00	12.45	0.00	151.35	0.00	30.67	30.87	G=1	12.50	G=1	1.33				1.33	1	2	定刻	
5:20	12.82	8.48	1925	275.01	426.50	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	1.33				1.33	1	2	定刻	
5:30	12.83	8.51	1935	285.55	432.16	152.89	0.00	13.13	0.00	13.13	0.00	13.13	0.00	152.89	0.00	30.79	30.99	G=1	12.50	G=1	1.41				1.41	1	2	定刻	
5:37	12.84	8.52	1944	285.55	437.87	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	1.55				1.55	3	1	2	機器動作
5:40	12.84	8.53	1944	296.34	437.87	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	1.63				1.63		1	2	定刻
5:50	12.85	8.54	1953	305.75	443.96	159.08	0.00	15.94	0.00	15.94	0.00	15.94	0.00	159.08	0.00	31.28	31.48	G=1	12.50	G=1	1.71				1.71		1	2	定刻
6:00	12.86	8.57	1962	305.75	458.78	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	1.78				1.78		1	2	定刻
6:10	12.86	8.59	1962	317.02	464.66	160.65	0.00	16.67	0.00	16.67	0.00	16.67	0.00	160.65	0.00	31.40	31.60	G=1	12.50	G=1	1.78				1.78	1	2	定刻	
6:20	12.84	8.64	1944	321.15	497.29	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.46	G=1	2.19				2.19	1	2	定刻	
6:20	12.84	8.64	1944	321.15	497.29	162.21	0.00	17.41	0.00	17.41	0.00	17.41	0.00	162.21	0.00	31.53	31.73	G=1	11.82	G=1	2.19				2.19	4	1	2	機器動作
6:28	12.81	8.67	1916	321.15	523.67	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	11.82	G=4	9.55				9.55		1	2	機器動作
6:30	12.81	8.68	1916	321.15	523.67	160.65	0.00	16.67	0.00	16.67	0.00	16.67	0.00	160.65	0.00	31.40	31.60	G=4	9.55	G=4	53.71				53.71		1	2	定刻
6:40	12.78	8.66	1889	324.04	506.09	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	53.71				53.71		1	2	定刻
6:50	12.75	8.63	1861	322.49	488.91	155.97	0.00	14.51	0.00	14.51	0.00	14.51	0.00	155.97	0.00	31.03	31.23	G=4	52.97	G=4	52.97				52.97	1	2	定刻	
						146.77	0.00	10.51	0.00	10.51	0.00	10.51	0.00	146.77	0.00	30.30	30.50	G=4	51.52	G=4	51.52	51.52	1	2	定刻				

操 作 モ ー ド	1 文字目：運転モード		2 文字目：制御モード		制 御 パ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動 2：半自動 3：遠方手動 4：機側	A：定水位Ⅰ（微調節） B：全開（微調節） C：定水位Ⅰ（調節上段） D：設定流量	E：事前放流 F：定水位 G：全開 H：貯留回復Ⅰ	I：貯留回復Ⅱ J：開度一回						

加古川大堰操作記録Ⅰ

2018年09月30日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
7:00	12.74	8.61	1852	322.49	483.28	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
7:10	12.73	8.60	1843	319.60	477.71	145.26	0.00	9.88	0.00	9.88	0.00	9.88	0.00	145.26	0.00	30.18	30.38		51.28		51.28				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
7:20	12.73	8.59	1843	320.95	477.71	143.75	0.00	9.27	0.00	9.27	0.00	9.27	0.00	143.75	0.00	30.06	30.26		51.04		51.04				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
7:30	12.73	8.58	1843	320.95	477.71	143.75	0.00	9.27	0.00	9.27	0.00	9.27	0.00	143.75	0.00	30.06	30.26		51.04		51.04				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
7:40	12.72	8.58	1833	319.45	472.15	143.75	0.00	9.27	0.00	9.27	0.00	9.27	0.00	143.75	0.00	30.06	30.26		51.04		51.04				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
7:50	12.72	8.58	1833	322.35	472.15	142.24	0.00	8.67	0.00	8.67	0.00	8.67	0.00	142.24	0.00	29.93	30.13		50.80		50.80				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
8:00	12.72	8.58	1833	322.35	472.15	142.24	0.00	8.67	0.00	8.67	0.00	8.67	0.00	142.24	0.00	29.93	30.13		50.80		50.80				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
8:10	12.72	8.58	1833	323.78	472.15	142.24	0.00	8.67	0.00	8.67	0.00	8.67	0.00	142.24	0.00	29.93	30.13		50.80		50.80				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
8:20	12.72	8.58	1833	323.78	472.15	142.24	0.00	8.67	0.00	8.67	0.00	8.67	0.00	142.24	0.00	29.93	30.13		50.80		50.80				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
8:30	12.72	8.58	1833	322.33	472.15	142.24	0.00	8.67	0.00	8.67	0.00	8.67	0.00	142.24	0.00	29.93	30.13		50.80		50.80				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
8:40	12.72	8.58	1833	325.26	472.15	142.24	0.00	8.67	0.00	8.67	0.00	8.67	0.00	142.24	0.00	29.93	30.13		50.80		50.80				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
8:50	12.71	8.58	1824	325.26	466.69	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
9:00	12.71	8.58	1824	323.83	466.69	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
9:02	12.71	8.58	1824	326.78	466.69	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	1 C	1	2	制御終了			
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
9:02	12.71	8.58	1824	326.78	466.69	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	1 C	1	2	制御不能			
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
9:03	12.71	8.58	1824	326.78	466.69	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	1 C	1	2	制御開始			
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
9:10	12.71	8.58	1824	323.83	466.69	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
9:20	12.71	8.58	1824	323.83	466.69	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
9:30	12.71	8.57	1824	326.78	466.69	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
9:40	12.71	8.57	1824	325.38	466.69	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
9:50	12.71	8.57	1824	325.38	466.69	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
10:00	12.70	8.57	1815	325.38	461.28	139.25	0.00	7.52	0.00	7.52	0.00	7.52	0.00	139.25	0.00	29.69	29.89		50.32		50.32	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
10:10	12.70	8.57	1815	324.01	461.28	139.25	0.00	7.52	0.00	7.52	0.00	7.52	0.00	139.25	0.00	29.69	29.89		50.32		50.32	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
10:20	12.70	8.56	1815	324.01	461.28	139.25	0.00	7.52	0.00	7.52	0.00	7.52	0.00	139.25	0.00	29.69	29.89		50.32		50.32	1	2	定刻				

加古川大堰操作記録Ⅰ

2018年09月30日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要 因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
10:30	12.69	8.56	1806	324.01	455.90	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						137.76	0.00	6.96	0.00	6.96	0.00	6.96	0.00	137.76	0.00	29.57	29.77		50.08		50.08				1	2	定刻
10:40	12.69	8.55	1806	321.06	455.90	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						137.76	0.00	6.96	0.00	6.96	0.00	6.96	0.00	137.76	0.00	29.57	29.77		50.08		50.08				1	2	定刻
10:50	12.69	8.55	1806	319.71	455.90	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						137.76	0.00	6.96	0.00	6.96	0.00	6.96	0.00	137.76	0.00	29.57	29.77		50.08		50.08				1	2	定刻
11:00	12.68	8.54	1797	319.71	450.58	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						136.27	0.00	6.42	0.00	6.42	0.00	6.42	0.00	136.27	0.00	29.45	29.65		49.84		49.84				1	2	定刻
11:10	12.68	8.54	1797	313.87	450.58	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						136.27	0.00	6.42	0.00	6.42	0.00	6.42	0.00	136.27	0.00	29.45	29.65		49.84		49.84				1	2	定刻
11:20	12.68	8.53	1797	313.87	450.58	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						136.27	0.00	6.42	0.00	6.42	0.00	6.42	0.00	136.27	0.00	29.45	29.65		49.84		49.84				1	2	定刻
11:30	12.68	8.53	1797	310.97	450.58	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						136.27	0.00	6.42	0.00	6.42	0.00	6.42	0.00	136.27	0.00	29.45	29.65		49.84		49.84				1	2	定刻
11:40	12.68	8.52	1797	310.97	450.58	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						136.27	0.00	6.42	0.00	6.42	0.00	6.42	0.00	136.27	0.00	29.45	29.65		49.84		49.84				1	2	定刻
11:50	12.67	8.52	1789	309.65	445.31	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						134.79	0.00	5.89	0.00	5.89	0.00	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.60				1	2	定刻
12:00	12.67	8.51	1789	309.65	445.31	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						134.79	0.00	5.89	0.00	5.89	0.00	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.60				1	2	定刻
12:10	12.67	8.51	1789	306.76	445.31	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						134.79	0.00	5.89	0.00	5.89	0.00	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.60				1	2	定刻
12:20	12.66	8.50	1780	306.76	440.12	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						133.32	0.00	5.38	0.00	5.38	0.00	5.38	0.00	133.32	0.00	29.21	29.41		49.36		49.36				1	2	定刻
12:30	12.66	8.50	1780	303.90	440.12	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						133.32	0.00	5.38	0.00	5.38	0.00	5.38	0.00	133.32	0.00	29.21	29.41		49.36		49.36				1	2	定刻
12:40	12.65	8.50	1771	299.75	434.96	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						131.85	0.00	4.88	0.00	4.88	0.00	4.88	0.00	131.85	0.00	29.09	29.29		49.12		49.12				1	2	定刻
12:50	12.65	8.49	1771	299.75	434.96	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						131.85	0.00	4.88	0.00	4.88	0.00	4.88	0.00	131.85	0.00	29.09	29.29		49.12		49.12				1	2	定刻
13:00	12.64	8.49	1762	299.75	429.90	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						130.39	0.00	4.40	0.00	4.40	0.00	4.40	0.00	130.39	0.00	28.97	29.17		48.89		48.89				1	2	定刻
13:10	12.64	8.48	1762	299.75	429.90	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						130.39	0.00	4.40	0.00	4.40	0.00	4.40	0.00	130.39	0.00	28.97	29.17		48.89		48.89				1	2	定刻
13:20	12.63	8.47	1753	296.91	424.88	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						128.93	0.00	3.94	0.00	3.94	0.00	3.94	0.00	128.93	0.00	28.85	29.05		48.65		48.65				1	2	定刻
13:30	12.63	8.47	1753	294.09	424.88	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						128.93	0.00	3.94	0.00	3.94	0.00	3.94	0.00	128.93	0.00	28.85	29.05		48.65		48.65				1	2	定刻
13:40	12.63	8.47	1753	294.09	424.88	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						128.93	0.00	3.94	0.00	3.94	0.00	3.94	0.00	128.93	0.00	28.85	29.05		48.65		48.65				1	2	定刻
13:50	12.63	8.46	1753	292.57	424.88	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						128.93	0.00	3.94	0.00	3.94	0.00	3.94	0.00	128.93	0.00	28.85	29.05		48.65		48.65				1	2	定刻
14:00	12.62	8.46	1745	295.24	419.91	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						127.48	0.00	3.49	0.00	3.49	0.00	3.49	0.00	127.48	0.00	28.73	28.93		48.41		48.41				1	2	定刻
14:10	12.62	8.46	1745	291.03	419.91	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						127.48	0.00	3.49	0.00	3.49	0.00	3.49	0.00	127.48	0.00	28.73	28.93		48.41		48.41				1	2	定刻
14:20	12.62	8.46	1745	289.67	419.91	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻
						127.48	0.00	3.49	0.00	3.49	0.00	3.49	0.00	127.48	0.00	28.73	28.93		48.41		48.41						

操 作 モ ー ド	1文字目：運転モード	2文字目：制御モード		制 御 バ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動 2：半自動 3：遠方手動 4：機側	A：定水位Ⅰ（微調節） B：全開（微調節） C：定水位Ⅰ（調節上段） D：設定流量	E：事前放流 F：定水位 G：全開 H：貯留回復Ⅰ						

加古川大堰操作記録Ⅰ

2018年09月30日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
14:30	12.62	8.46	1745	292.55	419.91	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
14:40	12.62	8.45	1745	289.80	419.91	127.48	0.00	3.49	0.00	3.49	0.00	3.49	0.00	127.48	0.00	28.73	28.93	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
14:50	12.61	8.45	1736	284.35	415.07	127.48	0.00	3.49	0.00	3.49	0.00	3.49	0.00	127.48	0.00	28.73	28.93	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
15:00	12.61	8.44	1736	285.83	415.07	126.04	0.00	3.07	0.00	3.07	0.00	3.07	0.00	126.04	0.00	28.61	28.81	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
15:10	12.61	8.43	1736	283.12	415.07	126.04	0.00	3.07	0.00	3.07	0.00	3.07	0.00	126.04	0.00	28.61	28.81	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
15:20	12.60	8.43	1727	283.12	410.24	126.04	0.00	3.07	0.00	3.07	0.00	3.07	0.00	126.04	0.00	28.61	28.81	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
15:30	12.60	8.42	1727	280.43	410.24	124.60	0.00	2.66	0.00	2.66	0.00	2.66	0.00	124.60	0.00	28.49	28.69	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
15:40	12.59	8.42	1718	276.28	405.47	124.60	0.00	2.66	0.00	2.66	0.00	2.66	0.00	124.60	0.00	28.49	28.69	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
15:50	12.59	8.42	1718	273.62	405.47	123.16	0.00	2.27	0.00	2.27	0.00	2.27	0.00	123.16	0.00	28.37	28.57	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
16:00	12.59	8.41	1718	273.62	405.47	123.16	0.00	2.27	0.00	2.27	0.00	2.27	0.00	123.16	0.00	28.37	28.57	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
16:10	12.58	8.40	1710	268.35	400.80	123.16	0.00	2.27	0.00	2.27	0.00	2.27	0.00	123.16	0.00	28.37	28.57	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
16:20	12.58	8.40	1710	268.35	400.80	121.73	0.00	1.90	0.00	1.90	0.00	1.90	0.00	121.73	0.00	28.25	28.45	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
16:30	12.57	8.39	1701	265.74	396.22	121.73	0.00	1.90	0.00	1.90	0.00	1.90	0.00	121.73	0.00	28.25	28.45	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
16:40	12.57	8.39	1701	263.14	396.22	120.31	0.00	1.56	0.00	1.56	0.00	1.56	0.00	120.31	0.00	28.13	28.33	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
16:50	12.57	8.39	1701	263.14	396.22	120.31	0.00	1.56	0.00	1.56	0.00	1.56	0.00	120.31	0.00	28.13	28.33	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
17:00	12.56	8.38	1692	263.14	391.72	120.31	0.00	1.56	0.00	1.56	0.00	1.56	0.00	120.31	0.00	28.13	28.33	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
17:10	12.56	8.38	1692	257.98	391.72	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
17:20	12.56	8.38	1692	256.53	391.72	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
17:30	12.56	8.38	1692	253.98	391.72	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
17:40	12.56	8.38	1692	251.44	391.72	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
17:50	12.56	8.38	1692	250.37	391.72	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
18:00	12.56	8.41	1692	250.37	391.72	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
18:10	12.57	8.41	1701	251.85	396.22	120.31	0.00	1.56	0.00	1.56	0.00	1.56	0.00	120.31	0.00	28.13	28.33	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
18:20	12.58	8.44	1710	251.85	400.80	120.31	0.00	1.56	0.00	1.56	0.00	1.56	0.00	120.31	0.00	28.13	28.33	G=4	9.55	G=4	9.55				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
						121.73	0.00	1.90	0.00	1.90	0.00	1.90	0.00	121.73	0.00	28.25	28.45		47.47		47.47							

加古川大堰操作記録Ⅰ

2018年09月30日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
18:30	12.60	8.46	1727	255.87	410.24	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
18:40	12.61	8.48	1736	259.95	415.07	124.60	0.00	2.66	0.00	2.66	0.00	2.66	0.00	124.60	0.00	28.49	28.69		47.94		47.94				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
18:50	12.63	8.51	1753	265.64	424.88	126.04	0.00	3.07	0.00	3.07	0.00	3.07	0.00	126.04	0.00	28.61	28.81		48.18		48.18				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
19:00	12.65	8.53	1771	268.89	434.96	128.93	0.00	3.94	0.00	3.94	0.00	3.94	0.00	128.93	0.00	28.85	29.05		48.65		48.65				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
19:10	12.67	8.56	1789	280.93	445.31	131.85	0.00	4.88	0.00	4.88	0.00	4.88	0.00	131.85	0.00	29.09	29.29		49.12		49.12				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
19:20	12.68	8.58	1797	287.89	450.58	134.79	0.00	5.89	0.00	5.89	0.00	5.89	0.00	134.79	0.00	29.33	29.53		49.60		49.60				1	2	定刻	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
19:30	12.70	8.61	1815	294.94	461.28	136.27	0.00	6.42	0.00	6.42	0.00	6.42	0.00	136.27	0.00	29.45	29.65		49.84		49.84	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
19:40	12.71	8.63	1824	304.80	466.69	139.25	0.00	7.52	0.00	7.52	0.00	7.52	0.00	139.25	0.00	29.69	29.89		50.32		50.32	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
19:50	12.73	8.66	1843	312.06	477.71	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:00	12.75	8.70	1861	313.85	488.91	143.75	0.00	9.27	0.00	9.27	0.00	9.27	0.00	143.75	0.00	30.06	30.26		51.04		51.04	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:10	12.77	8.75	1879	329.65	500.29	146.77	0.00	10.51	0.00	10.51	0.00	10.51	0.00	146.77	0.00	30.30	30.50		51.52		51.52	1	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:11	12.78	8.75	1889	331.50	506.09	149.82	0.00	11.79	0.00	11.79	0.00	11.79	0.00	149.82	0.00	30.54	30.74		52.00		52.00	1 C	1	2	制御終了			
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:11	12.78	8.75	1889	331.50	506.09	151.35	0.00	12.45	0.00	12.45	0.00	12.45	0.00	151.35	0.00	30.67	30.87		52.25		52.25	2 E	2	2	制御開始			
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:20	12.79	8.79	1898	341.94	511.93	151.35	0.00	12.45	0.00	12.45	0.00	12.45	0.00	151.35	0.00	30.67	30.87		52.25		52.25	2	2	定刻				
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:20	12.79	8.79	1898	341.94	511.93	152.89	0.00	13.13	0.00	13.13	0.00	13.13	0.00	152.89	0.00	30.79	30.99		52.49		52.49	2 E	2	2	制御開始			
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:25	12.81	8.80	1916	343.85	632.88	152.89	0.00	13.13	0.00	13.13	0.00	13.13	0.00	152.89	0.00	30.79	30.99		52.49		52.49	2 E	2	2	機器動作			
						145	0	71	0	0	40	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:30	12.81	8.97	1916	358.43	632.88	155.97	0.00	14.51	0.00	0.00	123.72	14.51	0.00	155.97	0.00	31.03	31.23		52.97		52.97	2	2	定刻				
						145	0	71	0	0	40	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:30	12.81	8.97	1916	358.43	632.88	155.97	0.00	14.51	0.00	0.00	123.72	14.51	0.00	155.97	0.00	31.03	31.23		52.97		52.97	2 E	2	2	制御開始			
						145	0	71	0	0	40	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:35	12.81	9.03	1916	360.36	741.78	155.97	0.00	14.51	0.00	0.00	123.72	14.51	0.00	155.97	0.00	31.03	31.23		52.97		52.97	2 E	2	2	機器動作			
						145	0	0	30	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:40	12.78	9.16	1889	374.25	721.47	155.97	0.00	0.00	93.27	0.00	153.86	14.51	0.00	155.97	0.00	31.03	31.23		52.97		52.97	2	2	定刻				
						145	0	0	30	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:40	12.78	9.16	1889	374.25	721.47	151.35	0.00	0.00	86.85	0.00	153.43	12.45	0.00	151.35	0.00	30.67	30.87		52.25		52.25	2	2	制御開始				
						145	0	0	30	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:41	12.78	9.16	1889	374.25	788.05	151.35	0.00	0.00	86.85	0.00	153.43	12.45	0.00	151.35	0.00	30.67	30.87		52.25		52.25	2 E	2	2	機器動作			
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:50	12.71	9.26	1824	388.40	755.33	151.35	0.00	0.00	153.43	0.00	153.43	12.45	0.00	151.35	0.00	30.67	30.87		52.25		52.25	2	2	定刻				
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
20:50	12.71	9.26	1824	388.40	755.33	140.74	0.00	0.00	152.41	0.00	152.41	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56	2 E	2	2	制御開始			
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55							
						140.74	0.00	0.00	152.41	0.00	152.41	8.09	0.00	140.74	0.00	29.81	30.01		50.56		50.56							