

加古川大堰操作記録Ⅰ

2020年07月06日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
11:31	12. 54	7. 87	1675	105. 57	190. 34	82	0	71	0	71	0	71	0	82	0	9. 02	8. 99	G=1	12. 42	G=1	12. 40	1	C		1	2	機器動作
11:39	12. 52	7. 85	1657	105. 57	184. 01	65. 87	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	65. 87	0. 00	27. 78	27. 97		0. 37		0. 47				1	2	機器動作
11:40	12. 52	7. 85	1657	105. 57	184. 01	63. 56	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	63. 56	0. 00	27. 54	27. 74		0. 42		0. 47				1	2	定刻
						82	0	71	0	71	0	71	0	82	0	9. 02	8. 99	G=1	12. 39	G=1	12. 38						
11:50	12. 50	7. 83	1640	108. 42	178. 16	63. 56	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	63. 56	0. 00	27. 54	27. 74		0. 42		0. 47				1	2	定刻
11:50	12. 50	7. 83	1640	108. 42	178. 16	82	0	71	0	71	0	71	0	82	0	9. 02	8. 99	G=1	12. 39	G=1	12. 36				1	2	定刻
						61. 28	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	61. 28	0. 00	27. 30	27. 50		0. 33		0. 47						
11:57	12. 49	7. 82	1632	111. 22	175. 71	82	0	71	0	71	0	71	0	82	0	9. 02	8. 99	G=1	12. 39	G=1	12. 36				1	2	機器動作
						61. 28	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	61. 28	0. 00	27. 30	27. 50		0. 33		0. 47						
12:00	12. 49	7. 82	1632	111. 22	175. 71	82	0	71	0	71	0	71	0	82	0	9. 02	8. 99	G=1	12. 36	G=1	12. 36				1	2	機器動作
						60. 15	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	60. 15	0. 00	27. 19	27. 38		0. 42		0. 42						
12:07	12. 48	7. 81	1623	115. 63	173. 22	82	0	71	0	71	0	71	0	82	0	9. 02	8. 99	G=1	12. 36	G=1	12. 36				1	2	定刻
						60. 15	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	60. 15	0. 00	27. 19	27. 38		0. 42		0. 42						
12:10	12. 48	7. 81	1623	117. 15	173. 22	82	0	71	0	71	0	71	0	82	0	9. 02	8. 99	G=1	12. 36	G=1	12. 34				1	2	機器動作
						59. 02	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	59. 02	0. 00	27. 07	27. 27		0. 37		0. 47						
12:20	12. 48	7. 81	1623	120. 17	173. 22	82	0	71	0	71	0	71	0	82	0	9. 02	8. 99	G=1	12. 36	G=1	12. 34				1	2	定刻
						59. 02	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	59. 02	0. 00	27. 07	27. 27		0. 37		0. 47						
12:30	12. 47	7. 81	1615	123. 25	170. 67	82	0	71	0	71	0	71	0	82	0	9. 02	8. 99	G=1	12. 36	G=1	12. 34				1	2	定刻
						57. 91	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	57. 91	0. 00	26. 95	27. 15		0. 33		0. 42						
12:30	12. 47	7. 81	1615	123. 25	170. 67	82	0	71	0	71	0	71	0	82	0	9. 02	8. 99	G=1	12. 36	G=1	12. 34				1	2	制御開始
						57. 91	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	57. 91	0. 00	26. 95	27. 15		0. 33		0. 42						
12:30	12. 47	7. 81	1615	123. 25	157. 57	76	0	71	0	71	0	71	0	76	0	9. 02	8. 99	G=1	12. 36	G=1	12. 34				1	2	機器動作
						51. 36	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	51. 36	0. 00	26. 95	27. 15		0. 33		0. 42						
12:39	12. 48	7. 78	1623	123. 25	159. 95	76	0	71	0	71	0	71	0	76	0	9. 02	8. 99	G=1	12. 38	G=1	12. 34				1	2	機器動作
						52. 43	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	52. 43	0. 00	27. 07	27. 27		0. 28		0. 47						
12:40	12. 48	7. 78	1623	126. 40	159. 85	76	0	71	0	71	0	71	0	76	0	9. 02	8. 99	G=1	12. 38	G=1	12. 36	1	2	定刻			
						52. 43	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	52. 43	0. 00	27. 07	27. 27		0. 28		0. 37						
12:40	12. 48	7. 78	1623	126. 40	159. 85	76	0	71	0	71	0	71	0	76	0	9. 02	8. 99	G=1	12. 38	G=1	12. 36	1	2	機器動作			
						52. 43	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	52. 43	0. 00	27. 07	27. 27		0. 28		0. 37						
12:47	12. 50	7. 79	1640	126. 40	164. 65	76	0	71	0	71	0	71	0	76	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38	1	2	機器動作			
						54. 60	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	54. 60	0. 00	27. 30	27. 50		0. 28		0. 37						
12:50	12. 52	7. 79	1657	129. 60	170. 44	76	0	71	0	71	0	71	0	76	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38	1	2	定刻			
						56. 80	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	56. 80	0. 00	27. 54	27. 74		0. 37		0. 47						
12:51	12. 52	7. 80	1657	131. 15	170. 25	76	0	71	0	71	0	71	0	76	0	9. 02	8. 99	G=1	12. 42	G=1	12. 40	1	2	機器動作			
						56. 80	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	56. 80	0. 00	27. 54	27. 74		0. 28		0. 37						
12:55	12. 54	7. 81	1675	131. 15	176. 45	76	0	71	0	71	0	71	0	76	0	9. 02	8. 99	G=1	12. 44	G=1	12. 42	1	2	機器動作			
						59. 02	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	59. 02	0. 00	27. 78	27. 97		0. 28		0. 37						
12:59	12. 56	7. 83	1692	131. 15	183. 15	76	0	71	0	71	0	71	0	76	0	9. 02	8. 99	G=1	12. 46	G=1	12. 44	1	2	機器動作			
						61. 28	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	61. 28	0. 00	28. 01	28. 21		0. 28		0. 37						
13:00	12. 56	7. 83	1692	131. 15	183. 15	76	0	71	0	71	0	71	0	76	0	9. 02	8. 99	G=1	12. 46	G=1	12. 44	1	2	定刻			
						61. 28	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	61. 28	0. 00	28. 01	28. 21		0. 28		0. 37						
13:00	12. 56	7. 83	1692	131. 15	183. 15	76	0	71	0	71	0	71	0	76	0	9. 02	8. 99	G=1	12. 46	G=1	12. 44	1	2	制御開始			
						61. 28	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	61. 28	0. 00	28. 01	28. 21		0. 28		0. 37						
13:00	12. 56	7. 83	1692	131. 15	199. 37	83	0	71	0	71	0	71	0	83	0	9. 02	8. 99	G=1	12. 46	G=1	12. 44	1	2	機器動作			
						69. 39	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	69. 39	0. 00	28. 01	28. 21		0. 28		0. 37						

加古川大堰操作記録Ⅰ

2020年07月06日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
13:06	12.58	7.89	1710	136.00	206.59	83	0	71	0	71	0	71	0	83	0	9.02	8.99	G=1	12.48	G=1	12.46				1	2	機器動作
13:10	12.59	7.91	1718	140.90	210.39	71.77	0.00	1.90	0.00	1.90	0.00	1.90	0.00	71.77	0.00	28.25	28.45		0.28		0.37						
						83	0	71	0	71	0	71	0	83	0	9.02	8.99	G=1	12.49	G=1	12.46						
13:10	12.59	7.91	1718	140.90	210.39	72.97	0.00	2.27	0.00	2.27	0.00	2.27	0.00	72.97	0.00	28.37	28.57		0.28		0.42	1 C			1	2	制御開始
						83	0	71	0	71	0	71	0	83	0	9.02	8.99	G=1	12.49	G=1	12.46						
13:10	12.59	7.91	1718	140.90	232.57	72.97	0.00	2.27	0.00	2.27	0.00	2.27	0.00	72.97	0.00	28.37	28.57		0.28		0.42	1 C		3	1	2	機器動作
						91	0	71	0	71	0	71	0	91	0	9.02	8.99	G=1	12.49	G=1	12.46						
13:18	12.60	7.97	1727	202.67	236.50	84.06	0.00	2.27	0.00	2.27	0.00	2.27	0.00	84.06	0.00	28.37	28.57		0.28		0.42			3	1	2	機器動作
						91	0	71	0	71	0	71	0	91	0	9.02	8.99	G=1	12.49	G=1	12.48						
13:20	12.61	7.98	1736	215.25	240.56	85.32	0.00	2.66	0.00	2.66	0.00	2.66	0.00	85.32	0.00	28.49	28.69		0.33		0.37				1	2	定刻
						91	0	71	0	71	0	71	0	91	0	9.02	8.99	G=1	12.50	G=1	12.48						
13:20	12.61	7.98	1736	215.25	240.56	86.59	0.00	3.07	0.00	3.07	0.00	3.07	0.00	86.59	0.00	28.61	28.81		0.33		0.42	1 C			1	2	制御開始
						91	0	71	0	71	0	71	0	91	0	9.02	8.99	G=1	12.50	G=1	12.48						
13:30	12.61	8.05	1736	206.24	272.65	86.59	0.00	3.07	0.00	3.07	0.00	3.07	0.00	86.59	0.00	28.61	28.81		0.33		0.42				1	2	定刻
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	11.82	G=1	12.48						
13:39	12.61	8.07	1736	184.27	272.65	99.64	0.00	3.07	0.00	3.07	0.00	3.07	0.00	99.64	0.00	28.61	28.81		6.32		0.42	1 C		3	1	2	機器動作
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	11.82	G=1	12.48						
13:40	12.61	8.07	1736	197.11	272.65	99.64	0.00	3.07	0.00	3.07	0.00	3.07	0.00	99.64	0.00	28.61	28.81		6.32		0.42				1	2	定刻
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	11.82	G=1	12.48						
13:50	12.59	8.12	1718	191.23	287.90	99.64	0.00	3.07	0.00	3.07	0.00	3.07	0.00	99.64	0.00	28.61	28.81		6.32		0.42				1	2	定刻
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	10.37	G=1	12.46						
14:00	12.57	8.14	1701	189.38	295.17	96.98	0.00	2.27	0.00	2.27	0.00	2.27	0.00	96.98	0.00	28.37	28.57		29.77		0.42				1	2	定刻
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.65	G=1	12.44						
14:01	12.57	8.14	1701	189.38	297.49	94.35	0.00	1.56	0.00	1.56	0.00	1.56	0.00	94.35	0.00	28.13	28.33		44.91		0.42			3	1	2	機器動作
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.44						
14:07	12.56	8.15	1692	203.30	293.49	94.35	0.00	1.56	0.00	1.56	0.00	1.56	0.00	94.35	0.00	28.13	28.33		47.23		0.42				1	2	機器動作
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.42						
14:10	12.56	8.14	1692	205.36	293.49	93.04	0.00	1.24	0.00	1.24	0.00	1.24	0.00	93.04	0.00	28.01	28.21		47.00		0.47				1	2	定刻
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.42						
14:10	12.56	8.14	1692	205.36	293.49	93.04	0.00	1.24	0.00	1.24	0.00	1.24	0.00	93.04	0.00	28.01	28.21		47.00		0.47	1 C			1	2	制御終了
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.42						
14:10	12.56	8.14	1692	205.36	293.49	93.04	0.00	1.24	0.00	1.24	0.00	1.24	0.00	93.04	0.00	28.01	28.21		47.00		0.47	1 C			1	2	制御不能
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.42						
14:10	12.56	8.14	1692	205.36	293.49	93.04	0.00	1.24	0.00	1.24	0.00	1.24	0.00	93.04	0.00	28.01	28.21		47.00		0.47	1 C			1	2	制御開始
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.42						
14:20	12.54	8.13	1675	203.30	285.54	93.04	0.00	1.24	0.00	1.24	0.00	1.24	0.00	93.04	0.00	28.01	28.21		47.00		0.47				1	2	定刻
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.42						
14:20	12.54	8.13	1675	203.30	285.64	90.44	0.00	0.67	0.00	0.67	0.00	0.67	0.00	90.44	0.00	27.78	27.97		46.53		0.37				1	2	機器動作
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.40						
14:30	12.53	8.12	1666	203.13	281.86	90.44	0.00	0.67	0.00	0.67	0.00	0.67	0.00	90.44	0.00	27.78	27.97		46.53		0.47				1	2	機器動作
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.40						
14:38	12.52	8.11	1657	203.13	278.28	89.15	0.00	0.44	0.00	0.44	0.00	0.44	0.00	89.15	0.00	27.66	27.86		46.30		0.42				1	2	定刻
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.38						
14:40	12.52	8.11	1657	205.04	278.28	87.87	0.00	0.24	0.00	0.24	0.00	0.24	0.00	87.87	0.00	27.54	27.74		46.07		0.47				1	2	機器動作
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.38						
14:50	12.51	8.10	1649	203.01	274.71	87.87	0.00	0.24	0.00	0.24	0.00	0.24	0.00	87.87	0.00	27.54	27.74		46.07		0.47				1	2	定刻
						102	0	71	0	71	0	71	0	102	0	9.02	8.99	G=4	9.55	G=1	12.38						
						86.59	0.00	0.08	0.00	0.08	0.00	0.08	0.00	86.59	0.00	27.42	27.62		45.83		0.42				1	2	定刻

加古川大堰操作記録Ⅰ

2020年07月06日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因
						開度 (cm) ／ 放流量 (m³/s)										開度 (T.Pm) ／ 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
15:00	12. 51	8. 10	1649	204. 95	274. 71	102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 38	1 C			1	2	定刻
15:10	12. 50	8. 09	1640	200. 93	271. 41	86. 59	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	86. 59	0. 00	27. 42	27. 62		45. 83		0. 42				1	2	定刻
						102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 38						
15:20	12. 50	8. 09	1640	202. 89	271. 41	85. 32	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	85. 32	0. 00	27. 30	27. 50		45. 60		0. 37	1				2	定刻	
						102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 38						
15:30	12. 50	8. 10	1640	202. 89	271. 41	85. 32	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	85. 32	0. 00	27. 30	27. 50		45. 60		0. 37	1				2	定刻	
						102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 38						
15:40	12. 50	8. 09	1640	206. 88	271. 41	85. 32	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	85. 32	0. 00	27. 30	27. 50		45. 60		0. 37	1				2	定刻	
						102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 38						
15:50	12. 50	8. 10	1640	206. 88	271. 41	85. 32	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	85. 32	0. 00	27. 30	27. 50		45. 60		0. 37	1				2	定刻	
						102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 38						
16:00	12. 50	8. 10	1640	206. 88	271. 41	85. 32	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	85. 32	0. 00	27. 30	27. 50		45. 60		0. 37	1				2	定刻	
						102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 38						
16:10	12. 51	8. 10	1649	215. 00	274. 71	102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 38				1	2	定刻
						86. 59	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	86. 59	0. 00	27. 42	27. 62		45. 83		0. 42						
16:20	12. 51	8. 11	1649	215. 00	274. 71	102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 38				1	2	定刻
						86. 59	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	86. 59	0. 00	27. 42	27. 62		45. 83		0. 42						
16:26	12. 52	8. 11	1657	215. 00	278. 18	102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 40				1	2	機器動作
						87. 87	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	87. 87	0. 00	27. 54	27. 74		46. 07		0. 37						
16:30	12. 52	8. 12	1657	217. 06	278. 18	102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 40				1	2	定刻
						87. 87	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	87. 87	0. 00	27. 54	27. 74		46. 07		0. 37						
16:40	12. 53	8. 13	1666	219. 10	281. 77	102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 42				1	2	定刻
						89. 15	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	89. 15	0. 00	27. 66	27. 86		46. 30		0. 33						
16:40	12. 53	8. 13	1666	219. 10	281. 77	102	0	71	0	71	0	71	0	102	0	9. 02	8. 99	G=4	9. 55	G=1	12. 42				1 C	1	2
						89. 15	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	89. 15	0. 00	27. 66	27. 86		46. 30		0. 33						
16:40	12. 53	8. 13	1666	219. 10	300. 07	111	0	71	0	71	0	71	0	111	0	9. 02	8. 99	G=4	9. 55	G=1	12. 42	1 C	1	2	機器動作		
						98. 30	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	98. 30	0. 00	27. 66	27. 86		46. 30		0. 33						
16:50	12. 54	8. 18	1675	221. 18	303. 94	111	0	71	0	71	0	71	0	111	0	9. 02	8. 99	G=4	9. 55	G=1	12. 42	1	2	定刻			
						99. 64	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	99. 64	0. 00	27. 78	27. 97		46. 53		0. 37						
16:50	12. 54	8. 18	1675	221. 18	303. 94	111	0	71	0	71	0	71	0	111	0	9. 02	8. 99	G=4	9. 55	G=1	12. 42	1 C	1	2	制御開始		
						99. 64	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	99. 64	0. 00	27. 78	27. 97		46. 53		0. 37						
16:50	12. 54	8. 18	1675	221. 18	322. 90	124	0	71	0	71	0	71	0	124	0	9. 02	8. 99	G=4	9. 55	G=1	12. 42	1 C	1	2	機器動作		
						109. 12	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	109. 12	0. 00	27. 78	27. 97		46. 53		0. 37						
17:00	12. 55	8. 21	1684	221. 18	327. 00	124	0	71	0	71	0	71	0	124	0	9. 02	8. 99	G=4	9. 55	G=1	12. 42	1	2	定刻			
						110. 50	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	110. 50	0. 00	27. 90	28. 09		46. 77		0. 42						
17:00	12. 55	8. 21	1684	221. 18	327. 00	124	0	71	0	71	0	71	0	124	0	9. 02	8. 99	G=4	9. 55	G=1	12. 42	1 C	1	2	制御開始		
						110. 50	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	110. 50	0. 00	27. 90	28. 09		46. 77		0. 42						
17:01	12. 55	8. 22	1684	221. 18	340. 96	145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=1	12. 42	1 C	1	2	機器動作		
						117. 48	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	117. 48	0. 00	27. 90	28. 09		46. 77		0. 42						
17:10	12. 55	8. 22	1684	236. 16	340. 96	145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=1	12. 42	1	2	定刻			
						117. 48	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	117. 48	0. 00	27. 90	28. 09		46. 77		0. 42						
17:20	12. 55	8. 23	1684	249. 59	340. 96	145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=1	12. 42	1	2	定刻			
						117. 48	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	117. 48	0. 00	27. 90	28. 09		46. 77		0. 42						
17:25	12. 55	8. 23	1684	249. 59	340. 87	145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=1	12. 44	1	2	機器動作			
						117. 48	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	117. 48	0. 00	27. 90	28. 09		46. 77		0. 33						
17:30	12. 55	8. 23	1684	256. 26	340. 87	145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=1	12. 44	1	2	定刻			
						117. 48	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	117. 48	0. 00	27. 90	28. 09		46. 77		0. 33						

加古川大堰操作記録Ⅰ

2020年07月06日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因		
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート							
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸										
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段														
	T. Pm	T. Pm	10³m³	m³/s	m³/s																								
17:32	12.55	8.23	1684	256.26	340.67	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=1	12.49			3	1	2	機器動作		
17:40	12.55	8.23	1684	256.26	340.67	117.48	0.00	0.94	0.00	0.94	0.00	0.94	0.00	117.48	0.00	27.90	28.09	G=4	9.55	G=1	12.49			1	2	定刻			
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=1	12.49								
17:40	12.55	8.23	1684	256.26	340.67	117.48	0.00	0.94	0.00	0.94	0.00	0.94	0.00	117.48	0.00	27.90	28.09	G=4	9.55	G=1	12.49			3	1	2	機器動作		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=1	12.49								
17:50	12.56	8.24	1692	256.26	350.45	117.48	0.00	0.94	0.00	0.94	0.00	0.94	0.00	117.48	0.00	27.90	28.09	G=4	9.55	G=4	11.82						1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	11.82								
18:00	12.56	8.26	1692	256.26	350.45	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21	G=4	9.55	G=4	11.82						1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	11.82								
18:01	12.56	8.26	1692	256.26	350.45	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21	G=4	9.55	G=4	11.82						1	2	機器動作
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	11.82								
18:09	12.56	8.29	1692	251.88	391.72	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21	G=4	9.55	G=4	9.55						1	2	機器動作
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
18:10	12.56	8.30	1692	251.88	391.72	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21	G=4	9.55	G=4	9.55						1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
18:20	12.55	8.32	1684	258.84	387.31	117.48	0.00	0.94	0.00	0.94	0.00	0.94	0.00	117.48	0.00	27.90	28.09	G=4	9.55	G=4	9.55						1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
18:30	12.55	8.32	1684	263.56	387.31	117.48	0.00	0.94	0.00	0.94	0.00	0.94	0.00	117.48	0.00	27.90	28.09	G=4	9.55	G=4	9.55						1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
18:40	12.55	8.33	1684	272.83	387.31	117.48	0.00	0.94	0.00	0.94	0.00	0.94	0.00	117.48	0.00	27.90	28.09	G=4	9.55	G=4	9.55						1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
18:50	12.56	8.34	1692	282.25	391.72	118.89	0.00	1.24	0.00	1.24	0.00	1.24	0.00	118.89	0.00	28.01	28.21	G=4	9.55	G=4	9.55						1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
19:00	12.57	8.36	1701	286.53	396.22	120.31	0.00	1.56	0.00	1.56	0.00	1.56	0.00	120.31	0.00	28.13	28.33	G=4	9.55	G=4	9.55						1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
19:10	12.59	8.37	1718	298.38	405.47	123.16	0.00	2.27	0.00	2.27	0.00	2.27	0.00	123.16	0.00	28.37	28.57	G=4	9.55	G=4	9.55				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
19:20	12.60	8.39	1727	308.22	410.24	124.60	0.00	2.66	0.00	2.66	0.00	2.66	0.00	124.60	0.00	28.49	28.69	G=4	9.55	G=4	9.55				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
19:30	12.61	8.41	1736	318.23	415.07	126.04	0.00	3.07	0.00	3.07	0.00	3.07	0.00	126.04	0.00	28.61	28.81	G=4	9.55	G=4	9.55				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
19:40	12.63	8.43	1753	323.46	424.88	128.93	0.00	3.94	0.00	3.94	0.00	3.94	0.00	128.93	0.00	28.85	29.05	G=4	9.55	G=4	9.55				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
19:50	12.64	8.45	1762	326.09	429.90	130.39	0.00	4.40	0.00	4.40	0.00	4.40	0.00	130.39	0.00	28.97	29.17	G=4	9.55	G=4	9.55				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
20:00	12.65	8.47	1771	326.09	434.96	131.85	0.00	4.88	0.00	4.88	0.00	4.88	0.00	131.85	0.00	29.09	29.29	G=4	9.55	G=4	9.55	1 C			1	2	制御終了		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
20:02	12.65	8.47	1771	331.42	434.96	131.85	0.00	4.88	0.00	4.88	0.00	4.88	0.00	131.85	0.00	29.09	29.29	G=4	9.55	G=4	9.55	2 E			2	2	制御開始		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
20:10	12.66	8.48	1780	334.53	440.12	133.32	0.00	5.38	0.00	5.38	0.00	5.38	0.00	133.32	0.00	29.21	29.41	G=4	9.55	G=4	9.55	2 E			2	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
20:10	12.66	8.48	1780	334.53	440.12	133.32	0.00	5.38	0.00	5.38	0.00	5.38	0.00	133.32	0.00	29.21	29.41	G=4	9.55	G=4	9.55	2 E			2	2	制御開始		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
20:15	12.66	8.48	1780	336.80	511.59	133.32	0.00	5.38	0.00	0.00	76.85	5.38	0.00	133.32	0.00	29.21	29.41	G=4	9.55	G=4	9.55	2 E			2	2	機器動作		
						145	0	71	0	0	25	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								

加古川大堰操作記録Ⅰ

2020年07月06日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因			
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト								
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸											
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段															
	T. Pm	T. Pm	10³m³	m³/s	m³/s																									
20:20	12.66	8.58	1780	339.97	511.59	145	0	71	0	0	25	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻			
20:20	12.66	8.58	1780	339.97	511.59	133.32	0.00	5.38	0.00	0.00	76.85	5.38	0.00	133.32	0.00	29.21	29.41		49.36		49.36				2 E			2	2	制御開始
20:21	12.66	8.59	1780	342.24	586.42	133.32	0.00	5.38	0.00	0.00	76.85	5.38	0.00	133.32	0.00	29.21	29.41		49.36		49.36				2 E			2	2	機器動作
20:30	12.59	8.75	1718	345.48	553.86	145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻			
20:30	12.59	8.75	1718	345.48	553.86	123.16	0.00	2.27	0.00	0.00	150.66	2.27	0.00	123.16	0.00	28.37	28.57		47.70		47.70				2 E			2	2	制御開始
20:35	12.56	8.74	1692	345.48	615.57	123.16	0.00	2.27	0.00	0.00	150.66	2.27	0.00	123.16	0.00	28.37	28.57		47.70		47.70				2 E			2	2	機器動作
20:40	12.48	8.83	1623	345.48	584.69	118.89	0.00	0.00	76.12	0.00	150.21	1.24	0.00	118.89	0.00	28.01	28.21		47.00		47.00				2	2	定刻			
20:40	12.48	8.83	1623	345.48	584.69	145	0	0	25	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2 E			2	2	制御開始
20:41	12.48	8.83	1623	345.48	658.18	107.75	0.00	0.00	75.54	0.00	149.03	0.00	0.00	107.75	0.00	27.07	27.27		45.14		45.14				2 E			2	2	機器動作
20:50	12.35	8.93	1518	351.04	610.69	145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻			
20:50	12.35	8.93	1518	351.04	610.69	90.44	0.00	0.00	147.08	0.00	147.08	0.00	0.00	90.44	0.00	25.56	25.75		42.17		42.17				2 E			2	2	制御開始
20:54	12.31	8.91	1486	351.04	666.40	145	0	0	50	0	50	0	25	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2 E			2	2	機器動作
21:00	12.20	8.96	1398	351.04	625.99	85.32	0.00	0.00	146.48	0.00	146.48	0.00	69.87	85.32	0.00	25.10	25.29		41.27		41.27				2	2	定刻			
21:00	12.20	8.96	1398	351.04	625.99	145	0	0	50	0	50	0	25	146	0	9.02	8.99	G=4	9.55	G=4	9.55				2 E			2	2	制御開始
21:08	12.19	8.81	1390	356.67	705.58	71.77	0.00	0.00	144.81	0.00	144.81	0.00	67.30	71.77	0.00	23.85	24.04		38.82		38.82				2 E			2	2	機器動作
21:10	12.05	8.95	1281	359.50	674.68	0	50	0	50	0	50	0	25	0	25	9.02	8.99	G=4	9.55	G=4	9.55				2	2	定刻			
21:10	12.05	8.95	1281	359.50	674.68	0.00	142.49	0.00	142.49	0.00	142.49	0.00	65.75	0.00	65.75	22.18	22.37		35.58		35.58				2 E			2	2	制御開始
21:11	12.04	8.98	1273	359.50	749.44	0	50	0	50	0	50	0	25	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2 E			2	2	機器動作
21:20	11.84	9.10	1125	362.98	719.80	0.00	142.34	0.00	142.34	0.00	142.34	0.00	65.03	0.00	142.34	22.07	22.26		35.36		35.36				2	2	定刻			
21:30	11.62	9.07	971	365.86	690.18	0	50	0	50	0	50	0	25	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2 E			2	2	定刻
21:40	11.43	9.01	845	368.75	665.32	0.00	135.65	0.00	135.65	0.00	135.65	0.00	58.54	0.00	135.65	17.63	17.81		26.80		26.80				2 E			2	2	定刻
21:40	11.43	9.01	845	368.75	665.32	0	50	0	50	0	50	0	25	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2	2	制御開始			
21:41	11.42	9.00	838	368.75	751.92	0.00	132.51	0.00	132.51	0.00	132.51	0.00	57.23	0.00	132.51	15.74	15.91		23.20		23.20				2 E			2	2	機器動作
21:50	11.19	9.04	695	368.75	719.40	0	50	0	50	0	55	0	50	0	50	9.02	8.99	G=4	9.55	G=4	9.55				2 E			2	2	定刻
						0.00	128.44	0.00	128.44	0.00	140.79	0.00	128.44	0.00	128.44	13.44	13.61		18.90		18.90				2	2				

操 作 モ ー ド	1文字目：運転モード	2文字目：制御モード		制 御 バ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動 2：半自動 3：遠方手動 4：機側	A：定水位Ⅰ（微調節） B：全開（微調節） C：定水位Ⅰ（調節上段） D：設定流量	E：事前放流 F：定水位 G：全開 H：貯留回復Ⅰ						