

加古川大堰操作記録Ⅰ

2024年05月28日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
3:20	12.54	7.00	1675	26.42	21.84	0	0	71	0	71	0	71	0	0	0	11.03	11.03	G=1	12.43	G=1	12.41	1 A			1	1	定刻	
3:30	12.54	7.00	1675	27.12	21.84	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	8.87	8.87		0.33		0.42				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	11.03	11.03	G=1	12.43	G=1	12.41							
3:37	12.54	7.00	1675	27.62	21.75	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	8.87	8.87		0.33		0.42				1	1	機器動作	
						0	0	71	0	71	0	71	0	0	0	11.03	11.03	G=1	12.45	G=1	12.41							
3:40	12.54	7.01	1675	27.32	21.75	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	8.87	8.87		0.24		0.42				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	11.03	11.03	G=1	12.45	G=1	12.41							
3:42	12.54	7.01	1675	26.93	21.66	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	8.87	8.87		0.24		0.42				1	1	機器動作	
						0	0	71	0	71	0	71	0	0	0	11.03	11.03	G=1	12.45	G=1	12.43							
3:50	12.55	7.01	1684	27.14	23.27	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	8.87	8.87		0.24		0.33				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	11.03	11.03	G=1	12.45	G=1	12.43							
3:50	12.55	7.01	1684	27.14	23.27	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	8.96	8.96		0.28		0.37				1	1	制御開始	
						0	0	71	0	71	0	71	0	0	0	11.03	11.03	G=1	12.45	G=1	12.43							
3:52	12.55	7.02	1684	27.68	28.21	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	8.96	8.96		0.28		0.37				1	1	機器動作	
						0	0	71	0	71	0	71	0	0	0	10.74	10.74	G=1	12.45	G=1	12.43							
4:00	12.55	7.05	1684	28.75	28.21	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	11.43	11.43		0.28		0.37				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	10.74	10.74	G=1	12.45	G=1	12.43							
4:10	12.55	7.08	1684	29.79	28.21	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	11.43	11.43		0.28		0.37				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	10.74	10.74	G=1	12.45	G=1	12.43							
4:20	12.54	7.08	1675	30.07	26.58	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	11.43	11.43		0.28		0.37				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	10.74	10.74	G=1	12.45	G=1	12.43							
4:30	12.54	7.08	1675	29.16	26.58	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	11.33	11.33		0.24		0.33				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	10.74	10.74	G=1	12.45	G=1	12.43							
4:40	12.54	7.08	1675	29.94	26.58	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	11.33	11.33		0.24		0.33				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	10.74	10.74	G=1	12.45	G=1	12.43							
4:50	12.55	7.08	1684	29.44	28.21	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	11.33	11.33		0.24		0.33	1	1	定刻				
						0	0	71	0	71	0	71	0	0	0	10.74	10.74	G=1	12.45	G=1	12.43							
4:50	12.55	7.08	1684	29.44	28.21	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	11.43	11.43		0.28		0.37	1	1	制御開始				
						0	0	71	0	71	0	71	0	0	0	10.74	10.74	G=1	12.45	G=1	12.43							
4:52	12.55	7.08	1684	29.58	33.19	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	11.43	11.43		0.28		0.37	1	1	機器動作				
						0	0	71	0	71	0	71	0	0	0	10.46	10.46	G=1	12.45	G=1	12.43							
5:00	12.54	7.12	1675	29.61	31.56	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	13.92	13.92		0.28		0.37	1	1	定刻				
						0	0	71	0	71	0	71	0	0	0	10.46	10.46	G=1	12.45	G=1	12.43							
5:10	12.55	7.13	1684	30.71	33.19	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	13.82	13.82		0.24		0.33	1	1	定刻				
						0	0	71	0	71	0	71	0	0	0	10.46	10.46	G=1	12.45	G=1	12.43							
5:10	12.55	7.13	1684	30.71	33.19	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	13.92	13.92		0.28		0.37	1	1	制御開始				
						0	0	71	0	71	0	71	0	0	0	10.46	10.46	G=1	12.45	G=1	12.43							
5:11	12.55	7.13	1684	31.04	38.17	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	13.92	13.92		0.28		0.37	1	1	機器動作				
						0	0	71	0	71	0	71	0	0	0	10.19	10.19	G=1	12.45	G=1	12.43							
5:20	12.54	7.16	1675	31.86	36.54	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	0.94	0.00	16.41	16.41		0.28		0.37	1	1	定刻				
						0	0	71	0	71	0	71	0	0	0	10.19	10.19	G=1	12.45	G=1	12.43							
5:30	12.54	7.18	1675	34.71	36.54	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	16.31	16.31		0.24		0.33	1	1	定刻				
						0	0	71	0	71	0	71	0	0	0	10.19	10.19	G=1	12.45	G=1	12.43							
5:40	12.54	7.18	1675	36.38	36.54	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	16.31	16.31		0.24		0.33	1	1	定刻				
						0	0	71	0	71	0	71	0	0	0	10.19	10.19	G=1	12.45	G=1	12.43							
5:50	12.54	7.18	1675	37.78	36.54	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	0.67	0.00	16.31	16.31		0.24		0.33				1	1	定刻	

加古川大堰操作記録Ⅰ

2024年05月28日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要 因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³ m³	m³/s	m³/s																						
6:00	12. 54	7. 18	1675	38. 44	36. 54	0	0	71	0	71	0	71	0	0	0	10. 19	10. 19	G=1	12. 45	G=1	12. 43				1	1	定刻
6:10	12. 54	7. 18	1675	38. 73	36. 54	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	16. 31	16. 31		0. 24		0. 33				1	1	定刻
						0	0	71	0	71	0	71	0	0	0	10. 19	10. 19	G=1	12. 45	G=1	12. 43						
6:20	12. 54	7. 18	1675	39. 76	36. 54	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	16. 31	16. 31		0. 24		0. 33				1	1	定刻
						0	0	71	0	71	0	71	0	0	0	10. 19	10. 19	G=1	12. 45	G=1	12. 43						
6:30	12. 54	7. 18	1675	40. 27	36. 54	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	16. 31	16. 31		0. 24		0. 33				1	1	定刻
						0	0	71	0	71	0	71	0	0	0	10. 19	10. 19	G=1	12. 45	G=1	12. 43						
6:40	12. 54	7. 18	1675	40. 28	36. 54	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	16. 31	16. 31		0. 24		0. 33				1	1	定刻
						0	0	71	0	71	0	71	0	0	0	10. 19	10. 19	G=1	12. 45	G=1	12. 43						
6:50	12. 55	7. 18	1684	41. 85	38. 17	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	16. 31	16. 31		0. 24		0. 33				1	1	定刻
						0	0	71	0	71	0	71	0	0	0	10. 19	10. 19	G=1	12. 45	G=1	12. 43						
6:50	12. 55	7. 18	1684	41. 85	38. 17	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	16. 41	16. 41		0. 28		0. 37						
						0	0	71	0	71	0	71	0	0	0	10. 19	10. 19	G=1	12. 45	G=1	12. 43	1 A			1	1	制御開始
6:51	12. 56	7. 18	1692	42. 35	44. 91	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	16. 41	16. 41		0. 28		0. 37						
						0	0	71	0	71	0	71	0	0	0	9. 93	9. 93	G=1	12. 45	G=1	12. 43	1 A			1	1	機器動作
7:00	12. 55	7. 21	1684	44. 25	43. 09	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	18. 98	18. 98		0. 33		0. 42						
						0	0	71	0	71	0	71	0	0	0	9. 93	9. 93	G=1	12. 45	G=1	12. 43				1	1	定刻
7:07	12. 56	7. 22	1692	46. 48	44. 77	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	18. 87	18. 87		0. 28		0. 37						
						0	0	71	0	71	0	71	0	0	0	9. 93	9. 93	G=1	12. 47	G=1	12. 44				1	1	機器動作
7:10	12. 57	7. 22	1701	47. 63	46. 66	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	18. 98	18. 98		0. 24		0. 37						
						0	0	71	0	71	0	71	0	0	0	9. 93	9. 93	G=1	12. 47	G=1	12. 44				1	1	定刻
7:10	12. 57	7. 22	1701	47. 63	46. 66	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	19. 08	19. 08		0. 28		0. 42						
						0	0	71	0	71	0	71	0	0	0	9. 93	9. 93	G=1	12. 47	G=1	12. 44	1 A			1	1	制御開始
7:11	12. 57	7. 22	1701	48. 03	51. 48	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	19. 08	19. 08		0. 28		0. 42						
						0	0	71	0	71	0	71	0	0	0	9. 68	9. 68	G=1	12. 47	G=1	12. 44	1 A			1	1	機器動作
7:18	12. 58	7. 24	1710	53. 86	53. 40	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	21. 49	21. 49		0. 28		0. 42						
						0	0	71	0	71	0	71	0	0	0	9. 68	9. 68	G=1	12. 47	G=1	12. 46				1	2	機器動作
7:20	12. 58	7. 25	1710	56. 01	53. 40	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	21. 60	21. 60		0. 33		0. 37						
						0	0	71	0	71	0	71	0	0	0	9. 68	9. 68	G=1	12. 47	G=1	12. 46				1	2	定刻
7:20	12. 58	7. 25	1710	56. 01	53. 40	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	21. 60	21. 60		0. 33		0. 37						
						0	0	71	0	71	0	71	0	0	0	9. 68	9. 68	G=1	12. 47	G=1	12. 46	1 A			1	2	制御開始
7:22	12. 58	7. 26	1710	58. 22	63. 34	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	21. 60	21. 60		0. 33		0. 37						
						0	0	71	0	71	0	71	0	0	0	9. 19	9. 19	G=1	12. 47	G=1	12. 46	1 A			1	2	機器動作
7:25	12. 58	7. 27	1710	60. 49	63. 25	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	26. 57	26. 57		0. 33		0. 37						
						0	0	71	0	71	0	71	0	0	0	9. 19	9. 19	G=1	12. 49	G=1	12. 46				1	2	機器動作
7:30	12. 60	7. 30	1727	66. 42	67. 62	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	26. 57	26. 57		0. 24		0. 37						
						0	0	71	0	71	0	71	0	0	0	9. 19	9. 19	G=1	12. 50	G=1	12. 47				1	2	定刻
7:30	12. 60	7. 30	1727	66. 42	67. 62	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	26. 81	26. 81		0. 28		0. 42						
						0	0	71	0	71	0	71	0	0	0	9. 19	9. 19	G=1	12. 50	G=1	12. 47	1 B			1	2	制御開始
7:31	12. 60	7. 31	1727	66. 42	70. 44	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	26. 81	26. 81		0. 28		0. 42						
						0	0	71	0	71	0	71	0	0	0	9. 09	8. 99	G=1	12. 50	G=1	12. 48	1 B			1	2	機器動作
7:40	12. 61	7. 34	1736	75. 36	72. 83	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	27. 80	28. 69		0. 28		0. 37						
						0	0	71	0	71	0	71	0	0	0	9. 09	8. 99	G=1	12. 50	G=1	12. 48				1	2	定刻
7:40	12. 61	7. 34	1736	75. 36	72. 83	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	27. 92	28. 81		0. 33		0. 42						
						0	0	71	0	71	0	71	0	0	0	9. 09	8. 99	G=1	12. 50	G=1	12. 48	1 C			1	2	制御開始
7:40	12. 61	7. 34	1736	75. 36	72. 83	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	27. 92	28. 81		0. 33		0. 42						
						0	0	71	0	71	0	71	0	0	0	9. 09	8. 99	G=1	12. 50	G=1	12. 48				1 C		
7:41	12. 61	7. 34	1736	76. 70	87. 71	15	0	71	0	71	0	71	0	15	0	9. 09	8. 99	G=1	12. 50	G=1	12. 48	1 C			1	2	機器動作
						10. 51	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	10. 51	0. 00	27. 92	28. 81		0. 33		0. 42						

加古川大堰操作記録Ⅰ

2024年05月28日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
7:48	12. 61	7. 41	1736	80. 81	87. 62	15	0	71	0	71	0	71	0	15	0	9. 09	8. 99	G=1	12. 50	G=1	12. 50				1	2	機器動作
7:50	12. 63	7. 44	1753	82. 21	93. 44	10. 51	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	10. 51	0. 00	27. 92	28. 81		0. 33		0. 33						
7:50	12. 63	7. 44	1753	82. 21	93. 44	11. 79	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	11. 79	0. 00	28. 15	29. 05		0. 42		0. 42	1 C			1	2	制御開始
						15	0	71	0	71	0	71	0	15	0	9. 09	8. 99	G=1	12. 50	G=1	12. 50						
7:50	12. 63	7. 44	1753	82. 21	107. 70	11. 79	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	11. 79	0. 00	28. 15	29. 05		0. 42		0. 42	1 C			1	2	機器動作
						25	0	71	0	71	0	71	0	25	0	9. 09	8. 99	G=1	12. 50	G=1	12. 50						
8:00	12. 66	7. 56	1780	87. 95	117. 76	18. 92	0. 00	3. 94	0. 00	3. 94	0. 00	3. 94	0. 00	18. 92	0. 00	28. 15	29. 05		0. 42		0. 42				1	2	定刻
						25	0	71	0	71	0	71	0	25	0	9. 09	8. 99	G=1	12. 50	G=1	12. 50						
8:00	12. 66	7. 56	1780	87. 95	117. 76	21. 27	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	21. 27	0. 00	28. 51	29. 41		0. 58		0. 58	1 C			1	2	制御開始
						25	0	71	0	71	0	71	0	25	0	9. 09	8. 99	G=1	12. 50	G=1	12. 50						
8:00	12. 66	7. 56	1780	87. 95	132. 88	21. 27	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	21. 27	0. 00	28. 51	29. 41		0. 58		0. 58	1 C			1	2	機器動作
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=1	12. 50						
8:09	12. 66	7. 64	1780	90. 92	132. 88	28. 83	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	28. 83	0. 00	28. 51	29. 41		0. 58		0. 58		3		1	2	機器動作
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=1	12. 50						
8:10	12. 66	7. 64	1780	91. 89	132. 88	28. 83	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	28. 83	0. 00	28. 51	29. 41		0. 58		0. 58				1	2	定刻
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=1	12. 50						
8:20	12. 65	7. 64	1771	97. 99	135. 55	28. 83	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	28. 83	0. 00	28. 51	29. 41		0. 58		0. 58				1	2	定刻
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=4	11. 82						
8:24	12. 65	7. 65	1771	99. 56	135. 55	27. 95	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	27. 95	0. 00	28. 39	29. 29		0. 52		6. 81	1 C			1	2	制御終了
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=4	11. 82						
8:24	12. 65	7. 65	1771	99. 56	135. 55	27. 95	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	27. 95	0. 00	28. 39	29. 29		0. 52		6. 81	1 C			1	2	制御不能
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=4	11. 82						
8:25	12. 65	7. 65	1771	101. 14	135. 55	27. 95	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	27. 95	0. 00	28. 39	29. 29		0. 52		6. 81	1 C			1	2	制御開始
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=4	11. 82						
8:30	12. 65	7. 65	1771	104. 34	135. 55	27. 95	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	27. 95	0. 00	28. 39	29. 29		0. 52		6. 81				1	2	定刻
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=4	11. 82						
8:30	12. 65	7. 65	1771	104. 34	135. 55	27. 95	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	27. 95	0. 00	28. 39	29. 29		0. 52		6. 81		3		1	2	機器動作
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=4	11. 82						
8:32	12. 66	7. 66	1780	104. 34	150. 00	27. 95	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	27. 95	0. 00	28. 39	29. 29		0. 52		6. 81		3		1	2	機器動作
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=4	11. 09						
8:40	12. 66	7. 69	1780	112. 62	150. 00	28. 83	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	28. 83	0. 00	28. 51	29. 41		0. 58		17. 70				1	2	定刻
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=4	11. 09						
8:40	12. 66	7. 69	1780	112. 62	150. 00	28. 83	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	28. 83	0. 00	28. 51	29. 41		0. 58		17. 70	1 C			1	2	制御開始
						34	0	71	0	71	0	71	0	34	0	9. 09	8. 99	G=1	12. 50	G=4	11. 09						
8:40	12. 66	7. 69	1780	112. 62	164. 68	28. 83	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	28. 83	0. 00	28. 51	29. 41		0. 58		17. 70	1 C			1	2	機器動作
						42	0	71	0	71	0	71	0	42	0	9. 09	8. 99	G=1	12. 50	G=4	11. 09						
8:45	12. 66	7. 74	1780	117. 77	175. 55	36. 17	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	36. 17	0. 00	28. 51	29. 41		0. 58		17. 70				1	2	機器動作
						42	0	71	0	71	0	71	0	42	0	9. 09	8. 99	G=1	12. 50	G=4	10. 50						
8:50	12. 66	7. 77	1780	127. 65	175. 55	36. 17	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	36. 17	0. 00	28. 51	29. 41		0. 58		28. 57				1	2	定刻
						42	0	71	0	71	0	71	0	42	0	9. 09	8. 99	G=1	12. 50	G=4	10. 50						
8:58	12. 66	7. 78	1780	142. 65	186. 02	36. 17	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	36. 17	0. 00	28. 51	29. 41		0. 58		28. 57		3		1	2	機器動作
						42	0	71	0	71	0	71	0	42	0	9. 09	8. 99	G=1	12. 50	G=4	10. 00						
9:00	12. 66	7. 79	1780	146. 55	186. 02	36. 17	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	36. 17	0. 00	28. 51	29. 41		0. 58		39. 04				1	2	定刻
						42	0	71	0	71	0	71	0	42	0	9. 09	8. 99	G=1	12. 50	G=4	10. 00						
9:08	12. 66	7. 79	1780	157. 60	196. 34	36. 17	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	36. 17	0. 00	28. 51	29. 41		0. 58		39. 04				1	2	機器動作
						42	0	71	0	71	0	71	0	42	0	9. 09	8. 99	G=1	12. 50	G=4	9. 55						
						36. 17	0. 00	5. 38	0. 00	5. 38	0. 00	5. 38	0. 00	36. 17	0. 00	28. 51	29. 41		0. 58		49. 36						

加古川大堰操作記録Ⅰ

2024年05月28日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
9:10	12.66	7.79	1780	157.60	196.34	42	0	71	0	71	0	71	0	42	0	9.09	8.99	G=1	12.50	G=4	9.55				1	2	定刻	
9:20	12.65	7.80	1771	162.77	192.42	36.17	0.00	5.38	0.00	5.38	0.00	5.38	0.00	36.17	0.00	28.51	29.41		0.58		49.36							1
						42	0	71	0	71	0	71	0	42	0	9.09	8.99	G=1	12.50	G=4	9.55							
9:30	12.64	7.79	1762	161.79	192.19	35.23	0.00	4.88	0.00	4.88	0.00	4.88	0.00	35.23	0.00	28.39	29.29		0.52		49.12				1	2	定刻	
						42	0	71	0	71	0	71	0	42	0	9.09	8.99	G=1	12.05	G=4	9.55							
9:40	12.64	7.80	1762	158.83	194.79	34.29	0.00	4.40	0.00	4.40	0.00	4.40	0.00	34.29	0.00	28.27	29.17		4.08		48.89				1	2	定刻	
						42	0	71	0	71	0	71	0	42	0	9.09	8.99	G=4	11.82	G=4	9.55							
9:46	12.64	7.80	1762	156.81	205.31	34.29	0.00	4.40	0.00	4.40	0.00	4.40	0.00	34.29	0.00	28.27	29.17		6.68		48.89	3			1	2	機器動作	
						42	0	71	0	71	0	71	0	42	0	9.09	8.99	G=4	11.10	G=4	9.55							
9:50	12.64	7.84	1762	156.81	205.31	34.29	0.00	4.40	0.00	4.40	0.00	4.40	0.00	34.29	0.00	28.27	29.17		17.20		48.89				1	2	定刻	
						42	0	71	0	71	0	71	0	42	0	9.09	8.99	G=4	11.10	G=4	9.55							
9:58	12.67	7.88	1789	155.94	228.46	34.29	0.00	4.40	0.00	4.40	0.00	4.40	0.00	34.29	0.00	28.27	29.17		17.20		48.89	3			1	2	機器動作	
						42	0	71	0	71	0	71	0	42	0	9.09	8.99	G=4	10.50	G=4	9.55							
10:00	12.67	7.90	1789	157.11	228.46	37.13	0.00	5.89	0.00	5.89	0.00	5.89	0.00	37.13	0.00	28.63	29.53		28.77		49.60				1	2	定刻	
						42	0	71	0	71	0	71	0	42	0	9.09	8.99	G=4	10.50	G=4	9.55							
10:00	12.67	7.90	1789	157.11	228.46	37.13	0.00	5.89	0.00	5.89	0.00	5.89	0.00	37.13	0.00	28.63	29.53		28.77		49.60	1 C			1	2	制御開始	
						48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	10.50	G=4	9.55							
10:00	12.67	7.90	1789	157.11	240.28	43.04	0.00	5.89	0.00	5.89	0.00	5.89	0.00	43.04	0.00	28.63	29.53		28.77		49.60	1 C			1	2	機器動作	
						48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	10.25	G=4	9.55							
10:10	12.65	7.94	1771	162.78	236.98	41.04	0.00	4.88	0.00	4.88	0.00	4.88	0.00	41.04	0.00	28.39	29.29		33.46		49.12				1	2	定刻	
						48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	10.00	G=4	9.55							
10:11	12.65	7.94	1771	162.78	242.34	41.04	0.00	4.88	0.00	4.88	0.00	4.88	0.00	41.04	0.00	28.39	29.29		38.82		49.12	3			1	2	機器動作	
						48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	10.00	G=4	9.55							
10:20	12.64	7.96	1762	170.85	238.24	40.05	0.00	4.40	0.00	4.40	0.00	4.40	0.00	40.05	0.00	28.27	29.17		38.61		48.89				1	2	定刻	
						48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	9.55	G=4	9.55							
10:23	12.64	7.96	1762	172.87	248.52	40.05	0.00	4.40	0.00	4.40	0.00	4.40	0.00	40.05	0.00	28.27	29.17		48.89		48.89	3			1	2	機器動作	
						48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	9.55	G=4	9.55							
10:30	12.62	7.96	1745	172.10	240.43	38.09	0.00	3.49	0.00	3.49	0.00	3.49	0.00	38.09	0.00	28.03	28.93		48.41		48.41				1	2	定刻	
						48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	9.55	G=4	9.55							
10:40	12.61	7.94	1736	170.74	236.56	37.13	0.00	3.07	0.00	3.07	0.00	3.07	0.00	37.13	0.00	27.92	28.81		48.18		48.18				1	2	定刻	
						48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	9.55	G=4	9.55							
10:50	12.61	7.94	1736	174.85	236.56	37.13	0.00	3.07	0.00	3.07	0.00	3.07	0.00	37.13	0.00	27.92	28.81		48.18		48.18				1	2	定刻	
						48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	9.55	G=4	9.55							
11:00	12.61	7.93	1736	178.29	236.56	48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						37.13	0.00	3.07	0.00	3.07	0.00	3.07	0.00	37.13	0.00	27.92	28.81		48.18		48.18							
11:10	12.62	7.94	1745	183.88	240.43	48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						38.09	0.00	3.49	0.00	3.49	0.00	3.49	0.00	38.09	0.00	28.03	28.93		48.41		48.41							
11:10	12.62	7.94	1745	183.88	240.43	38.09	0.00	3.49	0.00	3.49	0.00	3.49	0.00	38.09	0.00	28.03	28.93		48.41		48.41	1 C			1	2	制御開始	
						48	0	71	0	71	0	71	0	48	0	9.09	8.99	G=4	9.55	G=4	9.55							
11:10	12.62	7.94	1745	183.88	266.97	61	0	71	0	71	0	71	0	61	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C			1	2	機器動作	
						51.36	0.00	3.49	0.00	3.49	0.00	3.49	0.00	51.36	0.00	28.03	28.93		48.41		48.41							
11:20	12.62	8.02	1745	191.00	266.97	61	0	71	0	71	0	71	0	61	0	9.09	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						51.36	0.00	3.49	0.00	3.49	0.00	3.49	0.00	51.36	0.00	28.03	28.93		48.41		48.41							
11:30	12.65	8.05	1771	202.00	279.76	61	0	71	0	71	0	71	0	61	0	9.09	8.99	G=4	9.55	G=4	9.55				1	2	定刻	
						54.60	0.00	4.88	0.00	4.88	0.00	4.88	0.00	54.60	0.00	28.39	29.29		49.12		49.12							
11:30	12.65	8.05	1771	202.00	279.76	61	0	71	0	71	0	71	0	61	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C			1	2	制御開始	
						54.60	0.00	4.88	0.00	4.88	0.00	4.88	0.00	54.60	0.00	28.39	29.29		49.12		49.12							

加古川大堰操作記録Ⅰ

2024年05月28日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
11:30	12.65	8.05	1771	202.00	300.00	70	0	71	0	71	0	71	0	70	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C			1	2	機器動作
11:40	12.68	8.14	1797	210.19	313.76	64.72	0.00	4.88	0.00	4.88	0.00	4.88	0.00	64.72	0.00	28.39	29.29		49.12		49.12				1	2	定刻
						70	0	71	0	71	0	71	0	70	0	9.09	8.99	G=4	9.55	G=4	9.55						
11:40	12.68	8.14	1797	210.19	313.76	68.21	0.00	6.42	0.00	6.42	0.00	6.42	0.00	68.21	0.00	28.75	29.65		49.84		49.84			1 C	1	2	制御開始
						70	0	71	0	71	0	71	0	70	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C					
11:40	12.68	8.14	1797	210.19	335.48	68.21	0.00	6.42	0.00	6.42	0.00	6.42	0.00	68.21	0.00	28.75	29.65		49.84		49.84			1 C	1	2	機器動作
						79	0	71	0	71	0	71	0	79	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C					
11:50	12.70	8.23	1815	229.74	345.18	79.07	0.00	6.42	0.00	6.42	0.00	6.42	0.00	79.07	0.00	28.75	29.65		49.84		49.84			1	2	定刻	
						79	0	71	0	71	0	71	0	79	0	9.09	8.99	G=4	9.55	G=4	9.55						
11:50	12.70	8.23	1815	229.74	345.18	81.55	0.00	7.52	0.00	7.52	0.00	7.52	0.00	81.55	0.00	28.99	29.89		50.32		50.32			1 C	1	2	制御開始
						79	0	71	0	71	0	71	0	79	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C					
11:50	12.70	8.23	1815	229.74	373.40	81.55	0.00	7.52	0.00	7.52	0.00	7.52	0.00	81.55	0.00	28.99	29.89		50.32		50.32			1 C	1	2	機器動作
						90	0	71	0	71	0	71	0	90	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C					
12:00	12.71	8.32	1824	302.40	378.47	95.66	0.00	7.52	0.00	7.52	0.00	7.52	0.00	95.66	0.00	28.99	29.89		50.32		50.32			1	2	定刻	
						90	0	71	0	71	0	71	0	90	0	9.09	8.99	G=4	9.55	G=4	9.55						
12:00	12.71	8.32	1824	302.40	378.47	96.98	0.00	8.09	0.00	8.09	0.00	8.09	0.00	96.98	0.00	29.11	30.01		50.56		50.56			1 C	1	2	制御開始
						90	0	71	0	71	0	71	0	90	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C					
12:00	12.71	8.32	1824	302.40	408.27	96.98	0.00	8.09	0.00	8.09	0.00	8.09	0.00	96.98	0.00	29.11	30.01		50.56		50.56			1 C	1	2	機器動作
						101	0	71	0	71	0	71	0	101	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C					
12:10	12.70	8.39	1815	317.01	403.08	111.88	0.00	8.09	0.00	8.09	0.00	8.09	0.00	111.88	0.00	29.11	30.01		50.56		50.56			1	2	定刻	
						101	0	71	0	71	0	71	0	101	0	9.09	8.99	G=4	9.55	G=4	9.55						
12:20	12.72	8.42	1833	302.45	413.51	110.50	0.00	7.52	0.00	7.52	0.00	7.52	0.00	110.50	0.00	28.99	29.89		50.32		50.32			1	2	定刻	
						101	0	71	0	71	0	71	0	101	0	9.09	8.99	G=4	9.55	G=4	9.55						
12:20	12.72	8.42	1833	302.45	413.51	113.27	0.00	8.67	0.00	8.67	0.00	8.67	0.00	113.27	0.00	29.23	30.13		50.80		50.80			1 C	1	2	制御開始
						101	0	71	0	71	0	71	0	101	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C					
12:21	12.72	8.43	1833	302.95	444.83	113.27	0.00	8.67	0.00	8.67	0.00	8.67	0.00	113.27	0.00	29.23	30.13		50.80		50.80			1 C	1	2	機器動作
						116	0	71	0	71	0	71	0	116	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C					
12:30	12.75	8.51	1861	310.69	461.31	128.93	0.00	8.67	0.00	8.67	0.00	8.67	0.00	128.93	0.00	29.23	30.13		50.80		50.80			1	2	定刻	
						116	0	71	0	71	0	71	0	116	0	9.09	8.99	G=4	9.55	G=4	9.55						
12:30	12.75	8.51	1861	310.69	461.31	133.32	0.00	10.51	0.00	10.51	0.00	10.51	0.00	133.32	0.00	29.60	30.50		51.52		51.52			1 C	1	2	制御開始
						116	0	71	0	71	0	71	0	116	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C					
12:31	12.76	8.52	1870	313.39	493.86	133.32	0.00	10.51	0.00	10.51	0.00	10.51	0.00	133.32	0.00	29.60	30.50		51.52		51.52			1 C	1	2	機器動作
						144	0	71	0	71	0	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C					
12:40	12.81	8.59	1916	332.71	522.97	148.29	0.00	11.14	0.00	11.14	0.00	11.14	0.00	148.29	0.00	29.72	30.62		51.76		51.76			1	2	定刻	
						144	0	71	0	71	0	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
12:40	12.81	8.59	1916	332.71	522.97	155.97	0.00	14.51	0.00	14.51	0.00	14.51	0.00	155.97	0.00	30.33	31.23		52.97		52.97			1 C	1	2	制御終了
						144	0	71	0	71	0	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55	1 C					
12:41	12.81	8.60	1916	332.71	522.97	155.97	0.00	14.51	0.00	14.51	0.00	14.51	0.00	155.97	0.00	30.33	31.23		52.97		52.97			2 E	2	2	制御開始
						144	0	71	0	71	0	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55	2 E					
12:50	12.87	8.69	1971	359.70	559.40	155.97	0.00	14.51	0.00	14.51	0.00	14.51	0.00	155.97	0.00	30.33	31.23		52.97		52.97			2	2	定刻	
						144	0	71	0	71	0	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
12:50	12.87	8.69	1971	359.70	559.40	165.36	0.00	18.92	0.00	18.92	0.00	18.92	0.00	165.36	0.00	31.06	31.98		54.44		54.44			2 E	2	2	制御開始
						144	0	71	0	71	0	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55	2 E					
12:55	12.91	8.72	2008	377.77	666.80	165.36	0.00	18.92	0.00	18.92	0.00	18.92	0.00	165.36	0.00	31.06	31.98		54.44		54.44			2 E	2	2	機器動作
						144	0	71	0	0	35	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55	2 E					
13:00	12.89	8.87	1990	406.11	650.69	171.72	0.00	22.07	0.00	0.00	104.33	22.07	0.00	171.72	0.00	31.56	32.47		55.43		55.43			2	2	定刻	
						144	0	71	0	0	35	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
						168.53	0.00	20.47	0.00	0.00	99.28	20.47	0.00	168.53	0.00	31.31	32.22		54.94		54.94						

加古川大堰操作記録Ⅰ

2024年05月28日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微調節 ゲート	魚道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
13:00	12.89	8.87	1990	406.11	650.69	144	0	71	0	0	35	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
13:05	12.90	8.98	1999	440.13	772.17	168.53	0.00	20.47	0.00	0.00	99.28	20.47	0.00	168.53	0.00	31.31	32.22		54.94		54.94	2 E			2	2	機器動作
						144	0	0	30	0	50	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:10	12.85	9.11	1953	474.32	739.68	170.13	0.00	0.00	81.34	0.00	155.15	21.27	0.00	170.13	0.00	31.44	32.35		55.18		55.18	2 E			2	2	定刻
						144	0	0	30	0	50	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:10	12.85	9.11	1953	474.32	739.68	162.21	0.00	0.00	78.91	0.00	148.49	17.41	0.00	162.21	0.00	30.82	31.73		53.95		53.95	2 E			2	2	制御開始
						144	0	0	30	0	50	71	0	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:15	12.82	9.21	1925	504.46	814.44	162.21	0.00	0.00	78.91	0.00	148.49	17.41	0.00	162.21	0.00	30.82	31.73		53.95		53.95	2 E			2	2	機器動作
						144	0	0	50	0	50	0	20	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:20	12.77	9.30	1879	517.71	784.41	157.53	0.00	0.00	140.61	0.00	140.61	0.00	49.91	157.53	0.00	30.45	31.36		53.22		53.22	2 E			2	2	定刻
						144	0	0	50	0	50	0	20	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:20	12.77	9.30	1879	517.71	784.41	149.82	0.00	0.00	135.68	0.00	135.68	0.00	48.83	149.82	0.00	29.84	30.74		52.00		52.00	2 E			2	2	制御開始
						144	0	0	50	0	50	0	20	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:22	12.76	9.33	1870	524.42	903.02	149.82	0.00	0.00	135.68	0.00	135.68	0.00	48.83	149.82	0.00	29.84	30.74		52.00		52.00	2 E			2	2	機器動作
						144	0	0	50	0	60	0	50	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:30	12.65	9.49	1771	546.23	831.74	148.29	0.00	0.00	134.39	0.00	173.80	0.00	134.39	148.29	0.00	29.72	30.62		51.76		51.76	2 E			2	2	定刻
						144	0	0	50	0	60	0	50	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:30	12.65	9.49	1771	546.23	831.74	131.85	0.00	0.00	126.75	0.00	158.62	0.00	126.75	131.85	0.00	28.39	29.29		49.12		49.12	2 E			2	2	制御開始
						144	0	0	50	0	60	0	50	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:32	12.63	9.52	1753	549.73	989.25	131.85	0.00	0.00	126.75	0.00	158.62	0.00	126.75	131.85	0.00	28.39	29.29		49.12		49.12	2 E			2	2	機器動作
						144	0	0	60	0	100	0	50	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:40	12.50	9.68	1640	572.73	921.30	128.93	0.00	0.00	156.60	0.00	294.87	0.00	125.42	128.93	0.00	28.15	29.05		48.65		48.65	2 E			2	2	定刻
						144	0	0	60	0	100	0	50	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:40	12.50	9.68	1640	572.73	921.30	110.50	0.00	0.00	146.10	0.00	290.96	0.00	117.92	110.50	0.00	26.62	27.50		45.60		45.60	2 E			2	2	制御開始
						144	0	0	60	0	100	0	50	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:42	12.47	9.70	1615	586.44	1095.31	110.50	0.00	0.00	146.10	0.00	290.96	0.00	117.92	110.50	0.00	26.62	27.50		45.60		45.60	2 E			2	2	機器動作
						144	0	0	100	0	100	0	65	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:50	12.32	9.83	1494	615.32	1025.53	106.38	0.00	0.00	290.05	0.00	290.05	0.00	159.21	106.38	0.00	26.27	27.15		44.91		44.91	2 E			2	2	定刻
						144	0	0	100	0	100	0	65	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:50	12.32	9.83	1494	615.32	1025.53	86.59	0.00	0.00	285.47	0.00	285.47	0.00	148.48	86.59	0.00	24.54	25.41		41.49		41.49	2 E			2	2	制御開始
						144	0	0	100	0	100	0	65	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
13:53	12.29	9.86	1470	625.72	1184.98	86.59	0.00	0.00	285.47	0.00	285.47	0.00	148.48	86.59	0.00	24.54	25.41		41.49		41.49	2 E			2	2	機器動作
						144	0	0	100	0	125	0	100	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
14:00	12.16	9.98	1366	661.37	1074.49	82.80	0.00	0.00	268.70	0.00	351.08	0.00	268.70	82.80	0.00	24.20	25.06		40.82		40.82	2 E			2	2	定刻
						144	0	0	100	0	125	0	100	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
14:00	12.16	9.98	1366	661.37	1074.49	67.04	0.00	0.00	236.10	0.00	345.98	0.00	236.10	67.04	0.00	22.74	23.59		37.95		37.95	2 E			2	2	制御開始
						144	0	0	100	0	125	0	100	146	0	9.09	8.99	G=4	9.55	G=4	9.55						
14:09	12.11	9.98	1326	708.07	1214.15	67.04	0.00	0.00	236.10	0.00	345.98	0.00	236.10	67.04	0.00	22.74	23.59		37.95		37.95	2 E			2	2	機器動作
						0	85	0	100	0	125	0	100	0	50	9.09	8.99	G=4	9.55	G=4	9.55						
14:10	12.06	10.03	1288	719.24	1182.23	0.00	186.86	0.00	232.18	0.00	344.01	0.00	232.18	0.00	99.98	22.18	23.04		36.86		36.86	2 E			2	2	定刻
						0	85	0	100	0	125	0	100	0	50	9.09	8.99	G=4	9.55	G=4	9.55						
14:10	12.06	10.03	1288	719.24	1182.23	0.00	180.73	0.00	223.33	0.00	342.02	0.00	223.33	0.00	97.12	21.64	22.48		35.79		35.79	2 E			2	2	制御開始
						0	85	0	100	0	125	0	100	0	50	9.09	8.99	G=4	9.55	G=4	9.55						
14:13	12.02	10.11	1258	726.40	1341.62	0.00	180.73	0.00	223.33	0.00	342.02	0.00	223.33	0.00	97.12	21.64	22.48		35.79		35.79	2 E			2	2	機器動作
						0	100	0	100	0	140	0	100	0	100	9.09	8.99	G=4	9.55	G=4	9.55						
14:20	11.86	10.29	1140	778.66	1132.79	0.00	212.57	0.00	212.57	0.00	378.22	0.00	212.57	0.00	212.57	21.20	22.04		34.94		34.94	2 E			2	2	定刻
						0	100	0	100	0	140	0	100	0	100	9.09	8.99	G=4	9.55	G=4	9.55						
						0.00	184.74	0.00	184.74	0.00	290.83	0.00	184.74	0.00	184.74	19.49	20.31		31.60		31.60				2	2	

加古川大堰操作記録Ⅰ

2024年05月28日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制 御 パ タ ー ン	流 入 量 判 定	印 字 要 因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
14:30	11.84	10.33	1125	853.73	1101.78	0	100	0	100	0	140	0	100	0	100	9.09	8.99	G=4	9.55	G=4	9.55				2	2	定刻	
						0.00	179.74	0.00	179.74	0.00	281.06	0.00	179.74	0.00	179.74	19.28	20.10		31.19		31.19							
14:30	11.84	10.33	1125	853.73	1101.78	0	100	0	100	0	140	0	100	0	100	9.09	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始	
						0.00	179.74	0.00	179.74	0.00	281.06	0.00	179.74	0.00	179.74	19.28	20.10		31.19		31.19							
14:32	11.86	10.35	1140	870.42	1310.62	0	100	0	150	0	150	0	120	0	100	9.09	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作	
						0.00	179.54	0.00	310.97	0.00	310.97	0.00	226.60	0.00	179.54	19.49	20.31		31.60		31.60							
14:40	11.83	10.49	1118	942.45	1198.20	0	100	0	150	0	150	0	120	0	100	9.09	8.99	G=4	9.55	G=4	9.55				2	2	定刻	
						0.00	165.05	0.00	279.86	0.00	279.86	0.00	207.25	0.00	165.05	19.17	20.00		30.98		30.98							
14:40	11.83	10.49	1118	942.45	1198.20	0	100	0	150	0	150	0	120	0	100	9.09	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始	
						0.00	165.05	0.00	279.86	0.00	279.86	0.00	207.25	0.00	165.05	19.17	20.00		30.98		30.98							
14:42	11.85	10.52	1133	959.99	1407.46	0	150	0	150	0	150	0	150	0	115	9.09	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作	
						0.00	277.52	0.00	277.52	0.00	277.52	0.00	277.52	0.00	195.01	19.38	20.21		31.39		31.39							
14:50	11.82	10.66	1111	1039.36	1274.67	0	150	0	150	0	150	0	150	0	115	9.09	8.99	G=4	9.55	G=4	9.55				2	2	定刻	
						0.00	249.33	0.00	249.33	0.00	249.33	0.00	249.33	0.00	176.83	19.07	19.89		30.78		30.78							
14:50	11.82	10.66	1111	1039.36	1274.67	0	150	0	150	0	150	0	150	0	115	9.09	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始	
						0.00	249.33	0.00	249.33	0.00	249.33	0.00	249.33	0.00	176.83	19.07	19.89		30.78		30.78							
14:53	11.84	10.71	1125	1080.24	1448.76	0	150	0	150	0	200	0	150	0	150	9.09	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作	
						0.00	243.95	0.00	243.95	0.00	371.20	0.00	243.95	0.00	243.95	19.28	20.10		31.19		31.19							
15:00	11.89	10.84	1162	1169.48	1369.64	0	150	0	150	0	200	0	150	0	150	9.09	8.99	G=4	9.55	G=4	9.55				2	2	定刻	
						0.00	229.92	0.00	229.92	0.00	345.09	0.00	229.92	0.00	229.92	19.80	20.63		32.22		32.22							
15:00	11.89	10.84	1162	1169.48	1369.64	0	150	0	150	0	200	0	150	0	150	9.09	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始	
						0.00	229.92	0.00	229.92	0.00	345.09	0.00	229.92	0.00	229.92	19.80	20.63		32.22		32.22							
15:02	11.92	10.88	1184	1187.94	1573.11	0	150	0	200	0	200	0	195	0	150	9.09	8.99	G=4	9.55	G=4	9.55	2 E			2	2	機器動作	
						0.00	227.88	0.00	341.11	0.00	341.11	0.00	328.37	0.00	227.88	20.12	20.96		32.84		32.84							
15:03	11.91	10.91	1176	1207.61	1527.66	0	150	0	200	0	200	0	195	0	150	9.09	8.99	G=4	9.55	G=4	9.55	2 E			1	2	制御終了	
						0.00	221.35	0.00	330.34	0.00	330.34	0.00	318.15	0.00	221.35	20.02	20.85		32.63		32.63							
15:04	11.88	10.94	1154	1222.20	1459.77	0	150	0	200	0	200	0	195	0	150	9.09	8.99	G=4	9.55	G=4	9.55	2 G			2	2	制御開始	
						0.00	211.52	0.00	314.65	0.00	314.65	0.00	303.18	0.00	211.52	19.70	20.53		32.01		32.01							
15:10	11.98	11.03	1228	1306.19	1971.03	0	150	0	200	0	200	0	195	0	150	9.09	8.99	G=4	9.55	G=4	9.55				2	2	定刻	
						0.00	212.28	0.00	314.63	0.00	314.63	0.00	303.29	0.00	212.28	20.77	21.61		34.09		34.09							
15:10	11.98	11.03	1228	1306.19	1971.03	0	150	0	200	0	200	0	195	0	150	9.09	8.99	G=4	9.55	G=4	9.55	2 G			2	2	制御開始	
						0.00	212.28	0.00	314.63	0.00	314.63	0.00	303.29	0.00	212.28	20.77	21.61		34.09		34.09							
15:20	11.77	11.40	1075	1440.29	2113.59	0	395	0	399	0	400	0	397	0	393	9.09	8.99	G=4	10.44	G=4	9.55				2	2	定刻	
						0.00	161.47	0.00	162.71	0.00	163.02	0.00	162.09	0.00	160.86	18.55	19.36		13.80		29.77							
15:30	11.78	11.52	1082	2261.13	2250.43	0	650	0	650	0	650	0	650	0	648	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻	
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***							
15:40	11.92	11.66	1184	2402.59	2380.55	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻	
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***							
15:40	11.90	11.65	1169	2380.55	2380.55	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55	2 G	3		2		機器動作	
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***							
15:50	12.07	11.83	1296	2536.97	2514.32	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻	
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***							
16:00	12.22	11.99	1414	2663.37	2651.76	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻	
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***							
16:10	12.37	12.15	1533	2780.95	2769.08	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻	
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***							
16:20	12.50	12.30	1640	2888.94	2888.94	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻	
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***							

操 作 モ ー ド	1文字目：運転モード	2文字目：制御モード		制 御 パ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動 2：半自動 3：遠方手動 4：機側	A：定水位Ⅰ（微調節） B：全開（微調節） C：定水位Ⅰ（調節上段） D：設定流量	E：事前放流 F：定水位 G：全開 H：貯留回復Ⅰ						

加古川大堰操作記録Ⅰ

2024年05月28日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
16:30	12.62	12.43	1745	2998.98	2998.98	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
16:40	12.73	12.55	1843	3111.08	3098.53	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
16:50	12.83	12.65	1935	3199.69	3186.96	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
17:00	12.92	12.74	2018	3289.55	3276.64	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
17:10	12.99	12.82	2083	3367.56	3354.50	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
17:20	13.05	12.88	2139	3420.08	3406.91	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
17:30	13.10	12.93	2185	3473.00	3473.00	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
17:40	13.14	12.97	2223	3526.33	3512.96	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
17:50	13.17	13.00	2251	3553.14	3553.14	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	11.82	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
17:58	13.19	13.02	2270	3566.59	3566.59	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55		3		2		機器動作
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
18:00	13.19	13.03	2270	3580.06	3566.59	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
18:10	13.21	13.05	2288	3593.56	3593.56	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
18:20	13.22	13.06	2298	3607.08	3607.08	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
18:30	13.22	13.06	2298	3607.08	3607.08	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
18:40	13.22	13.06	2298	3607.08	3607.08	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
18:50	13.21	13.06	2288	3607.08	3607.08	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
19:00	13.20	13.04	2279	3607.08	3607.08	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
19:10	13.19	13.03	2270	3580.06	3580.06	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
19:20	13.17	13.01	2251	3553.14	3553.14	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
19:30	13.15	12.99	2232	3539.72	3539.72	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
19:40	13.12	12.96	2204	3512.96	3512.96	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
19:50	13.10	12.93	2185	3473.00	3486.29	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
20:00	13.06	12.90	2148	3446.49	3446.49	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						
20:10	13.03	12.86	2120	3393.77	3406.91	0	895	0	895	0	896	0	896	0	897	9.09	8.99	G=4	9.55	G=4	9.55				2		定刻
						***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***						

操 作 モ ー ド	1文字目：運転モード	2文字目：制御モード		制 御 バ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動 2：半自動 3：遠方手動 4：機側	A：定水位Ⅰ（微調節） B：全開（微調節） C：定水位Ⅰ（調節上段） D：設定流量	E：事前放流 F：定水位 G：全開 H：貯留回復Ⅰ						

加古川大堰操作記録Ⅰ

2024年05月28日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制 御 パ タ ー ン	流 入 量 判 定	印 字 要 因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
20:20	12. 99	12. 82	2083	3341. 46	3354. 50	0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55				2		定刻	
20:30	12. 94	12. 78	2036	3302. 49	3302. 49	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
20:40	12. 89	12. 72	1990	3238. 05	3238. 05	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
20:50	12. 84	12. 67	1944	3174. 25	3174. 25	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
21:00	12. 78	12. 60	1889	3111. 08	3123. 67	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
21:10	12. 72	12. 54	1833	3048. 55	3061. 01	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
21:20	12. 65	12. 47	1771	2974. 35	2986. 65	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
21:30	12. 58	12. 40	1710	2925. 39	2925. 39	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
21:40	12. 51	12. 33	1649	2864. 76	2864. 76	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
21:50	12. 44	12. 26	1590	2804. 77	2804. 77	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
22:00	12. 39	12. 19	1549	2745. 41	2757. 23	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
22:10	12. 32	12. 12	1494	2698. 38	2698. 38	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
22:20	12. 25	12. 04	1438	2628. 60	2640. 16	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
22:30	12. 18	11. 97	1382	2571. 14	2571. 14	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
22:40	12. 11	11. 89	1326	2503. 04	2514. 32	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
22:50	12. 04	11. 82	1273	2446. 98	2446. 98	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
23:00	11. 97	11. 75	1221	2391. 56	2402. 59	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
23:10	11. 90	11. 67	1169	2336. 77	2336. 77	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
23:20	11. 84	11. 60	1125	2282. 62	2293. 40	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
23:30	11. 77	11. 52	1075	2229. 10	2239. 75	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
23:40	11. 71	11. 45	1032	2186. 74	2197. 29	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
23:50	11. 65	11. 38	991	2134. 37	2144. 79	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
23:50	11. 65	11. 38	991	2134. 37	2144. 79	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	2 G			2		制御開始	
						0	895	0	895	0	896	0	896	0	897	9. 09	8. 99	G=4	9. 55	G=4	9. 55							
24:00	11. 59	11. 32	950	2092. 92	2092. 92	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***				2		定刻	
						0	650	0	650	0	651	0	650	0	650	9. 09	8. 99	G=4	9. 55	G=4	9. 55							

操 作 モ ー ド	1文字目：運転モード		2文字目：制御モード			制 御 バ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動	A：定水位Ⅰ（微調節）	E：事前放流	I：貯留回復Ⅱ							
	2：半自動	B：全開（微調節）	F：定水位	J：開度一回							
	3：遠方手動	C：定水位Ⅰ（調節上段）	G：全開								
	4：機側	D：設定流量	H：貯留回復Ⅰ								