

加古川大堰操作記録Ⅰ

2020年07月14日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
0:10	12. 51	7. 95	1649	156. 82	211. 69	94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38				1	2	定刻	
0:20	12. 51	7. 94	1649	156. 82	211. 69	77. 83	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	77. 83	0. 00	27. 42	27. 62		0. 33		0. 42				1	2	定刻	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38							
0:30	12. 51	7. 94	1649	156. 82	211. 69	77. 83	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	77. 83	0. 00	27. 42	27. 62		0. 33		0. 42				1	2	定刻	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38							
0:40	12. 51	7. 94	1649	158. 77	211. 69	77. 83	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	77. 83	0. 00	27. 42	27. 62		0. 33		0. 42				1	2	定刻	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38							
0:50	12. 50	7. 94	1640	162. 08	208. 67	77. 83	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	77. 83	0. 00	27. 42	27. 62		0. 33		0. 42				1	2	定刻	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38							
1:00	12. 50	7. 94	1640	162. 08	208. 67	76. 61	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	76. 61	0. 00	27. 30	27. 50		0. 28		0. 37				1	2	定刻	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38							
1:10	12. 50	7. 94	1640	164. 06	208. 67	76. 61	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	76. 61	0. 00	27. 30	27. 50		0. 28		0. 37				1	2	定刻	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38							
1:20	12. 50	7. 94	1640	164. 06	208. 67	76. 61	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	76. 61	0. 00	27. 30	27. 50		0. 28		0. 37				1	2	定刻	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38							
1:30	12. 50	7. 95	1640	164. 06	208. 67	76. 61	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	76. 61	0. 00	27. 30	27. 50		0. 28		0. 37				1	2	定刻	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38							
1:40	12. 50	7. 95	1640	166. 05	208. 67	76. 61	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	0. 00	76. 61	0. 00	27. 30	27. 50		0. 28		0. 37				1	2	定刻	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38							
1:50	12. 51	7. 95	1649	168. 05	211. 69	77. 83	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	77. 83	0. 00	27. 42	27. 62		0. 33		0. 42				1	2	定刻	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38							
2:00	12. 51	7. 95	1649	168. 05	211. 69	77. 83	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	77. 83	0. 00	27. 42	27. 62		0. 33		0. 42				1	2	定刻	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 40	G=1	12. 38							
2:08	12. 51	7. 95	1649	168. 05	211. 64	77. 83	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	77. 83	0. 00	27. 42	27. 62		0. 28		0. 42				1	2	機器動作	
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 41	G=1	12. 38							
2:09	12. 51	7. 95	1649	168. 05	211. 55	77. 83	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	77. 83	0. 00	27. 42	27. 62		0. 28		0. 33	1	2	機器動作				
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 41	G=1	12. 40							
2:10	12. 51	7. 96	1649	168. 05	211. 55	77. 83	0. 00	0. 08	0. 00	0. 08	0. 00	0. 08	0. 00	77. 83	0. 00	27. 42	27. 62		0. 28		0. 33	1	2	定刻				
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 41	G=1	12. 40							
2:20	12. 52	7. 96	1657	170. 07	214. 84	79. 07	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	79. 07	0. 00	27. 54	27. 74		0. 33		0. 37	1	2	定刻				
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 41	G=1	12. 40							
2:30	12. 52	7. 96	1657	170. 07	214. 84	79. 07	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	79. 07	0. 00	27. 54	27. 74		0. 33		0. 37	1	2	定刻				
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 42	G=1	12. 40							
2:39	12. 52	7. 96	1657	170. 07	214. 79	79. 07	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	79. 07	0. 00	27. 54	27. 74		0. 28		0. 37	1	2	機器動作				
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 42	G=1	12. 40							
2:40	12. 52	7. 97	1657	172. 10	214. 79	79. 07	0. 00	0. 24	0. 00	0. 24	0. 00	0. 24	0. 00	79. 07	0. 00	27. 54	27. 74		0. 28		0. 37	1	2	定刻				
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 42	G=1	12. 40							
2:50	12. 53	7. 97	1666	172. 10	218. 21	80. 31	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	80. 31	0. 00	27. 66	27. 86		0. 33		0. 42	1	2	定刻				
						94	0	71	0	71	0	71	0	94	0	9. 02	8. 99	G=1	12. 42	G=1	12. 40	1 C						
2:50	12. 53	7. 97	1666	172. 10	230. 77	80. 31	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	80. 31	0. 00	27. 66	27. 86		0. 33		0. 42	1 C		1	2	機器動作		
						100	0	71	0	71	0	71	0	100	0	9. 02	8. 99	G=1	12. 42	G=1	12. 40							
3:00	12. 53	8. 00	1666	172. 10	230. 77	86. 59	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	86. 59	0. 00	27. 66	27. 86		0. 33		0. 42	1	2	定刻				
						100	0	71	0	71	0	71	0	100	0	9. 02	8. 99	G=1	12. 42	G=1	12. 40							
3:10	12. 53	8. 00	1666	174. 15	230. 77	86. 59	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	86. 59	0. 00	27. 66	27. 86		0. 33		0. 42	1	2	定刻				
						100	0	71	0	71	0	71	0	100	0	9. 02	8. 99	G=1	12. 42	G=1	12. 40							
						86. 59	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	86. 59	0. 00	27. 66	27. 86		0. 33		0. 42							

加古川大堰操作記録Ⅰ

2020年07月14日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量判定	印字要因		
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート							
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸										
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段														
	T. Pm	T. Pm	10³m³	m³/s	m³/s																								
3:20	12.53	8.00	1666	174.15	230.77	100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.42	G=1	12.40	1	C	1	2	定刻			
3:30	12.53	8.00	1666	176.21	230.77	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		0.33		0.42					1	2	定刻	
						100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.42	G=1	12.40								
3:40	12.53	8.00	1666	176.21	230.77	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		0.33		0.42					1	2	定刻	
						100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.42	G=1	12.40								
3:50	12.53	8.00	1666	178.29	230.77	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		0.33		0.42					1	2	定刻	
						100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.42	G=1	12.40								
4:00	12.53	8.01	1666	178.29	230.77	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		0.33		0.42					1	2	定刻	
						100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.42	G=1	12.40								
4:08	12.53	8.01	1666	180.39	230.68	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		0.33		0.42					1	2	機器動作	
						100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.44	G=1	12.40								
4:09	12.53	8.01	1666	180.39	230.63	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		0.24		0.42					1	2	機器動作	
						100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.44	G=1	12.41								
4:10	12.53	8.01	1666	180.39	230.63	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		0.24		0.37					1	2	定刻	
						100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.44	G=1	12.41								
4:20	12.53	8.02	1666	182.50	230.63	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		0.24		0.37					1	2	定刻	
						100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.44	G=1	12.41								
4:28	12.54	8.02	1675	182.50	234.11	86.59	0.00	0.44	0.00	0.44	0.00	0.44	0.00	86.59	0.00	27.66	27.86		0.24		0.37					1	2	機器動作	
						100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.44	G=1	12.43								
4:30	12.54	8.02	1675	184.62	234.11	87.87	0.00	0.67	0.00	0.67	0.00	0.67	0.00	87.87	0.00	27.78	27.97		0.28		0.33					1	2	定刻	
						100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.44	G=1	12.43								
4:30	12.54	8.02	1675	184.62	234.11	87.87	0.00	0.67	0.00	0.67	0.00	0.67	0.00	87.87	0.00	27.78	27.97		0.28		0.33					1 C	1	2	制御開始
						100	0	71	0	71	0	71	0	100	0	9.02	8.99	G=1	12.44	G=1	12.43								
4:30	12.54	8.02	1675	184.62	247.07	87.87	0.00	0.67	0.00	0.67	0.00	0.67	0.00	87.87	0.00	27.78	27.97		0.28		0.33					1 C	1	2	機器動作
						106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=1	12.44	G=1	12.43								
4:40	12.54	8.05	1675	186.00	247.07	94.35	0.00	0.67	0.00	0.67	0.00	0.67	0.00	94.35	0.00	27.78	27.97		0.28		0.33	1	2	定刻					
						106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=1	12.44	G=1	12.43								
4:50	12.54	8.06	1675	188.14	247.07	94.35	0.00	0.67	0.00	0.67	0.00	0.67	0.00	94.35	0.00	27.78	27.97		0.28		0.33	1	2	定刻					
						106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=1	12.44	G=1	12.43								
5:00	12.55	8.06	1684	188.14	250.83	94.35	0.00	0.67	0.00	0.67	0.00	0.67	0.00	94.35	0.00	27.78	27.97		0.28		0.33	1	2	定刻					
						106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=1	12.44	G=1	12.43								
5:00	12.55	8.06	1684	188.14	250.83	95.66	0.00	0.94	0.00	0.94	0.00	0.94	0.00	95.66	0.00	27.90	28.09		0.33		0.37	1 C	1	2	制御開始				
						106	0	71	0	71	0	71	0	106	0	9.02	8.99	G=1	12.44	G=1	12.43								
5:00	12.55	8.06	1684	188.14	264.06	95.66	0.00	0.94	0.00	0.94	0.00	0.94	0.00	95.66	0.00	27.90	28.09		0.33		0.37	1 C	1	2	機器動作				
						113	0	71	0	71	0	71	0	113	0	9.02	8.99	G=1	12.46	G=1	12.43								
5:10	12.55	8.10	1684	191.71	264.06	102.32	0.00	0.94	0.00	0.94	0.00	0.94	0.00	102.32	0.00	27.90	28.09		0.24		0.37	1	2	定刻					
						113	0	71	0	71	0	71	0	113	0	9.02	8.99	G=1	12.46	G=1	12.43								
5:20	12.55	8.11	1684	197.51	264.06	102.32	0.00	0.94	0.00	0.94	0.00	0.94	0.00	102.32	0.00	27.90	28.09		0.24		0.37	1	2	定刻					
						113	0	71	0	71	0	71	0	113	0	9.02	8.99	G=1	12.46	G=1	12.43								
5:30	12.55	8.11	1684	197.51	264.06	102.32	0.00	0.94	0.00	0.94	0.00	0.94	0.00	102.32	0.00	27.90	28.09		0.24		0.37	1	2	定刻					
						113	0	71	0	71	0	71	0	113	0	9.02	8.99	G=1	12.46	G=1	12.43								
5:40	12.55	8.11	1684	199.71	264.06	102.32	0.00	0.94	0.00	0.94	0.00	0.94	0.00	102.32	0.00	27.90	28.09		0.24		0.37	1	2	定刻					
						113	0	71	0	71	0	71	0	113	0	9.02	8.99	G=1	12.46	G=1	12.43								
5:50	12.55	8.12	1684	201.92	264.06	102.32	0.00	0.94	0.00	0.94	0.00	0.94	0.00	102.32	0.00	27.90	28.09		0.24		0.37	1	2	定刻					
						113	0	71	0	71	0	71	0	113	0	9.02	8.99	G=1	12.46	G=1	12.43								
6:00	12.56	8.13	1692	201.92	267.89	102.32	0.00	0.94	0.00	0.94	0.00	0.94	0.00	102.32	0.00	27.90	28.09		0.24		0.37	1	2	定刻					
						113	0	71	0	71	0	71	0	113	0	9.02	8.99	G=1	12.46	G=1	12.45								
						103.67	0.00	1.24	0.00	1.24	0.00	1.24	0.00	103.67	0.00	28.01	28.21		0.28		0.33								

加古川大堰操作記録Ⅰ

2020年07月14日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
6:00	12.56	8.13	1692	201.92	267.89	113	0	71	0	71	0	71	0	113	0	9.02	8.99	G=1	12.46	G=1	12.45	1 C			1	2	制御開始	
6:01	12.56	8.13	1692	201.92	295.51	103.67	0.00	1.24	0.00	1.24	0.00	1.24	0.00	103.67	0.00	28.01	28.21		0.28		0.33	1 C			1	2	機器動作	
						135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=1	12.46	G=1	12.45							
6:10	12.56	8.14	1692	210.13	295.51	117.48	0.00	1.24	0.00	1.24	0.00	1.24	0.00	117.48	0.00	28.01	28.21		0.28		0.33			1	2	定刻		
						135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=1	12.46	G=1	12.45							
6:10	12.56	8.14	1692	210.13	295.43	117.48	0.00	1.24	0.00	1.24	0.00	1.24	0.00	117.48	0.00	28.01	28.21		0.28		0.33			1	2	機器動作		
						135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=1	12.48	G=1	12.45							
6:16	12.57	8.15	1701	210.13	299.53	117.48	0.00	1.24	0.00	1.24	0.00	1.24	0.00	117.48	0.00	28.01	28.21		0.20		0.33	1 C		1	2	制御終了		
						135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=1	12.48	G=1	12.45							
6:16	12.57	8.15	1701	210.13	299.53	118.89	0.00	1.56	0.00	1.56	0.00	1.56	0.00	118.89	0.00	28.13	28.33		0.24		0.37	1 C		1	2	制御不能		
						135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=1	12.48	G=1	12.45							
6:17	12.57	8.15	1701	210.13	299.53	118.89	0.00	1.56	0.00	1.56	0.00	1.56	0.00	118.89	0.00	28.13	28.33		0.24		0.37	1 C		1	2	制御開始		
						135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=1	12.48	G=1	12.45							
6:20	12.57	8.15	1701	216.19	299.53	118.89	0.00	1.56	0.00	1.56	0.00	1.56	0.00	118.89	0.00	28.13	28.33		0.24		0.37	1 C		1	2	定刻		
						135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=1	12.48	G=1	12.45							
6:20	12.57	8.15	1701	216.19	299.53	118.89	0.00	1.56	0.00	1.56	0.00	1.56	0.00	118.89	0.00	28.13	28.33		0.24		0.37	1 C		1	2	制御開始		
						135	0	71	0	71	0	71	0	135	0	9.02	8.99	G=1	12.48	G=1	12.45							
6:20	12.57	8.15	1701	216.19	302.28	118.89	0.00	1.56	0.00	1.56	0.00	1.56	0.00	118.89	0.00	28.13	28.33		0.24		0.37			1	2	機器動作		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.48	G=1	12.47							
6:28	12.58	8.17	1710	216.19	306.39	120.31	0.00	1.56	0.00	1.56	0.00	1.56	0.00	120.31	0.00	28.13	28.33		0.24		0.28			1	2	機器動作		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.47							
6:30	12.59	8.17	1718	220.02	310.68	121.73	0.00	1.90	0.00	1.90	0.00	1.90	0.00	121.73	0.00	28.25	28.45		0.20		0.33			1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.47							
6:36	12.59	8.18	1718	220.02	310.59	123.16	0.00	2.27	0.00	2.27	0.00	2.27	0.00	123.16	0.00	28.37	28.57		0.24		0.37			1	2	機器動作		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.49							
6:40	12.60	8.18	1727	224.68	314.97	123.16	0.00	2.27	0.00	2.27	0.00	2.27	0.00	123.16	0.00	28.37	28.57		0.24		0.28			1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.49							
6:44	12.60	8.19	1727	226.23	314.92	124.60	0.00	2.66	0.00	2.66	0.00	2.66	0.00	124.60	0.00	28.49	28.69		0.28		0.33			1	2	機器動作		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50							
6:50	12.61	8.20	1736	230.95	319.37	124.60	0.00	2.66	0.00	2.66	0.00	2.66	0.00	124.60	0.00	28.49	28.69		0.28		0.28			1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50							
7:00	12.63	8.22	1753	230.95	328.42	126.04	0.00	3.07	0.00	3.07	0.00	3.07	0.00	126.04	0.00	28.61	28.81		0.33		0.33			1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50							
7:10	12.65	8.25	1771	242.14	337.76	128.93	0.00	3.94	0.00	3.94	0.00	3.94	0.00	128.93	0.00	28.85	29.05		0.42		0.42			1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50							
7:20	12.67	8.27	1789	246.18	347.37	131.85	0.00	4.88	0.00	4.88	0.00	4.88	0.00	131.85	0.00	29.09	29.29		0.52		0.52			1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50							
7:29	12.69	8.30	1806	247.82	357.24	134.79	0.00	5.89	0.00	5.89	0.00	5.89	0.00	134.79	0.00	29.33	29.53		0.63		0.63			1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50			3			機器動作	
7:30	12.69	8.30	1806	252.75	357.24	137.76	0.00	6.96	0.00	6.96	0.00	6.96	0.00	137.76	0.00	29.57	29.77		0.75		0.75			1	2	機器動作		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50							
7:40	12.71	8.36	1824	261.92	380.69	137.76	0.00	6.96	0.00	6.96	0.00	6.96	0.00	137.76	0.00	29.57	29.77		0.75		0.75			1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	11.82	G=4	11.82							
7:50	12.73	8.41	1843	275.54	391.25	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		7.56		7.56			1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	11.82	G=4	11.82							
7:50	12.73	8.41	1843	275.54	391.25	143.75	0.00	9.27	0.00	9.27	0.00	9.27	0.00	143.75	0.00	30.06	30.26		7.81		7.81			1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	11.82	G=4	11.82			3			機器動作	
						143.75	0.00	9.27	0.00	9.27	0.00	9.27	0.00	143.75	0.00	30.06	30.26		7.81		7.81							

加古川大堰操作記録Ⅰ

2020年07月14日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要 因		
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト							
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸										
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段														
	T. Pm	T. Pm	10³m³	m³/s	m³/s																								
7:58	12.74	8.45	1852	277.29	439.94	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	11.82	G=4	9.55			3	1	2	機器動作		
8:00	12.74	8.47	1852	277.29	450.73	145.26	0.00	9.88	0.00	9.88	0.00	9.88	0.00	145.26	0.00	30.18	30.38		7.94		51.28						1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	11.11	G=4	9.55								
8:02	12.74	8.50	1852	292.18	463.60	145.26	0.00	9.88	0.00	9.88	0.00	9.88	0.00	145.26	0.00	30.18	30.38		18.73		51.28					3	1	2	機器動作
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	10.43	G=4	9.55								
8:07	12.74	8.55	1852	292.18	483.28	145.26	0.00	9.88	0.00	9.88	0.00	9.88	0.00	145.26	0.00	30.18	30.38		31.60		51.28			3	1	2	機器動作		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
8:10	12.74	8.56	1852	299.32	483.28	145.26	0.00	9.88	0.00	9.88	0.00	9.88	0.00	145.26	0.00	30.18	30.38		51.28		51.28				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
8:20	12.74	8.57	1852	314.80	483.28	145.26	0.00	9.88	0.00	9.88	0.00	9.88	0.00	145.26	0.00	30.18	30.38		51.28		51.28				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
8:30	12.74	8.58	1852	325.99	483.28	145.26	0.00	9.88	0.00	9.88	0.00	9.88	0.00	145.26	0.00	30.18	30.38		51.28		51.28				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
8:40	12.74	8.60	1852	339.27	483.28	145.26	0.00	9.88	0.00	9.88	0.00	9.88	0.00	145.26	0.00	30.18	30.38		51.28		51.28				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
8:50	12.75	8.62	1861	351.79	488.91	145.26	0.00	9.88	0.00	9.88	0.00	9.88	0.00	145.26	0.00	30.18	30.38		51.28		51.28				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:00	12.77	8.65	1879	353.73	500.29	146.77	0.00	10.51	0.00	10.51	0.00	10.51	0.00	146.77	0.00	30.30	30.50		51.52		51.52				1	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:01	12.77	8.65	1879	353.73	500.29	149.82	0.00	11.79	0.00	11.79	0.00	11.79	0.00	149.82	0.00	30.54	30.74		52.00		52.00			1 C		1	2	制御終了	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:01	12.77	8.65	1879	353.73	500.29	149.82	0.00	11.79	0.00	11.79	0.00	11.79	0.00	149.82	0.00	30.54	30.74		52.00		52.00			2 E		2	2	制御開始	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:10	12.79	8.69	1898	375.55	511.93	149.82	0.00	11.79	0.00	11.79	0.00	11.79	0.00	149.82	0.00	30.54	30.74		52.00		52.00				2	2	定刻		
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:10	12.79	8.69	1898	375.55	511.93	152.89	0.00	13.13	0.00	13.13	0.00	13.13	0.00	152.89	0.00	30.79	30.99		52.49		52.49			2 E		2	2	制御開始	
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:15	12.81	8.69	1916	379.61	617.69	152.89	0.00	13.13	0.00	13.13	0.00	13.13	0.00	152.89	0.00	30.79	30.99		52.49		52.49			2 E		2	2	機器動作	
						145	0	71	0	0	35	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:20	12.80	8.83	1907	388.75	612.39	155.97	0.00	14.51	0.00	0.00	108.53	14.51	0.00	155.97	0.00	31.03	31.23		52.97		52.97				2	2	定刻		
						145	0	71	0	0	35	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:20	12.80	8.83	1907	388.75	612.39	154.43	0.00	13.81	0.00	0.00	108.43	13.81	0.00	154.43	0.00	30.91	31.11		52.73		52.73			2 E		2	2	制御開始	
						145	0	71	0	0	35	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:25	12.79	8.92	1898	390.83	717.02	154.43	0.00	13.81	0.00	0.00	108.43	13.81	0.00	154.43	0.00	30.91	31.11		52.73		52.73			2 E		2	2	機器動作	
						145	0	0	25	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:30	12.74	9.03	1852	405.33	688.32	152.89	0.00	0.00	77.78	0.00	153.57	13.13	0.00	152.89	0.00	30.79	30.99		52.49		52.49				2	2	定刻		
						145	0	0	25	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:30	12.74	9.03	1852	405.33	688.32	145.26	0.00	0.00	71.95	0.00	152.85	9.88	0.00	145.26	0.00	30.18	30.38		51.28		51.28			2 E		2	2	制御開始	
						145	0	0	25	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:31	12.73	9.04	1843	405.33	764.57	145.26	0.00	0.00	71.95	0.00	152.85	9.88	0.00	145.26	0.00	30.18	30.38		51.28		51.28			2 E		2	2	機器動作	
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:40	12.63	9.15	1753	423.30	719.48	143.75	0.00	0.00	152.70	0.00	152.70	9.27	0.00	143.75	0.00	30.06	30.26		51.04		51.04				2	2	定刻		
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:40	12.63	9.15	1753	423.30	719.48	128.93	0.00	0.00	151.24	0.00	151.24	3.94	0.00	128.93	0.00	28.85	29.05		48.65		48.65			2 E		2	2	制御開始	
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
9:45	12.60	9.14	1727	425.45	839.94	128.93	0.00	0.00	151.24	0.00	151.24	3.94	0.00	128.93	0.00	28.85	29.05		48.65		48.65			2 E		2	2	機器動作	
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
						124.60	0.00	0.00	150.80	0.00	150.80	0.00	136.08	124.60	0.00	28.49	28.69		47.94		47.94								