

加古川大堰操作記録Ⅰ

2020年07月24日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 バタ ー ン	流 入 量 判 定	印 字 要 因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T.Pm	T.Pm	10³m³	m³/s	m³/s																						
21:50	12.58	7.33	1710	54.71	66.90	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.47	G=1	12.46				1	2	定刻
22:00	12.58	7.33	1710	54.71	66.90	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	28.25	28.45		0.33		0.37				1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.47	G=1	12.46						
22:10	12.58	7.33	1710	55.64	66.90	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	28.25	28.45		0.33		0.37				1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.47	G=1	12.46						
22:20	12.58	7.33	1710	55.64	66.90	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	28.25	28.45		0.33		0.37				1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.47	G=1	12.46						
22:30	12.58	7.33	1710	55.64	66.90	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	28.25	28.45		0.33		0.37				1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.47	G=1	12.46						
22:40	12.58	7.33	1710	56.86	66.90	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	28.25	28.45		0.33		0.37				1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.47	G=1	12.46						
22:50	12.58	7.33	1710	57.81	66.90	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	28.25	28.45		0.33		0.37				1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.47	G=1	12.46						
23:00	12.58	7.33	1710	57.81	66.90	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	28.25	28.45		0.33		0.37				1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.47	G=1	12.46						
23:10	12.58	7.33	1710	60.02	66.90	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	28.25	28.45		0.33		0.37				1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.47	G=1	12.46						
23:20	12.58	7.34	1710	60.02	66.90	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	28.25	28.45		0.33		0.37				1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.47	G=1	12.46						
23:30	12.59	7.34	1718	60.99	69.08	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	28.25	28.45		0.33		0.37				1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.47	G=1	12.46						
23:34	12.59	7.34	1718	60.99	68.99	2.27	0.00	2.27	0.00	2.27	0.00	2.27	0.00	2.27	0.00	28.37	28.57		0.37		0.42				1	2	機器動作
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.49	G=1	12.46						
23:40	12.60	7.35	1727	62.99	71.28	2.27	0.00	2.27	0.00	2.27	0.00	2.27	0.00	2.27	0.00	28.37	28.57		0.28		0.42				1	2	定刻
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.49	G=1	12.46						
23:42	12.60	7.35	1727	62.99	71.18	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	28.49	28.69		0.33		0.47	1	2	機器動作			
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.49	G=1	12.48						
23:46	12.60	7.36	1727	62.99	71.18	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	28.49	28.69		0.33		0.37	1	2	機器動作			
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.49	G=1	12.48						
23:48	12.60	7.36	1727	62.99	71.13	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	28.49	28.69		0.33		0.37	1	2	機器動作			
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.50	G=1	12.48						
23:50	12.60	7.36	1727	65.04	71.13	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	28.49	28.69		0.28		0.37	1	2	定刻			
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.50	G=1	12.48						
24:00	12.61	7.37	1736	65.04	73.52	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	28.49	28.69		0.28		0.37	1	2	定刻			
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.50	G=1	12.48						
						3.07	0.00	3.07	0.00	3.07	0.00	3.07	0.00	3.07	0.00	28.61	28.81		0.33		0.42						

操 作 モ ー ド	1文字目：運転モード	2文字目：制御モード	制 御 バ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動 2：半自動 3：遠方手動 4：機側	A：定水位Ⅰ（微調節） B：全開（微調節） C：定水位Ⅰ（調節上段） D：設定流量 E：事前放流 F：定水位 G：全開 H：貯留回復Ⅰ I：貯留回復Ⅱ J：開度一回						

加古川大堰操作記録Ⅰ

2020年07月25日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
0:00	12.61	7.37	1736	65.04	73.52	0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.50	G=1	12.48	1 C			1	2	制御開始
0:01	12.61	7.38	1736	65.04	90.96	3.07	0.00	3.07	0.00	3.07	0.00	3.07	0.00	3.07	0.00	28.61	28.81		0.33		0.42	1 C			1	2	機器動作
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.50	G=1	12.48						
0:10	12.61	7.48	1736	68.24	90.96	11.79	0.00	3.07	0.00	3.07	0.00	3.07	0.00	11.79	0.00	28.61	28.81		0.33		0.42				1	2	定刻
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.50	G=1	12.48						
0:20	12.61	7.49	1736	70.45	90.96	11.79	0.00	3.07	0.00	3.07	0.00	3.07	0.00	11.79	0.00	28.61	28.81		0.33		0.42				1	2	定刻
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.50	G=1	12.48						
0:30	12.61	7.49	1736	71.57	90.96	11.79	0.00	3.07	0.00	3.07	0.00	3.07	0.00	11.79	0.00	28.61	28.81		0.33		0.42				1	2	定刻
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.50	G=1	12.48						
0:40	12.61	7.49	1736	73.87	90.96	11.79	0.00	3.07	0.00	3.07	0.00	3.07	0.00	11.79	0.00	28.61	28.81		0.33		0.42				1	2	定刻
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.50	G=1	12.48						
0:50	12.61	7.49	1736	75.05	90.96	11.79	0.00	3.07	0.00	3.07	0.00	3.07	0.00	11.79	0.00	28.61	28.81		0.33		0.42				1	2	定刻
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.50	G=1	12.48						
1:00	12.61	7.49	1736	76.32	90.96	11.79	0.00	3.07	0.00	3.07	0.00	3.07	0.00	11.79	0.00	28.61	28.81		0.33		0.42				1	2	定刻
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.50	G=1	12.48						
1:10	12.62	7.50	1745	77.50	93.87	12.45	0.00	3.49	0.00	3.49	0.00	3.49	0.00	12.45	0.00	28.73	28.93		0.37		0.47	1 C			1	2	制御開始
						17	0	71	0	71	0	71	0	17	0	9.02	8.99	G=1	12.50	G=1	12.48						
1:10	12.62	7.50	1745	77.50	111.51	21.27	0.00	3.49	0.00	3.49	0.00	3.49	0.00	21.27	0.00	28.73	28.93		0.37		0.47	1 C			1	2	機器動作
						29	0	71	0	71	0	71	0	29	0	9.02	8.99	G=1	12.50	G=1	12.48						
1:20	12.62	7.57	1745	80.01	111.51	21.27	0.00	3.49	0.00	3.49	0.00	3.49	0.00	21.27	0.00	28.73	28.93		0.37		0.47				1	2	定刻
						29	0	71	0	71	0	71	0	29	0	9.02	8.99	G=1	12.50	G=1	12.48						
1:30	12.61	7.58	1736	80.01	108.32	20.47	0.00	3.07	0.00	3.07	0.00	3.07	0.00	20.47	0.00	28.61	28.81		0.33		0.42				1	2	定刻
						29	0	71	0	71	0	71	0	29	0	9.02	8.99	G=1	12.50	G=1	12.48						
1:40	12.61	7.57	1736	82.56	108.32	20.47	0.00	3.07	0.00	3.07	0.00	3.07	0.00	20.47	0.00	28.61	28.81		0.33		0.42				1	2	定刻
						29	0	71	0	71	0	71	0	29	0	9.02	8.99	G=1	12.50	G=1	12.48						
1:50	12.61	7.57	1736	83.92	108.32	20.47	0.00	3.07	0.00	3.07	0.00	3.07	0.00	20.47	0.00	28.61	28.81		0.33		0.42				1	2	定刻
						29	0	71	0	71	0	71	0	29	0	9.02	8.99	G=1	12.50	G=1	12.48						
2:00	12.62	7.57	1745	85.30	111.51	21.27	0.00	3.49	0.00	3.49	0.00	3.49	0.00	21.27	0.00	28.73	28.93		0.37		0.47				1	2	定刻
						29	0	71	0	71	0	71	0	29	0	9.02	8.99	G=1	12.50	G=1	12.48						
2:00	12.62	7.57	1745	85.30	111.51	21.27	0.00	3.49	0.00	3.49	0.00	3.49	0.00	21.27	0.00	28.73	28.93		0.37		0.47	1 C			1	2	制御開始
						29	0	71	0	71	0	71	0	29	0	9.02	8.99	G=1	12.50	G=1	12.48						
2:01	12.62	7.58	1745	85.30	130.16	30.62	0.00	3.49	0.00	3.49	0.00	3.49	0.00	30.62	0.00	28.73	28.93		0.37		0.42				1	2	機器動作
						40	0	71	0	71	0	71	0	40	0	9.02	8.99	G=1	12.50	G=1	12.49						
2:04	12.62	7.62	1745	86.72	130.11	30.62	0.00	3.49	0.00	3.49	0.00	3.49	0.00	30.62	0.00	28.73	28.93		0.37		0.37				1	2	機器動作
						40	0	71	0	71	0	71	0	40	0	9.02	8.99	G=1	12.50	G=1	12.50						
2:10	12.64	7.67	1762	86.72	137.14	32.43	0.00	4.40	0.00	4.40	0.00	4.40	0.00	32.43	0.00	28.97	29.17		0.47		0.47				1	2	定刻
						40	0	71	0	71	0	71	0	40	0	9.02	8.99	G=1	12.50	G=1	12.50						
2:10	12.64	7.67	1762	86.72	137.14	32.43	0.00	4.40	0.00	4.40	0.00	4.40	0.00	32.43	0.00	28.97	29.17		0.47		0.47	1 C			1	2	制御開始
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.50	G=1	12.50						
2:10	12.64	7.67	1762	86.72	154.36	41.04	0.00	4.40	0.00	4.40	0.00	4.40	0.00	41.04	0.00	28.97	29.17		0.47		0.47	1 C			1	2	機器動作
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.50	G=1	12.50						
2:20	12.64	7.75	1762	91.12	154.36	41.04	0.00	4.40	0.00	4.40	0.00	4.40	0.00	41.04	0.00	28.97	29.17		0.47		0.47				1	2	定刻
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.50	G=1	12.50						
2:30	12.64	7.75	1762	168.32	154.36	41.04	0.00	4.40	0.00	4.40	0.00	4.40	0.00	41.04	0.00	28.97	29.17		0.47		0.47				1	2	定刻
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.50	G=1	12.50						

加古川大堰操作記録Ⅰ

2020年07月25日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量 判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
2:40	12.63	7.74	1753	158.33	150.66	49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	定刻	
2:50	12.63	7.74	1753	128.89	150.66	40.05	0.00	3.94	0.00	3.94	0.00	3.94	0.00	40.05	0.00	28.85	29.05		0.42		0.42				1	2	定刻	
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.50	G=1	12.50							
3:00	12.63	7.74	1753	114.95	150.66	40.05	0.00	3.94	0.00	3.94	0.00	3.94	0.00	40.05	0.00	28.85	29.05		0.42		0.42				1	2	定刻	
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.50	G=1	12.50							
3:10	12.63	7.75	1753	110.00	150.66	40.05	0.00	3.94	0.00	3.94	0.00	3.94	0.00	40.05	0.00	28.85	29.05		0.42		0.42				1	2	定刻	
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.50	G=1	12.50							
3:20	12.64	7.76	1762	113.07	154.36	40.05	0.00	3.94	0.00	3.94	0.00	3.94	0.00	40.05	0.00	28.85	29.05		0.42		0.42				1	2	定刻	
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.50	G=1	12.50							
3:20	12.64	7.76	1762	113.07	154.36	41.04	0.00	4.40	0.00	4.40	0.00	4.40	0.00	41.04	0.00	28.97	29.17		0.47		0.47				1 C	1	2	制御開始
						49	0	71	0	71	0	71	0	49	0	9.02	8.99	G=1	12.50	G=1	12.50							
3:20	12.64	7.76	1762	113.07	175.00	41.04	0.00	4.40	0.00	4.40	0.00	4.40	0.00	41.04	0.00	28.97	29.17		0.47		0.47				1 C	1	2	機器動作
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50							
3:30	12.64	7.81	1762	116.86	175.00	51.36	0.00	4.40	0.00	4.40	0.00	4.40	0.00	51.36	0.00	28.97	29.17		0.47		0.47					1	2	定刻
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50							
3:40	12.64	7.82	1762	118.80	175.00	51.36	0.00	4.40	0.00	4.40	0.00	4.40	0.00	51.36	0.00	28.97	29.17		0.47		0.47					1	2	定刻
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50							
3:50	12.64	7.83	1762	123.98	175.00	51.36	0.00	4.40	0.00	4.40	0.00	4.40	0.00	51.36	0.00	28.97	29.17		0.47		0.47					1	2	定刻
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50							
4:00	12.65	7.83	1771	130.12	178.92	51.36	0.00	4.40	0.00	4.40	0.00	4.40	0.00	51.36	0.00	28.97	29.17		0.47		0.47					1	2	定刻
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50							
4:00	12.65	7.83	1771	130.12	178.92	52.43	0.00	4.88	0.00	4.88	0.00	4.88	0.00	52.43	0.00	29.09	29.29		0.52		0.52				1 C	1	2	制御開始
						59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50							
4:00	12.65	7.83	1771	130.12	201.18	52.43	0.00	4.88	0.00	4.88	0.00	4.88	0.00	52.43	0.00	29.09	29.29		0.52		0.52				1 C	1	2	機器動作
						69	0	71	0	71	0	71	0	69	0	9.02	8.99	G=1	12.50	G=1	12.50							
4:10	12.64	7.89	1762	137.75	197.12	63.56	0.00	4.88	0.00	4.88	0.00	4.88	0.00	63.56	0.00	29.09	29.29		0.52		0.52		1	2	定刻			
						69	0	71	0	71	0	71	0	69	0	9.02	8.99	G=1	12.50	G=1	12.50							
4:20	12.64	7.89	1762	145.64	197.12	62.42	0.00	4.40	0.00	4.40	0.00	4.40	0.00	62.42	0.00	28.97	29.17		0.47		0.47		1	2	定刻			
						69	0	71	0	71	0	71	0	69	0	9.02	8.99	G=1	12.50	G=1	12.50							
4:30	12.63	7.88	1753	149.19	193.12	62.42	0.00	4.40	0.00	4.40	0.00	4.40	0.00	62.42	0.00	28.97	29.17		0.47		0.47		1	2	定刻			
						69	0	71	0	71	0	71	0	69	0	9.02	8.99	G=1	12.50	G=1	12.50							
4:40	12.63	7.87	1753	150.48	193.12	61.28	0.00	3.94	0.00	3.94	0.00	3.94	0.00	61.28	0.00	28.85	29.05		0.42		0.42		1	2	定刻			
						69	0	71	0	71	0	71	0	69	0	9.02	8.99	G=1	12.50	G=1	12.50							
4:50	12.63	7.87	1753	149.52	193.12	61.28	0.00	3.94	0.00	3.94	0.00	3.94	0.00	61.28	0.00	28.85	29.05		0.42		0.42		1	2	定刻			
						69	0	71	0	71	0	71	0	69	0	9.02	8.99	G=1	12.50	G=1	12.50							
5:00	12.63	7.88	1753	151.79	193.12	61.28	0.00	3.94	0.00	3.94	0.00	3.94	0.00	61.28	0.00	28.85	29.05		0.42		0.42		1	2	定刻			
						69	0	71	0	71	0	71	0	69	0	9.02	8.99	G=1	12.50	G=1	12.50							
5:10	12.64	7.89	1762	160.42	197.12	61.28	0.00	3.94	0.00	3.94	0.00	3.94	0.00	61.28	0.00	28.85	29.05		0.42		0.42		1	2	定刻			
						69	0	71	0	71	0	71	0	69	0	9.02	8.99	G=1	12.50	G=1	12.50							
5:10	12.64	7.89	1762	160.42	197.12	62.42	0.00	4.40	0.00	4.40	0.00	4.40	0.00	62.42	0.00	28.97	29.17		0.47		0.47	1 C	1	2	制御開始			
						69	0	71	0	71	0	71	0	69	0	9.02	8.99	G=1	12.50	G=1	12.50							
5:10	12.64	7.89	1762	160.42	220.64	62.42	0.00	4.40	0.00	4.40	0.00	4.40	0.00	62.42	0.00	28.97	29.17		0.47		0.47	1 C	1	2	機器動作			
						79	0	71	0	71	0	71	0	79	0	9.02	8.99	G=1	12.50	G=1	12.50							
5:20	12.64	7.96	1762	167.89	220.64	74.18	0.00	4.40	0.00	4.40	0.00	4.40	0.00	74.18	0.00	28.97	29.17		0.47		0.47		1	2	定刻			
						79	0	71	0	71	0	71	0	79	0	9.02	8.99	G=1	12.50	G=1	12.50							
5:30	12.65	7.97	1771	173.10	224.84	74.18	0.00	4.40	0.00	4.40	0.00	4.40	0.00	74.18	0.00	28.97	29.17		0.47		0.47		1	2	定刻			
						79	0	71	0	71	0	71	0	79	0	9.02	8.99	G=1	12.50	G=1	12.50							
						75.39	0.00	4.88	0.00	4.88	0.00	4.88	0.00	75.39	0.00	29.09	29.29		0.52		0.52				1	2	定刻	

加古川大堰操作記録Ⅰ

2020年07月25日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
5:30	12.65	7.97	1771	173.10	224.84	79	0	71	0	71	0	71	0	79	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	制御開始
5:30	12.65	7.97	1771	173.10	249.80	75.39	0.00	4.88	0.00	4.88	0.00	4.88	0.00	75.39	0.00	29.09	29.29		0.52		0.52	1 C			1	2	機器動作
						89	0	71	0	71	0	89	0	9.02	8.99	G=1	12.50	G=1	12.50								
5:40	12.66	8.04	1780	179.86	254.22	87.87	0.00	4.88	0.00	4.88	0.00	4.88	0.00	87.87	0.00	29.09	29.29		0.52		0.52	1 C			1	2	定刻
						89	0	71	0	71	0	89	0	9.02	8.99	G=1	12.50	G=1	12.50								
5:40	12.66	8.04	1780	179.86	254.22	89.15	0.00	5.38	0.00	5.38	0.00	5.38	0.00	89.15	0.00	29.21	29.41		0.58		0.58	1 C			1	2	制御開始
						89	0	71	0	71	0	89	0	9.02	8.99	G=1	12.50	G=1	12.50								
5:40	12.66	8.04	1780	179.86	280.56	89.15	0.00	5.38	0.00	5.38	0.00	5.38	0.00	89.15	0.00	29.21	29.41		0.58		0.58	1 C			1	2	機器動作
						99	0	71	0	71	0	99	0	9.02	8.99	G=1	12.50	G=1	12.50								
5:50	12.67	8.12	1789	190.79	285.13	102.32	0.00	5.38	0.00	5.38	0.00	5.38	0.00	102.32	0.00	29.21	29.41		0.58		0.58	1 C			1	2	定刻
						99	0	71	0	71	0	99	0	9.02	8.99	G=1	12.50	G=1	12.50								
5:50	12.67	8.12	1789	190.79	285.13	103.67	0.00	5.89	0.00	5.89	0.00	5.89	0.00	103.67	0.00	29.33	29.53		0.63		0.63	1 C			1	2	制御開始
						99	0	71	0	71	0	99	0	9.02	8.99	G=1	12.50	G=1	12.50								
5:50	12.67	8.12	1789	190.79	312.75	103.67	0.00	5.89	0.00	5.89	0.00	5.89	0.00	103.67	0.00	29.33	29.53		0.63		0.63	1 C			1	2	機器動作
						111	0	71	0	71	0	111	0	9.02	8.99	G=1	12.50	G=1	12.50								
6:00	12.69	8.21	1806	195.84	322.34	117.48	0.00	5.89	0.00	5.89	0.00	5.89	0.00	117.48	0.00	29.33	29.53		0.63		0.63	1 C			1	2	定刻
						111	0	71	0	71	0	111	0	9.02	8.99	G=1	12.50	G=1	12.50								
6:00	12.69	8.21	1806	195.84	322.34	120.31	0.00	6.96	0.00	6.96	0.00	6.96	0.00	120.31	0.00	29.57	29.77		0.75		0.75	1 C			1	2	制御開始
						111	0	71	0	71	0	111	0	9.02	8.99	G=1	12.50	G=1	12.50								
6:01	12.69	8.22	1806	198.41	351.30	120.31	0.00	6.96	0.00	6.96	0.00	6.96	0.00	120.31	0.00	29.57	29.77		0.75		0.75	1 C			1	2	機器動作
						132	0	71	0	71	0	132	0	9.02	8.99	G=1	12.50	G=1	12.50								
6:10	12.71	8.26	1824	230.89	361.35	134.79	0.00	6.96	0.00	6.96	0.00	6.96	0.00	134.79	0.00	29.57	29.77		0.75		0.75	1 C			1	2	定刻
						132	0	71	0	71	0	132	0	9.02	8.99	G=1	12.50	G=1	12.50								
6:10	12.71	8.26	1824	230.89	361.35	137.76	0.00	8.09	0.00	8.09	0.00	8.09	0.00	137.76	0.00	29.81	30.01		0.87		0.87	1 C			1	2	制御開始
						132	0	71	0	71	0	132	0	9.02	8.99	G=1	12.50	G=1	12.50								
6:10	12.71	8.26	1824	230.89	367.31	137.76	0.00	8.09	0.00	8.09	0.00	8.09	0.00	137.76	0.00	29.81	30.01		0.87		0.87	1 C			1	2	制御終了
						145	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50								
6:10	12.71	8.26	1824	230.89	367.31	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		0.87		0.87	1 C			1	2	制御不能
						145	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50								
6:12	12.72	8.27	1833	233.56	372.41	140.74	0.00	8.09	0.00	8.09	0.00	8.09	0.00	140.74	0.00	29.81	30.01		0.87		0.87	1 C			1	2	制御開始
						145	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50								
6:12	12.72	8.27	1833	233.56	372.41	142.24	0.00	8.67	0.00	8.67	0.00	8.67	0.00	142.24	0.00	29.93	30.13		0.93		0.93	1 C		3	1	2	機器動作
						145	0	71	0	71	0	146	0	9.02	8.99	G=1	12.50	G=1	12.50								
6:20	12.75	8.32	1861	251.68	398.75	142.24	0.00	8.67	0.00	8.67	0.00	8.67	0.00	142.24	0.00	29.93	30.13		0.93		0.93	1 C			1	2	定刻
						145	0	71	0	71	0	146	0	9.02	8.99	G=1	11.93	G=1	11.97								
6:30	12.79	8.40	1898	285.03	424.15	146.77	0.00	10.51	0.00	10.51	0.00	10.51	0.00	146.77	0.00	30.30	30.50		6.68		6.20	1 C			1	2	定刻
						145	0	71	0	71	0	146	0	9.02	8.99	G=4	11.82	G=4	11.82								
6:33	12.80	8.42	1907	291.07	429.77	152.89	0.00	13.13	0.00	13.13	0.00	13.13	0.00	152.89	0.00	30.79	30.99		8.60		8.60	1 C		3	1	2	機器動作
						145	0	71	0	71	0	146	0	9.02	8.99	G=4	11.82	G=4	11.82								
6:40	12.80	8.48	1907	319.32	467.57	154.43	0.00	13.81	0.00	13.81	0.00	13.81	0.00	154.43	0.00	30.91	31.11		8.73		8.73	1 C			1	2	定刻
						145	0	71	0	71	0	146	0	9.02	8.99	G=4	11.82	G=4	9.81								
6:49	12.81	8.58	1916	335.45	523.67	154.43	0.00	13.81	0.00	13.81	0.00	13.81	0.00	154.43	0.00	30.91	31.11		8.73		46.53	1 C		3	1	2	機器動作
						145	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
6:50	12.81	8.59	1916	355.57	523.67	155.97	0.00	14.51	0.00	14.51	0.00	14.51	0.00	155.97	0.00	31.03	31.23		52.97		52.97	1 C			1	2	定刻
						145	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
6:56	12.80	8.61	1907	365.66	517.77	155.97	0.00	14.51	0.00	14.51	0.00	14.51	0.00	155.97	0.00	31.03	31.23		52.97		52.97	1 C			1	2	定刻
						145	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55								
6:56	12.80	8.61	1907	365.66	517.77	154.43	0.00	13.81	0.00	13.81	0.00	13.81	0.00	154.43	0.00	30.91	31.11		52.73		52.73	1 C			1	2	制御終了

加古川大堰操作記録Ⅰ

2020年07月25日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制 御 バ タ ー ン	流 入 量 判 定	印 字 要 因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
6:56	12. 80	8. 61	1907	365. 66	517. 77	145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55	1	C			1	2	制御不能
7:00	12. 79	8. 62	1898	372. 52	511. 93	154. 43	0. 00	13. 81	0. 00	13. 81	0. 00	13. 81	0. 00	154. 43	0. 00	30. 91	31. 11		52. 73		52. 73					1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
7:10	12. 79	8. 61	1898	405. 67	511. 93	152. 89	0. 00	13. 13	0. 00	13. 13	0. 00	13. 13	0. 00	152. 89	0. 00	30. 79	30. 99		52. 49		52. 49					1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
7:20	12. 79	8. 61	1898	423. 99	511. 93	152. 89	0. 00	13. 13	0. 00	13. 13	0. 00	13. 13	0. 00	152. 89	0. 00	30. 79	30. 99		52. 49		52. 49					1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
7:30	12. 79	8. 61	1898	434. 64	511. 93	152. 89	0. 00	13. 13	0. 00	13. 13	0. 00	13. 13	0. 00	152. 89	0. 00	30. 79	30. 99		52. 49		52. 49					1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
7:38	12. 79	8. 61	1898	442. 38	511. 93	152. 89	0. 00	13. 13	0. 00	13. 13	0. 00	13. 13	0. 00	152. 89	0. 00	30. 79	30. 99		52. 49		52. 49	2	E			2	2	制御開始
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
7:40	12. 79	8. 61	1898	439. 65	511. 93	152. 89	0. 00	13. 13	0. 00	13. 13	0. 00	13. 13	0. 00	152. 89	0. 00	30. 79	30. 99		52. 49		52. 49					2	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
7:40	12. 79	8. 61	1898	439. 65	511. 93	152. 89	0. 00	13. 13	0. 00	13. 13	0. 00	13. 13	0. 00	152. 89	0. 00	30. 79	30. 99		52. 49		52. 49	2	E			2	2	制御開始
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
7:45	12. 79	8. 60	1898	447. 56	622. 29	152. 89	0. 00	13. 13	0. 00	0. 00	123. 49	13. 13	0. 00	152. 89	0. 00	30. 79	30. 99		52. 49		52. 49	2	E			2	2	機器動作
						145	0	71	0	0	40	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
7:50	12. 73	8. 75	1843	447. 19	591. 23	143. 75	0. 00	9. 27	0. 00	0. 00	122. 79	9. 27	0. 00	143. 75	0. 00	30. 06	30. 26		51. 04		51. 04					2	2	定刻
						145	0	71	0	0	40	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
7:50	12. 73	8. 75	1843	447. 19	591. 23	143. 75	0. 00	9. 27	0. 00	0. 00	122. 79	9. 27	0. 00	143. 75	0. 00	30. 06	30. 26		51. 04		51. 04	2	E			2	2	制御開始
						145	0	71	0	0	40	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
7:55	12. 69	8. 82	1806	451. 22	671. 16	137. 76	0. 00	0. 00	77. 06	0. 00	152. 12	6. 96	0. 00	137. 76	0. 00	29. 57	29. 77		50. 08		50. 08	2	E			2	2	機器動作
						145	0	0	25	0	50	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:00	12. 62	8. 91	1745	459. 34	638. 40	127. 48	0. 00	0. 00	74. 37	0. 00	151. 10	3. 49	0. 00	127. 48	0. 00	28. 73	28. 93		48. 41		48. 41					2	2	定刻
						145	0	0	25	0	50	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:00	12. 62	8. 91	1745	459. 34	638. 40	127. 48	0. 00	0. 00	74. 37	0. 00	151. 10	3. 49	0. 00	127. 48	0. 00	28. 73	28. 93		48. 41		48. 41	2	E			2	2	制御開始
						145	0	0	25	0	50	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:01	12. 61	8. 92	1736	459. 34	710. 83	126. 04	0. 00	0. 00	150. 95	0. 00	150. 95	3. 07	0. 00	126. 04	0. 00	28. 61	28. 81		48. 18		48. 18	2	E			2	2	機器動作
						145	0	0	50	0	50	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:10	12. 46	9. 00	1607	459. 16	650. 73	105. 02	0. 00	0. 00	148. 73	0. 00	148. 73	0. 00	0. 00	105. 02	0. 00	26. 84	27. 03		44. 68		44. 68					2	2	定刻
						145	0	0	50	0	50	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:10	12. 46	9. 00	1607	459. 16	650. 73	105. 02	0. 00	0. 00	148. 73	0. 00	148. 73	0. 00	0. 00	105. 02	0. 00	26. 84	27. 03		44. 68		44. 68	2	E			2	2	制御開始
						145	0	0	50	0	50	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:14	12. 42	8. 98	1574	459. 16	705. 42	99. 64	0. 00	0. 00	148. 13	0. 00	148. 13	0. 00	69. 43	99. 64	0. 00	26. 37	26. 56		43. 76		43. 76	2	E			2	2	機器動作
						145	0	0	50	0	50	0	25	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:20	12. 31	9. 03	1486	461. 17	663. 69	85. 32	0. 00	0. 00	146. 48	0. 00	146. 48	0. 00	67. 16	85. 32	0. 00	25. 10	25. 29		41. 27		41. 27					2	2	定刻
						145	0	0	50	0	50	0	25	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:20	12. 31	9. 03	1486	461. 17	663. 69	85. 32	0. 00	0. 00	146. 48	0. 00	146. 48	0. 00	67. 16	85. 32	0. 00	25. 10	25. 29		41. 27		41. 27	2	E			2	2	制御開始
						145	0	0	50	0	50	0	25	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:21	12. 30	9. 02	1478	465. 33	739. 36	84. 06	0. 00	0. 00	146. 33	0. 00	146. 33	0. 00	146. 33	84. 06	0. 00	24. 99	25. 18		41. 04		41. 04	2	E			2	2	機器動作
						145	0	0	50	0	50	0	25	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:30	12. 13	9. 06	1342	465. 33	679. 24	63. 56	0. 00	0. 00	143. 73	0. 00	143. 73	0. 00	143. 73	63. 56	0. 00	23. 07	23. 26		37. 30		37. 30	2	E			2	2	制御開始
						145	0	0	50	0	50	0	25	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:30	12. 13	9. 06	1342	465. 33	679. 24	63. 56	0. 00	0. 00	143. 73	0. 00	143. 73	0. 00	143. 73	63. 56	0. 00	23. 07	23. 26		37. 30		37. 30	2	E			2	2	制御開始
						0	50	0	50	0	50	0	25	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55							
8:38	12. 07	8. 92	1296	465. 33	754. 83	0. 00	142. 80	0. 00	142. 80	0. 00	142. 80	0. 00	142. 80	0. 00	66. 64	22. 40	22. 59		36. 00		36. 00	2	E			2	2	機器動作