

加古川大堰操作記録Ⅰ

2021年09月09日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ー ン	流入 量 判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
0:04	12.56	7.33	1692	50.91	47.00	0	0	71	0	71	0	71	0	0	0	9.82	9.82	G=1	12.44	G=1	12.44				1	1	機器動作
0:10	12.56	7.33	1692	53.07	47.00	1.24	0.00	1.24	0.00	1.24	0.00	1.24	0.00	1.24	0.00	20.03	20.03		0.37		0.37				1	1	定刻
						0	0	71	0	71	0	71	0	0	0	9.82	9.82	G=1	12.44	G=1	12.44						
0:10	12.56	7.33	1692	53.07	47.00	1.24	0.00	1.24	0.00	1.24	0.00	1.24	0.00	1.24	0.00	20.03	20.03		0.37		0.37	1 A			1	1	制御開始
						0	0	71	0	71	0	71	0	0	0	9.82	9.82	G=1	12.44	G=1	12.44						
0:13	12.56	7.33	1692	53.70	60.20	1.24	0.00	1.24	0.00	1.24	0.00	1.24	0.00	1.24	0.00	20.03	20.03		0.37		0.37	1 A			1	1	機器動作
						0	0	71	0	71	0	71	0	0	0	9.16	9.16	G=1	12.44	G=1	12.44						
0:20	12.56	7.38	1692	54.52	60.20	1.24	0.00	1.24	0.00	1.24	0.00	1.24	0.00	1.24	0.00	26.63	26.63		0.37		0.37				1	1	定刻
						0	0	71	0	71	0	71	0	0	0	9.16	9.16	G=1	12.44	G=1	12.44						
0:28	12.57	7.41	1701	59.49	61.96	1.24	0.00	1.24	0.00	1.24	0.00	1.24	0.00	1.24	0.00	26.63	26.63		0.37		0.37				1	1	機器動作
						0	0	71	0	71	0	71	0	0	0	9.16	9.16	G=1	12.46	G=1	12.46						
0:30	12.58	7.41	1710	61.27	63.98	1.56	0.00	1.56	0.00	1.56	0.00	1.56	0.00	1.56	0.00	26.75	26.75		0.33		0.33				1	1	機器動作
						0	0	71	0	71	0	71	0	0	0	9.16	9.16	G=1	12.46	G=1	12.46						
0:30	12.58	7.41	1710	61.27	63.98	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	26.87	26.87		0.37		0.37	1 A			1	1	制御開始
						0	0	71	0	71	0	71	0	0	0	9.16	9.16	G=1	12.46	G=1	12.46						
0:31	12.58	7.41	1710	61.92	66.94	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	26.87	26.87		0.37		0.37	1 A			1	1	機器動作
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.46	G=1	12.46						
0:34	12.60	7.41	1727	50.72	71.22	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	1.90	0.00	28.25	28.45		0.37		0.37				1	2	機器動作
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.48	G=1	12.48						
0:37	12.62	7.43	1745	52.73	75.85	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	2.66	0.00	28.49	28.69		0.37		0.37				1	2	機器動作
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.50	G=1	12.50						
0:40	12.64	7.45	1762	53.76	81.08	3.49	0.00	3.49	0.00	3.49	0.00	3.49	0.00	3.49	0.00	28.73	28.93		0.37		0.37				1	2	機器動作
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.50	G=1	12.50						
0:50	12.68	7.51	1797	59.17	92.58	4.40	0.00	4.40	0.00	4.40	0.00	4.40	0.00	4.40	0.00	28.97	29.17		0.47		0.47				1	2	機器動作
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.50	G=1	12.50						
1:00	12.72	7.60	1833	73.11	105.27	6.42	0.00	6.42	0.00	6.42	0.00	6.42	0.00	6.42	0.00	29.45	29.65		0.69		0.69				1	2	機器動作
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.50	G=1	12.50						
1:00	12.72	7.60	1833	73.11	105.27	8.67	0.00	8.67	0.00	8.67	0.00	8.67	0.00	8.67	0.00	29.93	30.13		0.93		0.93	1 C			1	2	機器動作
						0	0	71	0	71	0	71	0	0	0	9.02	8.99	G=1	12.50	G=1	12.50						
1:00	12.72	7.60	1833	73.11	116.95	8.67	0.00	8.67	0.00	8.67	0.00	8.67	0.00	8.67	0.00	29.93	30.13		0.93		0.93	1 C			1	2	機器動作
						9	0	71	0	71	0	71	0	9	0	9.02	8.99	G=1	12.50	G=1	12.50						
1:10	12.72	7.67	1833	75.60	116.95	14.51	0.00	8.67	0.00	8.67	0.00	8.67	0.00	14.51	0.00	29.93	30.13		0.93		0.93				1	2	機器動作
						9	0	71	0	71	0	71	0	9	0	9.02	8.99	G=1	12.50	G=1	12.50						
1:20	12.72	7.68	1833	70.00	116.95	14.51	0.00	8.67	0.00	8.67	0.00	8.67	0.00	14.51	0.00	29.93	30.13		0.93		0.93				1	2	機器動作
						9	0	71	0	71	0	71	0	9	0	9.02	8.99	G=1	12.50	G=1	12.50						
1:30	12.73	7.68	1843	68.67	120.55	14.51	0.00	8.67	0.00	8.67	0.00	8.67	0.00	14.51	0.00	29.93	30.13		0.93		0.93				1	2	機器動作
						9	0	71	0	71	0	71	0	9	0	9.02	8.99	G=1	12.50	G=1	12.50						
1:30	12.73	7.68	1843	68.67	120.55	15.22	0.00	9.27	0.00	9.27	0.00	9.27	0.00	15.22	0.00	30.06	30.26		0.99		0.99	1 C			1	2	機器動作
						9	0	71	0	71	0	71	0	9	0	9.02	8.99	G=1	12.50	G=1	12.50						
1:30	12.73	7.68	1843	68.67	139.17	15.22	0.00	9.27	0.00	9.27	0.00	9.27	0.00	15.22	0.00	30.06	30.26		0.99		0.99	1 C			1	2	機器動作
						22	0	71	0	71	0	71	0	22	0	9.02	8.99	G=1	12.50	G=1	12.50						
1:40	12.77	7.80	1879	71.07	155.07	24.53	0.00	9.27	0.00	9.27	0.00	9.27	0.00	24.53	0.00	30.06	30.26		0.99		0.99				1	2	機器動作
						22	0	71	0	71	0	71	0	22	0	9.02	8.99	G=1	12.50	G=1	12.50						
1:40	12.77	7.80	1879	71.07	155.07	27.95	0.00	11.79	0.00	11.79	0.00	11.79	0.00	27.95	0.00	30.54	30.74		1.26		1.26	1 C			1	2	機器動作
						22	0	71	0	71	0	71	0	22	0	9.02											
1:40	12.77	7.80	1879	71.07	164.03	27.95	0.00	11.79	0.00	11.79	0.00	11.79	0.00	27.95	0.00	30.54	30.74		1.26		1.26	1 C			1	2	機器動作
						27	0	71	0	71	0	71	0	27	0	9.02	8.99	G=1	12.50	G=1	12.50						
						32.43	0.00	11.79	0.00	11.79	0.00	11.79	0.00	32.43	0.00	30.54	30.74		1.26		1.26						

加古川大堰操作記録Ⅰ

2021年09月09日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸					右岸				
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段			左岸	右岸				左岸	右岸			
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
1:50	12.80	7.87	1907	76.67	176.87	27	0	71	0	71	0	71	0	27	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻
						35.23	0.00	13.81	0.00	13.81	0.00	13.81	0.00	35.23	0.00	30.91	31.11		1.48		1.48						
1:50	12.80	7.87	1907	76.67	176.87	27	0	71	0	71	0	71	0	27	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	制御開始
						35.23	0.00	13.81	0.00	13.81	0.00	13.81	0.00	35.23	0.00	30.91	31.11		1.48		1.48	1 C			1	2	機器動作
1:50	12.80	7.87	1907	76.67	190.47	34	0	71	0	71	0	71	0	34	0	9.02	8.99	G=1	12.50	G=1	12.50						
						42.03	0.00	13.81	0.00	13.81	0.00	13.81	0.00	42.03	0.00	30.91	31.11		1.48		1.48				1	2	定刻
2:00	12.81	7.92	1916	104.54	194.97	34	0	71	0	71	0	71	0	34	0	9.02	8.99	G=1	12.50	G=1	12.50						
						43.04	0.00	14.51	0.00	14.51	0.00	14.51	0.00	43.04	0.00	31.03	31.23		1.55		1.55	1 C			1	2	制御開始
2:00	12.81	7.92	1916	104.54	194.97	34	0	71	0	71	0	71	0	34	0	9.02	8.99	G=1	12.50	G=1	12.50						
						43.04	0.00	14.51	0.00	14.51	0.00	14.51	0.00	43.04	0.00	31.03	31.23		1.55		1.55	1 C			1	2	機器動作
2:00	12.81	7.92	1916	104.54	218.09	45	0	71	0	71	0	71	0	45	0	9.02	8.99	G=1	12.50	G=1	12.50						
						54.60	0.00	14.51	0.00	14.51	0.00	14.51	0.00	54.60	0.00	31.03	31.23		1.55		1.55				1	2	定刻
2:10	12.81	7.98	1916	239.07	218.09	45	0	71	0	71	0	71	0	45	0	9.02	8.99	G=1	12.50	G=1	12.50						
						54.60	0.00	14.51	0.00	14.51	0.00	14.51	0.00	54.60	0.00	31.03	31.23		1.55		1.55				1	2	定刻
2:20	12.80	7.99	1907	190.99	213.43	45	0	71	0	71	0	71	0	45	0	9.02	8.99	G=1	12.50	G=1	12.50						
						53.51	0.00	13.81	0.00	13.81	0.00	13.81	0.00	53.51	0.00	30.91	31.11		1.48		1.48				1	2	定刻
2:30	12.80	7.99	1907	170.18	213.43	45	0	71	0	71	0	71	0	45	0	9.02	8.99	G=1	12.50	G=1	12.50						
						53.51	0.00	13.81	0.00	13.81	0.00	13.81	0.00	53.51	0.00	30.91	31.11		1.48		1.48				1	2	定刻
2:40	12.80	7.99	1907	175.16	213.43	45	0	71	0	71	0	71	0	45	0	9.02	8.99	G=1	12.50	G=1	12.50						
						53.51	0.00	13.81	0.00	13.81	0.00	13.81	0.00	53.51	0.00	30.91	31.11		1.48		1.48				1	2	定刻
2:50	12.81	8.02	1916	171.07	218.09	45	0	71	0	71	0	71	0	45	0	9.02	8.99	G=1	12.50	G=1	12.50						
						54.60	0.00	14.51	0.00	14.51	0.00	14.51	0.00	54.60	0.00	31.03	31.23		1.55		1.55	1 C			1	2	制御開始
2:50	12.81	8.02	1916	171.07	218.09	45	0	71	0	71	0	71	0	45	0	9.02	8.99	G=1	12.50	G=1	12.50						
						54.60	0.00	14.51	0.00	14.51	0.00	14.51	0.00	54.60	0.00	31.03	31.23		1.55		1.55	1 C			1	2	機器動作
2:50	12.81	8.02	1916	171.07	242.97	56	0	71	0	71	0	71	0	56	0	9.02	8.99	G=1	12.50	G=1	12.50						
						67.04	0.00	14.51	0.00	14.51	0.00	14.51	0.00	67.04	0.00	31.03	31.23		1.55		1.55				1	2	定刻
3:00	12.82	8.10	1925	174.89	247.86	56	0	71	0	71	0	71	0	56	0	9.02	8.99	G=1	12.50	G=1	12.50						
						68.21	0.00	15.22	0.00	15.22	0.00	15.22	0.00	68.21	0.00	31.16	31.36		1.63		1.63	1 C			1	2	制御開始
3:00	12.82	8.10	1925	174.89	247.86	56	0	71	0	71	0	71	0	56	0	9.02	8.99	G=1	12.50	G=1	12.50						
						68.21	0.00	15.22	0.00	15.22	0.00	15.22	0.00	68.21	0.00	31.16	31.36		1.63		1.63	1 C			1	2	機器動作
3:00	12.82	8.10	1925	174.89	274.54	67	0	71	0	71	0	71	0	67	0	9.02	8.99	G=1	12.50	G=1	12.50						
						81.55	0.00	15.22	0.00	15.22	0.00	15.22	0.00	81.55	0.00	31.16	31.36		1.63		1.63				1	2	定刻
3:10	12.82	8.19	1925	189.63	274.54	67	0	71	0	71	0	71	0	67	0	9.02	8.99	G=1	12.50	G=1	12.50						
						81.55	0.00	15.22	0.00	15.22	0.00	15.22	0.00	81.55	0.00	31.16	31.36		1.63		1.63				1	2	定刻
3:20	12.84	8.22	1944	219.96	284.69	67	0	71	0	71	0	71	0	67	0	9.02	8.99	G=1	12.50	G=1	12.50						
						84.06	0.00	16.67	0.00	16.67	0.00	16.67	0.00	84.06	0.00	31.40	31.60		1.78		1.78	1 C			1	2	制御開始
3:20	12.84	8.22	1944	219.96	284.69	67	0	71	0	71	0	71	0	67	0	9.02	8.99	G=1	12.50	G=1	12.50						
						84.06	0.00	16.67	0.00	16.67	0.00	16.67	0.00	84.06	0.00	31.40	31.60		1.78		1.78	1 C			1	2	機器動作
3:20	12.84	8.22	1944	219.96	307.89	76	0	71	0	71	0	71	0	76	0	9.02	8.99	G=1	12.50	G=1	12.50						
						95.66	0.00	16.67	0.00	16.67	0.00	16.67	0.00	95.66	0.00	31.40	31.60		1.78		1.78				1	2	定刻
3:30	12.86	8.31	1962	256.39	318.46	76	0	71	0	71	0	71	0	76	0	9.02	8.99	G=1	12.50	G=1	12.50						
						98.30	0.00	18.16	0.00	18.16	0.00	18.16	0.00	98.30	0.00	31.65	31.85		1.94		1.94	1 C			1	2	制御開始
3:30	12.86	8.31	1962	256.39	318.46	76	0	71	0	71	0	71	0	76	0	9.02	8.99	G=1	12.50	G=1	12.50						
						98.30	0.00	18.16	0.00	18.16	0.00	18.16	0.00	98.30	0.00	31.65	31.85		1.94		1.94	1 C			1	2	機器動作
3:30	12.86	8.31	1962	256.39	342.86	85	0	71	0	71	0	71	0	85	0	9.02	8.99	G=1	12.50	G=1	12.50						
						110.50	0.00	18.16	0.00	18.16	0.00	18.16	0.00	110.50	0.00	31.65	31.85		1.94		1.94				1	2	機器動作
3:40	12.87	8.39	1971	290.19	348.33	85	0	71	0	71	0	71	0	85	0	9.02	8.99	G=1	12.50	G=1	12.50						
						111.88	0.00	18.92	0.00	18.92	0.00	18.92	0.00	111.88	0.00	31.77	31.98		2.03		2.03				1	2	定刻

加古川大堰操作記録Ⅰ

2021年09月09日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要 因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本 川 ゲ ー ト	微 調 節 ゲ ー ト	魚 道 ゲ ー ト					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³ m³	m³/s	m³/s																						
3:40	12. 87	8. 39	1971	290. 19	348. 33	85	0	71	0	71	0	71	0	85	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C			1	2	制御開始
3:40	12. 87	8. 39	1971	290. 19	379. 53	111. 88	0. 00	18. 92	0. 00	18. 92	0. 00	18. 92	0. 00	111. 88	0. 00	31. 77	31. 98		2. 03		2. 03	1 C			1	2	機器動作
						96	0	71	0	71	0	71	0	96	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
3:50	12. 87	8. 47	1971	324. 96	379. 53	127. 48	0. 00	18. 92	0. 00	18. 92	0. 00	18. 92	0. 00	127. 48	0. 00	31. 77	31. 98		2. 03		2. 03				1	2	定刻
						96	0	71	0	71	0	71	0	96	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:00	12. 89	8. 51	1990	363. 29	390. 81	127. 48	0. 00	18. 92	0. 00	18. 92	0. 00	18. 92	0. 00	127. 48	0. 00	31. 77	31. 98		2. 03		2. 03				1	2	定刻
						96	0	71	0	71	0	71	0	96	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:00	12. 89	8. 51	1990	363. 29	390. 81	130. 39	0. 00	20. 47	0. 00	20. 47	0. 00	20. 47	0. 00	130. 39	0. 00	32. 02	32. 22		2. 19		2. 19	1 C			1	2	制御開始
						96	0	71	0	71	0	71	0	96	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:00	12. 89	8. 51	1990	363. 29	423. 57	130. 39	0. 00	20. 47	0. 00	20. 47	0. 00	20. 47	0. 00	130. 39	0. 00	32. 02	32. 22		2. 19		2. 19	1 C			1	2	機器動作
						109	0	71	0	71	0	71	0	109	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:01	12. 89	8. 51	1990	368. 74	423. 57	146. 77	0. 00	20. 47	0. 00	20. 47	0. 00	20. 47	0. 00	146. 77	0. 00	32. 02	32. 22		2. 19		2. 19	1 C			1	2	制御終了
						109	0	71	0	71	0	71	0	109	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:01	12. 89	8. 51	1990	368. 74	423. 57	146. 77	0. 00	20. 47	0. 00	20. 47	0. 00	20. 47	0. 00	146. 77	0. 00	32. 02	32. 22		2. 19		2. 19	1 C			1	2	制御不能
						109	0	71	0	71	0	71	0	109	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:05	12. 89	8. 56	1990	381. 22	423. 57	146. 77	0. 00	20. 47	0. 00	20. 47	0. 00	20. 47	0. 00	146. 77	0. 00	32. 02	32. 22		2. 19		2. 19	J			1	2	制御開始
						109	0	71	0	71	0	71	0	109	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:05	12. 89	8. 56	1990	381. 22	423. 57	146. 77	0. 00	20. 47	0. 00	20. 47	0. 00	20. 47	0. 00	146. 77	0. 00	32. 02	32. 22		2. 19		2. 19	J			1	2	制御開始
						109	0	71	0	71	0	71	0	109	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:06	12. 89	8. 57	1990	386. 79	467. 09	146. 77	0. 00	20. 47	0. 00	20. 47	0. 00	20. 47	0. 00	146. 77	0. 00	32. 02	32. 22		2. 19		2. 19				1	2	制御終了
						145	0	71	0	71	0	71	0	145	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:06	12. 89	8. 57	1990	386. 79	467. 09	168. 53	0. 00	20. 47	0. 00	20. 47	0. 00	20. 47	0. 00	168. 53	0. 00	32. 02	32. 22		2. 19		2. 19	J			1	2	機器動作
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:10	12. 89	8. 60	1990	403. 92	467. 09	168. 53	0. 00	20. 47	0. 00	20. 47	0. 00	20. 47	0. 00	168. 53	0. 00	32. 02	32. 22		2. 19		2. 19				1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:17	12. 90	8. 62	1999	433. 19	473. 13	168. 53	0. 00	20. 47	0. 00	20. 47	0. 00	20. 47	0. 00	168. 53	0. 00	32. 02	32. 22		2. 19		2. 19		3		1	2	機器動作
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:20	12. 91	8. 63	2008	439. 11	479. 11	170. 13	0. 00	21. 27	0. 00	21. 27	0. 00	21. 27	0. 00	170. 13	0. 00	32. 15	32. 35		2. 28		2. 28				1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50						
4:30	12. 92	8. 67	2018	474. 33	491. 88	171. 72	0. 00	22. 07	0. 00	22. 07	0. 00	22. 07	0. 00	171. 72	0. 00	32. 27	32. 47		2. 36		2. 36				1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=1	11. 91	G=1	12. 50						
4:40	12. 93	8. 72	2027	506. 06	507. 26	173. 33	0. 00	22. 88	0. 00	22. 88	0. 00	22. 88	0. 00	173. 33	0. 00	32. 39	32. 60		9. 14		2. 45				1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	11. 82	G=4	11. 82						
4:49	12. 94	8. 75	2036	535. 30	513. 50	174. 93	0. 00	23. 70	0. 00	23. 70	0. 00	23. 70	0. 00	174. 93	0. 00	32. 52	32. 72		10. 53		10. 53		4		1	2	機器動作
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	11. 82	G=4	11. 82						
4:50	12. 94	8. 75	2036	535. 30	513. 50	176. 54	0. 00	24. 53	0. 00	24. 53	0. 00	24. 53	0. 00	176. 54	0. 00	32. 64	32. 85		10. 67		10. 67				1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	11. 82	G=4	11. 82						
5:00	12. 95	8. 81	2046	560. 22	571. 82	176. 54	0. 00	24. 53	0. 00	24. 53	0. 00	24. 53	0. 00	176. 54	0. 00	32. 64	32. 85		10. 67		10. 67				1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	11. 41	G=4	9. 55						
5:07	12. 93	8. 87	2027	573. 69	598. 06	178. 16	0. 00	25. 38	0. 00	25. 38	0. 00	25. 38	0. 00	178. 16	0. 00	32. 77	32. 97		17. 20		56. 42		3		1	2	機器動作
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55						
5:10	12. 93	8. 88	2027	580. 48	598. 06	174. 93	0. 00	23. 70	0. 00	23. 70	0. 00	23. 70	0. 00	174. 93	0. 00	32. 52	32. 72		55. 93		55. 93				1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55						
5:20	12. 91	8. 88	2008	594. 21	585. 25	174. 93	0. 00	23. 70	0. 00	23. 70	0. 00	23. 70	0. 00	174. 93	0. 00	32. 52	32. 72		55. 93		55. 93				1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55						
5:30	12. 91	8. 88	2008	609. 78	585. 25	171. 72	0. 00	22. 07	0. 00	22. 07	0. 00	22. 07	0. 00	171. 72	0. 00	32. 27	32. 47		55. 43		55. 43				1	2	定刻
						145	0	71	0	71	0	71	0	146	0	9. 02	8. 99	G=4	9. 55	G=4	9. 55						
						171. 72	0. 00	22. 07	0. 00	22. 07	0. 00	22. 07	0. 00	171. 72	0. 00	32. 27	32. 47		55. 43		55. 43				1	2	定刻

加古川大堰操作記録Ⅰ

2021年09月09日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微調 節ゲート	魚道 ゲート					
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
5:32	12.91	8.88	2008	609.78	585.25	145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E			2	2	制御開始
5:40	12.91	8.88	2008	618.50	585.25	171.72	0.00	22.07	0.00	22.07	0.00	22.07	0.00	171.72	0.00	32.27	32.47		55.43		55.43				2	2	定刻
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:40	12.91	8.88	2008	618.50	585.25	171.72	0.00	22.07	0.00	22.07	0.00	22.07	0.00	171.72	0.00	32.27	32.47		55.43		55.43	2 E			2	2	制御開始
						145	0	71	0	71	0	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:45	12.91	8.86	2008	620.22	718.47	171.72	0.00	22.07	0.00	22.07	0.00	22.07	0.00	171.72	0.00	32.27	32.47		55.43		55.43	2 E			2	2	機器動作
						145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:46	12.90	8.87	1999	620.22	712.81	171.72	0.00	22.07	0.00	0.00	155.29	22.07	0.00	171.72	0.00	32.27	32.47		55.43		55.43	2 E			1	2	制御終了
						145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:50	12.84	9.01	1944	621.95	679.35	170.13	0.00	21.27	0.00	0.00	155.15	21.27	0.00	170.13	0.00	32.15	32.35		55.18		55.18				2	2	定刻
						145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:50	12.84	9.01	1944	621.95	679.35	160.65	0.00	16.67	0.00	0.00	154.29	16.67	0.00	160.65	0.00	31.40	31.60		53.71		53.71	J			2	2	制御開始
						145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:50	12.84	9.01	1944	621.95	679.35	160.65	0.00	16.67	0.00	0.00	154.29	16.67	0.00	160.65	0.00	31.40	31.60		53.71		53.71	J			2	2	制御開始
						145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:52	12.83	9.04	1935	621.95	657.93	160.65	0.00	16.67	0.00	0.00	154.29	16.67	0.00	160.65	0.00	31.40	31.60		53.71		53.71				1	2	制御終了
						145	0	71	0	0	50	35	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:52	12.83	9.04	1935	621.95	657.93	159.08	0.00	15.94	0.00	0.00	154.15	0.00	0.00	159.08	0.00	31.28	31.48		53.46		53.46	J			2	2	機器動作
						145	0	71	0	0	50	35	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:53	12.83	9.04	1935	621.95	657.93	159.08	0.00	15.94	0.00	0.00	154.15	0.00	0.00	159.08	0.00	31.28	31.48		53.46		53.46	J			2	2	制御開始
						145	0	71	0	0	50	35	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:53	12.83	9.04	1935	621.95	657.93	159.08	0.00	15.94	0.00	0.00	154.15	0.00	0.00	159.08	0.00	31.28	31.48		53.46		53.46	J			2	2	制御開始
						145	0	71	0	0	50	35	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:54	12.83	9.05	1935	621.95	657.93	159.08	0.00	15.94	0.00	0.00	154.15	0.00	0.00	159.08	0.00	31.28	31.48		53.46		53.46				1	2	制御終了
						145	0	71	0	0	50	0	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:55	12.83	9.05	1935	621.95	657.93	159.08	0.00	15.94	0.00	0.00	154.15	0.00	0.00	159.08	0.00	31.28	31.48		53.46		53.46	J			2	2	機器動作
						145	0	71	0	0	50	0	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:56	12.82	9.05	1925	623.70	653.24	159.08	0.00	15.94	0.00	0.00	154.15	0.00	0.00	159.08	0.00	31.28	31.48		53.46		53.46	J			2	2	制御開始
						145	0	71	0	0	50	0	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:56	12.82	9.05	1925	623.70	653.24	157.53	0.00	15.22	0.00	0.00	154.00	0.00	0.00	157.53	0.00	31.16	31.36		53.22		53.22	J			2	2	制御開始
						145	0	71	0	0	50	0	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:58	12.81	9.05	1916	623.70	802.37	157.53	0.00	15.22	0.00	0.00	154.00	0.00	0.00	157.53	0.00	31.16	31.36		53.22		53.22				1	2	制御終了
						145	0	71	0	0	50	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
5:58	12.81	9.05	1916	623.70	802.37	155.97	0.00	14.51	0.00	0.00	153.86	0.00	153.86	155.97	0.00	31.03	31.23		52.97		52.97	J			1	2	機器動作
						145	0	71	0	0	50	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
6:00	12.73	9.11	1843	623.70	764.57	155.97	0.00	14.51	0.00	0.00	153.86	0.00	153.86	155.97	0.00	31.03	31.23		52.97		52.97				1	2	定刻
						145	0	71	0	0	50	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
6:10	12.62	9.19	1745	620.12	715.13	143.75	0.00	9.27	0.00	0.00	152.70	0.00	152.70	143.75	0.00	30.06	30.26		51.04		51.04				1	2	定刻
						145	0	71	0	0	50	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
6:20	12.52	9.13	1657	621.90	673.44	127.48	0.00	3.49	0.00	0.00	151.10	0.00	151.10	127.48	0.00	28.73	28.93		48.41		48.41				1	2	定刻
						145	0	71	0	0	50	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
6:30	12.44	9.07	1590	618.38	643.34	113.27	0.00	0.24	0.00	0.00	149.62	0.00	149.62	113.27	0.00	27.54	27.74		46.07		46.07				1	2	定刻
						145	0	71	0	0	50	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
6:40	12.38	9.01	1541	614.89	621.46	102.32	0.00	0.00	0.00	0.00	148.43	0.00	148.43	102.32	0.00	26.60	26.80		44.22		44.22				1	2	定刻
						145	0	71	0	0	50	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
6:50	12.33	8.97	1502	609.63	603.59	94.35	0.00	0.00	0.00	0.00	147.53	0.00	147.53	94.35	0.00	25.90	26.10		42.85		42.85				1	2	定刻
						145	0	71	0	0	50	0	50	146	0	9.02	8.99	G=4	9.55	G=4	9.55						
						87.87	0.00	0.00	0.00	0.00	146.78	0.00	146.78	87.87	0.00	25.33	25.52		41.72		41.72						