

加古川大堰操作記録Ⅰ

2022年04月29日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要 因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T.Pm	T.Pm	10³m³	m³/s	m³/s																							
7:10	12.47	7.02	1615	21.05	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
7:20	12.47	7.02	1615	21.08	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
7:30	12.47	7.02	1615	21.10	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
7:40	12.47	7.02	1615	21.11	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
7:50	12.47	7.02	1615	21.11	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
8:00	12.47	7.02	1615	21.11	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
8:10	12.47	7.02	1615	21.10	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
8:20	12.47	7.02	1615	21.09	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
8:30	12.47	7.02	1615	21.09	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
8:40	12.47	7.02	1615	21.09	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
8:50	12.47	7.02	1615	21.09	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
9:00	12.47	7.02	1615	21.08	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
9:10	12.47	7.02	1615	21.07	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
9:20	12.47	7.02	1615	21.05	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
9:30	12.47	7.02	1615	21.05	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
9:40	12.47	7.02	1615	21.04	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
9:50	12.47	7.02	1615	21.05	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
10:00	12.47	7.02	1615	21.04	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
10:10	12.47	7.02	1615	21.06	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
10:20	12.47	7.02	1615	21.08	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
10:30	12.47	7.02	1615	21.09	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
10:40	12.47	7.02	1615	21.10	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
10:50	12.47	7.02	1615	21.10	17.02	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.18	8.18		0.33		0.33				1	1	定刻	
11:00	12.48	7.02	1623	23.36	17.26	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻	
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.26	8.26		0.37		0.37							

操 作 モ ー ド	1文字目：運転モード	2文字目：制御モード		制 御 バ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動 2：半自動 3：遠方手動 4：機側	A：定水位Ⅰ（微調節） B：全開（微調節） C：定水位Ⅰ（調節上段） D：設定流量	E：事前放流 F：定水位 G：全開 H：貯留回復Ⅰ						

加古川大堰操作記録Ⅰ

2022年04月29日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因			
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微調 節ゲート	魚道 ゲート								
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸											
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段															
	T.Pm	T.Pm	10³ m³	m³/s	m³/s																									
11:10	12.48	7.02	1623	23.40	17.26	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.36	G=1	12.36				1	1	定刻			
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.26	8.26		0.37		0.37									
11:12	12.48	7.02	1623	23.41	17.17	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.38	G=1	12.36							1	1	機器動作
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.26	8.26		0.28		0.37									
11:20	12.48	7.02	1623	23.44	17.17	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.38	G=1	12.36							1	1	定刻
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.26	8.26		0.28		0.37									
11:30	12.48	7.02	1623	23.46	17.17	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.38	G=1	12.36							1	1	定刻
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.26	8.26		0.28		0.37									
11:40	12.48	7.02	1623	23.48	17.17	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.38	G=1	12.36							1	1	定刻
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.26	8.26		0.28		0.37									
11:50	12.49	7.02	1632	25.76	17.45	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.38	G=1	12.36							1	1	定刻
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.35	8.35		0.33		0.42									
12:00	12.49	7.02	1632	23.82	17.45	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.38	G=1	12.36							1	1	定刻
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.35	8.35		0.33		0.42									
12:10	12.49	7.02	1632	23.83	17.45	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.38	G=1	12.36							1	1	定刻
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.35	8.35		0.33		0.42									
12:19	12.49	7.02	1632	23.86	17.36	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.38	G=1	12.38							1	1	機器動作
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.35	8.35		0.33		0.33									
12:20	12.49	7.02	1632	23.86	17.36	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.38	G=1	12.38							1	1	定刻
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.35	8.35		0.33		0.33									
12:24	12.50	7.02	1640	24.32	17.53	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.40	G=1	12.38							1	1	機器動作
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.44	8.44		0.28		0.37									
12:30	12.50	7.02	1640	25.68	17.53	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.40	G=1	12.38							1	1	定刻
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.44	8.44		0.28		0.37									
12:40	12.50	7.02	1640	26.18	17.53	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.40	G=1	12.38				1	1	定刻			
						0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.44	8.44		0.28		0.37									
12:50	12.51	7.02	1649	26.28	18.19	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.40	G=1	12.38				1	1	定刻			
						0.08	0.00	0.08	0.00	0.08	0.00	0.08	0.00	0.08	0.00	8.52	8.52		0.33		0.42									
12:52	12.51	7.02	1649	26.31	18.10	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.40	G=1	12.40				1	1	機器動作			
						0.08	0.00	0.08	0.00	0.08	0.00	0.08	0.00	0.08	0.00	8.52	8.52		0.33		0.33									
13:00	12.52	7.03	1657	27.79	19.16	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.40	G=1	12.40				1	1	定刻			
						0.24	0.00	0.24	0.00	0.24	0.00	0.24	0.00	0.24	0.00	8.61	8.61		0.37		0.37									
13:07	12.52	7.03	1657	28.88	19.07	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.42	G=1	12.40				1	1	機器動作			
						0.24	0.00	0.24	0.00	0.24	0.00	0.24	0.00	0.24	0.00	8.61	8.61		0.28		0.37									
13:10	12.52	7.03	1657	28.97	19.07	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.42	G=1	12.40				1	1	定刻			
						0.24	0.00	0.24	0.00	0.24	0.00	0.24	0.00	0.24	0.00	8.61	8.61		0.28		0.37									
13:20	12.53	7.03	1666	29.78	20.35	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.42	G=1	12.40				1	1	定刻			
						0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	8.70	8.70		0.33		0.42									
13:20	12.53	7.03	1666	29.78	20.35	0	0	71	0	71	0	71	0	0	0	11.04	11.04	G=1	12.42	G=1	12.40	1 A			1	1	制御開始			
						0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	8.70	8.70		0.33		0.42									
13:22	12.53	7.03	1666	30.36	25.25	0	0	71	0	71	0	71	0	0	0	10.75	10.75	G=1	12.42	G=1	12.40	1 A			1	1	機器動作			
						0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	11.15	11.15		0.33		0.42									
13:30	12.53	7.08	1666	30.83	25.25	0	0	71	0	71	0	71	0	0	0	10.75	10.75	G=1	12.42	G=1	12.40				1	1	定刻			
						0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	11.15	11.15		0.33		0.42									
13:40	12.53	7.10	1666	31.70	25.25	0	0	71	0	71	0	71	0	0	0	10.75	10.75	G=1	12.42	G=1	12.40				1	1	定刻			
						0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	11.15	11.15		0.33		0.42									
13:50	12.53	7.11	1666	30.69	25.25	0	0	71	0	71	0	71	0	0	0	10.75	10.75	G=1	12.42	G=1	12.40				1	1	定刻			
						0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	0.44	0.00	11.15	11.15		0.33		0.42									

加古川大堰操作記録Ⅰ

2022年04月29日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
13:54	12. 53	7. 11	1666	30. 92	25. 16	0	0	71	0	71	0	71	0	0	0	10. 75	10. 75	G=1	12. 42	G=1	12. 42				1	1	機器動作	
13:59	12. 54	7. 11	1675	30. 89	26. 48	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	0. 44	0. 00	11. 15	11. 15		0. 33		0. 33				1	1	機器動作	
						0	0	71	0	71	0	71	0	0	0	10. 75	10. 75	G=1	12. 44	G=1	12. 42							
14:00	12. 54	7. 11	1675	31. 03	26. 48	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	11. 24	11. 24		0. 28		0. 37				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	10. 75	10. 75	G=1	12. 44	G=1	12. 42							
14:00	12. 54	7. 11	1675	31. 03	26. 48	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	11. 24	11. 24		0. 28		0. 37							
						0	0	71	0	71	0	71	0	0	0	10. 75	10. 75	G=1	12. 44	G=1	12. 42	1 A			1	1	制御開始	
14:02	12. 54	7. 11	1675	31. 34	31. 46	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	11. 24	11. 24		0. 28		0. 37							
						0	0	71	0	71	0	71	0	0	0	10. 47	10. 47	G=1	12. 44	G=1	12. 42	1 A			1	1	機器動作	
14:10	12. 54	7. 17	1675	33. 50	31. 46	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	13. 73	13. 73		0. 28		0. 37				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	10. 47	10. 47	G=1	12. 44	G=1	12. 42							
14:20	12. 55	7. 18	1684	36. 09	33. 11	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	0. 67	0. 00	13. 73	13. 73		0. 28		0. 37				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	10. 47	10. 47	G=1	12. 44	G=1	12. 42							
14:20	12. 55	7. 18	1684	36. 09	33. 11	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	13. 83	13. 83		0. 33		0. 42							
						0	0	71	0	71	0	71	0	0	0	10. 47	10. 47	G=1	12. 44	G=1	12. 42	1 A			1	1	制御開始	
14:21	12. 55	7. 19	1684	36. 31	38. 09	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	13. 83	13. 83		0. 33		0. 42							
						0	0	71	0	71	0	71	0	0	0	10. 20	10. 20	G=1	12. 44	G=1	12. 42	1 A			1	1	機器動作	
14:30	12. 55	7. 23	1684	37. 76	38. 09	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	16. 32	16. 32		0. 33		0. 42				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	10. 20	10. 20	G=1	12. 44	G=1	12. 42							
14:39	12. 55	7. 24	1684	39. 68	38. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	16. 32	16. 32		0. 33		0. 42							
						0	0	71	0	71	0	71	0	0	0	10. 20	10. 20	G=1	12. 44	G=1	12. 44				1	1	機器動作	
14:40	12. 56	7. 24	1692	40. 12	39. 78	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	0. 94	0. 00	16. 32	16. 32		0. 33		0. 33				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	10. 20	10. 20	G=1	12. 44	G=1	12. 44							
14:40	12. 56	7. 24	1692	40. 12	39. 78	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	16. 42	16. 42		0. 37		0. 37							
						0	0	71	0	71	0	71	0	0	0	10. 20	10. 20	G=1	12. 44	G=1	12. 44	1 A			1	1	制御開始	
14:42	12. 56	7. 24	1692	41. 03	49. 70	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	16. 42	16. 42		0. 37		0. 37							
						0	0	71	0	71	0	71	0	0	0	9. 68	9. 68	G=1	12. 44	G=1	12. 44	1 A			1	1	機器動作	
14:50	12. 56	7. 29	1692	43. 53	49. 70	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	21. 38	21. 38		0. 37		0. 37							
						0	0	71	0	71	0	71	0	0	0	9. 68	9. 68	G=1	12. 44	G=1	12. 44				1	1	定刻	
14:51	12. 56	7. 30	1692	43. 92	49. 61	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	21. 38	21. 38		0. 37		0. 37				1	1	機器動作	
						0	0	71	0	71	0	71	0	0	0	9. 68	9. 68	G=1	12. 46	G=1	12. 44							
15:00	12. 57	7. 31	1701	49. 05	51. 53	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	1. 24	0. 00	21. 38	21. 38		0. 28		0. 37				1	1	定刻	
						0	0	71	0	71	0	71	0	0	0	9. 68	9. 68	G=1	12. 46	G=1	12. 44							
15:00	12. 57	7. 31	1701	49. 05	51. 53	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	21. 49	21. 49		0. 33		0. 42							
						0	0	71	0	71	0	71	0	0	0	9. 68	9. 68	G=1	12. 46	G=1	12. 44	1 A			1	1	制御開始	
15:02	12. 57	7. 32	1701	49. 89	61. 45	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	21. 49	21. 49		0. 33		0. 42							
						0	0	71	0	71	0	71	0	0	0	9. 19	9. 19	G=1	12. 46	G=1	12. 44	1 A			1	1	機器動作	
15:07	12. 57	7. 34	1701	50. 83	61. 36	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	26. 45	26. 45		0. 33		0. 42				1	2	機器動作	
						0	0	71	0	71	0	71	0	0	0	9. 19	9. 19	G=1	12. 46	G=1	12. 46							
15:10	12. 58	7. 36	1710	52. 81	63. 38	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	1. 56	0. 00	26. 45	26. 45		0. 33		0. 33							
						0	0	71	0	71	0	71	0	0	0	9. 19	9. 19	G=1	12. 46	G=1	12. 46				1	2	定刻	
15:10	12. 58	7. 36	1710	52. 81	63. 38	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	26. 57	26. 57		0. 37		0. 37							
						0	0	71	0	71	0	71	0	0	0	9. 19	9. 19	G=1	12. 46	G=1	12. 46	1 A			1	2	制御開始	
15:12	12. 58	7. 36	1710	53. 86	66. 85	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	26. 57	26. 57		0. 37		0. 37							
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 48	G=1	12. 46				1	2	機器動作	
15:20	12. 58	7. 38	1710	58. 08	66. 85	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	28. 25	28. 45		0. 28		0. 37							
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 48	G=1	12. 46				1	2	定刻	
						1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	1. 90	0. 00	28. 25	28. 45		0. 28		0. 37							

加古川大堰操作記録Ⅰ

2022年04月29日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 パター ン	流入 量判 定	印字要因	
						開度 (cm) ／ 放流量 (m³/s)										開度 (T.Pm) ／ 放流量 (m³/s)				本川 ゲー ト	微 調 節 ゲー ト	魚 道 ゲー ト						
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
15:23	12. 59	7. 39	1718	59. 19	68. 95	0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 48	G=1	12. 48				1	2	機器動作	
15:30	12. 60	7. 39	1727	64. 64	71. 13	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	2. 27	0. 00	28. 37	28. 57		0. 33		0. 33							1
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 48							
15:30	12. 60	7. 39	1727	64. 64	71. 13	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	28. 49	28. 69		0. 28		0. 37				1	2	機器動作	
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 48							
15:36	12. 61	7. 40	1736	69. 26	73. 43	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	2. 66	0. 00	28. 49	28. 69		0. 28		0. 37				1	2	機器動作	
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
15:40	12. 62	7. 41	1745	72. 79	75. 85	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	3. 07	0. 00	28. 61	28. 81		0. 33		0. 33				1	2	機器動作	
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
15:40	12. 62	7. 41	1745	72. 79	75. 85	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	28. 73	28. 93		0. 37		0. 37				1	2	定刻	
						0	0	71	0	71	0	71	0	0	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
15:41	12. 62	7. 41	1745	72. 79	88. 63	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	28. 73	28. 93		0. 37		0. 37				1	2	機器動作	
						13	0	71	0	71	0	71	0	13	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
15:50	12. 65	7. 51	1771	81. 29	97. 64	9. 88	0. 00	3. 49	0. 00	3. 49	0. 00	3. 49	0. 00	9. 88	0. 00	28. 73	28. 93		0. 37		0. 37				1	2	機器動作	
						13	0	71	0	71	0	71	0	13	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
15:50	12. 65	7. 51	1771	81. 29	97. 64	11. 79	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	11. 79	0. 00	29. 09	29. 29		0. 52		0. 52				1	2	定刻	
						13	0	71	0	71	0	71	0	13	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
15:50	12. 65	7. 51	1771	81. 29	108. 88	11. 79	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	11. 79	0. 00	29. 09	29. 29		0. 52		0. 52				1	2	制御開始	
						21	0	71	0	71	0	71	0	21	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
15:50	12. 65	7. 51	1771	81. 29	108. 88	17. 41	0. 00	4. 88	0. 00	4. 88	0. 00	4. 88	0. 00	17. 41	0. 00	29. 09	29. 29		0. 52		0. 52				1	2	機器動作	
						21	0	71	0	71	0	71	0	21	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
16:00	12. 69	7. 64	1806	87. 82	122. 66	20. 47	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	20. 47	0. 00	29. 57	29. 77		0. 75		0. 75				1	2	定刻	
						21	0	71	0	71	0	71	0	21	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
16:00	12. 69	7. 64	1806	87. 82	122. 66	20. 47	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	20. 47	0. 00	29. 57	29. 77		0. 75		0. 75				1	2	制御開始	
						28	0	71	0	71	0	71	0	28	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
16:00	12. 69	7. 64	1806	87. 82	134. 18	26. 23	0. 00	6. 96	0. 00	6. 96	0. 00	6. 96	0. 00	26. 23	0. 00	29. 57	29. 77		0. 75		0. 75				1	2	機器動作	
						28	0	71	0	71	0	71	0	28	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
16:10	12. 70	7. 71	1815	95. 85	137. 92	27. 09	0. 00	7. 52	0. 00	7. 52	0. 00	7. 52	0. 00	27. 09	0. 00	29. 69	29. 89		0. 80		0. 80				1	2	定刻	
						28	0	71	0	71	0	71	0	28	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
16:10	12. 70	7. 71	1815	95. 85	137. 92	27. 09	0. 00	7. 52	0. 00	7. 52	0. 00	7. 52	0. 00	27. 09	0. 00	29. 69	29. 89		0. 80		0. 80				1	2	制御開始	
						38	0	71	0	71	0	71	0	38	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
16:10	12. 70	7. 71	1815	95. 85	156. 08	36. 17	0. 00	7. 52	0. 00	7. 52	0. 00	7. 52	0. 00	36. 17	0. 00	29. 69	29. 89		0. 80		0. 80				1	2	機器動作	
						38	0	71	0	71	0	71	0	38	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
16:20	12. 70	7. 79	1815	112. 66	156. 08	36. 17	0. 00	7. 52	0. 00	7. 52	0. 00	7. 52	0. 00	36. 17	0. 00	29. 69	29. 89		0. 80		0. 80				1	2	定刻	
						38	0	71	0	71	0	71	0	38	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
16:30	12. 74	7. 85	1852	114. 73	172. 42	40. 05	0. 00	9. 88	0. 00	9. 88	0. 00	9. 88	0. 00	40. 05	0. 00	30. 18	30. 38		1. 06		1. 06				1	2	定刻	
						38	0	71	0	71	0	71	0	38	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
16:30	12. 74	7. 85	1852	114. 73	172. 42	40. 05	0. 00	9. 88	0. 00	9. 88	0. 00	9. 88	0. 00	40. 05	0. 00	30. 18	30. 38		1. 06		1. 06				1	2	制御開始	
						43	0	71	0	71	0	71	0	43	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
16:30	12. 74	7. 85	1852	114. 73	182. 46	45. 07	0. 00	9. 88	0. 00	9. 88	0. 00	9. 88	0. 00	45. 07	0. 00	30. 18	30. 38		1. 06		1. 06				1	2	機器動作	
						43	0	71	0	71	0	71	0	43	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
16:40	12. 77	7. 94	1879	124. 44	195. 53	48. 18	0. 00	11. 79	0. 00	11. 79	0. 00	11. 79	0. 00	48. 18	0. 00	30. 54	30. 74		1. 26		1. 26				1	2	定刻	
						43	0	71	0	71	0	71	0	43	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
16:40	12. 77	7. 94	1879	124. 44	195. 53	48. 18	0. 00	11. 79	0. 00	11. 79	0. 00	11. 79	0. 00	48. 18	0. 00	30. 54	30. 74		1. 26		1. 26				1	2	制御開始	
						50	0	71	0	71	0	71	0	50	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50	1 C						
16:40	12. 77	7. 94	1879	124. 44	210. 55	55. 69	0. 00	11. 79	0. 00	11. 79	0. 00	11. 79	0. 00	55. 69	0. 00	30. 54	30. 74		1. 26		1. 26				1	2	機器動作	
						50	0	71	0	71	0	71	0	50	0	9. 02	8. 99	G=1	12. 50	G=1	12. 50							
16:50	12. 79	8. 02	1898	156. 26	219. 81	57. 91	0. 00	13. 13	0. 00	13. 13	0. 00	13. 13	0. 00	57. 91	0. 00	30. 79	30. 99		1. 41		1. 41				1	2	定刻	

加古川大堰操作記録Ⅰ

2022年04月29日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン ン	流入 量判定	印字要因	
						開度 (cm) / 放流量 (m³/s)										開度 (T.Pm) / 放流量 (m³/s)				本川 ゲート	微 調節 ゲート	魚 道 ゲート						
						1号		2号		3号		4号		5号		左岸	右岸	左岸	右岸									
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段													
	T. Pm	T. Pm	10³m³	m³/s	m³/s																							
16:50	12.79	8.02	1898	156.26	219.81	50	0	71	0	71	0	71	0	50	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	制御開始	
16:50	12.79	8.02	1898	156.26	240.41	57.91	0.00	13.13	0.00	13.13	0.00	13.13	0.00	57.91	0.00	30.79	30.99		1.41		1.41	1 C			1	2	機器動作	
17:00	12.80	8.09	1907	242.01	245.19	68.21	0.00	13.13	0.00	13.13	0.00	13.13	0.00	68.21	0.00	30.79	30.99		1.41		1.41				1	2	定刻	
17:00	12.80	8.09	1907	242.01	245.19	59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	制御開始	
17:00	12.80	8.09	1907	242.01	245.19	69.39	0.00	13.81	0.00	13.81	0.00	13.81	0.00	69.39	0.00	30.91	31.11		1.48		1.48				1	2	機器動作	
17:00	12.80	8.09	1907	242.01	272.01	59	0	71	0	71	0	71	0	59	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	制御開始	
17:00	12.80	8.09	1907	242.01	272.01	69.39	0.00	13.81	0.00	13.81	0.00	13.81	0.00	69.39	0.00	30.91	31.11		1.48		1.48	1 C			1	2	機器動作	
17:10	12.79	8.16	1898	237.63	267.09	82.80	0.00	13.81	0.00	13.81	0.00	13.81	0.00	82.80	0.00	30.91	31.11		1.48		1.48				1	2	定刻	
17:10	12.79	8.16	1898	237.63	267.09	70	0	71	0	71	0	71	0	70	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	定刻	
17:20	12.80	8.18	1907	227.47	272.01	81.55	0.00	13.13	0.00	13.13	0.00	13.13	0.00	81.55	0.00	30.79	30.99		1.41		1.41				1	2	定刻	
17:20	12.80	8.18	1907	227.47	272.01	70	0	71	0	71	0	71	0	70	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻	
17:20	12.80	8.18	1907	227.47	272.01	82.80	0.00	13.81	0.00	13.81	0.00	13.81	0.00	82.80	0.00	30.91	31.11		1.48		1.48	1 C			1	2	制御開始	
17:20	12.80	8.18	1907	227.47	305.69	70	0	71	0	71	0	71	0	70	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	機器動作	
17:20	12.80	8.18	1907	227.47	305.69	83	0	71	0	71	0	71	0	83	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	制御終了	
17:20	12.80	8.18	1907	227.47	305.69	99.64	0.00	13.81	0.00	13.81	0.00	13.81	0.00	99.64	0.00	30.91	31.11		1.48		1.48				1	2	制御不能	
17:20	12.80	8.18	1907	227.47	305.69	83	0	71	0	71	0	71	0	83	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	制御開始	
17:21	12.80	8.18	1907	227.51	305.69	99.64	0.00	13.81	0.00	13.81	0.00	13.81	0.00	99.64	0.00	30.91	31.11		1.48		1.48				1	2	機器動作	
17:21	12.80	8.18	1907	227.51	305.69	83	0	71	0	71	0	71	0	83	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C			1	2	定刻	
17:27	12.79	8.23	1898	230.11	300.59	99.64	0.00	13.81	0.00	13.81	0.00	13.81	0.00	99.64	0.00	30.91	31.11		1.48		1.48				1	2	制御開始	
17:27	12.79	8.23	1898	230.11	300.59	83	0	71	0	71	0	71	0	83	0	9.02	8.99	G=1	12.50	G=1	12.50	1 C	3		1	2	機器動作	
17:30	12.80	8.24	1907	234.79	305.69	98.30	0.00	13.13	0.00	13.13	0.00	13.13	0.00	98.30	0.00	30.79	30.99		1.41		1.41				1	2	定刻	
17:30	12.80	8.24	1907	234.79	305.69	83	0	71	0	71	0	71	0	83	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	制御開始	
17:40	12.80	8.26	1907	248.89	305.69	99.64	0.00	13.81	0.00	13.81	0.00	13.81	0.00	99.64	0.00	30.91	31.11		1.48		1.48				1	2	機器動作	
17:40	12.80	8.26	1907	248.89	305.69	83	0	71	0	71	0	71	0	83	0	9.02	8.99	G=1	12.50	G=1	12.50				1	2	定刻	
17:50	12.81	8.27	1916	262.74	314.12	99.64	0.00	13.81	0.00	13.81	0.00	13.81	0.00	99.64	0.00	30.91	31.11		1.48		1.48				1	2	制御開始	
17:50	12.81	8.27	1916	262.74	314.12	83	0	71	0	71	0	71	0	83	0	9.02	8.99	G=1	12.17	G=1	12.47				1	2	定刻	
17:50	12.81	8.27	1916	262.74	314.12	100.97	0.00	14.51	0.00	14.51	0.00	14.51	0.00	100.97	0.00	31.03	31.23		4.61		1.78	1 C			1	2	機器動作	
18:00	12.80	8.34	1907	278.97	347.45	100.97	0.00	14.51	0.00	14.51	0.00	14.51	0.00	100.97	0.00	31.03	31.23		4.61		1.78				1	2	定刻	
18:00	12.80	8.34	1907	278.97	347.45	92	0	71	0	71	0	71	0	92	0	9.02	8.99	G=4	11.82	G=4	11.82				1	2	制御開始	
18:09	12.79	8.36	1898	293.13	353.30	113.27	0.00	13.81	0.00	13.81	0.00	13.81	0.00	113.27	0.00	30.91	31.11		8.73		8.73	1 C			1	2	機器動作	
18:09	12.79	8.36	1898	293.13	353.30	92	0	71	0	71	0	71	0	92	0	9.02	8.99	G=4	11.10	G=4	11.82				1	2	定刻	
18:10	12.79	8.36	1898	293.13	353.30	111.88	0.00	13.13	0.00	13.13	0.00	13.13	0.00	111.88	0.00	30.79	30.99		19.77		8.60				1	2	機器動作	
18:10	12.79	8.36	1898	293.13	353.30	92	0	71	0	71	0	71	0	92	0	9.02	8.99	G=4	11.10	G=4	11.82				1	2	定刻	
18:16	12.79	8.37	1898	300.35	365.00	111.88	0.00	13.13	0.00	13.13	0.00	13.13	0.00	111.88	0.00	30.79	30.99		19.77		8.60				1	2	制御開始	
18:16	12.79	8.37	1898	300.35	365.00	92	0	71	0	71	0	71	0	92	0	9.02	8.99	G=4	11.10	G=4	11.07				1	2	定刻	
18:20	12.78	8.39	1889	307.18	359.62	111.88	0.00	13.13	0.00	13.13	0.00	13.13	0.00	111.88	0.00	30.79	30.99		19.77		20.30				1	2	機器動作	
18:20	12.78	8.39	1889	307.18	359.62	92	0	71	0	71	0	71	0	92	0	9.02	8.99	G=4	11.10	G=4	11.07				1	2	定刻	
18:29	12.78	8.41	1889	316.74	381.74	110.50	0.00	12.45	0.00	12.45	0.00	12.45	0.00	110.50	0.00	30.67	30.87		19.60		20.13				1	2	制御開始	
18:29	12.78	8.41	1889	316.74	381.74	92	0	71	0	71	0	71	0	92	0	9.02	8.99	G=4	10.00	G=4	11.07				1	2	定刻	
18:30	12.78	8.41	1889	316.74	381.74	110.50	0.00	12.45	0.00	12.45	0.0																	

操 作 モ ー ド	1文字目：運転モード	2文字目：制御モード			制 御 バ タ ー ン	1：平水 2：洪水		流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量		G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート	
-----------------------	------------	------------	--	--	----------------------------	--------------	--	-----------------------	---------------------------	--	---	-------------------------------------	--

加 古 川 大 堰 操 作 記 録 I

2022年04月29日
加古川大堰

時刻	堰上水位	堰下水位	貯水量	流入量	堰放流量	本川ゲート										微調節ゲート		魚道ゲート				操作モード			制御 ボタン	流入 量判定	印字要因
						開度 (cm) / 放流量 (m³/s)										開度 (T. Pm) / 放流量 (m³/s)				本川 ゲート	微 調 節 ゲート	魚 道 ゲート					
						1 号		2 号		3 号		4 号		5 号		左岸	右岸	左岸	右岸								
						上段	下段	上段	下段	上段	下段	上段	下段	上段	下段												
	T. Pm	T. Pm	10³m³	m³/s	m³/s																						
18:40	12.76	8.43	1870	323.82	396.87	92	0	71	0	71	0	71	0	92	0	9.02	8.99	G=4	9.55	G=4	10.28				1	2	定刻
18:41	12.76	8.43	1870	323.82	402.99	107.75	0.00	11.14	0.00	11.14	0.00	11.14	0.00	107.75	0.00	30.42	30.62		51.76		35.15						
						92	0	71	0	71	0	92	0	9.02	8.99	G=4	9.55	G=4	10.00	3	1	2	機器動作				
18:48	12.74	8.44	1852	326.09	402.80	107.75	0.00	11.14	0.00	11.14	0.00	11.14	0.00	107.75	0.00	30.42	30.62		51.76						41.27		
						92	0	71	0	71	0	92	0	9.02	8.99	G=4	9.55	G=4	9.55	3	1	2	機器動作				
18:50	12.74	8.44	1852	326.09	402.80	105.02	0.00	9.88	0.00	9.88	0.00	9.88	0.00	105.02	0.00	30.18	30.38		51.28						51.28		
						92	0	71	0	71	0	92	0	9.02	8.99	G=4	9.55	G=4	9.55	1	2	定刻					
18:53	12.74	8.44	1852	331.04	402.80	105.02	0.00	9.88	0.00	9.88	0.00	9.88	0.00	105.02	0.00	30.18	30.38		51.28					51.28			
						92	0	71	0	71	0	92	0	9.02	8.99	G=4	9.55	G=4	9.55	1 C	1	2	制御終了				
18:55	12.73	8.44	1843	331.04	397.55	105.02	0.00	9.88	0.00	9.88	0.00	9.88	0.00	105.02	0.00	30.18	30.38		51.28					51.28			
						92	0	71	0	71	0	92	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	2	2	制御開始				
19:00	12.73	8.43	1843	331.04	397.55	103.67	0.00	9.27	0.00	9.27	0.00	9.27	0.00	103.67	0.00	30.06	30.26		51.04					51.04			
						92	0	71	0	71	0	92	0	9.02	8.99	G=4	9.55	G=4	9.55	2	2	定刻					
19:00	12.73	8.43	1843	331.04	397.55	103.67	0.00	9.27	0.00	9.27	0.00	9.27	0.00	103.67	0.00	30.06	30.26		51.04					51.04			
						92	0	71	0	71	0	92	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	2	2	制御開始				
19:02	12.72	8.43	1833	331.04	460.21	103.67	0.00	9.27	0.00	9.27	0.00	9.27	0.00	103.67	0.00	30.06	30.26		51.04					51.04			
						126	0	71	0	71	0	126	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	2	2	機器動作				
19:10	12.69	8.49	1806	333.71	444.08	136.27	0.00	8.67	0.00	8.67	0.00	8.67	0.00	136.27	0.00	29.93	30.13		50.80					50.80			
						126	0	71	0	71	0	126	0	9.02	8.99	G=4	9.55	G=4	9.55	2	2	定刻					
19:10	12.69	8.49	1806	333.71	444.08	131.85	0.00	6.96	0.00	6.96	0.00	6.96	0.00	131.85	0.00	29.57	29.77		50.08					50.08			
						126	0	71	0	71	0	126	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	2	2	制御開始				
19:16	12.68	8.48	1797	336.39	521.15	131.85	0.00	6.96	0.00	6.96	0.00	6.96	0.00	131.85	0.00	29.57	29.77		50.08					50.08			
						145	0	71	0	0	25	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	2	2	機器動作		
19:20	12.62	8.56	1745	336.39	492.98	136.27	0.00	6.42	0.00	0.00	76.99	6.42	0.00	136.27	0.00	29.45	29.65		49.84		49.84						
						145	0	71	0	0	25	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2	2	定刻			
19:20	12.62	8.56	1745	336.39	492.98	127.48	0.00	3.49	0.00	0.00	76.56	3.49	0.00	127.48	0.00	28.73	28.93		48.41		48.41						
						145	0	71	0	0	25	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	2	2	制御開始		
19:21	12.62	8.57	1745	336.39	567.52	127.48	0.00	3.49	0.00	0.00	76.56	3.49	0.00	127.48	0.00	28.73	28.93		48.41		48.41						
						145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	2	2	機器動作		
19:30	12.53	8.68	1666	336.80	528.11	127.48	0.00	3.49	0.00	0.00	151.10	3.49	0.00	127.48	0.00	28.73	28.93		48.41		48.41						
						145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2	2	定刻			
19:30	12.53	8.68	1666	336.80	528.11	114.67	0.00	0.44	0.00	0.00	149.77	0.44	0.00	114.67	0.00	27.66	27.86		46.30		46.30						
						145	0	71	0	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	2	2	制御開始		
19:35	12.49	8.67	1632	336.80	618.01	114.67	0.00	0.44	0.00	0.00	149.77	0.44	0.00	114.67	0.00	27.66	27.86		46.30		46.30						
						145	0	0	35	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	2	2	機器動作		
19:40	12.37	8.76	1533	339.51	574.50	109.12	0.00	0.00	105.28	0.00	149.18	0.00	0.00	109.12	0.00	27.19	27.38		45.37		45.37						
						145	0	0	35	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2	2	定刻			
19:40	12.37	8.76	1533	339.51	574.50	93.04	0.00	0.00	104.03	0.00	147.38	0.00	0.00	93.04	0.00	25.79	25.98		42.62		42.62						
						145	0	0	35	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	2	2	制御開始		
19:41	12.37	8.76	1533	339.51	617.85	93.04	0.00	0.00	104.03	0.00	147.38	0.00	0.00	93.04	0.00	25.79	25.98		42.62		42.62						
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	2	2	機器動作		
19:45	12.31	8.81	1486	339.97	596.53	93.04	0.00	0.00	147.38	0.00	147.38	0.00	0.00	93.04	0.00	25.79	25.98		42.62		42.62						
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	2 E	1	2	制御終了		
19:50	12.25	8.81	1438	342.72	575.69	85.32	0.00	0.00	146.48	0.00	146.48	0.00	0.00	85.32	0.00	25.10	25.29		41.27		41.27						
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	1	2	定刻			
20:00	12.14	8.76	1350	346.01	538.77	77.83	0.00	0.00	145.57	0.00	145.57	0.00	0.00	77.83	0.00	24.42	24.61		39.93		39.93						
						145	0	0	50	0	50	71	0	146	0	9.02	8.99	G=4	9.55	G=4	9.55	1	2	定刻			
						64.72	0.00	0.00	143.88	0.00	143.88	0.00	0.00	64.72	0.00	23.18	23.37		37.51		37.51						

操 作 モ ー ド	1 文字目：運転モード	2 文字目：制御モード			制 御 パ タ ー ン	1：平水 2：洪水	流 入 量 判 定	1：堰水位 換算流入量 2：上流流入量	G	最高天端高 1～3：魚道ゲートグループNo 4：制水ゲート
	1：自動	A：定水位Ⅰ（微調節）	E：事前放流	I：貯留回復Ⅱ						
	2：半自動	B：全開（微調節）	F：定水位	J：開度一回						
	3：遠方手動	C：定水位Ⅰ（調節上段）	G：全開							
	4：機側	D：設定流量	H：貯留回復Ⅰ							