



PHOTOCOPIES ONLY. Calibration sheet 1 of 5. PDF page 1 must land on the sheet you numbered 1.
Printer: RISO ORPHIS GL7430. Tray: internal pull-out paper tray. Paper: original sheets face down.
Print at actual size / 100%. Reverse Order / 逆順印刷 must be OFF. Offset in this file: X +0 mm, Y +0 mm.
Measure each cross from the paper edge. Printed 22 mm where the label says 20? New X = current X - 2 (same for Y).

20, 20 mm

TOP

190, 20 mm

# 2

105, 148.5 mm

PHOTOCOPIES ONLY. Calibration sheet 2 of 5. PDF page 2 must land on the sheet you numbered 2.
Printer: RISO ORPHIS GL7430. Tray: internal pull-out paper tray. Paper: original sheets face down.
Print at actual size / 100%. Reverse Order / 逆順印刷 must be OFF. Offset in this file: X +0 mm, Y +0 mm.
Measure each cross from the paper edge. Printed 22 mm where the label says 20? New X = current X - 2 (same for Y).

20, 277 mm

190, 277 mm

20, 20 mm

TOP

190, 20 mm

# 3

105, 148.5 mm

PHOTOCOPIES ONLY. Calibration sheet 3 of 5. PDF page 3 must land on the sheet you numbered 3.
Printer: RISO ORPHIS GL7430. Tray: internal pull-out paper tray. Paper: original sheets face down.
Print at actual size / 100%. Reverse Order / 逆順印刷 must be OFF. Offset in this file: X +0 mm, Y +0 mm.
Measure each cross from the paper edge. Printed 22 mm where the label says 20? New X = current X - 2 (same for Y).

20, 277 mm

190, 277 mm




PHOTOCOPIES ONLY. Calibration sheet 4 of 5. PDF page 4 must land on the sheet you numbered 4.
Printer: RISO ORPHIS GL7430. Tray: internal pull-out paper tray. Paper: original sheets face down.
Print at actual size / 100%. Reverse Order / 逆順印刷 must be OFF. Offset in this file: X +0 mm, Y +0 mm.
Measure each cross from the paper edge. Printed 22 mm where the label says 20? New X = current X - 2 (same for Y).




PHOTOCOPIES ONLY. Calibration sheet 5 of 5. PDF page 5 must land on the sheet you numbered 5.
Printer: RISO ORPHIS GL7430. Tray: internal pull-out paper tray. Paper: original sheets face down.
Print at actual size / 100%. Reverse Order / 逆順印刷 must be OFF. Offset in this file: X +0 mm, Y +0 mm.
Measure each cross from the paper edge. Printed 22 mm where the label says 20? New X = current X - 2 (same for Y).