## UKS projekat

```
@startuml
class User {
        is_active: Boolean,
        last_login: DateTime,
        registration_date: Datetime
}
class UserProfile {
        phone_numner: String,
        address: String,
        location: String
}
class CustomUser {
        username: String,
        email: String,
        first_name: String,
        last_name: Strign,
        date_of_birth: Date,
        bio: String,
        is_staff: Boolean,
        is_active: Boolean,
        is_superuser: Boolean,
        dete_joined: DateTime
User"1" -- "1"CustomUser UserProfile"1" -- "1"CustomUser
class Project {
        name: String,
        description: String,
        created_at: DateTime,
        update_at: DateTime
}
class Repository {
        name: String,
        description: String,
        created_at: DateTime,
        update_at: DateTime
}
class Branch {
        name: String,
        created_at: DateTime,
        update_at: DateTime
}
class File {
        name: String,
        path: String,
        created_at: DateTime,
```

```
update_at: DateTime
}
class PullRequest {
       title: String,
       description: String,
       created_at: DateTime,
       update_at: DateTime,
       is_approved: DateTime
}
class Issue {
       title: String,
       description: String,
       created_at: DateTime,
       update_at: DateTime,
        starus: String
class Commit {
       message: String,
       created_at: DateTime,
       commit_hash: String
}
Repository"*" -- "1"Project
Branch"" -- "1"Repository
File"*" -- "1"Branch
PullRequest" * " -- "1"Repository
PullRequest" * " -- "1"Branch : source_pull_requests
PullRequest" * " -- "1"Branch : target_pull_requests
PullRequest" * " -- "1"CustomUser
Issue" * " -- "1"Repository
Issue" * " -- "1"CustomUser : created_issues
Issue" * " -- "1"CustomUser : assigned_issues
Issue" * " -- "1"Milestons
Commit" * " -- "1"CustomUser
class Milestons {
       title: String,
        description: String,
        due_date: DateTime,
       created_at: DateTime,
       update_at: DateTime,
       status: String
}
PullRequest" * " -- "1"Milestons
Milestons" * " -- "1"Project
```

