

PNK Suguan 1.0.1 — Operations Guide

PNK Suguan 1.0.1 — release documentation (source: OPERATIONS-GUIDE.md)

Day-to-day use of PNK Suguan: master data, availability, the weekly schedule, the DRAFT -> FINALIZED -> PUBLISHED lifecycle, corrections, destinations, history, and PDF/report output.

The rules stated here are the rules the application enforces. Where a rule cannot be overridden, that is said explicitly, because the difference matters when a schedule will not accept an assignment.

1. Master data

Teachers — ****Teachers****

Each teacher record carries a name and a **language** (ENGLISH or FILIPINO), status, and their destination information. Teachers can be created, edited, viewed per teacher, deactivated (`reactivate` restores them) and exported in reports.

The teacher's **language is a business-critical field**, not a label: it determines which dako the teacher may be assigned to (section 2).

Dako — ****Dako****

Each dako record carries its name, its **language**, its purok group, and enabled/disabled status. Dako records can be created, edited, enabled and disabled; a **disabled** dako cannot receive assignments at all, and that restriction cannot be overridden by anyone.

2. The language rule (non-overridable)

Dako language	Teachers it may receive
ENGLISH	English teachers only
FILIPINO	Filipino or English teachers

Placing a **Filipino teacher on an English dako** raises ``LANGUAGE_MISMATCH``. This is an **absolute business rule**: no role — Administrator, Scheduler/Encoder, VIEWER or Super Admin — can override it, and supplying a reason does not help. An override reason can clear other hard rules; it can never clear this one or `DAKO_DISABLED`.

The only remedy is to correct the teacher's profile language to ``ENGLISH`` if that is genuinely true of them, and then assign again.

The interface shows the mismatch on the candidate before you commit it (`LANGUAGE_MISMATCH` — will be rejected), and the server enforces the same rule if the request is made another way.

3. Availability

Availability is maintained per week. Two properties matter operationally:

- **The current week and the next week are edited independently.** Changing next week's availability does not touch the current week's, and vice versa.
- Availability is what the schedule engine and the manual encoder consider when proposing candidates;

it does not by itself create assignments.

Availability has its own correction window for a week that has moved past drafting, separate from the schedule correction windows described in section 6.

4. The weekly schedule

Open **Schedule** to work on a week. The matrix shows dako against the week's days, with the assignment cells for **SUGO**, **RESERBA** and **RESERBA II**.

SUGO -> RESERBA -> RESERBA II

Every dako has **three ranked assignment attempts**, in this fixed order of preference:

Rank	Type	Meaning
1	SUGO	The primary assignment
2	RESERBA	The first fallback when SUGO cannot be filled
3	RESERBA II	The second fallback

The three are independent annual tables, and they are ranked: **filling RESERBA II never deprives a dako of SUGO or RESERBA**, and the order is never inverted.

Generating a schedule

Generation is DRAFT-only. A schedule can be generated into a week that is in **DRAFT**; generation into a finalized or published week is refused (409), not silently ignored. Generation proposes assignments; it does not bypass the language rule or dako status, and structurally excluded candidates (a Filipino teacher on an English dako, a disabled dako) never become eligible through generated output.

Encoding by hand

You can also assign, change and clear assignments directly in the matrix using the candidate lists. The same rules apply as for generation, plus per-teacher constraints such as being already assigned in that week.

Overriding a hard rule

Some hard rules (for example a teacher who was **absent the previous week**) can be overridden by an **Administrator**, who must supply a **reason**; the override and its reason are audited. This is deliberately narrower than it may sound:

- LANGUAGE_MISMATCH and DAKO_DISABLED are **not** in the overridable set — they are refused for every actor, with no override path;
- assignment already exists this week is a structural constraint enforced by the database itself, with no override path for anyone.

The interface tells you which rules a candidate violates, and whether they are overridable, before you commit.

5. Week lifecycle: DRAFT -> FINALIZED -> PUBLISHED

State	What it means	How you leave it
DRAFT	Being encoded. Generation and free editing are allowed	Finalize it

FINALIZED	Locked for normal editing; can still be revised through the authorized correction window	Publish it, or revise it
PUBLISHED	The published schedule. Locked	Only a Super Admin correction (section 6)

- **Finalizing** requires the `weeks.finalize` permission — Administrator or Super Admin.
- **Publishing** requires `weeks.publish` — Administrator or Super Admin.
- **A FINALIZED week does not revert to DRAFT.** Corrections preserve status; there is no "back to draft" step, and no global unlock.

6. Corrections

There are two distinct correction paths, and confusing them is the most common operational mistake.

Finalized revision — authorized by `weeks.unlock``

Available to **Administrator**, **Super Admin** and **Scheduler/Encoder**. A **reason is mandatory**. The correction window is temporary, and the week keeps its FINALIZED status throughout. Opening, using and closing the window are audited.

Published correction — Super Admin only

Correcting a **PUBLISHED** week is reserved for **Super Admin**. Every other role — including Administrator — is denied. The capability:

- requires the **Super Admin unlock secret** held in `%LOCALAPPDATA%\PNK_Suguan\.env` (`PNK_SUPER_ADMIN_SECRET`) in addition to normal authentication;
- is **temporary** (default window 30 minutes, closable at will);
- requires a **reason**;
- is **scoped** to the one week and to the account that opened it;
- is **status-preserving** — the week stays PUBLISHED; nothing is downgraded and no global unlock occurs;
- is **audited** in full;
- **fails closed** — if the secret is not configured, the path refuses every request.

Treat it as a break-glass action. It exists so that a genuine error in a published week can be fixed without pretending the week was never published.

7. Destinations and history

These are separate from weekly assignments, deliberately.

Current destination

A teacher's **current destination** is maintained on the teacher record. It is the answer to "where is this teacher now", independent of any particular week's assignment.

Weekly assignments do not touch it

Encoding, changing or clearing a weekly assignment never modifies Current Destination, and never modifies Destination History. Weekly assignment data and destination data are distinct: working on a week's schedule has no side effect on a teacher's destination record.

Destination history

Destination history records destination changes over time, per teacher and per dako. It is presented as a distinct historical record, visually separate from weekly assignment data, and it is append-only — it is not rewritten by later

schedule work.

Historical Backfill

Historical Backfill exists to record *past* assignment data. It operates with **`HISTORICAL`** source behaviour: it does **not** mutate the current master destination, and it does not rewrite current destination records. Backfilled rows are historical records, not present-day state.

8. PDF and reports

Weekly Suguan PDF

The **Weekly Suguan** physical form is produced as a **PDF** from the weekly schedule (`/api/schedule/weekly-suguan-pdf`), for printing and filing. It is generated on the server from the week's data.

The PDF is read-only. Producing it never changes schedule, assignment, destination or history data. It is an output, not an editing surface.

Who may produce it. The PDF endpoint requires the **`assignments.write`** permission — the same one that governs assignment editing. In practice that means an **Administrator** or a **Scheduler/Encoder** can produce the printable form; a **Viewer is denied** (403) and an anonymous request is rejected (401). A Viewer can read the schedule on screen but cannot obtain the printed Weekly Suguan form. A year/week that has not been started returns 404.

Reports

Report views are available under **Reports**: the weekly report, the annual matrix report, and per-dako and per-teacher reports. They are on-screen views for review and printing from the browser. Like the PDF, they are read-only with respect to scheduling data.

9. Notifications and audit

- **Notifications** are informational messages about scheduling events. They can be read by every role; only Administrator and Super Admin can author them (`notifications.write`).
 - **Audit log** — available to Administrator and Super Admin only. It records administrative actions, correction windows (including reasons) and overrides. Scheduler/Encoder and Viewer cannot read it.
-

10. A normal week, end to end

1. Confirm teachers and dako records, including each one's **language** (section 2).
2. Update **availability** for the week.
3. Open **Schedule** for the week — it must be in **DRAFT**.
4. **Generate** a DRAFT schedule, then review the matrix and adjust the SUGO / RESERBA / RESERBA II cells as needed, overriding a hard rule only when it is justified and overridable.
1. **Finalize** the week when encoding is complete.
2. If something needs changing, use the **FINALIZED revision** window with a reason (section 6).
3. **Publish** the week.
4. Produce the **Weekly Suguan PDF** for printing.
5. If a published week turns out to be wrong, use the **Super Admin** correction path — and record why.

Throughout, keep in mind: weekly assignment work never changes teacher destinations, generation is DRAFT-only, and the language rule cannot be overridden by anyone.