14) Select first_name,
last_name
From employees
Where city IN ('Chicago', 'Los Angeles')
And department IN ('IT', 'Marketing')
Limit 3

first_name	last_name
Emily	Davis
Daniel	Clark

Excersize 2

1) Select Count (*) as total_employees
From employees;

total_employees
10

2) Select sum(salary) as total_it_salary
From employees
Where department = 'IT';

total_it_salary
220 000

3 Select Avg(salary) as avg_hr_salary
From employees
Where department = 'HR';

Powered by CamScanner

avg_hr_salary
49 500

4) Select Min(salary) as lowest_salary
Max(salary) as highest_salary
From employees;

lowest_salary	highest_salary
48 000	62 000

5) Select department,
Sum(salary) as total_salary
From employees
Group by department;

department	total_salary
IT	200 000
HR	99 000
Finance	119 000
Marketing	105 000

6) Select city,
Count(*) as employee_count
From employees
Group by city;

Powered by CamScanner

City	employee_count
Chicago	3
New York	2
Los Angeles	2
San Francisco	2
Houston	1

7) Select department,
AVG(salary) as avg_salary
From employees
Group by department
Order by avg_salary DESC;

department	avg_salary
Finance	59 500
IT	~~52500~~ 55 000
Marketing	52 500
HR	49 500

8) Select department,
Sum(salary) as total_salary
From employees
Group by department
Having sum(salary) > 100 000;

department	total_salary
IT	220 000
Finance	119 000
Marketing	105 000

Powered by CamScanner

9) Select City,
Count(*) as employee_count
From employees
Group by city
Having Count(*) > 1
Order by employee_count DESC;

City	employee_count
Chicago	3
New York	2
Los Angeles	2
San Francisco	2

10) Select department,
Avg(salary) as avg_salary
From employees
Group by department
Order by avg_salary DESC
Limit 1;

department	avg_salary
Finance	59500

Powered by CamScanner