

TEACHING-LEARNING PLAN

PGF-02-R39

Date: August 12–November 5, 2026

1. Identification

Area of knowledge: Global Economics

Teacher's name: Nicolas Lopez

Grade: 10

Term: First Term, 2026–2027

Overall implementation period: August 12–November 5, 2026

Institutional code and version: PGF-02-R39, Version 08

2. Learning Objective

By the end of the term, students will conduct and communicate an integrated economic decision analysis under uncertainty. Starting from a realistic decision-maker and context, they will distinguish controllable alternatives from the uncertain event and its mutually described states of nature, explain the consequence produced by each alternative–state pair, and represent its direct or calculated payoff. They will calculate quantities, revenue, variable costs, fixed costs and profit; organise complete payoff tables; and justify choices without probabilities using Maximax and Maximin. They will then measure opportunity loss and apply Minimax Regret, use probabilities to calculate Expected Monetary Value (the Bayes criterion), and analyse how a recommendation changes when a probability changes. Finally, they will compare Bayes/expected value, Maximin and Minimax Regret on common evidence, represent staged selection rules with decision trees, and produce a transparent, evidence-based final recommendation that states the model, calculations, assumptions, limitations and economic meaning of the result.

Assessment Criteria

- C1.** Identify and interpret the decision-maker, economic context, alternatives, uncertain event, states of nature, consequences and units in a decision under uncertainty.
- C2.** Organise supplied payoffs and decision elements in a complete payoff table, with alternatives as rows and states of nature as columns.
- C3.** Calculate quantities, revenue, variable and fixed costs and profit for each alternative–state pair, and construct the corresponding payoff table.
- C4.** Apply Maximax and Maximin to select and justify optimistic and conservative alternatives without using probabilities.
- C5.** Construct an opportunity-loss table and apply Minimax Regret to select the alternative with the smallest maximum regret.
- C6.** Calculate Expected Monetary Value from valid state probabilities and apply the Bayes criterion to select the alternative with the highest expected payoff.
- C7.** Analyse the sensitivity of an expected-value recommendation to changes in probabilities, including indifference points and preference ranges.
- C8.** Compare Bayes/expected value, Maximin and Minimax Regret on the same dataset and explain why their recommendations may agree or differ.
- C9.** Represent and follow staged decisions or criterion-based filtering through a labelled decision tree.
- C10.** Conduct and communicate an integrated decision analysis that constructs the model, applies relevant criteria, interprets results and supports a justified final recommendation.

Scope note. The current activities establish the C1–C10 sequence above. Some older catch-up files use earlier criterion numbers (Maximin as C5, regret as C6, and expected value as C7). They are used by mathematical skill, not by their legacy number; the current criteria in this plan follow Practice Activities 3–4 and the C8–C10 Lesson 3 material.

3. Conceptual Standards of Disciplinary Knowledge

1. **C1—structure of uncertainty.** A decision is made before an uncontrollable event is resolved. Alternatives are available actions; states are possible event outcomes; each ordered pair (A_i, S_j) has a consequence and a payoff with stated meaning and units.
2. **C2—two-dimensional representation.** A payoff table is a complete mapping from alternatives (rows) and states (columns) to $P_{aj}(A_i, S_j)$. A supplied payoff is placed, not recalculated; labels and units preserve the contextual meaning.
3. **C3—economic payoff construction.** Revenue is income and cost is the value of resources used. Variable components equal a per-unit rate times $q(A_i, S_j)$; fixed components are not multiplied by quantity. Profit is revenue minus cost for the same cell.
4. **C4—attitudes without probability.** Maximax compares each row's best payoff and selects the largest; Maximin compares each row's worst payoff and selects the largest. These rules encode optimistic and protective priorities rather than probabilistic averages.
5. **C5—foregone opportunity.** Regret is measured within a state relative to that state's best available payoff. The maximum regret summarizes an alternative's worst foregone opportunity, and Minimax Regret minimizes that summary.
6. **C6—choice under risk.** Probabilities are non-negative and sum to one. $EV(A_i) = \sum_j \Pr(S_j)P_{aj}(A_i, S_j)$ is a probability-weighted monetary average; Bayes selects the greatest EV, not necessarily any single observed payoff.
7. **C7—robustness of assumptions.** In a two-state model, $\Pr(S_1) = p$ and $\Pr(S_2) = 1 - p$. Expected values are linear functions of p ; intersections are indifference points and inequalities identify preference ranges on $0 \leq p \leq 1$.
8. **C8—criterion comparison.** Bayes emphasizes probability-weighted performance, Maximin protects the floor, and Minimax Regret limits foregone opportunity. Agreement strengthens a recommendation; disagreement requires interpretation of priorities and assumptions.
9. **C9—sequential representation.** A decision tree shows an initial candidate set, labelled decision/filter nodes, retained branches and terminal alternatives. The order of staged rules matters and every branch must be traceable to a calculation.
10. **C10—integrated economic argument.** A defensible analysis links context, assumptions, joint or single-state probabilities, payoff construction, criterion results, rankings, staged selection and limitations. The recommendation must follow from reproducible evidence rather than preference alone.

4. Pre-lesson and Context: Discovering How We Decide

Connection to criterion: Diagnostic preparation for C1; no formal decision rule is named until students have exposed their informal rules.

Pedagogical framework: Discovery learning through notice—classify—represent—justify, followed by an explicit concept synthesis. Universal Design for Learning (DUA) provides multiple means of engagement, representation and expression.

Organization and timing: Groups of three or four; approximately one opening lesson. Launch and individual choice: 8 minutes. Three stations: 12 minutes each. Gallery comparison: 8 minutes. Synthesis and transition: 12 minutes. Timing may be adjusted to the documented school timetable.

Resources: Printed excerpts or teacher-projected versions of Practice Activity 1's Introductory General Problem and Local Café Investment; Practice Activity 2's school-enterprise introductory problem; sticky notes, calculator, and individual learning notebook. The intake survey may be used only to learn students' preferred working modes, not as criterion evidence.

Expected products: One initial individual recommendation with a reason; one group decision-elements card; one correctly oriented four-cell payoff representation; one revenue—cost explanation; and one revised reflection naming what evidence changed or confirmed the first choice.

Opening vocabulary. *Decision-maker:* person or organisation responsible for the choice. *Alternative:* controllable action selected before uncertainty resolves. *Event:* uncertain phenomenon. *State of nature:* a possible outcome of the event outside the decision-maker's control. *Consequence:* what happens for one alternative—state pair. *Payoff:* numerical value attached to that consequence. *Profit:* revenue minus cost. *Units:* the scale and currency of the payoff.

Opening command words. *Identify* (name from evidence), *distinguish* (show the difference), *organise* (place in a logical structure), *calculate* (show operations), *interpret* (give contextual meaning), and *justify* (support a conclusion with evidence).

Launch—an unrevealed decision rule

Present the Local Café Investment setting from Practice Activity 1 without the worked response: the owner chooses a café format before the market condition is known, and supplied profits differ by alternative and state. Students choose privately and finish: “I chose this because I focused on ...”. The teacher sorts reasons visibly into “largest possible”, “safest low result”, “most balanced”, and “need more information”, without yet naming Maximax, Maximin, regret or EV. This makes prior reasoning observable and creates the need for formal criteria later.

Station 1—Who controls what?

Groups annotate the café scenario and the Practice Activity 2 school-enterprise introductory scenario with six labels: decision-maker, context, alternatives, event, states and consequences. They draw arrows from the choice and the realised state to one consequence. *Expected conclusion:* the decision-maker controls A_i but not S_j ; the event (for example, demand) is not itself an alternative; one consequence belongs to each (A_i, S_j) . **Support route:** use colour-coded cards headed “chosen before” and “revealed after”, sentence frames, and a reduced two-alternative/two-state version. **Extension route:** explain why “profit” is the consequence’s measure rather than the uncertain event and identify the units.

Station 2—From narrative to payoff map

Students use Activity 1’s Introductory General Problem, with supplied values $P_{ay}(A_1, S_1) = 10$, $P_{ay}(A_1, S_2) = 4$, $P_{ay}(A_2, S_1) = 7$, and $P_{ay}(A_2, S_2) = 8$. On a table-free card they write four lines, one per ordered pair, then arrange alternatives as row headings and states as column headings on sticky notes. *Verified result:* the two rows are (10, 4) and (7, 8). **Support route:** trace the first and second arguments in $P_{ay}(A_i, S_j)$ with different colours and model the first cell. **Extension route:** state what a missing cell would mean and explain why swapping the arguments changes the interpretation.

Station 3—Is the number supplied or built?

Students compare the direct four payoffs above with the Activity 2 introductory school enterprise. For the latter they subtract cost from revenue cell by cell: $(20 - 9, 13 - 8)$ for A_1 and $(18 - 10, 15 - 9)$ for A_2 . *Verified result:* payoff rows (11, 5) and (8, 6), in thousand USD. Groups circle revenue, underline cost, and explain why every subtraction must use information from the same (A_i, S_j) . **Support route:** provide the frame $P_{ay}(A_i, S_j) = R(A_i, S_j) - C(A_i, S_j)$ and a calculator. **Extension route:** decide whether a given lump sum is fixed and why it must not be multiplied by quantity.

Whole-class synthesis and transition

Groups post their products and challenge one classification or cell placement with evidence. The teacher formalises the sequence “choose A_i —observe S_j —experience consequence—measure $P_{ay}(A_i, S_j)$ ”, records the C1 success statement, and contrasts supplied with calculated payoff values. Students revise their launch response: informal preferences are legitimate but cannot be compared consistently until the decision is represented accurately. The next action therefore begins with C1 interpretation, moves to the complete payoff map (C2), builds economic payoffs (C3), and only then applies rules (C4).

5. Experience: Three Pedagogical Actions

Pedagogical Action N1—From Decision Contexts to Payoff Tables and Decisions Without Probabilities

Criteria: C1–C4

Cycles: Institutional cycle allocation not documented: _____

Dates: Within August 12–November 5, 2026; bundle dates: _____

Instructional hours: Not documented: _____

Deadline: _____

Role in progression: Build a valid model before selecting an alternative. C1 establishes meaning, C2 structure, C3 calculated economic outcomes, and C4 the first formal rules. This bundle prepares the First Learning Evidence.

Materials used: Practice Activities 1 and 2 (full worked versions, with alternate descriptions for accessible reading); Practice Activity 3’s C4 portion; the C1–C4 exam and solution; and aligned C1–C4 catch-up pairs.

Vocabulary. Decision-maker, context, alternative A_i , event, state S_j , consequence, direct payoff, quantity $q(A_i, S_j)$, revenue, variable rate, fixed component, cost, profit, payoff table, Maximax, Maximin, optimistic, conservative, tie and limitation.

Command words. Identify, characterise, distinguish, organise, construct, calculate, apply, select, interpret and justify.

Part 1—C1: Interpret the Anatomy of a Decision

Objective: Given an economic narrative, identify every decision element and explain the timing and economic meaning of one consequence.

Classroom format: Teacher think-aloud on Activity 1's Introductory General Problem; pairs annotate Local Café Investment and Green Energy Production Mix; individuals transfer the method to Activity 2's school-enterprise or café context.

Theory and procedure. A choice is under uncertainty when an A_i is selected before the event reveals S_j . Students use a fixed audit: (1) name the decision-maker and objective; (2) list only controllable alternatives; (3) name the single uncertain event; (4) list its states; (5) describe what the pair (A_i, S_j) causes; (6) state payoff meaning, sign and units. The event is the variable phenomenon; its states are the outcomes. A consequence is richer than its numerical payoff.

Common errors. Treating high demand as an alternative; listing the payoff as a state; failing to name who decides; mixing actions and outcomes; describing the consequence without units; or assuming the later state can be chosen. **Practice and exact sources.** Activity 1, Introductory and Advanced General Problems and Direct Payoff Models (Local Café, Green Energy, Global Shipping); Activity 2, Introductory General Problem. Students complete decision-element profiles, not merely copied lists. The exam's Weekend Market Stall and Urban Delivery Service provide an ungraded collaborative rehearsal. The solution verifies that, for the Weekend Market, the cooperative chooses the location, demand is strong or weak, and each cell is weekend profit.

DUA support. Offer alternate-description passages, a before/after timeline, icons, oral explanation or labelled sketch, and sentence starters. **Extension.** Analyse an Activity 1 complete four-component context and explain which data vary by alternative, state, or both. **Evidence.** One annotated narrative, one six-element profile and one paragraph interpreting a specific $P_{ay}(A_i, S_j)$.

Part 2—C2: Organise Supplied Payoffs

Objective: Construct a complete and correctly oriented payoff table from supplied direct or component-based payoffs.

Classroom format: Card sort, paired construction, peer audit, then an individual problem.

Theory and procedure. In current notation, $P_{ay}(A_i, S_j)$ is the payoff when row alternative A_i is selected and column state S_j occurs. Students (1) establish row and column labels; (2) retain the stated units; (3) match the first function argument to the row and the second to the column; (4) place every supplied value; (5) count $m \times n$ cells; and (6) interpret one cell in context. When components rather than final values are supplied, Activity 1 uses

$$P_{ay}(A_i, S_j) = q(A_i, S_j)[v(A_i) + v(S_j)] + f(A_i) + f(S_j),$$

with absent components treated as zero.

Common errors. Transposing alternatives and states, reversing the arguments, adding probabilities to a method that does not need them, omitting a cell, multiplying a fixed component by quantity, or silently changing units. **Practice and exact sources.** Activity 1's Introductory General Problem (verified rows (10, 4) and (7, 8)), Advanced General Problem (verified rows (12, 19) and (23, 33)), and the Direct through Complete model ladder. Use Local Café and one teacher-selected variable/fixed pair; use Weekend Market Stall as the final individual rehearsal. **DUA support.** Colour the two function arguments, provide a blank cell checklist, reduce the first case to 2×2 , and allow manipulable row/column cards. **Extension.** Diagnose and correct a transposed table and justify whether two tables encode the same mapping. **Evidence.** Two complete payoff representations, visible cell work and two contextual cell interpretations.

Part 3—C3: Calculate Revenue, Cost and Profit

Objective: Build every payoff from direct totals or from variable and fixed revenue/cost components before organising the results.

Classroom format: Teacher model, calculation teams assigned different cells, jigsaw verification, and independent construction.

Theory and procedure. Use $q(A_i, S_j)$ for cell quantity. Activity 2 models revenue and cost independently:

$$\begin{aligned} R(A_i, S_j) &= q(A_i, S_j)[r^A(A_i) + r^S(S_j)] + F^{R,A}(A_i) + F^{R,S}(S_j), \\ C(A_i, S_j) &= q(A_i, S_j)[c^A(A_i) + c^S(S_j)] + F^{C,A}(A_i) + F^{C,S}(S_j), \\ P_{ay}(A_i, S_j) &= R(A_i, S_j) - C(A_i, S_j). \end{aligned}$$

For each cell students separate revenue from cost, classify variable/fixed and alternative/state components, substitute quantity with units, total revenue, total cost, subtract, and check sign and scale. Direct total revenue or cost is not decomposed again.

Common errors. Adding cost to revenue, subtracting only variable cost, multiplying fixed terms by q , using one state's quantity in another cell, combining dollars with thousand dollars, or rounding before the final result. **Practice and exact sources.** Activity 2's Introductory General Problem has verified payoff rows (11, 5) and (8, 6). Progress from its direct model to one- and two-component contexts, then to the Complete Four-Component Model. Use School Lunch Service as a short rehearsal: verified profits are (14, 6) and (9, 7) thousand USD. Use Cold-Chain Distribution to practise the complete method; its exam solution models all revenue and cost contributions before subtraction. **DUA support.** A revenue/cost sorting mat, one worked

cell, calculator, units checklist and partially completed substitutions. **Extension.** Audit a peer's four-component model and locate the first incorrect term rather than only correcting the final payoff. **Evidence.** A full cell ledger, complete payoff representation and written unit check.

Part 4—C4: Decide Without Probabilities

Objective: Apply both Maximax and Maximin and interpret their different attitudes toward uncertainty.

Classroom format: Human row scan, paired calculation, structured debate, individual exam-style response.

Theory and procedure. For every alternative calculate its row maximum and row minimum:

$$A_{\text{Maximax}} = \arg \max_i \max_j P_{ay}(A_i, S_j), \quad A_{\text{Maximin}} = \arg \max_i \min_j P_{ay}(A_i, S_j).$$

Students mark one best and one worst value per row, compare like summaries, report ties, name the selected alternative, and interpret the upside or protection. Displayed probabilities are ignored for these two rules.

Common errors. Taking a column maximum, selecting the smallest row minimum, averaging, using probabilities, reporting only a number, or describing Maximin as minimizing payoff. **Practice and exact sources.** Activity 3, General 2×2 and contextual problems of increasing dimensions; exam Mobile Produce Shop and Warehouse Technology. Verified exam logic: Mobile Produce gives Maximax Business District (48) and Maximin Residential District (24); Warehouse Technology gives Maximax Automated (96) and Maximin Flexible (50). **DUA support.** Mark row maxima and minima with distinct symbols, verbalise “best of the best” and “best of the worst”, and provide a two-stage checklist. **Extension.** Find a case in Activity 3 where the rules disagree and explain the decision-maker attitude each recommendation serves. **Evidence.** Marked row summaries, both selections and a two-sentence comparison.

Practice and Assessment—First Learning Evidence

Practice proceeds from worked examples to paired, then independent problems. Before grading, groups complete an ungraded mixed rehearsal using Weekend Market, School Lunch, Mobile Produce and one complete-component calculation; the teacher returns criterion-coded feedback (C1 meaning, C2 placement, C3 model/arithmetic, C4 rule/interpretation). The **First Learning Evidence** is the repository written exam based on C1–C4 practice activities: decision characterisation, supplied-payoff organisation, direct and multi-component profit calculations, and Maximax/Maximin selections. Students submit the exam with all working. The teacher uses its solution to verify methods and results, then runs correction stations by criterion. Students needing recovery complete the matching C1–C4 catch-up skill set and submit corrected reasoning; solution files are teacher keys, not answer-copy sheets. The resulting payoff fluency is the prerequisite for regret and probability in Action N2.

Exit Ticket N1

- ☐ I can identify the decision-maker, alternatives, event, states, consequences and units.
- ☐ I can place every $P_{ay}(A_i, S_j)$ in the correct payoff position.
- ☐ I can separate revenue and costs, classify variable and fixed components, and calculate profit.
- ☐ I can apply and interpret Maximax and Maximin without probabilities.
- ☐ I can show full reasoning and I am ready for the C1–C4 written exam.

Independent study: Complete assigned Activity 1–3 problems in the shared course channel or learning notebook as directed. If OPEN, Teams or OneNote is used by the class, upload a readable page showing labels, substitutions, units and conclusions; an answer alone is not evidence.

Required student evidence: Discovery products; C1 profile; C2 payoff constructions; C3 calculation ledger; C4 row summaries and interpretations; ungraded rehearsal; exit ticket; written exam; and, when assigned, criterion-specific corrected catch-up work.

Pedagogical Action N2—Regret, Expected Value and Probability Sensitivity

Criteria: C5–C7

Cycles: Institutional cycle allocation not documented: _____

Dates: Within August 12–November 5, 2026; bundle dates: _____

Instructional hours: Not documented: _____

Deadline: _____

Role in progression: Re-use valid payoff tables to shift from attitudes without probability to foregone opportunity, probability-weighted choice, and robustness of probability assumptions.

Materials used: Practice Activity 3's C5 sections; Practice Activity 4; the archived C6 supplementary activity and solution and Lesson 2 worked material; the legacy regret (C6) and expected-value (C7) catch-up pairs, remapped by skill; Activity 4 itself for sensitivity remediation. No C5–C7 formal exam source is currently stored.

Vocabulary. State best, opportunity loss, regret, maximum regret, Minimax Regret, probability, risk, mutually exclusive states, Expected Monetary Value, Bayes criterion, subjective probability, sensitivity, parameter p , indifference point, preference interval and dominated/never-optimal alternative.

Command words. Construct, subtract, determine, minimise, calculate, weight, compare, solve, analyse, test, interpret and justify.

Part 1—C5: Opportunity Loss and Minimax Regret

Objective: Construct a regret representation from a payoff table and select the smallest maximum regret.

Classroom format: State-column teams, paired audit, whole-class comparison with C4, independent transfer.

Theory and procedure. For each state first find $b_j = \max_i P_{ay}(A_i, S_j)$. Then compute

$$OL(A_i, S_j) = b_j - P_{ay}(A_i, S_j), \quad A_{\text{MMR}} = \arg \min_i \max_j OL(A_i, S_j).$$

Thus the best payoff within each state has zero regret. Students find column bests, subtract every payoff from the corresponding state best, find each row's maximum regret, and select the smallest of those maxima.

Common errors. Using a global rather than state-specific best, reversing the subtraction and creating negative regret, applying probabilities, selecting the largest maximum regret, or confusing loss payoff with opportunity loss. **Practice and exact sources.** Activity 3 General 2×2 and the Community Theater, Holiday Inventory and Routing System problem types; then the supplementary Cafeteria Supply or Bookstore Inventory case. The supplementary solution verifies state maxima and each subtraction. Activity 3 examples also show that Minimax Regret may select a different alternative from Maximax/Maximin. **DUA support.** Highlight one state at a time, use the sentence “best in this state minus this payoff”, and provide a zero-regret check. **Extension.** Explain why adding the same constant to every payoff within a state leaves regrets unchanged. **Evidence.** State-best list, complete regret work, row maximum regrets and contextual choice.

Part 2—C6: Expected Monetary Value and Bayes Choice

Objective: Validate probabilities, calculate EV for every alternative, rank alternatives and interpret the Bayes choice.

Classroom format: Probability check, teacher model, paired parallel calculations, individual comparison.

Theory and procedure. Confirm $0 \leq p_j \leq 1$ and $\sum_j p_j = 1$. Then

$$EV(A_i) = \sum_j \Pr(S_j) P_{ay}(A_i, S_j),$$

using the same probability for every alternative in a state. Show each product, sum without premature rounding, compare all EVs, report ties, and interpret EV in the stated monetary units. EV is a long-run or probability-weighted measure, not a guaranteed payoff.

Common errors. Probabilities not summing to one; matching a probability to an alternative rather than a state; choosing the largest single payoff; omitting negative payoffs; dividing the sum again; or calling EV guaranteed. **Practice and exact sources.** Activity 4 C6: Community Theater (verified $EV_A = 40$, $EV_B = 38.4$, $EV_C = 37$, select A); Holiday Inventory (51, 54.5, 48.5, select B); Routing System (20.75 versus 22.4, select B), all in thousand dollars. The legacy C7 catch-up and Lesson 2 material provide extra expected-value cases by skill. **DUA support.** Probability strip, product-by-product template, calculator and verbal interpretation frame. **Extension.** Compare the Bayes choice with C4/C5 choices on the same Activity 3 dataset and identify which added information changed the analysis. **Evidence.** Probability audit, complete EV expressions, ranking and recommendation with a non-guarantee statement.

Part 3—C7: Probability Sensitivity

Objective: Express EV as a function of p , find valid tie points and identify the preferred alternative on each probability interval.

Classroom format: Graph-free algebra model, paired inequality check, number-line gallery, independent explanation.

Theory and procedure. For two states set $\Pr(S_1) = p$ and $\Pr(S_2) = 1 - p$, where $0 \leq p \leq 1$. Students form and simplify every EV function, equate competing functions to locate an indifference point, test one value on each side, state exact preference ranges, and check whether another alternative is ever the upper EV choice. Endpoint checks detect reversed inequalities.

Common errors. Assigning p to both states; forgetting $1 - p$; solving a tie but not preference ranges; accepting p outside $[0, 1]$; reversing above/below; or assuming every plan must be optimal somewhere. **Practice and exact sources.** Activity 4 C7 Marketing Options: $EV(A) = 12p + 12$, $EV(B) = 2p + 16$, tie $p = 0.4$, A above and B below. Production: $EV(A) = 28p + 4$,

$EV(B) = 6p + 14$, $EV(C) = 2p + 10$; A/B tie at $5/11$, A above, B below, and C never optimal. Zoning: $EV(A) = 20p + 6$, $EV(B) = 8p + 12$, tie 0.5, A above and B below. **DUA support.** Colour p and $1 - p$, use a three-line tie/test/conclude organizer and allow number-line or oral output. **Extension.** Prove C is never optimal in Production by comparison and explain the economic meaning of a probability estimate close to a threshold. **Evidence.** Simplified EV functions, algebraic tie, interval statement, test values and interpretation of robustness.

Practice and Assessment—Second Learning Evidence

Students first complete ungraded collaborative regret, EV and sensitivity rounds using the named contexts. Peers audit one operation at a time; teacher feedback is coded C5 (benchmark/subtraction/selection), C6 (probability/product/sum/interpretation), or C7 (function/tie/interval). The **Second Learning Evidence** is a written exam based on the C5–C7 practice activities, with a supplied payoff table for regret, a probability table for EV, and a two-state parameter problem for sensitivity. Its repository file, date, duration, point allocation and threshold are not documented and remain institutional completion items; none is invented here. Students submit the exam and all calculations. Corrections are made by criterion. For regret, the archived supplementary and legacy C6 catch-up are used; for EV, the legacy C7 catch-up is used; for sensitivity, students redo the relevant Activity 4 case with changed prompts and explain the threshold. Corrected evidence is attached to the original. The bundle supplies the three rules compared in N3.

Exit Ticket N2

- ☐ I can find each state's best payoff and calculate non-negative opportunity losses.
- ☐ I can select the smallest maximum regret and justify the choice.
- ☐ I can verify probabilities, calculate every EV and apply Bayes.
- ☐ I can find a probability tie point and state preference ranges on $0 \leq p \leq 1$.
- ☐ I can show full reasoning and I am ready for the C5–C7 written exam.

Independent study: Finish the assigned Activity 3 regret and Activity 4 EV/sensitivity cases. Submit through the class's established OPEN/Teams/OneNote route if directed, or in the learning notebook. Evidence must include state maxima, products, sums, algebra, valid probability ranges and written conclusions.

Required student evidence: C5 regret analysis; three C6 EV calculations; one fully explained C7 threshold analysis; collaborative audit; exit ticket; written exam; criterion-coded correction; and assigned remediation.

Pedagogical Action N3—Comparing Decision Rules, Decision Trees and Integrated Analysis

Criteria: C8–C10

Cycles: Institutional cycle allocation not documented: _____

Dates: Within August 12–November 5, 2026; bundle dates: _____

Instructional hours: Not documented: _____

Deadline: _____

Role in progression: Synthesize previously learned calculations into criterion comparison, staged selection and a transparent final economic argument. This is the transfer bundle and final term evidence.

Materials used: Archived Lesson 3 Material, the only current C8–C10 worked source, plus selected Activity 3–4 datasets for retrieval. No separate current C8–C10 exam, project brief, project problem bank or catch-up file is physically present.

Vocabulary. Common dataset, ranking, criterion agreement, criterion conflict, decision rule, candidate set, filter, node, branch, leaf, staged decision, joint state, joint probability, independence assumption, integrated analysis, evidence, limitation and recommendation.

Command words. Apply, rank, compare, contrast, represent, trace, integrate, evaluate, communicate, defend and recommend.

Part 1—C8: Compare Bayes, Maximin and Minimax Regret

Objective: Apply all three rules to one dataset, provide ordered results, and explain agreement or conflict in economic terms.

Classroom format: Three expert groups (one criterion each), mixed-group reconciliation, individual synthesis.

Theory and procedure. A fair comparison holds the alternatives, states, payoffs and, for Bayes, probabilities constant. Students validate the data, calculate EVs and rank greatest to least; calculate row minima and rank greatest to least; construct regrets and rank maximum regrets least to greatest; then state each winner and explain what each rule values. A difference is not a calculation failure if the verified rankings differ.

Common errors. Comparing results from different datasets, ranking regret in the wrong direction, using probability in Maximin/regret, reporting only winners rather than calculations, or claiming one rule is universally correct. **Practice and exact**

sources. Lesson 3 Material C8 Problems 1 and 2. In its first worked dataset, Bayes and Maximin select A_2 , while Minimax Regret ties A_1 and A_3 ; students reproduce the calculations and interpret why rules differ. Retrieve one Activity 4 dataset and add the non-probability rules for transfer. **DUA support.** Criterion cards with direction arrows, role-based group calculation, ranking sentence frames and oral recorded comparison. **Extension.** Identify what change in payoff or probability could alter only Bayes and justify the claim. **Evidence.** Three auditable rankings, winner comparison and an assumption-aware paragraph.

Part 2—C9: Represent a Staged Decision with a Tree

Objective: Build and follow a labelled tree that filters a candidate set through a specified sequence of criteria.

Classroom format: Teacher modelling, floor-sized branch sequence, paired redraw, individual trace.

Theory and procedure. In the repository's Lesson 3 convention, the tree is a staged filter rather than a chance-node EV tree. Start at D_0 with all alternatives; label $D_1, D_2, \dots$ with the criterion and retention rule; branch only to retained candidates; show terminal leaves and identify the final leaf. Calculations must precede the diagram. Because filters reduce a set, the specified order can affect the final choice.

Common errors. Drawing a decorative tree without values, removing an alternative not excluded by the rule, applying a later criterion to the full set, changing the given filter order, missing ties, or confusing a leaf with a state of nature. **Practice and exact**

sources. Lesson 3 C9 problems: one process keeps the best four EV options, then the best two Maximin options, then the smallest Minimax Regret; its verified final selection is B_2 . Another keeps three by EV, two by Minimax Regret and selects by Maximin; its verified final selection is X_5 . Students reproduce one and design a clear text-tree for the other. **DUA support.** Movable candidate cards, node template, colour-coded retained branches, and permission to submit a labelled linear text tree. **Extension.** Swap two stages, recalculate the candidate sets and determine whether the outcome is order-sensitive. **Evidence.** Candidate-set record, labelled nodes/branches/leaves and a trace explaining the selected terminal alternative.

Part 3—C10: Integrated Analysis and Communication

Objective: Complete a reproducible analysis from narrative data to a final evidence-based recommendation and communicate it clearly.

Classroom format: Project teams for modelling and peer review; individual calculation checks and individual oral or written defence.

Theory and procedure. Students follow an analysis protocol:

1. define decision-maker, objective, alternatives, event/states, consequences, units and assumptions;
2. calculate or validate $P_{ay}(A_i, S_j)$ and probabilities, including joint probabilities only when the stated model supports multiplication;
3. provide the complete payoff mapping and audit a cell;
4. calculate and rank Bayes, Maximin and Minimax Regret;
5. build and follow the assigned staged tree;
6. compare convergence/conflict, recommend an alternative, cite numerical evidence, and state limitations or sensitivity.

Joint states in the Lesson 3 food-processing model combine demand and operating cost probabilities under the worked independence structure; students must not assume independence in a new case unless it is given or explicitly justified.

Common errors. Multiplying unrelated probabilities without an assumption, mixing revenue and profit, hiding intermediate work, inconsistent rank directions, choosing before completing analysis, presenting a tree that does not match rankings, or giving advocacy without limitations. **Practice and exact sources.** Lesson 3 C10 Food-Processing Packaging: verified joint probabilities are 0.30, 0.18, 0.12, 0.20, 0.12, 0.08; verified EV ranking is $P(220) > R(213) > Q(205)$, Maximin is $P(60) > R(35) > Q(5)$, maximum regrets are $P = 10, R = 25, Q = 55$, and the staged tree selects P . The Online Retailer extension provides a six-option analysis; its verified final leaf is S_5 . **DUA support.** Milestone checklist, assigned team roles, modelled first cell, calculator/spreadsheet only as a checking tool, oral-plus-written options, and frequent teacher conferences. **Extension.** Test a changed probability or filter order and explain whether the recommendation remains robust. **Evidence.** Individual calculation appendix; team analysis; labelled tree; concise presentation; and individual defence naming evidence, assumptions and limitations.

Practice and Assessment—Third Learning Evidence

An ungraded collaborative Lesson 3 rehearsal precedes formal evidence: expert groups verify one criterion, exchange results, and reconcile rankings on the same dataset. Teacher feedback codes C8 (completeness/direction/interpretation), C9 (node/filter/trace) and C10 (model/integration/recommendation). The **Third Learning Evidence** is a written exam based on C8–C10 practice, complemented by project work. The exam asks for a common-dataset comparison, a staged-tree representation, and an integrated interpretation. The project requires a complete economic decision analysis and communication product as specified above. Separate exam and project files, dates, duration, weighting, point allocation and thresholds are not present in the current directory and remain blank institutional items. Students submit exam workings, project analysis, calculation appendix, tree, presentation and individual defence. Feedback is returned by criterion; errors are corrected against Lesson 3 worked logic and the relevant Activity 3–4 precursor. The teacher assigns a targeted re-analysis rather than exposing the complete key in advance. This final evidence demonstrates transfer of the entire C1–C10 progression.

Exit Ticket N3

- ☐ I can rank one dataset using Bayes, Maximin and Minimax Regret and explain agreement or conflict.
- ☐ I can build and trace a staged decision tree with labelled filters and leaves.
- ☐ I can connect a narrative, payoff model, probabilities, calculations and recommendation.
- ☐ I can state the assumptions, limitations and sensitivity of my conclusion.
- ☐ I can defend my evidence and I am ready for the C8–C10 written exam and project.

Independent study: Recalculate one Lesson 3 example without viewing its worked section, then self-audit. Develop the project calculation appendix and reflection independently. Digital submission occurs only through the class's established OPEN, Teams or OneNote route; every result must be traceable to formulas, substitutions, rankings and a written interpretation.

Required student evidence: C8 comparison; C9 tree and trace; C10 calculation appendix and integrated report; ungraded rehearsal; exit ticket; written exam; project communication; individual defence; and criterion-specific correction when assigned.

6. Learning-Evidence Overview and Institutional Completion

First Learning Evidence

Written C1–C4 exam stored in the repository. Practice: Activities 1–3. Submission: exam with reasoning. Feedback and recovery: criterion-coded correction and aligned C1–C4 catch-up. Connection: produces reliable payoff tables for N2.

Second Learning Evidence

Written C5–C7 exam based on Activities 3–4. Submission: regret, EV and sensitivity work with full reasoning. Feedback and recovery: criterion-coded review and skill-aligned supplementary/catch-up practice. Connection: supplies all rules used comparatively in N3. *Exam file and administrative details are not documented.*

Third Learning Evidence

Written C8–C10 exam complemented by an integrated decision-analysis project. Submission: exam, analysis, appendix, tree, presentation and defence. Feedback and recovery: criterion-coded re-analysis with Lesson 3 worked material. *Current exam/project files and administrative details are not documented.*

Unresolved institutional fields. Exact cycle numbers, bundle dates, instructional hours, deadlines, grading thresholds, and the administrative specifications for Learning Evidences 2 and 3 must be completed by the school. The stored C1–C4 exam states a threshold internally, but this plan does not generalise that file-specific statement into an undocumented term-wide rule.

References

All paths are relative to book2026-2027/grade10/term_1/. Only inspected materials actually used in this plan are listed. Archived files are identified as such and are used for worked extension or skill-aligned support, not treated as current formal assessments.

- **Course map:** README.md.
- **Activity 1, full and accessible parallel text:** 1-practice_activities/G10_T1_L1_C1C2_practice_activity1.tex; 1-practice_activities/G10_T1_L1_C1C2_practice_activity1-alternate-descriptions.tex.

- **Activity 2, full and accessible parallel text:** 1-practice_activities/G10_T1_L1_C1C3_practice_activity2.tex; 1-practice_activities/G10_T1_L1_C1C3_practice_activity2-alternate-descriptions.tex.
- **Activities 3–4 and teacher map:** 1-practice_activities/G10_T1_L2_C4C5_practice_activity3.tex; 1-practice_activities/G10_T1_L2_C6C7_practice_activity4.tex; 1-practice_activities/G10_T1_practice_activities_summary.tex.
- **First written evidence and verified key:** 2-learning_evidences/G10_T1_L1_C1C2C3C4_exam.tex; 2-learning_evidences/G10_T1_L1_C1C2C3C4_exam_solution.tex.
- **C1–C4 recovery pairs:** 3-catch_ups/G10_T1_C1_catchUp.tex; 3-catch_ups/G10_T1_C1_catchUp_soution.tex; 3-catch_ups/G10_T1_C2_catchUp.tex; 3-catch_ups/G10_T1_C2_catchUp_soution.tex; 3-catch_ups/G10_T1_C3_catchUp.tex; 3-catch_ups/G10_T1_C3_catchUp_soution.tex; 3-catch_ups/G10_T1_C4_catchUp.tex; 3-catch_ups/G10_T1_C4_catchUp_soution.tex.
- **Skill-aligned older recovery pairs:** 3-catch_ups/G10_T1_C6_catchUp.tex; 3-catch_ups/G10_T1_C6_catchUp_soution.tex (regret); 3-catch_ups/G10_T1_C7_catchUp.tex; 3-catch_ups/G10_T1_C7_catchUp_solution.tex (expected value).
- **Archived regret supplement and key:** 4-extra_material/old/G10_T1_L2_C6_activity_supplementary.tex; 4-extra_material/old/G10_T1_L2_C6_activity_supplementary_solution.tex.
- **Archived worked Lesson 2 reference:** 4-extra_material/old/G10_T1_L2_MATERIAL.tex.
- **Archived C8–C10 comparison, tree and integrated-analysis source:** 4-extra_material/old/G10_T1_L3_MATERIAL.tex.
- **Opening learner-profile support:** 4-extra_material/G10_T1_survey.tex.