

```
[root@localhost /] # cat /etc/my.cnf
[client]
default-character-set=utf8
[mysqld]
init connect=SET collation connection=utf8 general ci
init connect=SET NAMES utf8
character set server=utf8
collation-server=utf8 general ci
[mysqldump]
default-character-set=utf8
[mysql]
default-character-set=utf8
!includedir /etc/my.cnf.d
[root@localhost /]#
```




Category:		
⊡. Session	Basic options for your PuTTY session	
Logging Keyboard Bell Features Window Appearance Behaviour Translation Selection Colours Connection Data Proxy Telnet Rlogin Serial	Specify the destination you want to connect Host Name (or IP address) 192.168.3.202 Connection type: Raw Telnet Rlogin SSH Load, save or delete a stored session Saved Sessions Default Settings Close window on exit: Always Never Only on cle	Port 22 Serial Load Save Delete
About	Open	Cancel

```
TYPE="Ethernet"
PROXY_METHOD="none"
BROWSER_ONLY="no"
BOOTPROTO="dhcp" ▶ "none"으로 변경하면 고정ip
DEFROUTE="yes"
IPV4_FAILURE_FATAL="no"
IPV6INIT="yes"
IPV6_AUTOCONF="yes"
IPV6_DEFROUTE="yes"
IPV6_FAILURE_FATAL="no"
IPV6_ADDR_GEN_MODE="stable-privacy"
NAME="ens33"
UUID="요기 만지면 안됨"
DEVICE="ens33"
ONBOOT="yes"
<고정ip 지정>
IPADDR=192.168.0.xxx
PREFIX=24
<외부 통신 가능한 라인 시 설정>
GATEWAY=192.168.0.1
DNS1=168.xxx.xxx.1
DNS2=168.xxx.xxx.2
```



웹서버: yum -y install httpd 네트워크 관련 패키지 설치: yum -y install net-tools 운영체제에 오픈 포트 확인: netstat -tnlp

firewall-cmd --permanent --add-port=80/tcp



firewall-cmd --permanent --add-port=3306/tcp

