# Package 'KRNMA'

July 9, 2022

**Type** Package

**Title** Kenward-Roger-Type Inferences for Network Meta-Analysis

**Version** 1.1-1

**Date** 2022-07-09

**Author** Hisashi Noma

**Maintainer** Hisashi Noma <noma@ism.ac.jp>

**Description** Kenward-Roger-type inferences for network meta-analysis.

**Depends** R (>= 3.5.0)

**Imports** stats

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.1

## R topics documented:

---

KRNMA-package           *The 'KRNMA' package.*

---

### Description

Kenward-Roger-type inferences for network meta-analysis.

### References

Noma, H., Hamura, Y., Gosho, M. and Furukawa, T. A. (2022). Kenward-Roger–type corrections for inference methods of network meta-analysis and meta-regression. In Preparation.

---

data.edit                    *Transforming arm-level data to contrast-based summary statistics*

---

### Description

Transforming arm-level data to contrast-based summary statistics.

### Usage

```
data.edit(study,trt,d,n)
```

### Arguments

| | |
|---|---|
| study | Study ID |
| trt | Numbered treatment (=1,2,...) |
| d | Number of events |
| n | Sample size |

### Value

Contrast-based summary statistics are generated.

- y: Contrast-based summary estimates.
- S: Vectored within-study covariance matrix.

### Examples

```
data(dstr)
attach(dstr)

edat <- data.edit(study,trt,d,n) # transforming the arm-level data to the contrast-based summaryies
```

---

dstr                        *Siontis et al. (2018)'s network meta-analysis data*

---

### Description

- study: Study ID
- treat: Treatment
- trt: Numbered treatment (1:CCTA, 2:CMR, 3:exercise ECG, 4:SPECT-MPI, 5:standard care, 6:Stress Echo)
- n: Sample size
- d: Number of events

### Usage

```
data(dstr)
```

## Format

A arm-based dataset with 29 rows and 5 variables

## References

Siontis, G. C., Mavridis, D., Greenwood, J. P., et al. (2018). Outcomes of non-invasive diagnostic modalities for the detection of coronary artery disease: network meta-analysis of diagnostic randomised controlled trials. *BMJ.* **360**: k504.

---

| KR | *Kenward-Roger-type inferences for network meta-analysis* |
|---|---|

---

## Description

Implementing the Kenward-Roger-type inferences for network meta-analysis.

## Usage

```
KR(y, S)
```

## Arguments

| | |
|---|---|
| y | Contrast-based summary data of the outcome measure |
| S | Covariance estimates of y |

## Value

Results of the standard and Kenward-Roger-type inferences for network meta-analysis.

- ML: Maximum likelihood (ML) estimates and Wald-type confidence intervals.
- REML: Restricted maximum likelihood (REML) estimates and Wald-type confidence intervals.
- KR_E: Kenward-Roger-type estimates using expected information and Wald-type confidence intervals.
- KR_O: Kenward-Roger-type estimates using observed information and Wald-type confidence intervals.

## References

Noma, H., Hamura, Y., Gosho, M. and Furukawa, T. A. (2022). Kenward-Roger–type corrections for inference methods of network meta-analysis and meta-regression. In Preparation.

## Examples

```
data(dstr)
attach(dstr)

edat <- data.edit(study,trt,d,n) # transforming the arm-level data to the contrast-based summaryies

y <- edat$y
S <- edat$S
```

```
KR_out <- KR(y,S) # implementing the Kenward-Roger-type inferences

ML <- KR_out[["ML"]]
REML <- KR_out[["REML"]]
KR_E <- KR_out[["KR_E"]]
KR_O <- KR_out[["KR_O"]]

# Results of the NMA analysis; comparative odds-ratio estimates and their 95% confidence intervals

exp(ML[[1]]) # ordinary ML estimation
exp(REML[[1]]) # ordinary REML estimation
exp(KR_E[[1]]) # KR(E) method
exp(KR_O[[1]]) # KR(O) method
```

# Index