

Linux Unhatched

Created by Muhammad Noman Aslam

+923416902120



Welcome!



Hello, and welcome to the NDG Linux Unhatched Module! We are very excited to offer you this short introduction to the world of Linux. Before you get started, we would like to take the opportunity to explain the intent and scope of this module.

Do not be concerned if you have little or no Linux experience. This module is designed as an introduction for beginning learners without previous Linux training. If you find this material useful, you may consider continuing with our [NDG Linux Essentials](#) or [NDG Introduction to Linux](#) courses to build additional knowledge. Additional information regarding these courses can be found at the end of this module.

As you may already be aware, the Linux kernel has found its way into an incredible number of diverse systems. It can now be found in everything from automobiles to rockets, watches to televisions, and netbooks to the fastest supercomputers. Linux only accounts for a relatively small percentage of the operating systems found on desktop computers, but has gained widespread use in servers, Internet of Things (IoT) devices, networking equipment, smartphones, and many other devices you may not think of as even being computers. From the home router providing your Internet connection to the server this course is hosted on, it is likely that multiple Linux powered devices are currently enabling you to read this page.

We hope that you find the NDG Linux Unhatched Module helpful. Congratulations on taking your first steps into the world of Linux!

Linux is Everywhere!



Why Learn Linux?

The field of Information Technology (IT) is full of opportunities. For individuals who wish to pursue a career in IT, one of the biggest challenges can be deciding how to get started. Often, people are motivated to learn new skills that will enable them to pursue bigger and better opportunities in both their personal and professional lives. Learning a new skill takes time and discipline, but with the right

motivation, it doesn't have to be painful. In this section, we will discuss why the time and effort you invest in learning Linux will be beneficial to you; and remember, everyone working in IT had to start somewhere.

Learning Linux is a great way to start! Why is Linux an important skill to learn in today's technology-driven world?

What is Linux?

Before we determine what makes Linux such a great asset to your skill-set, let's define it first. Linux is operating system software that runs on a hardware computer system. An operating system is software that allows other programs like word processors and web browsers to be installed and run on a computer.

Your cell phone, tablet, laptop and desktop all need an operating system to run the software (often called applications) you want to use. This means that Linux is not limited to only desktops and laptops, and we will expand on that as we continue our discussion.

The main reason why learning Linux is useful is that Linux is used almost everywhere! Linux is used on desktop and laptop computers, web servers, mobile devices (Android), public cloud technology (i.e., Google, Amazon, etc), Chromebooks, and networking (i.e., Cisco Networks). Although you may not have ever used Linux on a desktop or laptop, **it is likely that you are using other technology that runs on Linux** such as a mobile phone running Android, a tablet or popular websites such as Facebook, Twitter, and Amazon. In fact, it is estimated that servers running Linux generate over half of the web pages on the internet.

Who can use Linux?

You may have heard of Linux and thought that only technologically advanced individuals are using it for programming, developing, or maybe even hacking! Although it is true that many techies use Linux, that doesn't mean Linux is too difficult to learn or isn't useful for beginners.

In fact, understanding Linux, especially the Linux command line interface, will help you understand computing better while giving you **basic computing skills that you can use in a future career**.

The Linux command-line is a text-based interface that accepts commands that you type into it. These commands cause an action to be executed onto the computer system's operating system. Of course, windows and icons are easy to use, however, the command-line is often the hero when it comes to system administration and troubleshooting as it gives a clear picture of what the system is doing at any given moment.

All this considered, why is learning Linux a good start for someone considering a career in IT? As previously stated, the use of Linux is widespread and is continuing to grow in all areas of technology. What do companies and organizations like NASA, McDonald's, New York Stock Exchange (NYSE), DreamWorks Animation, and the US Department of Defense all have in common? Yes, you guessed correctly, they all use Linux.

These companies have something else in common in that they recognize that investing in technology is important in a world that is anxious to adopt new technology to innovate and solve problems. The proliferation of tech in almost every aspect of life has solved many problems but has also created some new challenges. For example, now that almost everything can be done online, we are creating digital data at a rapid rate, which is creating a demand for that data. **Technical skills to analyze, process, protect, and transmit data are therefore also in high demand.** Learning Linux can help you on the journey towards acquiring these skills. The following are examples of a few IT professions that require knowledge of Linux skills:

- **Network Engineering** - Network engineers are responsible for managing the network computers use to transmit data. Knowledge of Linux is critical for network engineers since more than half of the world's servers are Linux-based. Most network operating systems are based on a variation of Linux.

- **Cybersecurity** - Cybersecurity professionals monitor and investigate security threats to data on systems. Linux is used in cybersecurity to carry out system penetration testing and assess the vulnerability of a system.
- **Developing/Programming** - Developers and programmers design computer applications. The Linux command-line allows developers and programmers to script; a function that allows a user to put commands together to execute complex actions on a computer. Linux is also used in this field because only Linux allows users to access its source code, giving users the ability to experiment with the code and learn by doing.
- **Data Analysis** - Data analysts and scientists sort and analyze data sets to find patterns in order to report and predict trends and behavior. Data analysts use Linux due to the wide array of tools and commands available for data analysis, such as MySQL and more.

Linux operating systems come in many forms. There is a variety of distributions available to fit the needs and demands of many IT sectors. For example, cybersecurity professionals may use Linux Kali, developers may use Linux Ubuntu, regular users may use Linux Mint, and enterprise servers can run on Red Hat Enterprise Linux.

A few other great reasons to use and learn Linux are that, in many cases, it is **free, easy to install, open source, and there is an active Linux community available for support**. This allows beginners who want to start growing their IT skills to start using Linux easily.

As you can see, there are many reasons to learn and explore Linux!

Arguments

```
command [options...] [arguments...]
```

An argument can be used to specify something for the command to act upon. The `ls` command can be given the name of a directory as an argument, and it will list the contents of that directory. In the next example, the `Documents` directory will be used as an argument:

```
sysadmin@localhost:~$ ls Documents
School          alpha-second.txt  food.txt          linux.txt         os.csv
Work            alpha-third.txt   hello.sh          longfile.txt      people.csv
adjectives.txt  alpha.txt         hidden.txt        newhome.txt       profile.txt
alpha-first.txt animals.txt        letters.txt       numbers.txt       red.txt
```

The resulting output is a list of files contained with the `Documents` directory.

Because Linux is open source, there are some interesting secrets that have been added by developers. For example, the `aptitude` command is a package management tool available on some Linux distributions. This command will accept `moo` as an argument:


```
sysadmin@localhost:~$ aptitude moo
```

There are no Easter Eggs in this program.

There is more to this trick than meets the eye, keep reading!

Linux is Open Source

Linux is developed by a community, you view and contribute to the source code!



Options

```
command [options...] [arguments...]
```

Options can be used to alter the behavior of a command. On the previous page, the `ls` command was used to list the contents of a directory. In the following example, the `-l` option is provided to the `ls` command, which results in a "long display" output, meaning the output gives more information about each of the files listed:

```
sysadmin@localhost:~$ ls -l
total 32
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Desktop
drwxr-xr-x 4 sysadmin sysadmin 4096 Aug  4 20:58 Documents
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Downloads
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Music
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Pictures
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Public
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Templates
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Videos
```

Often the character is chosen to be mnemonic for its purpose, like choosing the letter *l* for *long* or *r* for *reverse*. By default, the `ls` command prints the results in alphabetical order, so adding the `-r` option will print the results in reverse alphabetical order.

```
sysadmin@localhost:~$ ls -r
```

Videos Templates Public Pictures Music Downloads Documents Desktop

Multiple options can be used at once, either given as separate options as in `-l -r` or combined like `-lr`. The output of all of these examples would be the same:

```
ls -l -r
ls -rl
ls -lr
```

As explained above, `-l` gives a long listing format while `-r` reverses the listing. The result of using both options is a long listing given in reverse order:

```
sysadmin@localhost:~$ ls -l -r
total 32
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Videos
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Templates
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Public
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Pictures
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Music
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Downloads
drwxr-xr-x 4 sysadmin sysadmin 4096 Aug  4 20:58 Documents
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Desktop
sysadmin@localhost:~$ ls -rl
total 32
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Videos
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Templates
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Public
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Pictures
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Music
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Downloads
drwxr-xr-x 4 sysadmin sysadmin 4096 Aug  4 20:58 Documents
drwxr-xr-x 2 sysadmin sysadmin 4096 Aug  4 20:58 Desktop
```

Ultimately, commands can use many combinations of options and arguments. The possibilities for each command will be unique. Remember the `aptitude` easter egg?

```
sysadmin@localhost:~$ aptitude moo
There are no Easter Eggs in this program.
```

It is possible to alter the behavior of this command using options. See what happens when the `-v` (verbose) option is added:

```
sysadmin@localhost:~$ aptitude -v moo
There really are no Easter Eggs in this program.
```

By combining multiple `-v` options, we can get a variety of responses:

```
sysadmin@localhost:~$ aptitude -vv moo
Didn't I already tell you that there are no Easter Eggs in this program?
sysadmin@localhost:~$ aptitude -vvv moo
Stop it!
```

Remember multiple options can be denoted separately or combined:

```
aptitude -v -v moo
aptitude -vv moo
```

Keep adding `-v` options to see how many unique responses you can get!



Printing Working Directory

In order to discover where you are currently located within the filesystem, the `pwd` command can be used. The `pwd` command prints the working directory, your current location within the filesystem:

```
pwd [OPTIONS]
```


Consider This

Don't turn on your printer just yet! In the early days of computing the command line output would be sent to physical printers. This method was replaced by video displays which could display

information more quickly. We still use the word *print* even though the output is just being displayed on your screen.

```
sysadmin@localhost:~$ pwd  
/home/sysadmin
```

The output of the above command indicates that the user is currently in their home folder, shown in the filesystem below.



Consider This


Notice our virtual machines employ a prompt that displays the current working directory, emphasized with the color blue. In the first prompt above, the blue ~ is equivalent to `/home/sysadmin`, representing the user's home directory.

```
sysadmin@localhost:~$
```

After changing directories (we will learn how to do this in the next section), the new location can also be confirmed in the new prompt, again shown in blue.


```
sysadmin@localhost:/etc/calendar$
```


Changing Directories




Changing Directories

Files are used to store data such as text, graphics and programs. Directories are a type of file used to store other files—they provide a hierarchical organizational structure. The image below shows an abbreviated version of the filesystem structure on the virtual machines.



When you start a fresh virtual machine, either by opening the course or after using the reset button, you are logged in as the `sysadmin` user in your home directory, highlighted below:



To navigate the filesystem structure, use the `cd` (change directory) command to change directories.


```
cd [options] [path]
```

If you look back at the graphic above, you will see the `Documents` directory is located within the `home` directory, where you are currently located. To move to the `Documents` directory, use it as argument to the `cd` command:


```
sysadmin@localhost:~$ cd Documents
sysadmin@localhost:~/Documents$
```

Directories are equivalent to folders on Windows and Mac OS. Like these more popular operating systems, a Linux directory structure has a top level. It is not called "My Computer", but rather the *root* directory and it is represented by the `/` character. To move to the root directory, use the `/` character as the argument to the `cd` command.

```
sysadmin@localhost:~$ cd /
```



The argument to the `cd` command is more than just the name of a directory, it is actually a *path*. A path is a list of directories separated by the `/` character. For example, `/home/sysadmin` is the path to your home directory:



If you think of the filesystem as a map, paths are the step-by-step directions; they can be used to indicate the location of any file within the filesystem. There are two types of paths: absolute and relative. Absolute paths start at the root of the filesystem, relative paths start from your current location.

Absolute Paths

An absolute path allows you to specify the exact location of a directory. It always starts at the root directory, therefore it always begins with the `/` character. The path to the home directory `/home/sysadmin` is an absolute path. The path begins at the root `/` directory, moves into

the `home` directory, and then into the `sysadmin` directory. Following this path on a graphical user interface (GUI) like your home computer would look something like this:



Use this path as an argument to the `cd` command to move back into the home directory for the `sysadmin` user.

```
sysadmin@localhost:/$ cd /home/sysadmin
sysadmin@localhost:~$
```


No output means the command succeeded. Go ahead and confirm this using the `pwd` command:

```
sysadmin@localhost:~$ pwd
/home/sysadmin
```


Relative Paths

A relative path gives directions to a file relative to your current location in the filesystem. Relative paths do not start with the `/` character, they start with the name of a directory. Take another look at the first `cd` command example. The argument is an example of the simplest relative path: the name of a directory in your current location.


```
sysadmin@localhost:~$ cd Documents
sysadmin@localhost:~/Documents$
```



The image below shows a map of the files contained within the `sysadmin` directory. You are currently in the `Documents` directory and want to move to the `Art` directory:



A relative path begins in from with the current directory, however you don't include it in the path. The first step would be to move into the `School` directory, and then move into the `Art` directory. Use the `/` character to separate the directory names and the result `School/Art` is a relative path from the `Documents` directory to the `Art` directory:



Use the relative path as an argument to the `cd` command to move into the `Art` directory.


```
sysadmin@localhost:~/Documents/$ cd School/Art
sysadmin@localhost:~/Documents/School/Art$
```

Use the `pwd` command to confirm the change:

```
sysadmin@localhost:~/Documents/School/Art$ pwd
/home/sysadmin/Documents/School/Art
```

Consider This

The output of the `pwd` command is the absolute path to the `Art` directory.



Consider This

In the example above the `cd` command followed the `School/Art` path:

```
cd School/Art
```

A path can also be broken down into multiple `cd` commands. The following set of commands would achieve the same results:

```
cd School
cd Art
```

Shortcuts

The `..` Characters

Regardless of which directory you are in, `..` always represents one directory higher relative to the current directory, sometimes referred to as the parent directory. To move from the `Art` directory back to the `School` directory:

```
sysadmin@localhost:~/Documents/School/Art$ cd ..  
sysadmin@localhost:~/Documents/School$
```

The `.` Character

Regardless of which directory you are in, the `.` character always represents your current directory. For the `cd` this shortcut is not very useful, but it will come in handy for commands covered in subsequent sections.

The `~` Character

The home directory of the current user is represented by the `~` character. As stated above, you always begin as the `sysadmin` user, whose home is located at `/home/sysadmin`. To return to your home directory at any time execute the following command:

```
sysadmin@localhost:~/Documents/School$ cd ~
```



Listing Files

The `ls` command is used to list the contents of a directory. You've already seen it used a few times before in examples, but this page will help ensure you are comfortable with its use.

```
ls [OPTIONS] [FILE]
```

By default, when the `ls` command is used with no options or arguments, it will list the files in the current directory:

```
sysadmin@localhost:~$ ls
```


To learn the details about a file, such as the type of file, the permissions, ownerships or the timestamp, perform a long listing using the `-l` option to the `ls` command. Below, a listing of the `/var/log` directory is used as an example, since it provides a variety of output:

```
sysadmin@localhost:~$ ls -l /var/log/
total 832
-rw-r--r-- 1 root  root  17869 Mar 14 17:48 alternatives.log
drwxr-x--- 2 root  adm   4096 Mar 14 17:48 apache2
drwxr-xr-x 2 root  root   4096 Mar 14 17:45 apt
-rw-r----- 1 syslog adm    380 Jul 28 03:45 auth.log
-rw-r--r-- 5 root  root  47816 Mar  2 23:10 bootstrap.log
-rw-rw---- 5 root  utmp     0 Mar  2 23:10 btmp
-rw-r----- 1 syslog adm    324 Jul 28 03:45 cron.log
-rw-r----- 1 root  adm   85083 Mar 14 17:48 dmesg
-rw-r--r-- 1 root  root 315196 Mar 14 17:48 dpkg.log
-rw-r--r-- 1 root  root  32064 Mar 14 17:48 faillog
drwxr-xr-x 2 root  root   4096 Jun 30 06:53 fsck
-rw-r----- 1 syslog adm    106 Jul 28 03:45 kern.log
-rw-rw-r-- 1 root  utmp 292584 Jul 28 03:45 lastlog
-rw-r----- 1 syslog adm   18703 Jul 28 03:46 syslog
drwxr-xr-x 2 root  root   4096 Apr 11 2014 upstart
-rw-rw-r-- 1 root  utmp    384 Jul 28 03:45 wtmp
```

Each line corresponds to a file contained within the directory. The information can be broken down into fields separated by spaces. The fields are as follows:

- **File Type**

- `-rw-r--r-- 1 root root 17869 Mar 14 17:48 alternatives.log`
- `drwxr-x--- 2 root adm 4096 Mar 14 17:48 apache2`

The first field actually contains ten characters, where the first character indicates the type of file and the next nine specify permissions. The file types are:

Symbol	File Type	Description
d	directory	A file used to store other files.

Symbol	File Type	Description
-	regular file	Includes readable files, images files, binary files, and compressed files.
l	symbolic link	Points to another file.
s	socket	Allows for communication between processes.
p	pipe	Allows for communication between processes.
b	block file	Used to communicate with hardware.
c	character file	Used to communicate with hardware.

The first file `alternatives.log` is a regular file `-`, while the second file `apache2` is a directory `d`.

Permissions

```
d rwxr-xr-x 1 root root 0 Apr 11 21:58 upstart
```

Permissions indicate how certain users can access a file. Keep reading to learn more about permissions.

- **Hard Link Count**

```
-rw-r----- 1 syslog adm 23621 Aug 23 15:17 auth.log
```

This number indicates how many hard links point to this file. Hard links are beyond the scope of this module, but are covered in the [NDG Linux Essentials](#) course.

- **User Owner**

```
-rw-r----- 1 syslog adm 416 Aug 22 15:43 kern.log
```

User `syslog` owns this file. Every time a file is created, the ownership is automatically assigned to the user who created it.

- **Group Owner**

```
-rw-rw-r-- 1 root utmp 292584 Aug 20 18:44 lastlog
```

Indicates which group owns this file

- **File Size**

```
-rw-r----- 1 syslog adm 1087150 Aug 23 15:17 syslog.1
```

Directories and larger files may be shown in kilobytes since displaying their size in bytes would present a very large number. Therefore, in the case of a directory, it might actually be a multiple of the block size used for the file system. Block size is the size of a series of data stored in the filesystem.

- **Timestamp**

```
drwxr-xr-x 1 root root 32 Jul 17 03:36 fsck
```

This indicates the time that the file's contents were last modified.

- **Filename**

```
-rw-r--r-- 1 root root 47816 Jul 17 03:36 bootstrap.log
```

The final field contains the name of the file or directory.

Consider This

In the case of symbolic links, a file that points to another file, the link name will be displayed along with an arrow and the pathname of the original file.

```
lrwxrwxrwx. 1 root root 22 Nov 6 2012 /etc/grub.conf -> ../boot/grub/grub.conf
```

Symbolic links are beyond the scope of this module, but are covered in the NDC LINUX ESSENTIAL course.

Sorting

By default the output of the `ls` command is sorted alphabetically by filename. It can sort by other methods as well.

Follow Along

The options in examples below will be combined with the `-l` option so the relevant details of the files are displayed. Notice fields corresponding to the search option.

The `-t` option will sort the files by timestamp:

```
sysadmin@localhost:~$ ls -lt /var/log
total 840
-rw-r----- 1 syslog adm 27014 Jul 28 00:10 syslog
```

```

-rw-r----- 1 syslog adm      380 Jul 27 23:10 auth.log
-rw-rw-r-- 1 root  utmp 292584 Jul 27 23:10 lastlog
-rw-rw-r-- 1 root  utmp   384 Jul 27 23:10 wtmp
-rw-r----- 1 syslog adm     324 Jul 27 23:10 cron.log
-rw-r----- 1 syslog adm     106 Jul 27 23:10 kern.log
drwxr-xr-x 2 root  root   4096 Jun 30 06:56 fsck
-rw-r--r-- 1 root  root   17869 Mar 14 17:48 alternatives.log
-rw-r----- 1 root  adm   85083 Mar 14 17:48 dmesg
-rw-r--r-- 1 root  root   32064 Mar 14 17:48 faillog
-rw-r--r-- 1 root  root 315196 Mar 14 17:48 dpkg.log
drwxr-x--- 2 root  adm    4096 Mar 14 17:48 apache2
drwxr-xr-x 2 root  root    4096 Mar 14 17:45 apt
-rw-r--r-- 5 root  root   47816 Mar  2 23:10 bootstrap.log
-rw-rw---- 5 root  utmp      0 Mar  2 23:10 btmp
drwxr-xr-x 2 root  root    4096 Apr 11 2014 upstart

```

The `-s` option will sort the files by file size:

```

sysadmin@localhost:~$ ls -l -S /var/log
total 840
-rw-r--r-- 1 root  root 315196 Mar 14 17:48 dpkg.log
-rw-rw-r-- 1 root  utmp 292584 Jul 27 23:10 lastlog
-rw-r----- 1 root  adm   85083 Mar 14 17:48 dmesg
-rw-r--r-- 5 root  root   47816 Mar  2 23:10 bootstrap.log
-rw-r--r-- 1 root  root   32064 Mar 14 17:48 faillog
-rw-r----- 1 syslog adm   27014 Jul 28 00:10 syslog
-rw-r--r-- 1 root  root   17869 Mar 14 17:48 alternatives.log
drwxr-x--- 2 root  adm    4096 Mar 14 17:48 apache2
drwxr-xr-x 2 root  root    4096 Mar 14 17:45 apt
drwxr-xr-x 2 root  root    4096 Jun 30 06:56 fsck
drwxr-xr-x 2 root  root    4096 Apr 11 2014 upstart
-rw-rw-r-- 1 root  utmp   384 Jul 27 23:10 wtmp
-rw-r----- 1 syslog adm    380 Jul 27 23:10 auth.log
-rw-r----- 1 syslog adm    324 Jul 27 23:10 cron.log
-rw-r----- 1 syslog adm    106 Jul 27 23:10 kern.log

```

```
-rw-rw---- 5 root utmp 0 Mar 2 23:10 btmp
```

The `-r` option will reverse the order of any type of sort. Notice the difference when it is added to the previous example:

```
sysadmin@localhost:~$ ls -lSr /var/log
total 840
-rw-rw---- 5 root utmp 0 Mar 2 23:10 btmp
-rw-r----- 1 syslog adm 106 Jul 27 23:10 kern.log
-rw-r----- 1 syslog adm 324 Jul 27 23:10 cron.log
-rw-r----- 1 syslog adm 380 Jul 27 23:10 auth.log
-rw-rw-r-- 1 root utmp 384 Jul 27 23:10 wtmp
drwxr-xr-x 2 root root 4096 Apr 11 2014 upstart
drwxr-xr-x 2 root root 4096 Jun 30 06:56 fsck
drwxr-xr-x 2 root root 4096 Mar 14 17:45 apt
drwxr-x--- 2 root adm 4096 Mar 14 17:48 apache2
-rw-r--r-- 1 root root 17869 Mar 14 17:48 alternatives.log
-rw-r----- 1 syslog adm 27014 Jul 28 00:10 syslog
-rw-r--r-- 1 root root 32064 Mar 14 17:48 faillog
-rw-r--r-- 5 root root 47816 Mar 2 23:10 bootstrap.log
-rw-r----- 1 root adm 85083 Mar 14 17:48 dmesg
-rw-rw-r-- 1 root utmp 292584 Jul 27 23:10 lastlog
-rw-r--r-- 1 root root 315196 Mar 14 17:48 dpkg.log
```

The numbers in file size field switch from descending to ascending.

Used alone the `-r` option will list the files in reverse alphabetical order:


```
sysadmin@localhost:~$ ls -r /var/log
wtmp      lastlog  faillog  cron.log  auth.log  alternatives.log
upstart   kern.log  dpkg.log  btmp      apt
syslog    fsck      dmesg    bootstrap.log  apache2
```

Did you know?

You can find
Linux in:



Administrative Access



Administrative Access

There are many Linux commands which deal with sensitive information like passwords, system hardware, or otherwise operate under other exceptional circumstances. Preventing regular users from executing these commands helps to protect the system. Logging in as the root user provides administrative access, allowing for the execution of some of the privileged commands.

The `su` Command

```
su OPTIONS USERNAME
```

The `su` command allows you to temporarily act as a different user. It does this by creating a new shell. The shell is simply a text input console that lets you type in commands. By default, if a user account is not specified, the `su` command will open a new shell as the root user, which provides administrative privileges.

Follow Along

Utilizing the login shell option is recommended, as the login shell fully configures the new shell with the settings of the new user. This option can be specified one of three ways:

```
su -  
su -l  
su --login
```

After executing the `su` command, a password is required. On our virtual machines, the password for both the `root` and `sysadmin` accounts is `netlab123`. If you ever forget, it is displayed every time a new virtual machine is started. As a security measure, the password will not be visible as it is typed.

```
sysadmin@localhost:~$ su -  
Password:  
root@localhost:~#
```

Note the command prompt has changed to reflect that you are now logged in as the `root` user. To logout and return to the `sysadmin` account, use the `exit` command. Note the prompt changes back:


```
root@localhost:~# exit  
exit  
sysadmin@localhost:~$
```

To avoid executing any sensitive commands, we've configured the Steam Locomotive command, the `sl` command, to require administrative access. If the command is executed as `sysadmin`, it fails:

```
sysadmin@localhost:~$ sl  
sl: Permission denied
```

Use the `su` command to switch to the `root` account and execute the `sl` command with administrative access:

```
sysadmin@localhost:~$ su -  
Password:  
root@localhost:~# sl  
  
          (@@) ( ) (@) ( ) @@      ( )   @   O   @  
        (    )  
      (@@@@)  
    (      )  
  
  (@@@)  
====
```



Use the `exit` command again to return to the `sysadmin` account.

```
root@localhost:~# exit
exit
sysadmin@localhost:~$
```

The `sudo` Command

```
sudo [OPTIONS] COMMAND
```

The `sudo` command allows a user to execute a command as another user without creating a new shell. Instead, to execute a command with administrative privileges, use it as an argument to the `sudo` command. Like the `su` command, the `sudo` command assumes by default the `root` user account should be used to execute commands.

Consider This

The `sudo` command can be used to switch to other user accounts as well. To specify a different user account use the `-u` option.

Execute the `sl` command as the root user by putting `sudo` in front of it:

```
sysadmin@localhost:~$ sudo sl
Password:
```

Note

Remember the password is `netlab123`. The prompt for the password will not appear again as long as the user continues to execute `sudo` commands less than five minutes apart.

Once the command has completed, notice the prompt has *not* changed, you are still logged in as `sysadmin`. The `sudo` command only provides administrative access for the execution of the specified command. This is an advantage as it reduces the risk that a user accidentally executes a

command as root. The intention to execute a command is clear; the command is executed as root if prefixed with the `sudo` command. Otherwise, the command is executed as a regular user.



Permissions

Permissions determine the ways different users can interact with a file or directory. When listing a file with the `ls -l` command, the output includes permission information. For the example we will use a script called `hello.sh` located in the `Documents` directory:

Follow Along

Use the following command to switch to the `Documents` directory:

```
sysadmin@localhost:~$ cd ~/Documents
sysadmin@localhost:~/Documents$ ls -l hello.sh
-rw-rw-r-- 1 sysadmin sysadmin 21 Aug  1 02:35 hello.sh
```

Below is a review of the fields relevant to permissions.

File Type Field

```
-rw-rw-r-- 1 sysadmin sysadmin 21 Aug  1 02:35 hello.sh
```

The first character of this output indicates the type of a file. Recall that if the first character is a `-`, this is a regular file. If the character was a `d`, it would be a directory.

Permissions Field

```
-rw-rw-r-- 1 sysadmin sysadmin 21 Aug  1 02:35 hello.sh
```

After the file type character, the permissions are displayed. The permissions are broken into three sets of three characters:

- **Owner**

```
-rw-rw-r-- 1 sysadmin sysadmin 21 Aug 1 02:35 hello.sh
```

The first set is for the user who owns the file. If your current account is the user owner of the file, then the first set of the three permissions will apply and the other permissions have no effect.

The user who owns the file, and who these permissions apply to, can be determined by the *user owner* field:

```
-rw-rw-r-- 1 sysadmin sysadmin 21 Aug 1 02:35 hello.sh
```

• Group

```
-rw-rw-r-- 1 sysadmin sysadmin 21 Aug 1 02:35 hello.sh
```

The second set is for the group that owns the file. If your current account *is not* the user owner of the file and you *are* a member of the group that owns the file, then the group permissions will apply and the other permissions have no effect.

The group for this file can be determined by the *group owner* field:

```
-rw-rw-r-- 1 sysadmin sysadmin 21 Aug 1 02:35 hello.sh
```

• Other

```
-rw-rw-r-- 1 sysadmin sysadmin 21 Aug 1 02:35 hello.sh
```

The last set is for everyone else, any one who that first two sets of permissions do not apply to. If you are not the user who owns the file or a member of the group that owns the file, the third set of permissions applies to you.

Permission Types

There are three different permissions that can be placed on a file or directory: read, write, and execute. The manner in which these permissions apply differs for files and directories, as shown in the chart below:

Permission	Effects on File	Effects on Directory
read (r)	Allows for file contents to be read or copied.	Without execute permission on the directory, allows for a non-detailed listing of files. With execute permission, <code>ls -l</code> can provide a detailed listing.


Permission	Effects on File	Effects on Directory
write (w)	Allows for contents to be modified or overwritten. Allows for files to be added or removed from a directory.	For this permission to work, the directory must also have execute permission.
execute (x)	Allows for a file to be run as a process, although script files require read permission, as well.	Allows a user to change to the directory if parent directories have execute permission as well.

Consider This

Understanding which permissions apply is an important skill set in Linux. For example, consider the following set of permissions:

```
-r--rw-rwx. 1 sysadmin staff 999 Apr 10 2013 /home/sysadmin/test
```

In this scenario, the user `sysadmin` ends up having less access to this file than members of the `staff` group or everyone else. The user `sysadmin` only has the permissions of `r--`. It doesn't matter if `sysadmin` is a member of the `staff` group; once user ownership has been established, only the user owner's permissions apply.



Changing File Permissions

The `chmod` command is used to change the permissions of a file or directory. Only the root user or the user who owns the file is able to change the permissions of a file.

Consider This

Why is the command named `chmod` instead of `chperm`? Permissions used to be referred to as *modes of access*, so the command `chmod` really means *change the modes of access*.

There are two techniques for changing permissions with the `chmod` command: *symbolic* and *octal*. The symbolic method is good for changing one set of permissions at a time. The octal or numeric method requires knowledge of the octal value of each of the permissions and requires all three sets of permissions (user, group, other) to be specified every time. For the sake of simplicity, only the symbolic method will be covered. To learn more about the octal method check out [NDG Linux Essentials!](#)

Follow Along

Use the following command to switch to the `Documents` directory:

```
sysadmin@localhost:~$ cd ~/Documents
```

The Symbolic Method

```
chmod [<SET><ACTION><PERMISSIONS>]... FILE
```

To use the symbolic method of `chmod` first indicate which *set* of permissions is being changed:

```
chmod [ <SET> <ACTION><PERMISSIONS>]... FILE
```

Symbol	Meaning
u	User: The user who owns the file.
g	Group: The group who owns the file.
o	Others: Anyone other than the user owner or member of the group owner.
a	All: Refers to the user, group and others.

Next, specify an action symbol:

```
chmod [<SET> <ACTION> <PERMISSIONS>]... FILE
```

Symbol	Meaning
+	Add the permission, if necessary

Symbol	Meaning
=	Specify the exact permission
-	Remove the permission, if necessary

After an action symbol, specify one or more permissions to be acted upon.

```
chmod [<SET><ACTION><PERMISSIONS>]... FILE
```

Symbol	Meaning
r	read
w	write
x	execute

Finally, a space and the pathnames for the files to assign those permissions.

```
chmod [<SET><ACTION><PERMISSIONS>]... FILE
```

The file `hello.sh` used in the examples on the previous page is a script. A script is a file that can be executed, similar to a command:

```
sysadmin@localhost:~/Documents$ ls -l hello.sh
-rw-rw-r-- 1 sysadmin sysadmin 21 Aug  1 02:35 hello.sh
```

However currently, the execute permission is not set for any of the permission groups:

```
-rw-rw-r-- 1 sysadmin sysadmin 21 Aug  1 02:35 hello.sh
```

Attempting to execute this script using the following syntax fails:

```
sysadmin@localhost:~/Documents$ ./hello.sh
-bash: ./hello.sh: Permission denied
```

Since the system is currently logged in as the `sysadmin` user, and `sysadmin` is the owner of this file, giving the user owner the execute permission should allow you to execute this script. Using the `chmod` command with the `u` character to represent the user owner permission set,

the + character to indicate a permission is being added, and the x character to represent the execute permission, the command should be executed as follows:

```
sysadmin@localhost:~/Documents$ chmod u+x hello.sh
```

No output indicates the command succeeded. Confirm by checking the permissions using the `ls -l` command:

```
sysadmin@localhost:~/Documents$ ls -l hello.sh
-rwxrw-r-- 1 root sysadmin 112 Aug  1 03:48 hello.sh
```

The user owner now has the execute permission listed:

```
-rwxrw-r-- 1 sysadmin sysadmin 21 Aug  1 02:35 hello.sh
```

Finally, attempt to execute the script again. Use the command syntax shown below:

```
./hello.sh
sysadmin@localhost:~/Documents$ ./hello.sh
```

```
_____
( Hello World! )
-----
      \
       \
        <(^)
         ( )
```

Consider This

Notice that to execute the script in the previous example, a `./` character combination was placed before the script name.

```
./hello.sh
```

This indicates the "command" should be run from the current directory.



Changing File Ownership

Initially, the owner of a file is the user who creates it. The `chown` command is used to change the ownership of files and directories. Changing the user owner requires administrative access. A regular user cannot use this command to change the user owner of a file, even to give the ownership of one of their own files to another user. However, the `chown` command also permits changing group ownership, which can be accomplished by either root or the owner of the file.

To change the user owner of a file, the following syntax can be used. The first argument, `[OWNER]`, specifies which user is to be the new owner. The second argument, `FILE`, specifies which file's ownership is changing.

```
chown [OPTIONS] [OWNER] FILE
```

Follow Along

Use the following command to switch to the `Documents` directory:

```
sysadmin@localhost:~$ cd ~/Documents
```

Currently all the files in the `Documents` directory are owned by the `sysadmin` user. This can be verified by using the `ls -l` command. Recall that the third column indicates the user owner.

```
sysadmin@localhost:~/Documents$ ls -l
total 148
drwxrwxr-x 2 sysadmin sysadmin 4096 Aug  1 03:40 School
drwxrwxr-x 2 sysadmin sysadmin 4096 Aug  1 03:40 Work
-rw-r--r-- 1 sysadmin sysadmin   39 Mar 14 17:48 adjectives.txt
-rw-r--r-- 1 sysadmin sysadmin   90 Mar 14 17:48 alpha-first.txt
-rw-r--r-- 1 sysadmin sysadmin   89 Mar 14 17:48 alpha-first.txt.original
-rw-r--r-- 1 sysadmin sysadmin  106 Mar 14 17:48 alpha-second.txt
-rw-r--r-- 1 sysadmin sysadmin  195 Mar 14 17:48 alpha-third.txt
```

```
-rw-r--r-- 1 sysadmin sysadmin 390 Mar 14 17:48 alpha.txt
-rw-r--r-- 1 sysadmin sysadmin 42 Mar 14 17:48 animals.txt
-rw-r--r-- 1 sysadmin sysadmin 14 Mar 14 17:48 food.txt
-rwxrw-r-- 1 sysadmin sysadmin 112 Aug 1 03:48 hello.sh
-rw-r--r-- 1 sysadmin sysadmin 67 Mar 14 17:48 hidden.txt
-rw-r--r-- 1 sysadmin sysadmin 10 Mar 14 17:48 letters.txt
-rw-r--r-- 1 sysadmin sysadmin 83 Mar 14 17:48 linux.txt
-rw-r--r-- 1 sysadmin sysadmin 66540 Mar 14 17:48 longfile.txt
-rw-r--r-- 1 sysadmin sysadmin 235 Mar 14 17:48 newhome.txt
-rw-r--r-- 1 sysadmin sysadmin 10 Mar 14 17:48 numbers.txt
-rw-r--r-- 1 sysadmin sysadmin 77 Mar 14 17:48 os.csv
-rw-r--r-- 1 sysadmin sysadmin 59 Mar 14 17:48 people.csv
-rw-r--r-- 1 sysadmin sysadmin 110 Mar 14 17:48 profile.txt
-rw-r--r-- 1 sysadmin sysadmin 51 Mar 14 17:48 red.txt
```

To switch the owner of the `hello.sh` script to the `root` user, use `root` as the first argument and `hello.sh` as the second argument. Don't forget to use the `sudo` command in order to gain the necessary administrative privileges. Use password `netlab123` when prompted:

```
sysadmin@localhost:~/Documents$ sudo chown root hello.sh
[sudo] password for sysadmin:
```

Confirm the user owner has changed by executing the `ls -l` command. Use the filename as an argument to limit the output:

```
sysadmin@localhost:~/Documents$ ls -l hello.sh
-rwxrw-r-- 1 root sysadmin 112 Aug 1 03:48 hello.sh
```

The user owner field is now `root` indicating the change was successful.

Consider This

Try executing the `hello.sh` script again. It fails! Why?

```
sysadmin@localhost:~/Documents$ ./hello.sh
-bash: ./hello.sh: Permission denied
```

Only the user owner has the execute permission, and now the `root` user is the user owner. This file now requires administrative access to execute. Use the `sudo` command to execute the script as the `root` user.

```
sysadmin@localhost:~/Documents$ sudo ./hello.sh
[sudo] password for sysadmin:
```



```
( Hello World! )  
-----  
  \  
  \  
    <(^)  
    ( )
```



Moving Files

The `mv` command is used to move a file from one location in the filesystem to another.

```
mv SOURCE DESTINATION
```

The `mv` command requires at least two arguments. The first argument is the source, a path to the file to be moved. The second argument is the destination, a path to where the file will be moved to. The files to be moved are sometimes referred to as the source, and the place where the files are to be placed is called the destination.

Follow Along

Use the following command to switch to the `Documents` directory:

```
sysadmin@localhost:~$ cd ~/Documents
```

To move the `people.csv` file into the `Work` directory, use the filename as the source, and the directory name as the destination:

```
sysadmin@localhost:~/Documents$ mv people.csv Work
```

If a file is moved from one directory to another without specifying a new name for the file, it will retain its original name. The move above can be confirmed using the `ls` command on the `Work` directory:

```
sysadmin@localhost:~/Documents$ ls Work
people.csv
```

The `mv` command is able to move multiple files, as long as the final argument provided to the command is the destination. For example, to move three files into the `School` directory:

```
sysadmin@localhost:~/Documents$ mv numbers.txt food.txt alpha.txt School
sysadmin@localhost:~/Documents$ ls School
Art  Engineering  Math  alpha.txt  food.txt  numbers.txt
```


Moving a file within the same directory is an effective way to rename it. For example, in the following example the `animals.txt` file is given a new name of `zoo.txt`:

```
mv animals.txt zoo.txt

sysadmin@localhost:~/Documents$ ls
School      alpha-second.txt  hidden.txt      newhome.txt
Work        alpha-third.txt   letters.txt     os.csv
adjectives.txt  animals.txt       linux.txt       profile.txt
alpha-first.txt hello.sh          longfile.txt    red.txt
sysadmin@localhost:~/Documents$ mv animals.txt zoo.txt
sysadmin@localhost:~/Documents$ ls
School      alpha-second.txt  letters.txt     os.csv
Work        alpha-third.txt   linux.txt       profile.txt
adjectives.txt  hello.sh          longfile.txt    red.txt
alpha-first.txt hidden.txt        newhome.txt     zoo.txt
```

Consider This

Permissions can have an impact on file management commands, such as the `mv` command. Moving a file requires write and execute permissions on both the origin and destination directories.



Manager of the Space Operations Computing (SpOC) for NASA Keith Chuvala

Penguins In Space!

NASA Uses Linux

International Space Station runs on Linux
“We migrated key functions from Windows to Linux because we needed an operating system that was stable and reliable.”

Curiosity the Mars Rover

Copying Files



Copying Files

Creating copies of files can be useful for numerous reasons:

- If a copy of a file is created before changes are made, then it is possible to revert back to the original.
- A copy of a file can be used to transfer a file to removable media devices.
- A copy of an existing document can be used as a template for a new document.

```
cp [OPTIONS] SOURCE DESTINATION
```

Follow Along

Use the following command to switch to the `Documents` directory:

```
sysadmin@localhost:~$ cd ~/Documents
```

The `cp` command is used to copy files. Similar to the `mv` command, it requires at least two arguments: a source and a destination. For example, to copy the `/etc/passwd` file to the current directory, use the following command:

```
sysadmin@localhost:~/Documents$ cp /etc/passwd .
```

Note

The second argument is the `.` character. Recall from the *Changing Directories* section that is a shortcut which represents the current directory.

The result of executing the previous command would create a copy of the contents of the `/etc/passwd` file in the `Documents` directory, since that is our current directory. This can be confirmed using the `ls` command:

```
sysadmin@localhost:~/Documents$ ls
School      alpha-second.txt  letters.txt      os.csv          zoo.txt
Work        alpha-third.txt   linux.txt        passwd
adjectives.txt  hello.sh          longfile.txt     profile.txt
alpha-first.txt hidden.txt         newhome.txt      red.txt
```

Consider This

Permissions can have an impact on file management commands, such as the `cp` command. In order to copy a file, it is necessary to have execute permission to access the directory where the file is located and the read permission for the file being copied.

It is also necessary to have write and execute permission on the directory the file is being copied to. Typically, there are two places where you should always have write and execute permission on the directory: your home directory and the `/tmp` directory.



Copying Files

The `dd` command is a utility for copying files or entire partitions at the bit level.

```
dd [OPTIONS] OPERAND
```

This command has several useful features, including:

- It can be used to clone or delete (wipe) entire disks or partitions.

- It can be used to copy raw data to removable devices, such as USB drives and CDROMs.
- It can backup and restore the MBR (Master Boot Record).
- It can be used to create a file of a specific size that is filled with binary zeros, which can then be used as a swap file (virtual memory).

Let's examine the following example. The `dd` command creates a file named `/tmp/swapex` with 50 blocks of zeros that are one megabyte in size:

```
sysadmin@localhost:~$ dd if=/dev/zero of=/tmp/swapex bs=1M count=50
50+0 records in
50+0 records out
52428800 bytes (52 MB) copied, 0.825745 s, 635 MB/s
```

The `dd` command uses special arguments to specify how it will work. The following illustrates some of the more commonly used arguments:

Argument	Description
<code>if</code>	Input File: The input file to be read from. <pre>dd if=/dev/zero of=/tmp/swapex bs=1M count=50</pre> <p>The example reads from the <code>/dev/zero</code> file, a special file containing an unlimited number of zeros.</p>
<code>of</code>	Output File: The output file to be written. <pre>dd if=/dev/zero of=/tmp/swapex bs=1M count=50</pre>
<code>bs</code>	Block Size: The block size to be used. By default, the value is considered to be in bytes. Use the following suffixes to specify other units: K, M, G, and T for kilobytes, megabytes, gigabytes and terabytes respectively. <pre>dd if=/dev/zero of=/tmp/swapex bs=1M count=50</pre> <p>The example uses a block size of one megabyte.</p>
<code>count</code>	Count: The number of blocks to be read from the input file. <pre>dd if=/dev/zero of=/tmp/swapex bs=1M count=50</pre> <p>The example command reads 50 blocks.</p>

Consider This

No block size or count needs to be specified when copying over entire devices. For example, to clone from one hard drive (`/dev/sda`) to another (`/dev/sdb`) execute the following command:
`dd if=/dev/sda of=/dev/sdb`



Removing Files

The `rm` command is used to delete files and directories. It is important to keep in mind that deleted files and directories do not go into a "trash can" as with desktop-oriented operating systems. When a file is deleted with the `rm` command, it is almost always permanently gone.

```
rm [OPTIONS] FILE
```

Follow Along

Use the following command to switch to the `Documents` directory:

```
sysadmin@localhost:~$ cd ~/Documents
```

Without any options, the `rm` command is typically used to remove regular files:

```
sysadmin@localhost:~/Documents$ rm linux.txt
sysadmin@localhost:~/Documents$ ls linux.txt
ls: cannot access linux.txt: No such file or directory
```

The `rm` command will ignore directories that it's asked to remove; to delete a directory, use a recursive option, either the `-r` or `-R` options. Just be careful since these options are "recursive", this will delete all files and all subdirectories:

```
sysadmin@localhost:~/Documents$ rm Work
rm: cannot remove 'Work': Is a directory
sysadmin@localhost:~/Documents$ rm -r Work
```


Warning

The `rm` command removes files permanently. To repeat the examples above, reset the terminal using the reset button.

Consider This

Permissions can have an impact on file management commands, such as the `rm` command.

To delete a file within a directory, a user must have write and execute permission on a directory. Regular users typically only have this type of permission in their home directory and its subdirectories.



Viewing Files

There are a few Linux commands available to view the content of files. The `cat` command, which stands for “concatenate”, is often used to quickly view the contents of small files.

The `cat` command will display the entire contents of the file, hence why it is mainly recommended for smaller files where the output is limited and does not require scrolling. To view the contents of a file using the `cat` command, simply type the command and use the name of the file you wish to view as the argument:

```
cat [OPTIONS] [FILE]
```

Our VM has a few small text files that you can view with the `cat` command. One such file is the `animals.txt` file:

Follow Along

Use the following command to switch to the `Documents` directory:

```
sysadmin@localhost:~$ cd ~/Documents
sysadmin@localhost:~/Documents$ cat animals.txt
1 retriever
2 badger
3 bat
4 wolf
5 eagle
```

The `cat` command displays all five lines of the file above. When viewing larger files, the `cat` command can result in very lengthy output that cannot be paused to scroll through. A better method of viewing long text files, is with a pager command which has a functionality that can pause and scroll through the output of the file.

Note

Examples of pager commands include the `more` and `less` commands. These and additional commands used for viewing files in Linux are covered in [NDG Linux Essentials](#).

Another way to view the content of files is by using the `head` and `tail` commands. These commands are used to view a select number of lines from the top or bottom of a file. Taking a look at a few lines of a file can sometimes be helpful to ensure that the file is the one you want to use.

Another reason to preview only the first or last few lines, is because some files, such as system log files are frequently updated with new entries. Similar to the `cat` command, the `head` and `tail` commands use the name of the file you want to view as the argument to the command:

```
head [OPTIONS] [FILE]
tail [OPTIONS] [FILE]
```

To compare the output of the `head` and `tail` commands with that of the `cat` command, use the `cat` command to view the entire `alpha.txt` file:

```
sysadmin@localhost:~/Documents$ cat alpha.txt
A is for Apple
B is for Bear
C is for Cat
D is for Dog
E is for Elephant
F is for Flower
G is for Grapes
H is for Happy
I is for Ink
J is for Juice
K is for Kangaroo
L is for Lol
M is for Monkey
N is for Nickel
O is for Oval
P is for Pickle
Q is for Quark
```



```
R is for Rat
S is for Sloth
T is for Turnip
U is for Up
V is for Velvet
W is for Walrus
X is for Xenon
Y is for Yellow
Z is for Zebra

sysadmin@localhost:~/Documents$
```

In the example above, all twenty-six lines of the file are displayed.

To filter the output and view lines from the top of the `alpha.txt` file, use the `head` command:

```
sysadmin@localhost:~/Documents$ head alpha.txt
A is for Apple
B is for Bear
C is for Cat
D is for Dog
E is for Elephant
F is for Flower
G is for Grapes
H is for Happy
I is for Ink
J is for Juice
```

Then, to view lines at the bottom of the `alpha.txt` file, you use the `tail` command:

```
sysadmin@localhost:~/Documents$ tail alpha.txt
Q is for Quark
R is for Rat
S is for Sloth
T is for Turnip
U is for Up
V is for Velvet
W is for Walrus
```

```
X is for Xenon
Y is for Yellow
Z is for Zebra
```

By examining the output of the `head` and `tail` commands above, you can see that the default behavior of the `head` and `tail` commands in this shell is to display ten lines.

The `-n` option with the `head` and `tail` commands can be used to specify the amount of lines to display. To use the `-n` option, specify the amount of lines from the file you want to display after the option and use the filename as an argument:


```
head -n number_of_lines filename
```

For example, to change the output of the `head` command to view the first five lines of the `alpha.txt` file:

```
sysadmin@localhost:~/Documents$ head -n 5 alpha.txt
A is for Apple
B is for Bear
C is for Cat
D is for Dog
E is for Elephant
```

View the last five lines of the `alpha.txt` file:

```
sysadmin@localhost:~/Documents$ tail -n 5 alpha.txt
V is for Velvet
W is for Walrus
X is for Xenon
Y is for Yellow
Z is for Zebra
sysadmin@localhost:~/Documents$
```



Filtering Input, Regular Expressions And Basic Patterns

Filtering Input

The `grep` command is a text filter that will search input and return lines which contain a match to a given pattern.

```
grep [OPTIONS] PATTERN [FILE]
```

Follow Along

Use the following command to switch to the `Documents` directory:

```
sysadmin@localhost:~$ cd ~/Documents
```

If the example below fails, repeat the example from Section 11:

```
sysadmin@localhost:~/Documents$ cp /etc/passwd .
```


For example, the `passwd` file we previously copied into the `Documents` directory contains the details of special system accounts and user accounts on the system. This file can be very large, however the `grep` command can be used filter out information about a specific user, such as the `sysadmin` user. Use `sysadmin` as the pattern argument and `passwd` as the file argument:

```
sysadmin@localhost:~/Documents$ grep sysadmin passwd
sysadmin:x:1001:1001:System Administrator,,,:/home/sysadmin
```

The command above returned the line from the `passwd` which contains the pattern `sysadmin`.

Note

This line is the `/etc/passwd` entry pertaining to the user `sysadmin` and provides information that is beyond the scope of this course. To learn more about this file, check out [NDG Linux Essentials](#). The example above uses a simple search term as the pattern, however `grep` is able to interpret much more complex search patterns.



Filtering Input, Regular Expressions And Basic Patterns

Regular Expressions

Regular expressions have two common forms: basic and extended. Most commands that use regular expressions can interpret basic regular expressions. However, extended regular expressions are not available for all commands and a command option is typically required for them to work correctly.


The following table summarizes basic regular expression characters:

Basic Regex Character(s)	Meaning
.	Any one single character
[]	Any one specified character
[^]	Not the one specified character
*	Zero or more of the previous character
^	If first character in the pattern, then pattern must be at beginning of the line to match, otherwise just a literal ^
\$	If last character in the pattern, then pattern must be at the end of the line to match, otherwise just a literal \$

The following table summarizes the extended regular expressions, which must be used with either the `egrep` command or the `-E` option with the `grep` command:

Extended Regex Character(s)	Meaning
+	One or more of the previous pattern
?	The preceding pattern is optional
{ }	Specify minimum, maximum or exact matches of the previous pattern
	Alternation - a logical "or"
()	Used to create groups

Only basic regular expressions have been covered here. For more information concerning extended regular expressions, check out the [NDG Linux Essentials](#) and [NDG Introduction to Linux](#) courses.



Basic Patterns

Regular expressions are patterns that only certain commands are able to interpret. Regular expressions can be expanded to match certain sequences of characters in text. The examples displayed on this page will make use of regular expressions to demonstrate their power when used with the `grep` command. In addition, these examples provide a very visual demonstration of how regular expressions work, the text that matches will be displayed in a red color.

Follow Along

Use the following `cd` command to change to the `Documents` directory.

```
sysadmin@localhost:~$ cd ~/Documents
```

The simplest of all regular expressions use only literal characters, like the example from the previous page:

```
sysadmin@localhost:~/Documents$ grep sysadmin passwd
sysadmin:x:1001:1001:System Administrator,,,:/home/sysadmin
```

Anchor Characters

Anchor characters are one of the ways regular expressions can be used to narrow down search results. For example, the pattern `root` appears many times in the `/etc/passwd` file:

```
sysadmin@localhost:~/Documents$ grep 'root' passwd
root:x:0:0:root:/root:bin/bash
operator:x:11:0:operator:/root:/sbin/nologin
```

To prevent the shell from misinterpreting them as special shell characters, these patterns should be protected by strong quotes, which simply means placing them between single quotes.

The first anchor character `^` is used to ensure that a pattern appears at the *beginning* of the line. For example, to find all lines in `/etc/passwd` that *start* with `root` use the pattern `^root`. Note that `^` must be the *first* character in the pattern to be effective.

```
sysadmin@localhost:~/Documents$ grep '^root' /etc/passwd
root:x:0:0:root:/root:bin/bash
```

For the next example, first examine the `alpha-first.txt` file. The `cat` command can be used to print the contents of a file:

```
sysadmin@localhost:~/Documents$ cat alpha-first.txt
A is for Animal
B is for Bear
C is for Cat
D is for Dog
E is for Elephant
F is for Flower
```

The second anchor character `$` can be used to ensure a pattern appears at the *end* of the line, thereby effectively reducing the search results. To find the lines that end with an `r` in the `alpha-first.txt` file, use the pattern `r$`:

```
sysadmin@localhost:~/Documents$ grep 'r$' alpha-first.txt
B is for Bear
```

```
F is for Flower
```

Again, the position of this character is important, the `$` must be the *last* character in the pattern in order to be effective as an anchor.

Match a Single Character With `.`

The following examples will use the `red.txt` file:

```
sysadmin@localhost:~/Documents$ cat red.txt
red
reef
rot
reed
rd
rod
roof
reed
root
reel
read
```

One of the most useful expressions is `.`. It will match any character except for the new line character. The pattern `r..f` would find any line that contained the letter `r` followed by exactly two characters (which can be any character except a newline) and then the letter `f`:

```
sysadmin@localhost:~/Documents$ grep 'r..f' red.txt
reef
roof
```

The same concept can be repeated using other combinations. The following will find four letter words that start with `r` and with `d`:

```
sysadmin@localhost:~/Documents$ grep 'r..d' red.txt
reed
read
```

This character can be used any number of times. To find all words that have at least four characters the following pattern can be used:

```
sysadmin@localhost:~/Documents$ grep '....' red.txt
reef
```

```
reeed
roof
reed
root
reel
read
```

The line does not have to be an exact match, it simply must *contain* the pattern, as seen here when `r..t` is searched for in the `/etc/passwd` file:

```
sysadmin@localhost:~/Documents$ grep 'r..t' /etc/passwd
root:x:0:0:root:/root:/bin/bash
operator:x:1000:37::/root:
```

Match a Single Character With []

The square brackets `[]` match a *single* character from the list or range of possible characters contained within the brackets.

For example, given the `profile.txt` file:

```
sysadmin@localhost:~/Documents$ cat profile.txt
Hello my name is Joe.
I am 37 years old.
3121991
My favorite food is avocados.
I have 2 dogs.
123456789101112
```

To find all the lines in the `profile.txt` which have a number in them, use the pattern `[0123456789]` or `[0-9]`:

```
sysadmin@localhost:~/Documents$ grep '[0-9]' profile.txt
I am 37 years old.
3121991
I have 2 dogs.
123456789101112
```

On the other hand, to find all the lines which contain any non-numeric characters, insert a `^` as the first character inside the brackets. This character *negates* the characters listed:


```
sysadmin@localhost:~/Documents$ grep '^[0-9]' profile.txt
```

```
Hello my name is Joe.
```

```
I am 37 years old.
```

```
My favorite food is avocados.
```

```
I have 2 dogs.
```

Note

Do not mistake `^[0-9]` to match *lines which do not contain numbers*. It actually matches *lines which contain non-numbers*. Look at the original file to see the difference. The third and sixth lines only contain numbers, *they do not contain non-numbers* so those lines do not match.

When other regular expression characters are placed inside of square brackets, they are treated as literal characters. For example, the `.` normally matches any one character, but placed inside the square brackets, then it will just match itself. In the next example, only lines which contain the `.` character are matched.

```
sysadmin@localhost:~/Documents$ grep '[.]' profile.txt
```

```
Hello my name is Joe.
```

```
I am 37 years old.
```

```
My favorite food is avocados.
```

```
I have 2 dogs.
```

Match a Repeated Character Or Patterns With *

The regular expression character `*` is used to match zero or more occurrences of a character or pattern preceding it. For example `e*` would match zero or more occurrences of the letter `e`:

```
sysadmin@localhost:~/Documents$ cat red.txt
```

```
red
```

```
reef
```

```
rot
```

```
reeed
```

```
rd
```

```
rod
```

```
roof
```

```
reed
```

```
root
```

```
reel
```

```
read
```

```
sysadmin@localhost:~/Documents$ grep 're*d' red.txt
```

```
red
reed
rd
reed
```

It is also possible to match zero or more occurrences of a list of characters by utilizing the square brackets. The pattern `[oe]*` used in the following example will match zero or more occurrences of the `o` character *or* the `e` character:

```
sysadmin@localhost:~/Documents$ grep 'r[oe]*d' red.txt
red
reed
rd
rod
reed
```

When used with only one other character, `*` isn't very helpful. Any of the following patterns would match *every* string or line in the file: `.*e*b*z*`.

```
sysadmin@localhost:~/Documents$ grep 'z*' red.txt
red
reef
rot
reed
rd
rod
roof
reed
root
reel
read
sysadmin@localhost:~/Documents$ grep 'e*' red.txt
red
reef
rot
reed
rd
```

```
rod
roof
reed
root
reel
read
```

This is because `*` can match *zero* occurrences of a pattern. In order to make the `*` useful, it is necessary to create a pattern which includes more than just the one character preceding `*`. For example, the results above can be refined by adding another `e` to make the pattern `ee*` effectively matching every line which contains at least one `e`.

```
sysadmin@localhost:~/Documents$ grep 'ee*' red.txt
red
reef
reed
reed
reel
read
```

Standard Input

If a file name is not given, the `grep` command will read from standard input, which normally comes from the keyboard with input provided by the user who runs the command. This provides an interactive experience with `grep` where the user types in the input and `grep` filters as it goes. Feel free to try it out, just press **Ctrl-D** when you're ready to return to the prompt.

Follow Along

Use the following `cd` command to return to the home directory:

```
sysadmin@localhost:~/Documents$ cd ~
```



Internet
of Things



Cloud Computing



Big Data



DevOps



Networking



Cyber Security




Design/Arch
Planning



Data
Management

Linux is Open Source

Which makes it
extremely versatile!



Shutting Down

The `shutdown` command arranges for the system to be brought down in a safe way. All logged-in users are notified that the system is going down and within the last five minutes leading up to the shutdown, new logins are prevented.

```
shutdown [OPTIONS] TIME [MESSAGE]
```

Follow Along

The `shutdown` command requires administrative access, switch to the `root` account for this section using the following command. Use `netlab123` as the password.

```
sysadmin@localhost:~$ su -  
Password:  
root@localhost:~#
```

Our virtual machines won't actually shutdown! Feel free to use the command, but be aware it will just revert to the prompt after the countdown instead of bringing the system down. You may have to press **Enter** to bring back the command prompt.

```
root@localhost:~# shutdown now

Broadcast message from sysadmin@localhost
      (/dev/console) at 2:05 ...

The system is going down for maintenance NOW!
```

Unlike other commands used to bring the system down, the `shutdown` command requires a time argument specifying when the shutdown should begin. Formats of this time argument can be the word `now`, a time of day in the format `hh:mm` or the number of minutes to delay in the format `+minutes`.

Consider This

The clock on our system may be set to a different timezone than the one in which you are located. To check the time in the terminal, use the `date` command. On our machines, the default format of the `date` command output is as follows:

```
weekday month day hour:minute:second UTC year
```

The letters `UTC` present in the output indicates that the time is being displayed as Universal Coordinated Time.

```
root@localhost:~# date
Fri Jan 22 01:50:07 UTC 2016

root@localhost:~# shutdown 01:51

Broadcast message from sysadmin@localhost
      (/dev/console) at 1:50 ...

The system is going down for maintenance in 1 minute!

Broadcast message from sysadmin@localhost
      (/dev/console) at 1:51 ...

The system is going down for maintenance NOW!
```

The `shutdown` command also has an optional message argument, indicating a message that will appear in the terminals of all users. For example:

```
root@localhost:~# shutdown +1 "Goodbye World!"
```

```
Broadcast message from sysadmin@localhost  
      (/dev/console) at 3:07 ...
```

```
The system is going down for maintenance in 1 minute!
```

```
Goodbye World!
```

```
shutdown: Unable to shutdown system
```

```
root@localhost:~#
```

```
Broadcast message from sysadmin@localhost  
      (/dev/console) at 3:08 ...
```

```
The system is going down for maintenance NOW!
```

```
Goodbye World!
```

Follow Along

Exit the `root` account using the `exit` command:

```
root@localhost:~# exit
```

```
logout
```

Getting Started with Network Configuration



Network Configuration

The `ifconfig` command stands for "interface configuration" and is used to display network configuration information.

```
ifconfig [OPTIONS]
```

Note

The `iwconfig` command is similar to the `ifconfig` command, but it is dedicated to wireless network interfaces.

Not all network settings are important for this module, but it is important to note in the following example that the IPv4 address of the primary network device `eth0` is `192.168.1.2` and that the device is currently active (UP):

```
sysadmin@localhost:~$ ifconfig
eth0      Link encap:Ethernet  HWaddr b6:84:ab:e9:8f:0a
          inet addr:192.168.1.2  Bcast:0.0.0.0  Mask:255.255.255.0
          inet6 addr: fe80::b484:abff:fee9:8f0a/64 Scope:Link
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:95 errors:0 dropped:4 overruns:0 frame:0
          TX packets:9 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:25306 (25.3 KB)  TX bytes:690 (690.0 B)

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          inet6 addr: ::1/128 Scope:Host
          UP LOOPBACK RUNNING  MTU:65536  Metric:1
          RX packets:6 errors:0 dropped:0 overruns:0 frame:0
          TX packets:6 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:460 (460.0 B)  TX bytes:460 (460.0 B)
```

Consider This

The `lo` device is referred to as the *loopback* device. It is a special network device used by the system when sending network-based data to itself.

The `ifconfig` command can also be used to temporarily modify network settings. Typically these changes should be permanent, so using the `ifconfig` command to make such changes is fairly rare.

The `ping` command is used to verify connectivity between two computers. It does this by sending packets to another machine on a network. If the sender receives a response it should be possible to connect to that machine.

Information is sent using “packets”; the encapsulated unit of data sent over a network. In order for the packets to find the other computer, they will need an address. The `ping` command uses IP addresses to identify a computer on the network that it wants to connect to.

By default, the `ping` command will continue sending packets until the break command (**CTL + C**) is entered at the console. To limit how many pings are sent, use the `-c` option followed by the number of pings to be sent. The example below shows `ping` being limited to 4 iterations with `-c 4`.

If the `ping` command is successful, you will see output like the following:

```
root@localhost:~# ping -c 4 192.168.1.2
PING 192.168.1.2 (192.168.1.2) 56(84) bytes of data.
64 bytes from 192.168.1.2: icmp_req=1 ttl=64 time=0.051 ms
64 bytes from 192.168.1.2: icmp_req=2 ttl=64 time=0.064 ms
64 bytes from 192.168.1.2: icmp_req=3 ttl=64 time=0.050 ms
64 bytes from 192.168.1.2: icmp_req=4 ttl=64 time=0.043 ms

--- 192.168.1.2 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 2999ms
rtt min/avg/max/mdev = 0.043/0.052/0.064/0.007 ms
root@localhost:~#
```

If the `ping` command fails, you will receive a message stating, Destination Host Unreachable:

```
root@localhost:~# ping -c 4 192.168.1.1
PING 192.168.1.1 (192.168.1.1) 56(84) bytes of data.
From 192.168.1.2 icmp_seq=1 Destination Host Unreachable
From 192.168.1.2 icmp_seq=2 Destination Host Unreachable
From 192.168.1.2 icmp_seq=3 Destination Host Unreachable
From 192.168.1.2 icmp_seq=4 Destination Host Unreachable

--- 192.168.1.1 ping statistics ---
4 packets transmitted, 0 received, +4 errors, 100% packet loss, time 2999ms
pipe 4

root@localhost:~#
```

The `ping` command may fail even though the remote machine is connecting. This is because some administrators configure their machines, or even entire networks, not to respond to `ping` requests as a security measure. The `ping` command also works with a hostname, or domain name like `yahoo.com`. Using this first saves time, if that `ping` command is successful, there is proper name resolution AND the IP address is functioning properly as well.

Viewing Processes

UID	PID	PPID	C	STIME	TTY	TIME	CMD
root	1	0	0	19:16	?	00:00:00	/sbin/?? /init
syslog	33	1	0	19:16	?	00:00:00	/usr/sbin/rsysl
root	37	1	0	19:16	?	00:00:00	/usr/sbin/cron
root	39	1	0	19:16	?	00:00:00	/usr/sbin/sshd
bind	56	1	0	19:16	?	00:00:00	/usr/sbin/nme
root	69	1	0	19:16	?	00:00:00	/bin/l
admin	79	69	0	19:16	?	00:00:00	
	95	79	0	19:43	?	00:00:00	

Viewing Processes

Running a command results in something called a *process*. In the Linux operating system, processes are executed with the privileges of the user who executes the command. This allows for processes to be limited to certain capabilities based upon the user identity.

Although there are exceptions, generally the operating system will differentiate users based upon whether they are the administrator. Typically regular users, like the `sysadmin` user, cannot control another user's processes. Users who have administrative privileges, like the `root` account, can control any user processes, including stopping any user process.

The `ps` command can be used to list processes.

```
ps [OPTIONS]
```

```
sysadmin@localhost:~$ ps
```

PID	TTY	TIME	CMD
80	?	00:00:00	bash
94	?	00:00:00	ps

The `ps` command will display the processes that are running in the current terminal by default. In the example above, the bottom line is the process created by the execution of the `ps` command. The output includes the following columns of information:

- **PID:** The process identifier, which is unique to the process. This information is useful for controlling the process by its ID number.
- **TTY:** The name of the terminal where the process is running. This information is useful for distinguishing between different processes that have the same name.
- **TIME:** The total amount of processor time used by the process. Typically, this information isn't used by regular users.
- **CMD:** The command that started the process.

Instead of viewing just the processes running in the current terminal, users may want to view every process running on the system. The `-e` option will display every process:


```
sysadmin@localhost:~$ ps -e
```

PID	TTY	TIME	CMD
1	?	00:00:00	init
33	?	00:00:00	rsyslogd
37	?	00:00:00	cron
39	?	00:00:00	sshd
56	?	00:00:00	named
69	?	00:00:00	login
79	?	00:00:00	bash
94	?	00:00:00	ps

Typically, the `-f` option is also used as it provides more detail in the output of the command, including options and arguments. Look for the `ps` command on the last line, the `CMD` column now includes the options used:

```
sysadmin@localhost:~$ ps -ef
```

UID	PID	PPID	C	STIME	TTY	TIME	CMD
root	1	0	0	19:16	?	00:00:00	/sbin??? /init
syslog	33	1	0	19:16	?	00:00:00	/usr/sbin/rsyslogd
root	37	1	0	19:16	?	00:00:00	/usr/sbin/cron
root	39	1	0	19:16	?	00:00:00	/usr/sbin/sshd
bind	56	1	0	19:16	?	00:00:00	/usr/sbin/named -u bind
root	69	1	0	19:16	?	00:00:00	/bin/login -f
sysadmin	79	69	0	19:16	?	00:00:00	-bash
sysadmin	95	79	0	19:43	?	00:00:00	ps -ef



Package Management

Package management is a system by which software can be installed, updated, queried or removed from a filesystem. In Linux, there are many different software package management systems, but the two most popular are those from Debian and Red Hat. The virtual machines for this course use Ubuntu, a derivative of Debian.

At the lowest level of the Debian package management system is the `dpkg` command. This command can be tricky for novice Linux users, so the Advanced Package Tool, `apt-get`, a front-end program to the `dpkg` tool, makes management of packages even easier.

Note

A front-end program is a program that users can see and interact with.

Follow Along

Many of the package management commands require administrative access, so they will be prefaced with the `sudo` command. Use `netlab123` as the password when prompted.

Installing Packages

Package files are commonly installed by downloading them directly from repositories located on Internet servers. The Debian repositories contain more than 65,000 different packages of software. Before installing a package, it is good practice to use the refresh the list of available packages using the `apt-get update` command.

```
sudo apt-get update

sysadmin@localhost:~$ sudo apt-get update
[sudo] password for sysadmin:
Ign file: amd64/ InRelease
Ign file: amd64/ Release.gpg
Ign file: amd64/ Release
Reading package lists... Done
```

To search for keywords within these packages, you can use the `apt-cache search` command.

```
apt-cache search [keyword]
```

The keyword that is used should match part of the name or description of the package that is to be located. Multiple keywords can be used to further clarify the search; for example, the search term `web server` would provide better results than `web` or `server`.

To find packages associated with the `cow` keyword:

```
sysadmin@localhost:~$ apt-cache search cow
cowsay - configurable talking cow
```

Once you've found the package that you want to install, you can install it with the `apt-get install` command:

```
sudo apt-get install [package]

sysadmin@localhost:~$ sudo apt-get install cowsay
[sudo] password for sysadmin:
Reading package lists... Done
Building dependency tree
Reading state information... Done
Suggested packages:
  filters
```

The following NEW packages will be installed:

cowsay

0 upgraded, 1 newly installed, 0 to remove and 0 not upgraded.

Need to get 0 B/18.5 kB of archives.

After this operation, 90.1 kB of additional disk space will be used.

Selecting previously unselected package cowsay.

(Reading database ... 24313 files and directories currently installed.)

Preparing to unpack .../cowsay_3.03+dfsg1-6_all.deb ...

Unpacking cowsay (3.03+dfsg1-6) ...

Processing triggers for man-db (2.6.7.1-1ubuntu1) ...

Setting up cowsay (3.03+dfsg1-6) ...

Consider This

The `cowsay` command is a configurable talking cow! Use a word or phrase as an argument:

```
sysadmin@localhost:~$ cowsay 'NDG Linux Unhatched'
```

```
< NDG Linux Unhatched >
```

```
-----
```

```
  \   ^__^
   \  (oo)\_______
      (__) \       )\/\
           ||----w |
           ||     ||
```

We recommend enclosing the argument in single quotes to prevent the shell from interpreting special characters.

Updating Packages

The `apt-get install` command can also update a package, if that package is installed and a newer version is available. If the package is not already on the system, it would be installed; if it is on the system, it would be updated.

Updating all packages of the system should be done in two steps. First, update the cache of all packages available with `apt-get update`. Second, execute the `apt-get upgrade` command and all packages and dependencies will be updated.

```
apt-get update
```

```
apt-get upgrade
```

```
sysadmin@localhost:~$ sudo apt-get update
```

```
[sudo] password for sysadmin:
Ign file: amd64/ InRelease
Ign file: amd64/ Release.gpg
Ign file: amd64/ Release
Reading package lists... Done
sysadmin@localhost:~$ sudo apt-get upgrade
Reading package lists... Done
Building dependency tree
Reading state information... Done
Calculating upgrade... Done
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
```

Removing Packages

The `apt-get` command is able to either remove or purge a package. The difference between the two is that purging deletes all package files, while removing deletes all but the configuration files for the package.

An administrator can execute the `apt-get remove` command to remove a package or the `apt-get purge` command to purge a package completely from the system.

```
apt-get remove [package]
apt-get purge [package]
```

For example, to purge `cowsay` completely, execute the following command. Enter **Y** when prompted:

```
sysadmin@localhost:~$ sudo apt-get purge cowsay
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following packages will be REMOVED:
  cowsay*
0 upgraded, 0 newly installed, 1 to remove and 0 not upgraded.
After this operation, 90.1 kB disk space will be freed.
Do you want to continue? [Y/n] y
(Reading database ... 24377 files and directories currently installed.)
Removing cowsay (3.03+dfsg1-6) ...
Processing triggers for man-db (2.6.7.1-1ubuntu1) ...
```



Updating User Passwords

The `passwd` command is used to update a user's password. Users can only change their own passwords, whereas the root user can update the password for any user.

```
passwd [OPTIONS] [USER]
```

For example, since we are logged in as the `sysadmin` user we can change the password for that account. Execute the `passwd` command. You will be prompted to enter the existing password once and the new password twice. For security reasons, no output is displayed while the password is being typed. The output is shown as follows:

```
sysadmin@localhost:~$ passwd
Changing password for sysadmin.
(current) UNIX password: netlab123
Enter new UNIX password:
Retype new UNIX password:
passwd: password updated successfully
```

If the user wants to view *status* information about their password, they can use the `-S` option:

```
sysadmin@localhost:~$ passwd -S sysadmin
sysadmin P 03/01/2015 0 99999 7 -1
```

The output fields are explained below:

Field	Example	Meaning
User Name	sysadmin	The name of the user.

Field	Example	Meaning
Password Status	P	P indicates a usable password. L indicates a locked password. NP indicates no password.
Change Date	03/01/2015	The date when the password was last changed.
Minimum	0	The minimum number of days that must pass before the current password can be changed by the user.
Maximum	99999	The maximum number of days remaining for the password to expire.
Warn	7	The number of days prior to password expiry that the user is warned.
Inactive	-1	The number of days after password expiry that the user account remains active.

Follow Along

Switch the `root` account using the following command:

```
sysadmin@localhost:~$ su root
Password:
root@localhost:~#
```

Use `netlab123` as the password.

The `root` user can change the password of any user. If the `root` user wants to change the password for `sysadmin`, they would execute the following command:

```
root@localhost:~# passwd sysadmin
Enter new UNIX password:
Retype new UNIX password:
passwd: password updated successfully
```

Follow Along

Exit the `root` account using the `exit` command:


```
root@localhost:~# exit
logout
```



Redirection

Adding content to files in Linux can be done in a variety of ways. Linux has a few text editors that can be used to add content to a file. However, this method requires some familiarity with Linux text editor commands.

Note

Linux text editors are covered in the next section of this course.

There is a way in Linux to quickly add content to a file using a command line feature called *input/output (I/O) redirection*. I/O redirection allows for information in the command line to be sent to files, devices, and other commands. The input or output of a command is redirected from its default destination to a different location. I/O redirection is like a series of train tracks, where a switch can be enabled to direct the output of a command on a different track so it goes somewhere else in the shell. In this section, we are writing to files by redirecting the output of a command to a file.

When it comes to command input and output there are three paths, or “tracks”. These paths are called *file descriptors*. The first file descriptor is *standard input*, abbreviated as STDIN. Standard input is the information the command receives and processes when it is executed, essentially what a user types on the keyboard. The second file descriptor is *standard output*, abbreviated as STDOUT. Standard output is the information that the command displays, the output of the command. The last file descriptor is *standard error*, abbreviated as STDERR. STDERR, are the error messages generated by commands that are not correctly executed. The following are examples of how file descriptors will appear in the terminal:

Standard Input (STDIN)

```
sysadmin@localhost:~$ ls ~/Documents
```

Standard Output (STDOUT)

```
sysadmin@localhost:~$ ls
```

Desktop Documents Downloads Music Pictures Public Templates Videos

Standard Error (STDERR)

```
sysadmin@localhost:~$ ls fakefile
```

```
ls: cannot access fakefile: No such file or directory
```

This section will cover one of the three file descriptors, STDOUT, and how to redirect STDOUT from where you normally see it, in the terminal, to a file in the filesystem. To use redirection, simply use a greater-than symbol > along with a filename:

```
[COMMAND] > [FILE]
```

To demonstrate redirection, we will use the output of the `cat` command. Without redirection, the output of the `cat` command will be displayed in the terminal:

Follow Along

Use the following command to switch to the `Documents` directory:

```
sysadmin@localhost:~$ cd ~/Documents
sysadmin@localhost:~/Documents$ cat food.txt
Food is good.
```

Now use the > character to redirect the STDOUT of the `cat food.txt` command above to a new file called `newfile1.txt`:

```
sysadmin@localhost:~/Documents$ cat food.txt > newfile1.txt
sysadmin@localhost:~/Documents$
```

As you can see, there is no output displayed since the STDOUT has been redirected to the `newfile1.txt` file. Verify that the STDOUT of the `cat food.txt` command is in `newfile1.txt`:

```
sysadmin@localhost:~/Documents$ cat newfile1.txt
Food is good.
```

This is useful if you need to copy content from an important file to another file in order to edit the contents without modifying the original file. However, what if you want to add a comment or note to a file? To do this, you can use the `echo` command. The `echo` command is used to print output in the terminal:

```
sysadmin@localhost:~/Documents$ echo "Hello"
Hello
sysadmin@localhost:~/Documents$
```

Printing comments to the screen is a fun feature but the `echo` command can be made more useful by using redirection. Using the `echo` command, content can be added to the `newfile1.txt` file:

```
sysadmin@localhost:~/Documents$ cat newfile1.txt
Food is good.

sysadmin@localhost:~/Documents$ echo "I like food." > newfile1.txt

sysadmin@localhost:~/Documents$ cat newfile1.txt
I like food.

sysadmin@localhost:~/Documents$
```

Notice that the STDOUT of the `echo` command has replaced the original content of the file. This is because the single `>` character will overwrite any contents in an existing file. To append rather than overwrite content to a file, use a double greater-than symbol `>>`:

```
sysadmin@localhost:~/Documents$ echo "This food is good." >> newfile1.txt

sysadmin@localhost:~/Documents$ cat newfile1.txt
I like food.
This food is good.

sysadmin@localhost:~/Documents$
```

Important

To redirect information to an existing file, the user must have write permissions on that file.

Using the Text Editor



Text Editor

The premier text editor for Linux and UNIX is a program called `vi`. While there are numerous editors available for Linux that range from the tiny editor `nano` to the massive `emacs` editor, there are several advantages to the `vi` editor:

- The `vi` editor is available on every Linux distribution in the world. This is not true of any other editor.
- The `vi` editor can be executed both in a CLI (command line interface) and a GUI (graphical user interface).
- While new features have been added to the `vi` editor, the core functions have been around for decades. This means that if someone learned the `vi` editor in the 1970s, they could use a modern version without any problem. While that seems trivial, it may not seem so trivial twenty years from now.

Consider This

The correct way to pronounce the `vi` editor is the *vee-eye* editor. The letters `vi` stand for *visual*, but it was never pronounced this way by the developers, but rather the letter `v` followed by the letter `i`. In reality, most Linux systems don't include the original `vi`, but an improved version of it known as `vim`, for *vi improved*. This fact may be hidden by most Linux distributions. For the most part, `vim` works just like `vi`, but has additional features. For the topics that will be covered in this course, either `vi` or `vim` will work.

To get started using `vi`, simply type the command followed by the pathname to the file to edit or create:

```
sysadmin@localhost:~$ vi newfile.txt
```

There are three modes used in `vi`: command mode, insert mode, and ex mode.

Command Mode Movement

Initially, the program starts in command mode. Command mode is used to type commands, such as those used to move around a document, manipulate text, and access the other two modes. To return to command mode at any time, press the **Esc** key.

Once some text has been added into a document, to perform actions like moving the cursor, the **Esc** key needs to be pressed first to return to command mode. This seems like a lot of work, but remember that `vi` works in a terminal environment where a mouse is useless.

Movement commands in `vi` have two aspects, a motion and an optional number prefix, which indicates how many times to repeat that motion. The general format is as follows:

```
[count] motion
```

The following table summarizes the motion keys available:

Motion	Result
<code>h</code>	Left one character
<code>j</code>	Down one line

Motion	Result
<code>k</code>	Up one line
<code>l</code>	Right one character
<code>w</code>	One word forward
<code>b</code>	One word back
<code>^</code>	Beginning of line
<code>\$</code>	End of the line

Note

Since the upgrade to `vim` it is also possible to use the arrow keys `←↓↑→` instead of `hjk l` respectively. These motions can be prefixed with a number to indicate how many times to perform the movement. For example, `5h` would move the cursor five characters to the left and `3w` would move the cursor three words to the right.

To move the cursor to a specific line number, type that line number followed by the `G` character. For example, to get to the fifth line of the file type `5G`. `1G` or `gg` can be used to go to the first line of the file, while a lone `G` will take you to the last line. To find out which line the cursor is currently on, use **CTRL-G**.

Command Mode Actions

The standard convention for editing content with word processors is to use copy, cut, and paste. The `vi` program has none of these. Instead, `vi` uses the following three commands:

Standard	Vi	Meaning
cut	<code>d</code>	delete
copy	<code>y</code>	yank
paste	<code>P</code> <code>p</code>	put

The motions learned from the previous page are used to specify where the action is to take place, always beginning with the present cursor location. Either of the following general formats for action commands is acceptable:

```
action [count] motion  
[count] action motion
```

Delete

Delete removes the indicated text from the page and saves it into the buffer, the buffer being the equivalent of the "clipboard" used in Windows or Mac OSX. The following table provides some common usage examples:

Action	Result
dd	Delete current line
3dd	Delete the next three lines
dw	Delete the current word
d3w	Delete the next three words
d4h	Delete four characters to the left

Change

Change is very similar to delete; the text is removed and saved into the buffer, however, the program is switched to insert mode to allow immediate changes to the text. The following table provides some common usage examples:

Action	Result
cc	Change current line
cw	Change current word

Action	Result
<code>c3w</code>	Change the next three words
<code>c5h</code>	Change five characters to the left

Yank

Yank places content into the buffer without deleting it. The following table provides some common usage examples:

Action	Result
<code>yy</code>	Yank current line
<code>3yy</code>	Yank the next three lines
<code>yw</code>	Yank the current word
<code>y\$</code>	Yank to the end of the line

Put

Put places the text saved in the buffer either before or after the cursor position. Notice that these are the only two options, put does not use the motions like the previous action commands.

Action	Result
<code>p</code>	Put (paste) after cursor
<code>P</code>	Put before cursor

Searching in vi

Another standard function that word processors offer is find. Often, people use **CTRL+F** or look under the edit menu. The `vi` program uses search. Search is more powerful than find because it supports both literal text patterns and regular expressions.

To search forward from the current position of the cursor, use the `/` to start the search, type a search term, and then press the **Enter** key to begin the search. The cursor will move to the first match that is found.

To proceed to the next match using the same pattern, press the `n` key. To go back to a previous match, press the `N` key. If the end or the beginning of the document is reached, the search will automatically wrap around to the other side of the document.

To start searching backwards from the cursor position, start by typing `?`, then type the pattern to search for matches and press the **Enter** key.

Insert Mode

Insert mode is used to add text to the document. There are a few ways to enter insert mode from command mode, each differentiated by where the text insertion will begin. The following table covers the most common:

Input	Purpose
<code>a</code>	Enter insert mode right after the cursor
<code>A</code>	Enter insert mode at the end of the line
<code>i</code>	Enter insert mode right before the cursor
<code>I</code>	Enter insert mode at the beginning of the line
<code>o</code>	Enter insert mode on a blank line after the cursor
<code>O</code>	Enter insert mode on a blank line before the cursor

Ex Mode

Originally, the `vi` editor was called the `ex` editor. The name `vi` was the abbreviation of the **visual** command in the `ex` editor which switched the editor to "visual" mode.

In the original normal mode, the `ex` editor only allowed users to see and modify one line at a time. In the visual mode, users could see as much of the document that will fit on the screen. Since most users preferred the visual mode to the line editing mode, the `ex` program file was linked to a `vi` file, so that users could start `ex` directly in visual mode when they ran the `vi` link.

Eventually, the actual program file was renamed `vi` and the `ex` editor became a link that pointed to the `vi` editor.

When the ex mode of the `vi` editor is being used, it is possible to view or change settings, as well as carry out file-related commands like opening, saving or aborting changes to a file. In order to get to the ex mode, type a `:` character in command mode. The following table lists some common actions performed in ex mode:

Input	Purpose
<code>:w</code>	Write the current file to the filesystem
<code>:w filename</code>	Save a copy of the current file as filename
<code>:w!</code>	Force writing to the current file
<code>:1</code>	Go to line number 1 or whatever number is given
<code>:e filename</code>	Open filename
<code>:q</code>	Quit if no changes made to file
<code>:q!</code>	Quit without saving changes to file


A quick analysis of the table above reveals that if an exclamation mark, `!`, is added to a command, it then attempts to force the operation. For example, imagine you make changes to a file in the `vi` editor and then try to quit with `:q`, only to discover that the command fails. The `vi` editor doesn't want to quit without saving the changes you made to a file, but you can force it to quit with the ex command `:q!`.

Consider This

Although the ex mode offers several ways to save and quit, there's also `zz` that is available in command mode; this is the equivalent of `:wq`. There are many more overlapping functions between ex mode and command mode. For example, ex mode can be used to navigate to any line in the document by typing `:` followed by the line number, while the `G` can be used in command mode as previously demonstrated.

Follow Along

If you have a text file open, exit it by executing the `:q!` command. This will quit without saving changes.



Moving Forward


We hope you've enjoyed this brief introduction into the world of Linux. The content contained here aligns to the Linux knowledge covered under LPI Linux Essentials exam objectives, but there is so much more! Get certification level Linux skills to advance your career!

NDG Linux Essentials

If you're interested in broadening your Linux knowledge, Cisco Networking Academy also offers three Linux courses. [NDG Linux Essentials](#) is perfect for beginners looking to grasp the basics, while the [NDG Linux Series](#) offers beginners more rigorous in-depth coverage.

NDG Linux Essentials

Learn the fundamentals of the Linux operating system and command line and basic open source concepts.

A photograph showing a group of students in a classroom or computer lab. In the foreground, a woman with dark hair is looking at a laptop screen. Next to her, another woman with long brown hair is resting her chin on her hand, looking towards the camera. In the background, other students are visible, some working on laptops. The room has large windows and modern computer equipment.

The NDG Linux Essentials course is designed to prepare you for the Linux Professional Institute Linux Essentials Professional Development

Certificate, which validates a demonstrated understanding of:

- FOSS, the various communities, and licenses

- Knowledge of open source applications in the workplace as they relate to closed source equivalents
- Basic concepts of hardware, processes, programs and the components of the Linux Operating System
- How to work on the command line and with files
- How to create and restore compressed backups and archives
- System security, users/groups and file permissions for public and private directories
- How to create and run simple scripts

To obtain the Linux Essentials Professional Development Certificate you must pass Linux Essentials (LPI-010) which covers:

- The Linux community and a career in open source
- Finding your way on a Linux system
- The power of the command line
- The Linux operating system
- Security and file permissions

The Linux Essentials Professional Development Certificate is the beginning of your path to becoming a Linux certified professional. Information about the Linux Professional Institute certifications can be found by going to <http://www.lpi.org>.


Do not be concerned if you have little or no Linux experience. This course is the perfect starting place designed to teach all of the concepts from square one. However, if you do not find this material challenging enough, consider starting with NDG Introduction to Linux I, a more rigorous introductory course.

NDG Linux Series

NDG Linux I & II

Learn Linux system administration skills and prepare for LPI LPIC-1 or CompTIA Linux+ powered by LPI certification.

[Enroll Now](#)



The NDG Linux Series is designed to prepare you for the Linux Professional Institute Level 1 Certification. LPIC-1 is a Linux Server Professional certification for Linux administrators that confirms your ability to do the following tasks:

- Work at the Linux Command line

- Perform easy maintenance tasks: help users, add users to a larger system, backup and restore, shutdown and reboot.
- Install and configure a workstation (including X) and connect it to a LAN, or a standalone PC to the internet.

To obtain the LPIC-1 certification you must pass Exam 101 and 102. NDG Introduction to Linux I is designed to prepare you for Exam 101, which covers:

- System Architecture
- Linux Installation and Package Management
- GNU and Unix Commands
- Devices, Linux Filesystems, Filesystem Hierarchy Standard


NDG Introduction to Linux II aligns to the Exam 102 objectives, which cover:

- Shells, Scripting and Data Management
- Interfaces and Desktops
- Administrative Tasks
- Essential System Services
- Networking Fundamentals
- Security

The LPIC-1 certification is the first of three LPI professional certifications. Information about all Linux Professional Institute certifications is available at: <http://www.lpi.org>.

IT Essentials

For more on fundamental computer and career skills for entry-level IT jobs, check out the rest of [IT Essentials](#).



IT Essentials covers fundamental computer and career skills for entry-level IT jobs. The IT Essentials curriculum includes hands-on labs that provide practical experience. Virtual tools help you hone your troubleshooting skills and practice what you learn.

- Develop working knowledge of how computers operate

- Develop critical thinking and complex problem-solving skills using hands-on labs and virtual learning tools
- Apply skills and procedures to install and upgrade hardware and software and troubleshoot systems
- Practice what you learn on real equipment and using the Cisco Packet Tracer simulation tool
- Get immediate feedback on your work through built-in quizzes and tests
- Get connected to the global Cisco Networking Academy community