

# **DHA SUFFA UNIVERSITY**

# **Department of Computer Science**

CS-2003 Database Systems Spring 2022

## **LAB 01 Introduction to Databases**

# OBJECTIVE(S)

- Introduction to RDBMS and SQL
- Learn MySQL Data types
- Learn DDL and DML Commands

## **RELATIONAL DATABASE MANAGEMENT**

Relational DataBase Management System is a type of database management system (DBMS) which stores data in the form of related tables.

## Popular RDBMS:

- Oracle
- MySQL
- Microsoft SQL Server


#### **Tables**

### **Customer Table:**

CustomerID	CustomerName	Address	City	PostalCode	Country
1	Alan Turing	13 Guild Street	London	SE4 2FZ	United Kingdom
2	Dennis Ritchie	61 Farnum Road	New York	10033	United States
3	John von Neumann	Csabai kapu 4	Budapest	1033	Hungary
4	Ada Lovelace	68 Crown Street	London	SW1W 8WL	United Kingdom
5	Bjorn Stroustrup	Askelund 25	Copenhagen	1105	Denmark
6	Hideo Kojima	237-1268, Shimoigusa, Suginami-ku	Tokyo	167-0022	Japan

### **Database Relationship**


Book has a Chapter:



# **STRUCTURED QUERY LANGUAGE (SQL)**

Structured Query Language lets you access and manipulate databases.

### SQL Architecture:



### **DATA TYPES**

DATA TYPE	DESCRIPTION			
VARCHAR(size)	Holds a variable length string (can contain letters, numbers, and special			
	characters). The maximum size is specified in parenthesis. Can store up to			
	255 characters.			
INT(size)	-2147483648 to 2147483647 normal. 0 to 4294967295 UNSIGNED*. The			
	maximum number of digits may be specified in parenthesis			
<b>FLOAT</b> (size, d)	A small number with a floating decimal point. The maximum number of			
	digits may be specified in the size parameter. The maximum number of			
	digits to the right of the decimal point is specified in the d parameter			
DATE	A date. Format: YYYY-MM-DD			

# **DATA DEFINITION LANGUAGE (DDL)**

DDL refers to **D**ata **D**efinition **L**anguage, a subset of SQL statements that change the structure of the database schema in some way, typically by creating, deleting, or modifying schema objects such as databases, tables, and views.

#### **CREATE:**

Creates a new database, table, view of a table, or object in the database.

- CREATE DATABASE db\_name;
  - SHOW databases;
  - USE db name;
- CREATE TABLE tb\_name(col1\_name datatype(size), col2\_name datatype(size));
  - SHOW tables;
  - DESCRIBE tb name;

#### **ALTER:**

Modifies an existing database object such as a table.

- ALTER TABLE tb\_name CHANGE old\_col\_name new\_col\_name datatype(size),
  CHANGE old\_col\_name new\_col\_name datatype(size);
- ALTER TABLE tb\_name MODIFY col\_name datatype(size), MODIFY col\_name datatype(size)

- ALTER TABLE tb\_name ADD col\_name datatype(size), ADD col\_name datatype(size);
- ALTER TABLE tb\_name DROP col\_name, DROP col\_name;

#### DROP:

Delete an entire database, table, view of a table, or object in the database.

- DROP DATABASE db name;
- DROP TABLE tb name;

#### **RENAME:**

Renames an object in the database.

• RENAME TABLE old tb name TO new tb name;

#### TRUNCATE:

Removes all the records from a database table.

TRUNCATE TABLE tb\_name;

#### TASK

- Create a database studentDB.
- Display all the available databases.
- Select the created database (studentDB) to perform further operations on it.
- Create a table having the following fields and data types: stud\_id (integer, 3),
  stud\_name (varchar, 50), stud\_phone (integer, 7) stud\_gpa (integer, 1)
- Display all the tables in studentDB.
- Show the structure of the created table.
- Rename the table to "student". Display a list of all the tables in the database.
- · Rename "stud id" to "id".
- Rename "stud\_name" to "name", "stud\_phone" to "phone", "stud\_gpa" to "gpa". Also change the size of "stud\_phone" to 10 and the data type of "stud\_gpa" to float having size=3 and d=2. Use only one query.
- Show the structure of the table.
- Change the size of "name" to 100. Show the structure of the table.
- Add the following new columns using a single query. Show the structure of the table.

Dob (date), semester (integer, 1), department (varchar, 2)

• Delete "phone" and "gpa" using a single query. Show the structure of the table.

# **DATA MANIPULATION LANGUAGE (DML)**

DML refers to **D**ata **M**anipulation **L**anguage, a subset of SQL statements which deals with data manipulation.

#### **SELECT:**

Retrieves (reads) data from the table.

SELECT \* FROM tb name;

#### **INSERT:**

Adds data into the database table.

• INSERT INTO tb name(field(s) name) VALUES (field(s) data);

#### **UPDATE:**

Updates an existing record in a table.

UPDATE tb\_name SET col1\_name = col1\_value, col2\_name = col2\_value,
 WHERE col name = col value;

#### **DELETE:**

Deletes data from a table.

- DELETE FROM tb name;
- **DELETE FROM** tb\_name **WHERE** col\_name = col\_value;

#### TASK

- Insert 4 records into the table using a single query.
- Display all the records.
- Display only the second record.
- Delete the third record. Display all the records.
- Add only the id, name, and date of birth for two new records. Display all the records.
- Update the remaining fields for the two most recently added records.
- Display all the records.
- Delete records using the DELETE keyword. Display all the records.

- Add 4 new records.
- Truncate the table. Display all the records.
- Add 2 new records.
- Delete the table. Display all the tables in the database.

### LAB ASSIGNMENT

- 1. Create two tables with at least 6 columns having 4 different data types.
- 2. Show the structure of tables created in (1).
- 3. Insert at least 4 records into the first table using column names.
- 4. Insert at least 4 records into the second table without using columns name.
- 5. With a separate query for each table, show the table data.
- 6. Add two columns into any one table.
- 7. Alter the data type of any two columns from any table.
- 8. Truncate the first table data.
- 9. Delete the third record of second table.
- 10. Update the first record of second table.

### **SUBMISSION GUIDELINES**

- Take a screenshot of each task. Ensure that all screenshots have a white background and black text. You can alter the background and text colors through the properties of the MySQL command line client.
- Place all the screenshots in a single word file labeled with Roll No and Lab No. e.g. 'cs181xxx\_Lab01'.
- Convert the file into PDF.
- Submit the PDF file at LMS
- -100% policies for plagiarism.