

CHAPTER SUMMARY

This chapter introduced enough of C++ to let you compile and execute simple C++ programs. We saw how to define a `main` function, which is the function that the operating system calls to execute our program. We also saw how to define variables, how to do input and output, and how to write `if`, `for`, and `while` statements. The chapter closed by introducing the most fundamental facility in C++: the class. In this chapter, we saw how to create and use objects of a class that someone else has defined. Later chapters will show how to define our own classes.

DEFINED TERMS

argument Value passed to a function.

assignment Obliterates an object's current value and replaces that value by a new one.

block Sequence of zero or more statements enclosed in curly braces.

buffer A region of storage used to hold data. IO facilities often store input (or output) in a buffer and read or write the buffer independently from actions in the program. Output buffers can be explicitly flushed to force the buffer to be written. By default, reading `cin` flushes `cout`; `cout` is also flushed when the program ends normally.

built-in type Type, such as `int`, defined by the language.

cerr ostream object tied to the standard error, which often writes to the same device as the standard output. By default, writes to `cerr` are not buffered. Usually used for error messages or other output that is not part of the normal logic of the program.

character string literal Another term for string literal.

cin istream object used to read from the standard input.

class Facility for defining our own data structures together with associated operations. The class is one of the most fundamental features in C++. Library types, such as `istream` and `ostream`, are classes.

class type A type defined by a class. The name of the type is the class name.

clog ostream object tied to the standard error. By default, writes to `clog` are buffered. Usually used to report information about program execution to a log file.

comments Program text that is ignored by the compiler. C++ has two kinds of comments: single-line and paired. Single-line comments start with a `//`. Everything from the `//` to the end of the line is a comment. Paired comments begin with a `/*` and include all text up to the next `*/`.

condition An expression that is evaluated as true or false. A value of zero is false; any other value yields true.

cout ostream object used to write to the standard output. Ordinarily used to write the output of a program.

curly brace Curly braces delimit blocks. An open curly (`{`) starts a block; a close curly (`}`) ends one.

data structure A logical grouping of data and operations on that data.

edit-compile-debug The process of getting a program to execute properly.

end-of-file System-specific marker that indicates that there is no more input in a file.

expression The smallest unit of computation. An expression consists of one or more operands and usually one or more operators. Expressions are evaluated to produce a result. For example, assuming `i` and `j` are `ints`, then `i + j` is an expression and yields the sum of the two `int` values.

for statement Iteration statement that provides iterative execution. Often used to repeat a calculation a fixed number of times.

function Named unit of computation.

function body Block that defines the actions performed by a function.

function name Name by which a function is known and can be called.

header Mechanism whereby the definitions of a class or other names are made available to multiple programs. A program uses a header through a `#include` directive.

if statement Conditional execution based on the value of a specified condition. If the condition is true, the `if` body is executed. If not, the `else` body is executed if there is one.

initialize Give an object a value at the same time that it is created.

iostream Header that provides the library types for stream-oriented input and output.

istream Library type providing stream-oriented input.

library type Type, such as `istream`, defined by the standard library.

main Function called by the operating system to execute a C++ program. Each program must have one and only one function named `main`.

manipulator Object, such as `std::endl`, that when read or written “manipulates” the stream itself.

member function Operation defined by a class. Member functions ordinarily are called to operate on a specific object.

method Synonym for member function.

namespace Mechanism for putting names defined by a library into a single place. Namespaces help avoid inadvertent name clashes. The names defined by the C++ library are in the namespace `std`.

ostream Library type providing stream-oriented output.

parameter list Part of the definition of a function. Possibly empty list that specifies what arguments can be used to call the function.

return type Type of the value returned by a function.

source file Term used to describe a file that contains a C++ program.

standard error Output stream used for error reporting. Ordinarily, the standard output and the standard error are tied to the window in which the program is executed.

standard input Input stream usually associated with the window in which the program executes.

standard library Collection of types and functions that every C++ compiler must support. The library provides the types that support IO. C++ programmers tend to talk about “the library,” meaning the entire standard library. They also tend to refer to particular parts of the library by referring to a library type, such as the “`iostream` library,” meaning the part of the standard library that defines the IO classes.

standard output Output stream usually associated with the window in which the program executes.

statement A part of a program that specifies an action to take place when the program is executed. An expression followed by a semicolon is a statement; other kinds

of statements include blocks and **if**, **for**, and **while** statements, all of which contain other statements within themselves.

std Name of the namespace used by the standard library. `std::cout` indicates that we're using the name `cout` defined in the `std` namespace.

string literal Sequence of zero or more characters enclosed in double quotes ("a string literal").

uninitialized variable Variable that is not given an initial value. Variables of class type for which no initial value is specified are initialized as specified by the class definition. Variables of built-in type defined inside a function are uninitialized unless explicitly initialized. It is an error to try to use the value of an uninitialized variable. *Uninitialized variables are a rich source of bugs.*

variable A named object.

while statement Iteration statement that provides iterative execution so long as a specified condition is true. The body is executed zero or more times, depending on the truth value of the condition.

() operator Call operator. A pair of parentheses "(" following a function name. The operator causes a function to be invoked. Arguments to the function may be passed inside the parentheses.

++ operator Increment operator. Adds 1 to the operand; `++i` is equivalent to `i = i + 1`.

+= operator Compound assignment operator that adds the right-hand operand to the left and stores the result in the left-hand operand; `a += b` is equivalent to `a = a + b`.

. operator Dot operator. Left-hand operand must be an object of class type and the right-hand operand must be the name of a member of that object. The operator yields the named member of the given object.

:: operator Scope operator. Among other uses, the scope operator is used to **access names in a namespace**. For example,

`std::cout` denotes the name `cout` from the namespace `std`.

= operator Assigns the value of the right-hand operand to the object denoted by the left-hand operand.

-- operator Decrement operator. Subtracts 1 from the operand; `--i` is equivalent to `i = i - 1`.

<< operator Output operator. Writes the right-hand operand to the output stream indicated by the left-hand operand: `cout << "hi"` writes `hi` to the standard output. Output operations can be chained together: `cout << "hi" << "bye"` writes `hibye`.

>> operator Input operator. Reads from the input stream specified by the left-hand operand into the right-hand operand: `cin >> i` reads the next value on the standard input into `i`. Input operations can be chained together: `cin >> i >> j` reads first into `i` and then into `j`.

#include Directive that makes code in a header available to a program.

== operator The equality operator. Tests whether the left-hand operand is equal to the right-hand operand.

!= operator The inequality operator. Tests whether the left-hand operand is not equal to the right-hand operand.

<= operator The less-than-or-equal operator. Tests whether the left-hand operand is less than or equal to the right-hand operand.

< operator The less-than operator. Tests whether the left-hand operand is less than the right-hand operand.

>= operator Greater-than-or-equal operator. Tests whether the left-hand operand is greater than or equal to the right-hand operand.

> operator Greater-than operator. Tests whether the left-hand operand is greater than the right-hand operand.