```
! Copyright (C) 2010 John Benediktsson
! See http://factorcode.org/license.txt for BSD license
USING: assocs calendar combinators environment formatting
grouping io io.files kernel make math ranges sequences
splitting xml.entities;
IN: text-to-pdf
<PRIVATE
: pdf-string ( str -- str' )
    Η{
        { HEX: 08
                     "\\b" }
        { HEX: Oc
                     "\\f"
        { CHAR: \n
                   "\\n"
        { CHAR: \r
                     "\\r"
                     "\\t"
        { CHAR: \t
        { CHAR: \\
                     "////" }
        { CHAR: (
                     " \ \ ( "
        { CHAR: )
                     " \ \ ) "
    } escape-string-by "(" ")" surround ;
: pdf-object ( str n -- str' )
    "%d 0 obj\n" sprintf "\nendobj" surround ;
: pdf-stream ( str -- str' )
    [ length 1 + "<<\n/Length %d\n>>" sprintf ]
    [ "\nstream\n" "\nendstream" surround ] bi append ;
: pdf-info ( -- str )
    [
        " << " ,
        "/CreationDate D:" now "%Y%m%d%H%M%S" strftime append ,
        "/Producer (Factor)" ,
        "/Author " "USER" os-env "unknown" or pdf-string append ,
        "/Creator (created with Factor)" ,
        ">>" ,
    ] { } make "\n" join ;
: pdf-catalog ( -- str )
    {
        " << "
        "/Type /Catalog"
        "/Pages 4 0 R"
        ">>"
    } "\n" join ;
: pdf-font ( -- str )
        " << "
        "/Type /Font"
        "/Subtype /Typel"
        "/BaseFont /Courier"
        ">>"
    } "\n" join ;
```

```
: pdf-pages ( n -- str )
   [
        " < < " ,
        "/Type /Pages" ,
        "/MediaBox [ 0 0 612 792 ]" ,
        [ "/Count %d" sprintf , ]
        Γ
            5 swap 2 range boa
            [ "%d 0 R " sprintf ] map concat
            "/Kids [ " "]" surround ,
        ] bi
        ">>"
    ] { } make "\n" join ;
: pdf-text ( lines -- str )
   [
        "BT" ,
        "54 738 Td" ,
        "/F1 10 Tf" ,
        "12 TL" ,
        [ pdf-string "'" append , ] each
        "ET" ,
    ] { } make "\n" join pdf-stream ;
: pdf-page ( n -- page )
   [
        " << " ,
        "/Type /Page" ,
        "/Parent 4 0 R" ,
        1 + "/Contents %d 0 R" sprintf ,
        ^{"}/Resources << /Font << /F1 3 0 R >> >> ^{"} ,
        ">>" ,
   ] { } make "\n" join ;
: pdf-trailer ( objects -- str )
   [
        "xref" ,
       dup length 1 + "0 %d" sprintf ,
        "000000000 65535 f" ,
        9 over [
            over "%010X 00000 n" sprintf , length 1 + +
        ] each drop
        "trailer" ,
        " << " ,
       dup length 1 + "/Size %d" sprintf ,
        "/Info 1 0 R" ,
        "/Root 2 0 R" ,
        ">>" ,
        "startxref" ,
        [length 1 + ] map-sum 9 + "%d" sprintf ,
        "%%EOF" ,
    ] { } make "\n" join ;
: string>lines ( str -- lines )
    "\t" split "
                   " join lines
    [ [ " " ] when-empty ] map ;
```

```
: lines>pages ( lines -- pages )
    [ 84 <groups> ] map concat 57 <groups> ;
: pages>objects ( pages -- objects )
   [
       pdf-info ,
       pdf-catalog ,
       pdf-font ,
       dup length pdf-pages ,
       dup length 5 swap 2 range boa zip
        [ pdf-page , pdf-text , ] assoc-each
    ] { } make
    dup length [1..b] zip [ first2 pdf-object ] map ;
: objects>pdf ( objects -- str )
    [ "\n" join "\n" append "%PDF-1.4\n" ]
    [ pdf-trailer ] bi surround ;
PRIVATE>
: text-to-pdf ( str -- str' )
   string>lines lines>pages pages>objects objects>pdf ;
: file-to-pdf ( path encoding -- )
    [ file-contents text-to-pdf ]
    [ [ ".pdf" append ] dip set-file-contents ] 2bi ;
```