BRIGHTLIGHT TUTORIALS
DATA ANALYTICS
Exercise 2

1
```
SELECT COUNT(*) AS total_employees
FROM employees;
```

total_employees
10

2
```
SELECT SUM(salary) AS total_salary
FROM employees
WHERE department = 'IT';
```

total_salary
220 000

3
```
SELECT AVG(salary) AS avg_salary
FROM employees
WHERE department = 'HR';
```

avg_salary
49 500

4
```
SELECT
    MIN(salary) AS lowest_salary,
    MAX(salary) AS highest salary
FROM employees
```

lowest_salary	Highest_salary
48 000	62000

Powered by CamScanner

5
```
SELECT
    department,
    Sum (Salary) As total_salary
FROM employees
GROUP BY department;
```

department	total_salary
IT	220 000
HR	99 000
Finance	119 000
Marketing	105 000

6
```
SELECT city,
    COUNT(*) As total_employees
FROM employees
GROUP BY city;
```

City	total_employees
New York	2
Chicago	3
Los Angeles	2
San Francisco	2
Houston	1

Powered by CamScanner

7
```
SELECT department,
 AVG (salary) AS avg_salary
FROM employees
GROUP BY department
ORDER BY avg_salary DESC;
```

department	avg_salary
Finance	59 500
IT	55 000
Marketing	52 500
HR	49 500

8
```
SELECT department,
SUM (salary) AS total_salary
FROM employees
GROUP BY department
HAVING SUM(salary) > 100 000;
```

department	total_salary
IT	220 000
Finance	119 000
Marketing	105 000

Powered by CamScanner

9 SELECT city;
COUNT(*) AS total_employees
FROM employees
GROUP BY city
HAVING COUNT(*) > 1
ORDER BY total_employees DESC;

City	total_employees
Chicago	3
New York	2
Los Angeles	2
San Francisco	2

10 SELECT department,
AVG (salary) AS avg_salary
FROM employees
GROUP BY department
ORDER BY avg_salary DESC
LIMIT 1;

department	avg salary
Finance	59 500

Powered by CamScanner