www.KraftTool.com

KRAFT TOOL CO.®

Series 0126

CELEBRATING

KRAFT

TOOL COMPANY

45 YEARS



TABLE OF CONTENTS

FLAT FINISHING TROWELS	Concrete and Plaster Finishing Trowels	**3-12**
CONCRETE	Floats, Fresnos, Screeds, Edgers, Groovers, Decorative, Restoration	**13-89**
GATOR TOOLS™	Carrying Case, Quality Concrete Tools - Screeds, Floats, Brackets	**90-96**
ASPHALT	Lutes, Rakes, Squeegees, Pour Pots, Brooms, Brushes	**97-100**
GENERAL CONTRACTOR	Scrapers, Squeegees, Shovels, Chalk Boxes, Tapes, Tool Bags, Boots	**101-110**
HI-CRAFT®	Value Priced Trade Tools - Drywall, Concrete, Masonry, Floor Covering	**111-115**
SANDS LEVEL & TOOL CO.®	Levels, Rulers, T-Squares, Squares	**116-126**
W.ROSE™	World's Finest Bricklayer's Tools Since 1798 - Trowels, Jointers, Line	**127-135**
MASONRY	Trowels, Jointers, Line, Brushes, Mortar Boxes, Chisels, Archaeology	**136-151**
PLASTER AND EIFS	Hawks, Trowels, Rubber Floats, Slickers, Darbies, Corner Tools, Rasps	**152-161**
DRYWALL	Mixers, Texture Guns, Taping Knives, Mud Pans, Tapers, Sanders	**162-173**
TILE AND FLOOR COVERING	Tile Cutters and Nippers, Notch Trowels, Carpet, Wood, Vinyl	**174-184**
APPRENTICE KITS AND DISPLAYS	Apprentice Kits, Kraft Tool Co.® Store Displays	**185-187**
DISPLAY ACCS. AND APPAREL	Display Accessories, Kraft Apparel	**188-189**
INDEX		**190-193**

KRAFT TOOL CO.® and its brands have a long-standing presence in American manufacturing. Our brands include W. Rose™ masonry tools since 1798, Sands Level and Tools® since 1895, Sunset Line and Twine™ since 1892, Superior Tile Cutter® since 1938, and Gator Tools™ since 2008.

Our story is one of rich heritage and innovation, from crafting swords and sabers during pivotal conflicts like the War of 1812 and the Civil War to our more recent contributions, such as manufacturing parachute cords for NASA in the 1960s, which played a crucial role in the Apollo space missions.

Kraft Tool Co.® is committed to providing professionals with superior trowel trade tools. We prioritize quality and strive to source our materials domestically whenever possible, reflecting our strong American manufacturing roots. Our goal is simple: to maintain exceptional quality, deliver outstanding service, and continuously introduce innovative products to the construction industry.

CAUTION: Always use approved safety protection.

KRAFT TOOL CO.®
8325 Hedge Lane Terrace • Shawnee, Kansas 66227 USA
Phone 800-422-2448 • 913-422-4848
Fax: 800-985-7238 • 913-422-1018
Visit Us Online: www.KraftTool.com

Kraft Tool Online

Follow Our Instagram

Copyright © 2026, KRAFT TOOL CO. ®

Elite Series™ CONCRETE POOL AND FINISHING TROWELS

Carbon Steel

Five Star Pool Trowels

Size	Shank	ProForm® Handle No.	Wood Handle No.	Leather Handle No.	Cork Handle No.
10"x3"	3"	CFE435PF	CFE435	CFE435L	CFE435K
12"x3-1/2"	4-3/8"	CFE436PF	CFE436	CFE436L	CFE436K
14"x4"	6"	CFE437PF	CFE437	CFE437L	CFE437K
16"x4"	7-7/8"	CFE438PF	CFE438	CFE438L	CFE438K
18"x5"	9-5/8"	CFE439PF	CFE439	CFE439L	CFE439K
20"x5"	11-5/8"	CFE440PF	CFE440	CFE440L	CFE440K
16"x4"	13-5/8"	CFE447PF	CFE447	CFE447L	CFE447K
18"x4"	15-5/8"	CFE448PF	CFE448	CFE448L	CFE448K
20"x4"	15-5/8"	CFE449PF	CFE449	CFE449L	CFE449K
20"x5"	15-5/8"	CFE451PF	CFE451	CFE451L	CFE451K

Blue Steel

Five Star Pool Trowels

Size	Shank	ProForm® Handle No.	Wood Handle No.	Leather Handle No.	Cork Handle No.
14"x4"	6"	CFE277BPF	CFE277B	CFE277BL	CFE277BK
16"x4"	7-7/8"	CFE279BPF	CFE279B	CFE279BL	CFE279BK
16"x4-1/2"	7-7/8"	CFE290BPF	CFE290B	CFE290BL	CFE290BK
18"x5"	9-5/8"	CFE292BPF	CFE292B	CFE292BL	CFE292BK
20"x5"	11-5/8"	CFE295BPF	CFE295B	CFE295BL	CFE295BK
14"x4"	11-5/8"	CFE736BPF	CFE736B	CFE736BL	CFE736BK
16"x4"	13-5/8"	CFE737BPF	CFE737B	CFE737BL	CFE737BK
18"x4"	15-5/8"	CFE738BPF	CFE738B	CFE738BL	CFE738BK

Carbon Steel

Five Star Round Front/Square Back Trowels

Size	ProForm® Handle No.	Wood Handle No.	Leather Handle No.	Cork Handle No.
14"x4"	CFE284PF	CFE284	CFE284L	CFE284K
16"x4"	CFE285PF	CFE285	CFE285L	CFE285K
18"x4"	CFE286PF	CFE286	CFE286L	CFE286K
20"x4"	CFE287PF	CFE287	CFE287L	CFE287K
20"x5"	CFE288PF	CFE288	CFE288L	CFE288K

Blue Steel

Five Star Round Front/Square Back Trowels

Size	ProForm® Handle No.	Wood Handle No.	Leather Handle No.	Cork Handle No.
14"x4"	CFE284BPF	CFE284B	CFE284BL	CFE284BK
16"x4"	CFE285BPF	CFE285B	CFE285BL	CFE285BK
18"x4"	CFE286BPF	CFE286B	CFE286BL	CFE286BK



ProForm® Trowel Handle (US Patent #6,247,204 B1) Elite Series™ Five Star Wood Handle (US Patent #D584,126) Elite Series™ Five Star Cork Handle (US Patent #D853,821 S)

Carbon Steel

Five Star Concrete Trowels

Size	*ProForm® Handle* No.	*Wood Handle* No.	*Leather Handle* No.	*Cork Handle* No.
12"x3"	CFE211PF	CFE211	CFE211L	CFE211K
12"x4"	CFE212PF	CFE212	CFE212L	CFE212K
14"x3"	CFE216PF	CFE216	CFE216L	CFE216K
14"x4"	CFE217PF	CFE217	CFE217L	CFE217K
14"x5"	CFE534PF	CFE534	CFE534L	CFE534K
16"x3"	CFE221PF	CFE221	CFE221L	CFE221K
16"x4"	CFE222PF	CFE222	CFE222L	CFE222K
16"x5"	CFE535PF	CFE535	CFE535L	CFE535K
18"x4"	CFE227PF	CFE227	CFE227L	CFE227K
18"x5"	CFE546PF	CFE546	CFE546L	CFE546K
20"x4"	CFE231PF	CFE231	CFE231L	CFE231K
20"x5"	CFE232PF	CFE232	CFE232L	CFE232K

Blue Steel

Five Star Concrete Trowels

Size	*ProForm® Handle* No.	*Wood Handle* No.	*Leather Handle* No.	*Cork Handle* No.
14"x4"	CFE731BPF	CFE731B	CFE731BL	CFE731BK
16"x4"	CFE732BPF	CFE732B	CFE732BL	CFE732BK
18"x4"	CFE729BPF	CFE729B	CFE729BL	CFE729BK



Golden Stainless Steel

Five Star Plaster Trowels

- Premium blade has a special heat treatment for a flatter, longer-lasting blade

Size	*ProForm® Handle* No.	*Wood Handle* No.	*Leather Handle* No.	*Cork Handle* No.
12"x4"	CFE536PF	CFE536	CFE536L	CFE536K
14"x4"	CFE541PF	CFE541	CFE541L	CFE541K
14"x5"	CFE543PF	CFE543	CFE543L	CFE543K
16"x3"	CFE532PF	CFE532	CFE532L	CFE532K
16"x5"	CFE545PF	CFE545	CFE545L	CFE545K
18"x5"	CFE548PF	CFE548	CFE548L	CFE548K
20"x5"	CFE549PF	CFE549	CFE549L	CFE549K



Blue Steel Sword Trowel

Five Star Pointed Front/Square Back Trowels

- Designed and engineered for the professional
- Unique blade design for hard-to-reach areas
- Pointed front works in corners and angles
- Square back works along forms
- Patented cork handle repels moisture

Cork Handle

No.	Size
CFE701BK	14"x4"
CFE702BK	16"x4-1/2"
CFE703BK	18"x4-1/2"
CFE704BK	20"x4-1/2"

Elite Series
Engineered for the Professional
★★★★★ Five Star Trowel

Five Star "Broken-In" Blade Ready for Use
The Best Blade in the Business

★ Stainless Steel Power Pin Rivets for Exceptional Strength
★ Greater Flexibility and Durability to Reduce Fatigue
★ Unique, Lightweight
★ No-Turn Handle
★ Precision Ground Edge Ready for Immediate Use

Elite Series™ PLASTER FINISHING TROWELS

Golden Stainless Steel

Five Star Plaster Trowels

• Premium blade has a special heat treatment for a flatter, longer-lasting blade

Size	Shank	*ProForm® Handle* No.	*Wood Handle* No.	*Leather Handle* No.	*Cork Handle* No.
8"x3"	5-7/8"	PLE411PF	PLE411	PLE411L	PLE411K
11"x4-1/2"	9-5/8"	PLE454PF	PLE454	PLE454L	PLE454K
11-1/2"x4-3/4"	9-5/8"	PLE457PF	PLE457	PLE457L	PLE457K
12"x5"	9-5/8"	PLE459PF	PLE459	PLE459L	PLE459K
13"x5"	11-5/8"	PLE460PF	PLE460	PLE460L	PLE460K
14"x5"	11-5/8"	CFE543PF	CFE543	CFE543L	CFE543K
12"x5"	7-7/8"	PLE458PF	PLE458	PLE458L	PLE458K
13"x5"	7-7/8"	PLE461PF	PLE461	PLE461L	PLE461K

Carbon Steel

Five Star Plaster Trowels

Size	Shank	*ProForm® Handle* No.	*Wood Handle* No.	*Leather Handle* No.	*Cork Handle* No.
10-1/2"x4-1/2"	9-5/8"	PLE425PF	PLE425	PLE425L	PLE425K
11"x4-1/2"	9-5/8"	PLE451PF	PLE451	PLE451L	PLE451K
12"x5"	9-5/8"	PLE468PF	PLE468	PLE468L	PLE468K
13"x5"	11-5/8"	PLE470PF	PLE470	PLE470L	PLE470K

Venetian Trowel

Trapezoid shape stainless steel finish trowels. Designed for finishing and polishing decorative plaster and stucco. Machined edge with smooth bright finish.

Size	*Cork Handle* No.
8"x3"	PLE627K
9-1/2"x3-1/2"	PLE628K

ProForm® Trowel Handle (US Patent #6,247,204 B1) Elite Series™ Five Star Wood Handle (US Patent #D584,126) Elite Series™ Five Star Cork Handle (US Patent #D853,821 S)

Elite Series™ Hand Floats

Available in magnesium and laminated canvas-resin

See Pages 13-15

Elite Series™ Trowel Packaging

Eye-catching packaging features improved visual and functional box design, as well as on-product selling point labels.

EliteSeries™ FLEXIBLE TROWELS

Special Premium Flexible Stainless Steel Alloy Trowels

- **Unique design makes these trowels lightweight with just the right balance**
- **Flexible blade helps reduce arm and wrist stress**
- **Top blade support plate provides a balance of rigidity on this flexible stainless steel blade**
- **Rivetless stainless steel troweling surface features a machined edge for a superior finish**
- **Special alloy will not rust, pit, or stain**
- **Rounded corners prevent gouging or marks**
- **Rivetless design for a superior finish**
- **A great choice for plaster and concrete decor when flexibility and a light touch are key**

Opti-FLEX™

Opti-FLEX™ Stainless Steel

Five Star Finishing Trowels

Wider width for increased stability, with broken-in corners. Finish and skim plaster and drywall with a balance of flexibility and toughness.

Size	*ProForm® Handle* No.	*Wood Handle* No.	*Leather Handle* No.	*Cork Handle* No.
12"x4-3/4"	PLE481PF	PLE481	PLE481L	PLE481K
13"x4-3/4"	PLE482PF	PLE482	PLE482L	PLE482K
14"x4-3/4"	PLE483PF	PLE483	PLE483L	PLE483K
16"x4-3/4"	PLE484PF	PLE484	PLE484L	PLE484K

XtremeFLEX™

XtremeFLEX™ Stainless Steel

Five Star Finishing Trowels

Finish and skim with this extra flexible trowel. Broken-in corners.

Size	*ProForm® Handle* No.	*Wood Handle* No.	*Leather Handle* No.	*Cork Handle* No.
12"x4"	PLE462PF	PLE462	PLE462L	PLE462K
13"x4"	PLE463PF	PLE463	PLE463L	PLE463K
14"x4"	PLE464PF	PLE464	PLE464L	PLE464K
16"x4"	PLE465PF	PLE465	PLE465L	PLE465K

ProForm® Trowel Handle (US Patent #6,247,204 B1) Elite Series™ Five Star Wood Handle (US Patent #D584,126) Elite Series™ Five Star Cork Handle (US Patent #D853,821 S)

SIGNATURE CONCRETE FINISHING TROWELS

Carbon Steel

Camel Back Wood Handle

No.	Size
CF201C	10"x3"
CF202C	10"x4"
CF207C	11"x4"
CF211C	12"x3"
CF212C	12"x4"
CF216C	14"x3"
CF215C	14"x3-1/2"
CF217C	14"x4"
CF218C	14"x4-1/2"
CF219C	14"x4-3/4"
CF534C	14"x5"
CF221C	16"x3"
CF220C	16"x3-1/2"
CF222C	16"x4"
CF223C	16"x4-1/2"
CF224C	16"x4-3/4"
CF535C	16"x5"

No.	Size
CF226C	18"x3"
CF225C	18"x3-1/2"
CF227C	18"x4"
CF228C	18"x4-1/2"
CF229C	18"x4-3/4"
CF546C	18"x5"
CF231C	20"x4"
CF232C	20"x5"
CF550C	22"x5"
CF233C	24"x4"
CF234C	24"x5"

Carbon Steel

ProForm® Soft Grip Handle

No.	Size
CF201PF	10"x3"
CF202PF	10"x4"
CF207PF	11"x4"
CF211PF	12"x3"
CF212PF	12"x4"
CF216PF	14"x3"
CF215PF	14"x3-1/2"
CF217PF	14"x4"
CF218PF	14"x4-1/2"
CF219PF	14"x4-3/4"
CF534PF	14"x5"
CF221PF	16"x3"
CF220PF	16"x3-1/2"
CF222PF	16"x4"
CF223PF	16"x4-1/2"
CF224PF	16"x4-3/4"
CF535PF	16"x5"

No.	Size
CF226PF	18"x3"
CF225PF	18"x3-1/2"
CF227PF	18"x4"
CF228PF	18"x4-1/2"
CF229PF	18"x4-3/4"
CF546PF	18"x5"
CF231PF	20"x4"
CF232PF	20"x5"
CF550PF	22"x5"
CF233PF	24"x4"
CF234PF	24"x5"

Pointed Sword Trowel

Carbon Steel

- Designed and engineered for the professional finisher
- Unique blade design for hard-to-reach areas
- High-quality carbon steel blade
- Pointed front works in corners and angles
- Square back works along forms
- Comfortable patented ProForm® soft grip handle

No.	Size
CF701PF	14"x4"
CF702PF	16"x4-1/2"
CF703PF	18"x4-1/2"
CF704PF	20"x4-1/2"

See Elite Series™ Blue Steel Sword Trowel with Cork Handle on page 4



SPECIALTY TROWELS

Flexible Radius Trowels

The high grade steel blade easily flexes to various radii. Fewer rivets create a wider range of motion for the blade. High-strength, short shank aluminum mountings provides additional flexibility to work surface while maintaining control.

Pool Trowels

Blue Steel

Camel Back Wood Handle

No.	Size	Rivets
CF277B-5R	14"x4"	5
CF279B-5R	16"x4"	5
CF738B-6R	18"x4"	6

ProForm® Soft Grip Handle

No.	Size	Rivets
CF277BPF-5R	14"x4"	5
CF279BPF-5R	16"x4"	5
CF738BPF-6R	18"x4"	6

Carbon Steel (not shown)

Camel Back Wood Handle

No.	Size	Rivets
CF437-5R	14"x4"	5
CF438-5R	16"x4"	5
CF448-6R	18"x4"	6

ProForm® Soft Grip Handle

No.	Size	Rivets
CF437PF-5R	14"x4"	5
CF438PF-5R	16"x4"	5
CF448PF-6R	18"x4"	6



Finishing Trowels

Blue Steel

Camel Back Wood Handle

No.	Size	Rivets
CF731B-5R	14"x4"	5
CF729B-10R	18"x4"	10

ProForm® Soft Grip Handle

No.	Size	Rivets
CF731BPF-5R	14"x4"	5
CF729BPF-10R	18"x4"	10

Round Front Square Back

Carbon Steel

- Round front minimizes trowel marks
- Square back lets trowel get closer to forms

Camel Back Wood Handle

No.	Size
CF428	10"x4"
CF284	14"x4"
CF285	16"x4"
CF286	18"x4"
CF343	18"x5"
CF287	20"x4"
CF288	20"x5"
CF340	22"x4"
CF341	22"x5"
CF342	24"x5"

ProForm® Soft Grip Handle

CF428PF	10"x4"
CF284PF	14"x4"
CF285PF	16"x4"
CF286PF	18"x4"
CF343PF	18"x5"
CF287PF	20"x4"
CF288PF	20"x5"
CF340PF	22"x4"
CF341PF	22"x5"
CF342PF	24"x5"

Round Front Square Back

Blue Steel

- Round front minimizes trowel marks
- Square back lets trowel get closer to forms

Camel Back Wood Handle

No.	Size
CF213B	10"x4"
CF214B	12"x4"
CF284B	14"x4"
CF285B	16"x4"
CF286B	18"x4"
CF230B	16"x5"
CF343B	18"x5"
CF288B	20"x5"

ProForm® Soft Grip Handle

CF213BPF	10"x4"
CF214BPF	12"x4"
CF284BPF	14"x4"
CF285BPF	16"x4"
CF286BPF	18"x4"
CF230BPF	16"x5"
CF343BPF	18"x5"
CF288BPF	20"x5"

Round End Burn Trowel

Blue Steel

High-quality blue steel. 3" rounded narrow blade with long shank. Allows finishers to apply pressure for a smooth, hard finish.

Camel Back Wood Handle

No.	Size	Shank
CF470	12"x3"	9-5/8"
CF471	14"x3"	11-5/8"

ProForm® Soft Grip Handle

No.	Size	Shank
CF470PF	12"x3"	9-5/8"
CF471PF	14"x3"	11-5/8"

Chrome (No Burn)

Exposed Rivets for Extra Strength

- Extra hard troweling blade for long wear
- Short shank for flexibility
- Eliminates burn marks
- The hardened chrome surface is great for pool work

Camel Back Wood Handle

No.	Size	Shank
CF490	10"x3"	3"
CF491	12"x3-1/2"	4"
CF492	14"x3"	6"
CF493	14"x4"	6"
CF494	16"x3"	7-7/8"

ProForm® Soft Grip Handle

CF490PF	10"x3"	3"
CF491PF	12"x3-1/2"	4"
CF492PF	14"x3"	6"
CF493PF	14"x4"	6"
CF494PF	16"x3"	7-7/8"

Trowel Sharpener

Keeps edges sharp. Ideal tool for eliminating small nicks and dull edges of finishing trowels.

No. CF200



Trowel Not Included

POOL TROWELS

Carbon Steel

Short Shank, Flexible Blade

- Rounded edges prevent surface gouging
- Short shank for flexibility

Camel Back Wood Handle

No.	Size	Shank
CF435	10"x3"	3"
CF436	12"x3-1/2"	4"
CF437	14"x4"	6"
CF438	16"x4"	7-7/8"
CF427	16"x4-1/2"	7-7/8"
CF443	18"x4"	7-7/8"
CF439	18"x5"	9-5/8"
CF440	20"x5"	11-5/8"
CF441	22"x4"	13-5/8"
CF452	22"x5"	11-5/8"
CF442	24"x4"	13-5/8"
CF445	24"x5"	13-5/8"

ProForm® Soft Grip Handle

CF435PF	10"x3"	3"
CF436PF	12"x3-1/2"	4"
CF437PF	14"x4"	6"
CF438PF	16"x4"	7-7/8"
CF427PF	16"x4-1/2"	7-7/8"
CF443PF	18"x4"	7-7/8"
CF439PF	18"x5"	9-5/8"
CF440PF	20"x5"	11-5/8"
CF441PF	22"x4"	13-5/8"
CF452PF	22"x5"	11-5/8"
CF442PF	24"x4"	13-5/8"
CF445PF	24"x5"	13-5/8"

Carbon Steel

Long Shank

- Rounded edges prevent surface gouging
- Longer shank creates a less flexible blade

Camel Back Wood Handle

No.	Size	Shank
CF429	12"x4"	9-5/8"
CF446	14"x4"	11-5/8"
CF447	16"x4"	13-5/8"
CF448	18"x4"	15-5/8"
CF450	18"x5"	15-5/8"
CF449	20"x4"	15-5/8"
CF451	20"x5"	15-5/8"

ProForm® Soft Grip Handle

CF429PF	12"x4"	9-5/8"
CF446PF	14"x4"	11-5/8"
CF447PF	16"x4"	13-5/8"
CF448PF	18"x4"	15-5/8"
CF450PF	18"x5"	15-5/8"
CF449PF	20"x4"	15-5/8"
CF451PF	20"x5"	15-5/8"

Blue Steel

Long Shank

- Rounded edges prevent surface gouging
- Longer shank creates a less flexible blade

Camel Back Wood Handle

No.	Size	Shank
CF721B	12"x4"	9-5/8"
CF736B	14"x4"	11-5/8"
CF737B	16"x4"	13-5/8"
CF742B	16"x5"	13-5/8"
CF738B	18"x4"	15-5/8"
CF739B	20"x4"	15-5/8"
CF740B	20"x5"	15-5/8"
CF741B	22"x4"	15-5/8"
CF745B	24"x4"	15-5/8"
CF746B	24"x5"	15-5/8"

ProForm® Soft Grip Handle

CF721BPF	12"x4"	9-5/8"
CF736BPF	14"x4"	11-5/8"
CF737BPF	16"x4"	13-5/8"
CF742BPF	16"x5"	13-5/8"
CF738BPF	18"x4"	15-5/8"
CF739BPF	20"x4"	15-5/8"
CF740BPF	20"x5"	15-5/8"
CF741BPF	22"x4"	15-5/8"
CF745BPF	24"x4"	15-5/8"
CF746BPF	24"x5"	15-5/8"

Swedish Stainless Steel

Short Shank, Flexible Blade

- Rounded edges prevent surface gouging
- Short shank for flexibility

Camel Back Wood Handle

No.	Size	Shank
CF325	10"x3"	3"
CF326	12"x3-1/2"	4"
CF329	14"x3"	6"
CF327	14"x4"	6"
CF330	16"x3"	7-7/8"
CF328	16"x4"	7-7/8"
CF344	18"x4"	9-5/8"

ProForm® Soft Grip Handle

CF325PF	10"x3"	3"
CF326PF	12"x3-1/2"	4"
CF329PF	14"x3"	6"
CF327PF	14"x4"	6"
CF330PF	16"x3"	7-7/8"
CF328PF	16"x4"	7-7/8"
CF344PF	18"x4"	9-5/8"

Blue Steel

Short Shank, Flexible Blade

- Rounded edges prevent surface gouging
- Short shank for flexibility

Camel Back Wood Handle

No.	Size	Shank
CF274B	10"x3"	3"
CF271B	12"x3"	4"
CF276B	12"x3-1/2"	4"
CF275B	12"x4"	4"
CF272B	14"x3"	6"
CF277B	14"x4"	6"
CF273B	16"x3"	7-7/8"
CF279B	16"x4"	7-7/8"
CF290B	16"x4-1/2"	7-7/8"
CF280B	16"x5"	9-5/8"
CF291B	18"x4-1/2"	9-5/8"
CF292B	18"x5"	9-5/8"
CF293B	20"x4"	11-5/8"
CF295B	20"x5"	11-5/8"
CF296B	22"x5"	13-5/8"
CF297B	24"x5"	13-5/8"

ProForm® Soft Grip Handle

CF274BPF	10"x3"	3"
CF271BPF	12"x3"	4"
CF276BPF	12"x3-1/2"	4"
CF275BPF	12"x4"	4"
CF272BPF	14"x3"	6"
CF277BPF	14"x4"	6"
CF273BPF	16"x3"	7-7/8"
CF279BPF	16"x4"	7-7/8"
CF290BPF	16"x4-1/2"	7-7/8"
CF280BPF	16"x5"	9-5/8"
CF291BPF	18"x4-1/2"	9-5/8"
CF292BPF	18"x5"	9-5/8"
CF293BPF	20"x4"	11-5/8"
CF295BPF	20"x5"	11-5/8"
CF296BPF	22"x5"	13-5/8"
CF297BPF	24"x5"	13-5/8"

Golden Stainless Steel

Short Shank, Flexible Blade

- Special heat treatment for a flatter, longer-lasting blade
- Rounded edges prevent surface gouging
- Short shank for flexibility

Camel Back Wood Handle

No.	Size	Shank
CF274	10"x3"	3"
CF276	12"x3-1/2"	4"
CF277	14"x4"	6"
CF279	16"x4"	7-7/8"

ProForm® Soft Grip Handle

CF274PF	10"x3"	3"
CF276PF	12"x3-1/2"	4"
CF277PF	14"x4"	6"
CF279PF	16"x4"	7-7/8"

ProForm® Trowel Handle (US Patent #6,247,204 B1)

FINISHING TROWELS

Golden Stainless Steel

- Special heat treatment for a flatter, longer-lasting blade
- Special alloy will not rust, pit, or stain

Camel Back Wood Handle

No.	Size
CF536	12"x4"
CF541	14"x4"
CF540	14"x4-3/4"
CF543	14"x5"
CF532	16"x3"
CF533	16"x4"
CF542	16"x4-1/2"
CF545	16"x5"
CF547	18"x4"
CF548	18"x5"
CF549	20"x5"

ProForm® Soft Grip Handle

No.	Size
CF536PF	12"x4"
CF541PF	14"x4"
CF540PF	14"x4-3/4"
CF543PF	14"x5"
CF532PF	16"x3"
CF533PF	16"x4"
CF542PF	16"x4-1/2"
CF545PF	16"x5"
CF547PF	18"x4"
CF548PF	18"x5"
CF549PF	20"x5"



Blue Steel

- High-quality blue steel gives the blade additional flexibility

Camel Back Wood Handle

No.	Size
CF725B	10"x4"
CF726B	12"x3"
CF730B	12"x4"
CF727B	14"x3"
CF731B	14"x4"
CF732B	16"x4"
CF535B	16"x5"
CF729B	18"x4"
CF733B	18"x5"
CF728B	20"x4"
CF734B	20"x5"
CF743B	24"x4"
CF735B	24"x5"

ProForm® Soft Grip Handle

No.	Size
CF725BPF	10"x4"
CF726BPF	12"x3"
CF730BPF	12"x4"
CF727BPF	14"x3"
CF731BPF	14"x4"
CF732BPF	16"x4"
CF535BPF	16"x5"
CF729BPF	18"x4"
CF733BPF	18"x5"
CF728BPF	20"x4"
CF734BPF	20"x5"
CF743BPF	24"x4"
CF735BPF	24"x5"

Swedish Stainless Steel

- High-quality, heat-treated Swedish stainless steel
- Special alloy will not rust, pit, or stain

Camel Back Wood Handle

No.	Size
CF742	12"x4"
CF744	14"x4"
CF748	14"x4-3/4"
PL574	14"x5"
CF747	16"x4"
PL576	16"x5"

ProForm® Soft Grip Handle

No.	Size
CF742PF	12"x4"
CF744PF	14"x4"
CF748PF	14"x4-3/4"
PL574PF	14"x5"
CF747PF	16"x4"
PL576PF	16"x5"

Carbon Steel Pipe Trowel

Finish hard-to-get places quickly and easily. The offset handle lets you slip the trowel between pipes: the long nose makes it easy to get behind fixtures.

Camel Back Wood Handle

No.	Size
PL501	10-1/2"x3"

ProForm® Soft Grip Handle

No.	Size
PL501PF	10-1/2"x3"

Mini Pool Trowel

Carbon Steel

Finish hard-to-get places, wall forms, window sills and small areas. Rounded ends prevent gouging.

Camel Back Wood Handle

No.	Size
CF724	7-1/2"x4"

ProForm® Soft Grip Handle

CF724PF	7-1/2"x4"

Midget Trowel

Great for window sills, closets, and small areas. Carry one in your tool bag for tough-to-reach jobs.

Carbon Steel

Camel Back Wood Handle

No.	Size
PL409	6-1/2"x5"
PL407	8"x3"
PL408	8"x5"

ProForm® Soft Grip Handle

No.	Size
PL409PF	6-1/2"x5"
PL407PF	8"x3"
PL408PF	8"x5"

Swedish Stainless Steel

Camel Back Wood Handle

No.	Size
PL406	8"x3"

ProForm® Soft Grip Handle

PL406PF	8"x3"

PLASTER TROWELS

Carbon Steel

- Strong carbon steel blade
- Longer shank creates a stiffer blade

Camel Back Wood Handle

No.	Size	Shank
PL425	10-1/2"x4-1/2"	9-5/8"
PL451	11"x4-1/2"	9-5/8"
PL456	11-1/2"x4-1/2"	9-5/8"
PL448	11-1/2"x4-3/4"	9-5/8"
PL468	12"x5"	9-5/8"
PL470	13"x5"	11-5/8"

ProForm® Soft Grip Handle

PL425PF	10-1/2"x4-1/2"	9-5/8"
PL451PF	11"x4-1/2"	9-5/8"
PL456PF	11-1/2"x4-1/2"	9-5/8"
PL448PF	11-1/2"x4-3/4"	9-5/8"
PL468PF	12"x5"	9-5/8"
PL470PF	13"x5"	11-5/8"

Venetian Trowel

Stainless Steel

Trapezoid shape, broken-in stainless steel finish trowels. Designed for finishing and polishing decorative plaster and stucco. Machined edge with smooth bright finish.

ProForm® Soft Grip Handle

No.	Size
PL627PF	8"x3" 203mmx76mm (small)
PL628PF	9-1/2"x3-1/2" 241mmx89mm (med.)

Camel Back Wood Handle

No.	Size
PL627	8"x3" 203mmx76mm (small)
PL628	9-1/2"x3-1/2" 241mmx89mm (med.)

Golden Stainless Steel

- Special heat treatment for a flatter, longer-lasting blade
- Special alloy will not rust, pit, or stain
- Choice of long or short shank

Camel Back Wood Handle

No.	Size	Shank
PL452	10-1/2"x4-1/2"	9-5/8"
PL454	11"x4-1/2"	9-5/8"
PL455	11"x4-3/4"	9-5/8"
PL453	11-1/2"x4-1/2"	9-5/8"
PL457	11-1/2"x4-3/4"	9-5/8"
PL459	12"x5"	9-5/8"
PL460	13"x5"	11-5/8"
CF543	14"x5"	11-5/8"
CF545	16"x5"	13-5/8"
PL449	11-1/2"x4-3/4"	7-7/8"
PL458	12"x5"	7-7/8"
PL461	13"x5"	7-7/8"
CF544	14"x5"	9-5/8"
PL462	16"x5"	9-5/8"

ProForm® Soft Grip Handle

PL452PF	10-1/2"x4-1/2"	9-5/8"
PL454PF	11"x4-1/2"	9-5/8"
PL455PF	11"x4-3/4"	9-5/8"
PL453PF	11-1/2"x4-1/2"	9-5/8"
PL457PF	11-1/2"x4-3/4"	9-5/8"
PL459PF	12"x5"	9-5/8"
PL460PF	13"x5"	11-5/8"
CF543PF	14"x5"	11-5/8"
CF545PF	16"x5"	13-5/8"
PL449PF	11-1/2"x4-3/4"	7-7/8"
PL458PF	12"x5"	7-7/8"
PL461PF	13"x5"	7-7/8"
CF544PF	14"x5"	9-5/8"
PL462PF	16"x5"	9-5/8"

Silo Trowel

Carbon Steel Rounded Corner

Finish hard-to-get places. Four special rounded corners (1/2" radius) prevents digging on slab.

Camel Back Wood Handle

No.	Size
CF332	14"x4"
CF333	16"x4"

ProForm® Soft Grip Handle

No.	Size
CF332PF	14"x4"
CF333PF	16"x4"

Swedish Stainless Steel

- Heat-treated Swedish stainless steel
- Special alloy will not rust, pit, or stain

Camel Back Wood Handle

No.	Size	Shank
PL525	10-1/2"x4-1/2"	9-5/8"
PL551	11"x4-1/2"	9-5/8"
PL547	11"x4-3/4"	9-5/8"
PL556	11-1/2"x4-1/2"	9-5/8"
PL548	11-1/2"x4-3/4"	9-5/8"
PL568	12"x5"	9-5/8"
PL570	13"x5"	11-5/8"
PL574	14"x5"	11-5/8"
PL576	16"x5"	13-5/8"

ProForm® Soft Grip Handle

PL525PF	10-1/2"x4-1/2"	9-5/8"
PL551PF	11"x4-1/2"	9-5/8"
PL547PF	11"x4-3/4"	9-5/8"
PL556PF	11-1/2"x4-1/2"	9-5/8"
PL548PF	11-1/2"x4-3/4"	9-5/8"
PL568PF	12"x5"	9-5/8"
PL570PF	13"x5"	11-5/8"
PL574PF	14"x5"	11-5/8"
PL576PF	16"x5"	13-5/8"



Plexi-Plastic Trowels

Plexi-plastic trowel has an aluminum mounting and is made from a special plastic for better wear. Use on White Portland, interior stucco, swimming pools, and special projects requiring trowels that will not blacken material.

Round End

Camel Back Wood Handle

No.	Size
PL610	10"x3"
PL612	12"x3-1/2"
PL614	14"x4"
PL616	16"x4"

ProForm® Soft Grip Handle

No.	Size
PL610PF	10"x3"
PL612PF	12"x3-1/2"
PL614PF	14"x4"
PL616PF	16"x4"

Square End

Camel Back Wood Handle

No.	Size
PL658	11"x4-1/2"

ProForm® Soft Grip Handle

No.	Size
PL658PF	11"x4-1/2"

ProForm® Trowel Handle (US Patent #6,247,204 B1)

Trowel Bracket

When used with a standard fresno handle, these steel brackets turn a normal concrete finishing trowel into a small fresno for longer reach when finishing. Just remove handle and add bracket to trowel. ***Fits on all Kraft finishing trowels and can be used with clevis handle adapters (sold separately, pages 32-35).***

No.	Description
CC657	Single Action Bracket
CC658	Swivel Action Bracket

Single Action

Swivel Action

Finishing trowel, adapter, and extension handle sold separately

Trowel Bracket Clip

V-Shaped adapter clip fits around the yoke of the trowel to turn any finishing trowel into a Funny Trowel. Strong metal clip puts a clevis bracket in front of the handle for easy mopping-type movements. Trowel can still be used as a hand trowel when bracket is attached. Recommended for larger trowels. Hardware included. *Use with narrow clevis handles (sold separately, page 72).*

No. CC667

Finishing trowel, adapter, and clevis handle sold separately

Funny Trowel

Blue steel blade with clevis handle bracket (CC661) for back and forth mopping style movements. 1/2" square bar centered on blade for flatness and strength. Ideal tool for extended reach when finishing under overhangs and around other obstructions. *Add an adapter for use with bull float handles (sold separately, pages 32-35).*

No.	Size
CC624F	24"x5"



Funny Trowel Replacement Bracket CC661

Replacement Elite Series™ Trowel Handles

No.	Description
A) CFE053G	ProForm® Handle
B) CFE053K	Cork Handle
C) CFE051L	Leather Handle
D) CFE051LE	Laminated Hardwood Handle

Replacement Signature Trowel Handles

No.	Description
E) CF053	ProForm® Handle
F) CF051	Camel Back Handle

A


B


C


D

E


F

Replacement Float Handles

A) 9-3/4" Wood Float Handle
No. CF261

B) 9-3/4" Wood Drilled Countersunk Handle
No. CF262

C) 9" Wood High Lift Float Handle
No. CF050

D) 7-1/4" Replacement Handle for Rubber Floats
No. CF263 7-1/4" Wood Handle
No. CF263P 7-1/4" Plastic Handle *(not shown)*

E) 9-3/4" Wood Replacement Handle with Larger Diameter
No. CF265

A

B

C

D

E

F) 9-3/4" ProForm® Soft Grip Float Handle
No. CF266

G) 9-3/4" ProForm® Soft Grip Handle for MAG-150™ and ThinLine Pro Floats
No. CF266CB

H) 8-7/8" ProForm® Soft Grip Contractor Float Handle
No. CF263PF

I) 9" High Lift ProForm® Soft Grip Float Handle
No. CF050PF

J) 9-3/4" Elite Series™ Cork Float Handle
No. CF266K

K) 9-3/4" Elite Series™ Cork Float Handle for MAG-150™ and ThinLine Pro Floats
No. CF266CBK

F


G

H

I

J

K

Elite Series™ Wood Handle (US Patent #D584,126) Elite Series™ Cork Trowel Handle (US Patent #D853,821 S) Elite Series™ Cork Float Handle (US Patent #D842,678 S) ProForm® Float Handle (US Patent #6,473,939 B1) (US Patent #6,821,468 B2)

Featuring a special grinding process for a uniquely broken-in face

Elite Series™ MAG HAND FLOATS

Elite Series™ Mag Hand Floats

Won't Slip or Stick, for Just the Right Grip!
Patented Design

- Secure, precisely balanced Cork Handle provides a comfortable grip
- Wicks moisture away for a firm grip without chafing and slipping
- Featuring a special grinding process for a uniquely broken-in face

Blade Detail

Elite Series™ ★★★★★ Five Star Mag Hand Floats

Each Five Star Elite Series™ magnesium hand floats has a distinct grind on the working surface, giving the concrete a smooth, professional look. The special ground blade features rounded corners to leave fewer marks. Beveled edges and a unique surface give a "broken-in" feel for immediate use. All Elite Series™ Magnesium Floats come complete with a cork handle.

GENUINE EXTRU-LITE™ MAGNESIUM

Square End Mag Float

Cork Handle

No.	Size
CFE012K	12"x3-1/4"
CFE014K	14"x3-1/4"
CFE016K	16"x3-1/4"
CFE018K	18"x3-1/4"
CFE020K	20"x3-1/4"
CFE024K	24"x3-1/4"

Round End Mag Float

Cork Handle

No.	Size
CFE072K	12"x3-1/4"
CFE076K	16"x3-1/4"
CFE074K	18"x3-1/4"
CFE075K	20"x3-1/4"

Fat Cat Mag Float™

Long-Wearing Magnesium Alloy

- Uniquely formulated extruded magnesium alloy creates a stronger, harder blade
- Extra tough material stands up to even the most stressful force
- Longest-wearing blade available
- Widest float covers a larger area
- Extra large blade radius
- **"Broken-in"** blade is ready for use
- Popular ergonomic and moisture-wicking cork handle

Cork Handle

No.	Size
CFE071K	16"x4"
CFE073K	20"x4"

Blade Radius

See More Elite Series™ Tools

Concrete and Plaster Finishing Trowels Pages 3-6
Hand Edgers, Groovers, and Step Tools Pages 56-59



Elite Series™ CAST MAGNESIUM HAND & WALKING FLOATS

ThinLine Pro Mag Float

Cast Magnesium

- Tough, durable cast magnesium blade
- Uniquely ground edges and smooth rounded corners gives this float the perfect **"broken-in"** feel
- Precise handle position provides a perfect balance
- Popular ergonomic moisture-wicking cork handle (CF266CBK)



Square End

Cork Handle

No.	Size
CFE064K	16"x3-1/8"

Round End

Cork Handle

No.	Size
CFE064REK	16"x3-1/8"

MAG-150™ Float

Cast Magnesium

- Tough, durable cast magnesium blade
- Uniquely ground edges give the blade a **"broken-in"** feel with beveled ends
- Wide Elite Series™ magnesium hand float
- Popular ergonomic moisture-wicking cork handle (CF266CBK)

Square End

Cork Handle

No.	Size
CFE150K	16"x3-1/2"

Round End

Cork Handle

No.	Size
CFE150REK	16"x3-1/2"

Tapered Magnesium Darby

Premium lightweight Magnesium Darby has a tapered design for easy moving across concrete with a sweeping motion. The extruded blade is 3-1/8" wide at the heel, tapered to 1-7/8" at the toe. A distinct grind on the working surface is broken-in and ready for use. Comes complete with Kraft Tool's unique, ergonomic cork handle.

Cork Handle

No.	Size
CFE030K	30"

Fat Cat Walking Float

Long-Wearing Magnesium Alloy

- Uniquely formulated extruded magnesium alloy creates a stronger, harder blade
- Extra tough material stands up to even the most stressful force
- Extra large blade radius
- Special grinding process for a uniquely broken-in face
- Use with Mag Float Converter Bracket (CC055, sold separately)
- *Use with Narrow Clevis Handle Adapters (sold separately, page 35)*



Mag Float Converter Bracket (CC055)



No.	Size
CCE073	20"x4"

Elite Series™ Five Star Cork Hand Float Handle (US Patent #D842,678 S)

Elite Series™ HAND FLOATS

Elite Series™ ★★★★★
Laminated Canvas-Resin Floats

Wears like magnesium for extremely long life. Laminated canvas-resin is 3/8" thick with broken-in face. Ready to use. Floats come complete with an ergonomic and moisture-wicking cork handle.



A) Round End
Cork Handle

No.	Size
CFE501K	16"x3-1/2"
CFE502K	18"x3-1/2"
CFE524K	20"x3-1/2"

B) Square End
Cork Handle

No.	Size
CFE503K	12"x3-1/2"
CFE504K	14"x3-1/2"
CFE505K	16"x3-1/2"
CFE506K	18"x3-1/2"
CFE507K	20"x3-1/2"

C) Round Front Square Back
Cork Handle

No.	Size
CFE551K	16"x3-1/2"
CFE552K	18"x3-1/2"
CFE553K	20"x3-1/2"

D) Wide Size
Cork Handle

No.	Size
CFE529K	12"x5"
CFE530K	14"x5"
CFE531K	16"x5"

Mini Mag Float

Extra lightweight extruded magnesium wall float. Great tool for floating in small areas, stairs, or the top of a wall between forms. Fitted with ProForm® handle. Blade measures 7-1/2"x3-1/4".
No. CF663PF

GENUINE EXTRU-LITE™ MAGNESIUM

Float Hook

Always Keep Your Tools at Arm's Length Away

- ***Holds hand floats and more close to your person***
- ***Designed to firmly attach to belt or pocket***
- ***New display box for bulk orders of 24 hooks***

Strong plastic construction keeps your hand float within arms reach. This hook attaches to your belt, pants, or back pocket to keep your hands free, but your tools convenient. Use it to hold Hand Floats, Edgers, Groovers, Trowels, or other tools needed around the job site. Includes 1 Float Hook.
No. CF011

Ideal For:
Hand Floats
Edgers
Groovers
Trowels
And More!

Display Box for bulk orders of 24 hooks

Elite Series™ Cork Float Handle (US Patent #D842,678 S) ProForm ® Float Handle (US Patent #6,473,939 B1) (US Patent #6,821,468 B2)

NEW! EZY-Motion Magnesium Hand Float With High Lift ProForm® Handle

Precision. Comfort. Durability.



The **NEW EZY-Motion Magnesium Hand Float with High Lift ProForm® Handle** is engineered for precision, durability, and ergonomic comfort on every jobsite. The high lift handle design provides exceptional hand clearance for easier control, while the engineered magnesium blade ensures a flawless finish. Featuring a curved 3-1/4" wide blade, this design promotes easier floating action, allowing for smooth, consistent passes. The ProForm® handle's ergonomic grip reduces fatigue, and the high-strength Extru-Lite™ Magnesium provides a lightweight yet robust tool for creating a durable, professional finish. Ideal for all concrete finishing applications, this float is a necessary addition to any professional's toolkit.

Square End

No.	Size
CF1042PF	12"x3-1/4"
CF1044PF	14"x3-1/4"
CF1045PF	16"x3-1/4"
CF1035PF	18"x3-1/4"
CF1046PF	20"x3-1/4"
CF1053PF	24"x3-1/4"

Round End

No.	Size
CF1041PF	12"x3-1/4"
CF1043PF	16"x3-1/4"
CF1054PF	20"x3-1/4"

MAG HAND FLOATS

GENUINE EXTRU-LITE™ MAGNESIUM

Professional Quality Mag Floats

Tough, durable Extru-Lite™ Magnesium blade offers superb floating action
Float ends are beveled, and the blade is **"*broken-in*"** with rounded corners
Precise handle position gives perfect balance

Square End Mag Float

***ProForm®* Handle**

No.	Size
CF012PF	12"x3-1/4"
CF014PF	14"x3-1/4"
CF016PF	16"x3-1/4"
CF018PF	18"x3-1/4"
CF020PF	20"x3-1/4"
CF024PF	24"x3-1/4"

Standard Wood Handle

No.	Size
CF012	12"x3-1/4"
CF014	14"x3-1/4"
CF016	16"x3-1/4"
CF016NP	16"x3-1/4" (NO PAINT)
CF018	18"x3-1/4"
CF020	20"x3-1/4"
CF024	24"x3-1/4"

High Lift Wood Handle

No.	Size
CF012M	12"x3-1/4"
CF014M	14"x3-1/4"
CF016M	16"x3-1/4"
CF018M	18"x3-1/4"
CF020M	20"x3-1/4"
CF024M	24"x3-1/4"

Round End Mag Float

***ProForm®* Handle**

No.	Size
CF072PF	12"x3-1/4"
CF076PF	16"x3-1/4"
CF074PF	18"x3-1/4"
CF075PF	20"x3-1/4"

High Lift Wood Handle

No.	Size
CF072	12"x3-1/4"
CF076	16"x3-1/4"
CF074	18"x3-1/4"
CF075	20"x3-1/4"

Round Front Square Back Mag Float

***ProForm®* Handle**

No.	Size
CF078PF	16"x3-1/4"

Standard Wood Handle

No.	Size
CF078	16"x3-1/4"

Narrow Mag Hand Float

Extru-Lite™ Magnesium hand float features a narrow blade design for hard-to-reach places. Also popular for curb work.

Square End

Wood	*ProForm®*	
No.	**No.**	**Size**
CF070	CF070PF	16"x2-1/4"

Round End *(not shown)*

Wood	*ProForm®*	
No.	**No.**	**Size**
CF070RE	CF070PFRE	16"x2-1/4"

Contractor Mag Hand Float

Extru-Lite™ Magnesium blade features a soft grip handle with ample knuckle clearance.

No.	Size
CF079PF	15-1/2"x3-1/8"

ProForm® Float Handle (US Patent #6,473,939 B1) (US Patent #6,821,468 B2)

ThinLine Pro Mag Float

Cast Magnesium

- Tough, durable cast magnesium blade
- Thin edges and smooth rounded corners gives this float that perfect "broken-in" feel
- Precise handle position provides a perfect balance
- Larger diameter wood handle (CF265) allows improved user control with more knuckle room. Also available with ProForm® soft grip handle (CF266CB)

Square End

Wood Handle		*ProForm® Handle*	
No.	**Size**	**No.**	**Size**
CF064	16"x3-1/8"	CF064PF	16"x3-1/8"

Round End

Wood Handle		*ProForm® Handle*	
No.	**Size**	**No.**	**Size**
CF064RE	16"x3-1/8"	CF064PFRE	16"x3-1/8"



MAG-150™ Float

Cast Magnesium

- Tough, durable cast magnesium blade
- Great "broken-in" feel with beveled ends
- Larger diameter wood handle (CF265) allows improved user control with more knuckle room. Also available with ProForm® soft grip handle (CF266CB)

Square End

Wood Handle		*ProForm® Handle*	
No.	**Size**	**No.**	**Size**
CF150	16"x3-1/2"	CF150PF	16"x3-1/2"

Round End

Wood Handle		*ProForm® Handle*	
No.	**Size**	**No.**	**Size**
CF150RE	16"x3-1/2"	CF150PFRE	16"x3-1/2"

Wide Mag Float

Extruded Magnesium

- Tough, durable 3-1/2" Extru-Lite™ Magnesium blade
- Precise handle position gives the float perfect balance and superb floating action
- Beveled edges and smooth rounded corners give this float the perfect "broken-in" feel

Standard Wood Handle	
No.	**Size**
CF015	16"x3-1/2"

High Lift Wood Handle	
No.	**Size**
CF015M	16"x3-1/2"

ProForm® Handle	
No.	**Size**
CF015PF	16"x3-1/2"

Sand Cast Mag Float

"The Original"

- Tough, durable, long-wearing sand-cast magnesium blade
- Made the same way it was fifty years ago
- Precise handle position gives the float perfect balance and superb floating action
- Comfortable large diameter wood handle (CF265)
- Corners rounded and both ends beveled

Large Diameter Wood Handle	
No.	**Size**
CF066	16"x3-1/4"

Laminated Canvas-Resin Float

Wears like magnesium for extremely long life. Popular choice for opening pores to work in color hardener. Laminated canvas-resin is 3/8" thick with broken-in face. Ready to use.

A) Round Ends

Wood Handle		ProForm® Handle	
No.	**Size**	**No.**	**Size**
CF501	16"x3-1/2"	CF501PF	16"x3-1/2"
CF502	18"x3-1/2"	CF502PF	18"x3-1/2"
CF524	20"x3-1/2"	CF524PF	20"x3-1/2"

B) Square Ends

Wood Handle		ProForm® Handle	
No.	**Size**	**No.**	**Size**
CF503	12"x3-1/2"	CF503PF	12"x3-1/2"
CF504	14"x3-1/2"	CF504PF	14"x3-1/2"
CF505	16"x3-1/2"	CF505PF	16"x3-1/2"
CF506	18"x3-1/2"	CF506PF	18"x3-1/2"
CF507	20"x3-1/2"	CF507PF	20"x3-1/2"

C) Round Front Square Back

Wood Handle		ProForm® Handle	
No.	**Size**	**No.**	**Size**
CF551	16"x3-1/2"	CF551PF	16"x3-1/2"
CF552	18"x3-1/2"	CF552PF	18"x3-1/2"
CF553	20"x3-1/2"	CF553PF	20"x3-1/2"

D) Wide Sizes

Wood Handle		ProForm® Handle	
No.	**Size**	**No.**	**Size**
CF529	12"x5"	CF529PF	12"x5"
CF530	14"x5"	CF530PF	14"x5"
CF531	16"x5"	CF531PF	16"x5"



Redwood Float

Top-quality clear heart redwood float with comfortable wood handle. This lightweight float is easy to work with on outdoor projects. You'll have many uses for these two popular sizes, both 5/8" thick.

No.	Size
CF251	12"x5"
CF252	15"x5"

Beveled Redwood Float

Made of the best quality clear heart redwood. The float face is beveled to allow work in the tightest areas. A popular choice for floating in color hardeners and on other decorative applications. 5/8" thick blade.

No.	Size
CF256	15"x3-1/2"
CF257	18"x3-1/2"

Bodark Wood Float

Bodark floats outlast ordinary floats. Handle is bonded and screwed into 1/2" thick blade for secure hold. Popular float with many finishers.

Wood Handle		ProForm® Handle	
No.	**Size**	**No.**	**Size**
CF642	16"x2-1/4"	CF642PF	16"x2-1/4"
CF643	16"x3"	CF643PF	16"x3"
CF644	20"x3"	CF644PF	20"x3"

Cast Magnesium Beveler Float

Large Diameter Wood Handle

Float designed to provide an 8" bevel in front of overhead doors for water drainage. Blade measures 16"x3-1/4".

Wood Handle	
No.	**Size**
CF066H-8	8" Bevel



Hand Float Handle Risers

Increase the room for your knuckles by 1/4". Fits on all extruded magnesium hand floats with cork or ProForm® soft grip handles. Stack multiple risers for even more space. Durable plastic construction. Includes 1 pair of risers and hardware.

No. CF057 (Pair)

Teakwood Float

Very hard, long-wearing 5/8" thick float. Comes with 10" float handle.

No.	Size
CF269	18"x3-1/4"

ProForm® Float Handle (US Patent #6,473,939 B1) (US Patent #6,821,468 B2)

ORANGE THUNDER®
With KO-20™ Technology

DARBIES

Watch it in Action!
¡Míralo en acción!

Orange Thunder® Darby With 2 ProForm® Handles

Featuring KO-20™ Technology

The darby is reinforced with an aluminum bar to mount the ProForm® soft grip handle. Two ProForm® float handles for easier control on curbs.

No.	Size
CF2039	36"

Orange Thunder® Hand and Curb Darby

Featuring KO-20™ Technology

A special flexible design allows you to create and form both curved and flat surfaces. ProForm® knob and float handles for easier control.

No.	Size
CF2036PF	36"

Orange Thunder® Tapered Darby with Wood Handles

Featuring KO-20™ Technology

The blade tapers from 3-1/2" at the heel to 2-1/2" at the toe, with rounded corners to prevent gouging. Reinforced with an aluminum bar to mount comfortable wood handle. Comes with one, two, or three hole grip.

No.	Size	Hole Grip
CF2058	28"	1
CF2037	36"	2
CF2059	45"	3

Orange Thunder® Tapered Darby

Featuring KO-20™ Technology

The blade tapers from 3-1/2" at the heel to 2-1/2" at the toe, with rounded corners to prevent gouging. Reinforced with an aluminum bar to mount the ProForm® soft grip handle. Enhanced texture of the handle reduces fatigue and provides a great grip.

No.	Size
CF2030PF	30"

See the Orange Thunder® Bull Floats with Revolutionary KO-20™ Technology, Page 43

GROOVERS AND HAND FLOATS

Orange Thunder® Groover

Featuring KO-20™ Technology

KO-20™ material allows groovers to move easily and smoothly through concrete.

- Cuts sharp, clean grooves
- Bits are curved in front and back
- Creates 1/4" radius, 5/8" width

Angle Blade

No.	Size	Depth
CC2080	8"x12"	3/4"
CC2081	8"x12"	1"
CC2082	8"x12"	1-1/2"

Square End Blade

No.	Size	Depth
CC2084	8"x8"	3/4"
CC2085	8"x8"	1"
CC2086	8"x8"	1-1/2"
CC2088	8"x12"	3/4"
CC2089	8"x12"	1"
CC2090	8"x12"	1-1/2"

Round End Blade

No.	Size	Depth
CC2091RE	8"x24"	3/4"
CC2092RE	8"x24"	1"
CC2093RE	8"x24"	1-1/2"

Speed to Performance

Engineered, Curved Surface Lines
- Evenly distributes paste on surface
- Quickly lift/move material to level

Low Surface Friction
- Float moves faster across surface
- Surface opens quicker and remains open longer
- Fewer passes to complete the job

Machine Beveled Edges
- Engineered bevel for consistency

Ease of Use

Less Drag on Float
- Extend further out with less user stress
- Easier tilt response relieves wrist stress

Self-Lubricating Surface
- Cleans-up easier and faster

Lightweight Material

High Visibility Color

Wear Life

Blunt Impact Resistant
- Extended wear in rough use

Superior Slide Abrasion
- Prolonged wear with repetitive use

Less Than .01% Liquid Absorption
- Chemical, corrosion, and rust resistant

Orange Thunder® Hand Float

Featuring KO-20™ Technology

The square end blade has rounded corners to prevent gouging. The float is reinforced with an aluminum bar to mount the ProForm® soft grip handle. Enhanced texture of the handle reduces fatigue and provides a great grip even when wet.

No.	Size
CF2015PF	14"x5"
CF2016PF	16"x3"
CF2018PF	18"x3"
CF2020PF	20"x3"

Orange Thunder® Floats (Patent Pending) ProForm® Float Handle (US Patent #6,473,939 B1 and US Patent #6,821,468 B2)

DARBIES

Add "BT" after part number for button fresno bracket (CC666)

Extruded Magnesium Mini Bull Float and Darby

Unique T-Slotted reinforcing rib (no threads to strip) adds strength and allows the threaded bracket (CC665) to quickly be set off-center to work the float around obstructions. Two wood float handles can easily slide for adjusting to hand and curb work. This float is also ideal for floating lightweight concrete on roof decks. *Use with threaded handles (sold separately, page 34).*

No.	Size	
CC816	36"x3-1/4"	
CC816RE	36"x3-1/4"	Round End
CC817	42"x3-1/4"	
CC818	48"x3-1/4"	
CC819	60"x3-1/4"	

Tapered Magnesium Darby

The most popular lightweight darby for precision finish work. Tapered design creates ease in moving across concrete with a sweeping motion. Extruded Magnesium blade is 3-1/8" wide at the heel tapered to 1-7/8" at the toe.

Wood Handle

No.	Size	
CF1024	24"	NEW
CF030	30"	

ProForm® Handle

No.	Size	
CF1024PF	24"	NEW
CF030PF	30"	

See Elite Series™ Magnesium Darby on page 14

Extruded Magnesium Darby with Knob Handle

This lightweight magnesium darby has a float-type handle and a round knob handle. The unique T-Channel design gives the finisher the option of sliding the handle position to their preference.

Wood Handle

No.	Size
CF032	30"x3-1/4"
CF033	36"x3-1/4"

ProForm® Handle

No.	Size
CF032PF	30"x3-1/4"
CF033PF	36"x3-1/4"

Extruded Magnesium Hand and Curb Darby

Specifically designed for curb work, this lightweight tool comes with your choice of one or two float-type handles. T-Channel design gives the finisher the option of moving the handle position to their preference.

With 2 handles

Wood Handle

No.	Size
CF041	36"x3-1/4"
CF042	42"x3-1/4"
CF043	48"x3-1/4"

ProForm® Handle

No.	Size
CF041PF	36"x3-1/4"
CF042PF	42"x3-1/4"
CF043PF	48"x3-1/4"

With 1 Handle (not shown)

Wood Handle

No.	Size
CF031	30"x3-1/4"
CF036	36"x3-1/4"

ProForm® Handle

No.	Size
CF031PF	30"x3-1/4"
CF036PF	36"x3-1/4"

ProForm® Float Handle (US Patent #6,473,939 B1) (US Patent #6,821,468 B2)

Tapered Mahogany Darby

Tapers from about 3-1/2" at the heel to 2-1/2" at the front

Four sizes designed and made of clear seasoned mahogany wood. Blade is 3/4" thick. Finished smooth and comes with either a one, two, or three hole grip. Very popular with many concrete finishers.



A) No.	Sizes
CF236	36" (1) Hole Grip
CF258	28" (1) Hole Grip
CF254	Replacement Handle 21" (1-Hole)

B) No.	Sizes
CF259	45" (3) Hole Grip
CF253	Replacement Handle 32" (3-Hole)

C) No.	Sizes
CF237	36" (2) Hole Grip
CF255	48" (2) Hole Grip (Not Tapered)
CF237-01	Replacement Handle 24" (2-Hole)

A) Tapered Laminated Canvas-Resin Darby

Tapered, laminated canvas-resin darby is 3/8" thick. Tapers from 3-1/2" at heel to 2-1/2" at the toe to smooth for the final finish. Rounded corners and broken-in shape make it ready to use.

No.	Size
CF510	45" Tapered Darby 3-Hole Handle
CF509	30" Tapered Darby 1-Hole Handle *(not shown)*

B) Tapered Darby with Level Vial

Top-reading spring-loaded vial for easy on the job adjustments.

No.	Size
CF510L	45" Tapered Darby 3-Hole Handle

Adjustable Level Vial

A) Laminated Canvas-Resin Darby

Quickly covers more area than a regular float. Long-wearing laminated canvas-resin is 3/8" thick with rounded corners and a "broken-in" shape. Ready to use. Darby features a wood float handle and knob for comfortable control. Perfect tool for forming gutters.

No.	Size
CF037	40"x3-1/2"

B) Double Handle Laminated Darby

Long-wearing laminated canvas-resin material is 3/8" thick with rounded corners for a "broken-in" shape. Ready to use. Two wooden float handles allow for comfortable movements. Ideal for working color hardeners into decorative projects.

No.	Size
CF238	40"x3-1/2"



Aussi Combo Darby/Screed

With Adjustable Handles

This innovative tool can be used as a float, screed, or check rod for the perfect finish. Base of tool comes with a round edge for floating and a square edge for cutting and filling. Lightweight magnesium with 24" long handles that adjust for comfort.

No.	Size	Handles
CC421	4'x1-3/8"x2"	1
CC422	6'x1-3/8"x2"	1
CC423**	10'x1-3/8"x2"	2

GENUINE MAGNESIUM EXTRU-LITE™

**Must ship via truck





Whiskey Stick

Magnesium blade levels and places concrete fast. Rounded edge for floating and square edge for cutting and filling. Handle tilts to the right floating angle. Fitted with heavy-duty braces and 72" long, 1-3/8" diameter button extension handle (CC336).

No.	Size
CC425	5'x1-3/8"x2"



GENUINE MAGNESIUM EXTRU-LITE™

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.



Straight Flare

Aluminum Concrete Chutes

Extruded aluminum one-piece concrete chutes. Lightweight and welded for extra strength. Welded flat bar braces across the top of each chute. Includes chain for attaching to truck. Available straight or with a flare.

Straight

No.	Size	Weight
CC988**	8'	42 lbs.
CC992**	12'	75 lbs.
CC996**	16'	93 lbs.
CC999**	20'	120 lbs.

Flare

No.	Size	Weight
CC988F**	8'	45 lbs.
CC992F**	12'	78 lbs.
CC996F**	16'	96 lbs.
CC999F**	20'	123 lbs.

**Must ship via truck



Concrete Chute Tool

Sturdy, lightweight, and made of 1/8" aircraft aluminum. Blade size is 10"x7-1/2" and the radius will fit most chutes. Comes with 54" jam style wood handle (CC107).

No.	Description
CC987ASM**	Assembled
Replacement Parts	
CC987-01	Chute Tool
CC107	54" Wood Handle

**Must ship via truck

Easy Mixer Concrete Hoe

Great tool for quickly mixing concrete in wheelbarrows, backhoe buckets, and other mixing containers. Patented forged head easily mixes 60 to 90 lb. bags of concrete in less than a minute. Special design creates minimum splash with 50% less drag. Great in corners. Open bag with point of hoe. 7-1/2"x6" blade.

No.	Description
A) CC211	Easy Mixer Concrete Hoe with 60" Handle
B) CC212	Easy Mixer Concrete Hoe with 21" Handle

Concrete Chute Hand Tool

Pull the last of the concrete down. Similar to our popular Concrete Chute Tool. Made out of lightweight 1/8" aircraft aluminum. The 10"x7-1/2" blade is rounded to fit most chutes. Attached to a 16" handle with a comfortable textured foam grip.

No. CC987H

Channellock® Ironworker's Pliers

Wire cutting plier for tying concrete reinforcing bars. Bevel nose design plus long curved handles. Hand-honed cutting edge. Plastic-dipped grips.

No.	Length
GG517	9"

Tie Wire Reel

Lightweight but strong. Will not chip, crack, or break. Highly visible safety yellow plastic. Fits any standard belt.

No. GG309

Metal Tie Wire Reel

Made of strong, lightweight aluminum. Will not chip, crack, or break. Easy turn handle. Fits any standard belt.

No. GG311

Professional Tie Wire Twister

Special loop hook designed to twist wire bar ties with minimum effort. Lets you do the job right, quickly, and safely. Fitted with a 4-1/4" wood handle.

No. GG310

Economy Tie Wire Twister

Designed to twist wire bar ties with minimum effort. Plated hook for long wear. Fitted with a 4" contoured plastic handle.

No. GG312*

Tie Wire Twister

Two or three pulls of the handle turn the hardened steel hook within its socket to twist rebar ties. Spring loaded return. Designed for rough treatment. Rubber coated 12" ribbed handle for firm grip.

No. GG325*

*See page 193



Rebar Cutter/Bender

Cuts and bends rebar up to 5/8" diameter all in one tool. Made of cast iron construction and shipped mounted on wood board. (66"x7-1/2"). Weight 70 lbs.

No.	Description
GG725**	Rebar Cutter/Bender
GG726	Replacement Jaws (1 Pair)
GG725-01	54" Metal Replacement Handle

**Must ship via truck



Top-Loading Rebar Cutter/Bender

Cuts and bends rebar up to 5/8" diameter. Top-loading of rebar makes for fast and easy cutting. Tool is made of heavy-duty castings and shipped mounted on wood board (66"x7-1/2"). Weight: 51 lbs.

No.	Description
GG729**	Top-Loading Rebar Cutter/Bender
GG729-01	Replacement Cutter Blades, Steel (1 Pair)

**Must ship via truck

Economy Rebar Cutter/Bender

Top-loading open style rebar cutter cuts and bends up to 5/8" diameter rebar. Two open cutting slots make for fast easy loading. Chain secures the handle to the base for easy transport. Comfortable rubber grip handle. Tool available by itself or mounted on wood board for more stability. Weight: 39 lbs.

No.	Description
GG730* **	Top-Loading Rebar Cutter/Bender**
GG730B* **	Top-Loading Rebar Cutter/Bender Mounted on Board**

**Must ship via truck

Rebar Lifter Hook

Hook provides leverage to lift rebar and wire mesh. Fitted with heavy-duty 60" wood handle.
No. GG635

"Big John" and "Little John" Pry Bars

All Steel
Heavy-Duty Pry Bars
Strong Tubular Handles
Made In USA

All-purpose tool ideal for prying forms and other construction jobs. Specially designed 3" wide blade angle and hardened steel claw make for easy prying.

"Big John" Heavy-Duty Pry Bar

No.	Description
GG630	56" Length 14 lbs.

"Little John" Pry Bar

GG631	46" Length 7 lbs.

Economy Pry Bars

Lighter weight pry bar with 3" wide blade for ease in prying.

No.	Description
GG630E*	56" Length 12 lbs.
GG631E*	46" Length 6 lbs.

Rocker Head Pry Bar

Extra heavy-duty. Unique rocker head for more power without blocking. Unique push/pull action makes even the toughest job simple. Open claw design works in tight places. Double claw for hard-to-reach areas.

No.	Size
GG633	36"
GG634	48"

Rebar Bender

Strong, light, easy, and simple to use. 3-prong and 1-prong triangular heads are easy to use. Completely portable. Can be used anywhere on the job. 34" length provides enough leverage to bend 5/8" reinforcing bar.
No. GG629

*See page 193

CONCRETE SPREADERS AND PLACERS

Right Angle Placer™

- 60° blade keeps tool at just the "right angle" to spread and level concrete
- Heavy-duty aluminum blade and braces for added strength
- Blade welded to a 60", 1-3/8" diameter anodized aluminum handle with textured foam grip

No.	Description
CC964**	19-1/2" without Hook
CC965**	19-1/2" with Hook

**Assembled spreaders ship via oversized rate or truck

Pallets of **50** & **100** available

Packed **5** per bundle

60° Angle

Cardinal™ Aluminum Placer

.125" Aluminum

Packed **5** per carton or **5** per bundle assembled

- Heavy-gauge aluminum with reinforced rib construction formed for easy pulling, leveling, and placing concrete
- Sturdy, oversize, 60" large diameter wood handle with 2 bolt attachments

No.	Description
CC936	19-1/2"x4-1/2"
CC936-01	Blade ONLY
CC936-02	Handle ONLY
CC936A**	Placer (Assembled)

**Assembled spreaders ship via oversized rate or truck

Packed **5** per carton or **5** per bundle assembled

Pallets of **50** & **100** available

Lightweight Aluminum Concrete Spreader

- Made of strong, lightweight aluminum
- Heavy-duty aluminum braces for added strength
- 54" wood jam handle

No.	Description
CC904	19-1/2"x4" without Hook
CC905	19-1/2"x4" with Hook
CC107	54" Replacement Handle
CC904A**	Spreader without Hook (Assembled)
CC905A**	Spreader with Hook (Assembled)

**Assembled spreaders ship via oversized rate or truck

GOLD STANDARD™ Concrete PLACER

- Made of strong, lightweight aluminum
- Blade welded to a 60", 1-1/4" diameter anodized aluminum handle with textured foam grip
- Heavy-duty aluminum blade and braces for added strength

No.	Description
CC944**	19-1/2"x4" without Hook
CC945**	19-1/2"x4" with Hook
CC944-30**	30"x4" Wide Blade without Hook

**Assembled spreaders ship via oversized rate or truck



Packed **5** per bundle

Pallets of **50** & **100** available

Mega Mover™ Concrete Placer

- Blade bent to proper angle to move maximum amount of material
- Available in aluminum or steel
- Includes 60" heavy-duty shovel-type wood handle with bracket
- Bracket creates a secure connection for easy assembly
- Blade measures 20"x5"
- Add "01" to part no. for head only

No.	Description	Blade Edge
CC977	Aluminum	Standard Teeth
CC978	#14 Gauge Steel	Smooth
CC979	Aluminum	Smooth
CC977A**	Aluminum (Assembled)	Standard Teeth
CC978A**	#14 Gauge Steel (Assembled)	Smooth
CC979A**	Aluminum (Assembled)	Smooth
CC977-02	60" Wood Handle with Adapter and Hardware	

**Assembled spreaders ship via oversized rate or truck



Standard Teeth

Packed **5** per carton or **4** per bundle assembled

Concrete Placer with Fiberglass Handle

- Made of strong, lightweight aluminum
- Blade features heavy-duty aluminum bracing
- Fitted with 54" reinforced Fiberglass® handle

No.	Description
CC904AF**	19-1/2"x4" without Hook
CC905AF**	19-1/2"x4" with Hook

**Assembled spreaders ship via oversized rate or truck

Packed **5** per bundle

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

Concrete Spreaders must be ordered in bundle quantities only.

CONCRETE KUMALONG® AND RAKES

Packed **3** per bundle

Cali Kumalong® Concrete Spreader

#14 Gauge Steel Blade

- Made of strong and heavy-duty, yet lightweight steel
- Double-edged blade doubles blade life
- 19-1/4"x4" blade size

No.	Description
CC917**	60" Wood Handle (Assembled)
CC917AL**	60" Anodized Aluminum Handle (Assembled)

**Assembled spreaders ship via oversized rate or truck

Concrete Displacer (Steel)

#14 Gauge Steel Blade

- Strong reinforced rib construction on #14 gauge steel blade
- Includes 54" wood jam handle
- Ships unassembled

No.	Description
CC019	19-1/2"x4" with Hook
CC009	19-1/2"x4" without Hook
CC107	54" Replacement Handle

Packed **5** per carton

Concrete Rake

Magnesium or Steel

- Well-constructed rake is preferred for ease of movement
- Place material with one side, rake with the other side
- Includes 54" wood jam handle
- Ships unassembled

No.	Description	Material
CC010	22-1/2"x5"	Steel
CC113	19-1/2"x4"	Magnesium
CC114	24"x4"	Magnesium
CC107	54" Replacement Handle	

Packed **5** per carton

The Kumalong® (Steel) Concrete Spreader

The "Original" Concrete Spreader

- Sturdy, lightweight tool spreads and grades concrete
- Made of #14 gauge cold rolled steel
- Includes 54" wood jam handle

No.	Description
CC105	19"x4" with Hook
CC106	19"x4" without Hook
CC107	Replacement Handle

Packed **5** per carton

Heavy-Duty (Steel) Concrete Spreader

- Made of #12 gauge cold rolled steel
- Includes 60" or 48" heavy-duty shovel-type wood handle

Pallets of **50** & **100** available

Packed **5** per carton or **3** per bundle assembled

60" Heavy-Duty Wood Handle

No.	Description
CC901	20"x5" without Hook
CC902	20"x5" with Hook
CC901-02	Repl. Handle/Ferrule w/o Hook
CC902-02	Repl. Handle/Ferrule w/ Hook
CC901A**	20"x5" w/o Hook (Assembled)
CC902A**	20"x5" w/ Hook (Assembled)

48" Wood Handle

No.	Description
CC901-48	20"x5" without Hook
CC902-48	20"x5" with Hook
CC901-04	Repl. Handle/Ferrule w/o Hook
CC902-04	Repl. Handle/Ferrule w/ Hook
CC901A-48**	20"x5" w/o Hook (Assembled)
CC902A-48**	20"x5" w/ Hook (Assembled)

**Assembled spreaders ship via oversized rate or truck

Concrete Spreader (Steel)

#14 Gauge Steel Blade

- Made of #14 gauge cold rolled steel
- Two metal braces for added strength
- Includes 54" heavy-duty shovel-type wood handle

No.	Description
CC903	19-1/2"x5"
CC903A**	Spreader (Assembled)

**Assembled spreaders ship via oversized rate or truck

Packed **5** per carton or **4** per bundle assembled

Magnesium Tri Level Placer

- Float, screed, and level concrete with this versatile placer
- Adjust height of handle to engage surface of tool or to engage point of triangle for checking flatness
- *Use with 60" wood handle (CC933-02, sold separately).*

No.	Description
CC932-01	24" Head and Braces Only
CC933-01	30" Head and Braces Only
CC934-01	36" Head and Braces Only
CC935-01	42" Head and Braces Only
CC933-02	60" Wood Handle

Head and handle sold separately

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

Concrete Spreaders must be ordered in bundle quantities only.

ALUMINUM SCREEDS

STRIKER™ Screed

100% Aluminum Alloy Milled Finish

The gold standard in aluminum screeds! Made from 100% aluminum alloy for a strong, lightweight tool. Quality material resists corrosion. Plastic end caps extend the life of the tool by preventing concrete and other materials from building up within the screed. A popular straightedge for leveling material in concrete paving and landscape work. Pairs of replacement end caps are available for 1-1/2"x3-1/2" (*CC606-01)* and 2"x4" (*CC406-01)* screeds.

1"x4"

No.	Size
CC506AL	6'
CC508AL	8'
CC510AL	10'
CC512AL	12'
CC514AL	14'
CC516AL	16'

(1"x4" shipped 2 per carton - must order in quantities of 2)

Easy Grip 1-1/2"x3-1/2"

No.	Size
CC606AL	6'
CC608AL	8'
CC610AL	10'
CC612AL	12'
CC614AL	14'
CC616AL	16'
CC619AL	18'
CC620AL	20'

Repl. End Caps
CC606-01 (Pair)

2"x4"

No.	Size
CC406AL	6'
CC408AL	8'
CC410AL	10'
CC412AL	12'
CC414AL	14'
CC416AL	16'
CC417AL	20'

Repl. End Caps
CC406-01 (Pair)

2"x5"

No.	Size
CC419AL	16'
CC420AL	20'
CC424AL	24'

Screeds 8' or longer must ship via truck

GATOR TOOLS™

Diamond XX™ Aluminum Screeds

GatorLoy™ Toughness

Built to handle the toughest jobs and maintain their straightness in the most demanding applications. Inside the screed, the Diamond XX™ pattern gives it superior resistance to bending, twisting, and warping. The metal end caps eliminate concrete build-up. Made from ultra-light, ultra-strong GatorLoy™, a unique aluminum alloy - these screeds are built to last.

US Patent #10,352,005 B1

1-1/2"x3-1/2"

No.	Size
GF11216	6'
GF11217	8'
GF11218	10'
GF11219	12'
GF11220	14'
GF11221	16'
GF11222	20'
GF11238	24'

2"x4"

No.	Size
GF11223	6'
GF11224	8'
GF11225	10'
GF11226	12'
GF11227	14'
GF11228	16'
GF11229	20'
GF11237	24'

Replacement Diamond XX™ Screed End Caps

No.	Size
GF11216-02	1-1/2"x3-1/2"
GF11223-02	2"x4"

Screeds 8' or longer must ship via truck

Vibrating Screed

The vibrations on this tool levels and tamps at once to save time. The quick action of the screed vibe allows the use of drier, stronger concrete. The Vibrating Screed is small and portable, easy to move from slab to slab, and jobsite to jobsite. Wooden screeds up to 16' are recommended. Can also be used with aluminum or magnesium screeds up to 20'. Includes a 20' electrical cord. Runs on 120V AC 50/60 Hz. 2.0 AMPS. Weighs 18 lbs.
No. CC499

Screed Handles

Lightweight aluminum handles adapt to any screed size. Drill holes and attach with hardware. Fits all Kraft and Gator screeds.
No. CC503 (Pair)



MAGNESIUM SCREEDS

GENUINE MAGNESIUM EXTRU-LITE™

Magnesium Screed

30% Lighter Than Other Aluminum Screeds

Screeds are made of Genuine Extru-Lite™ Magnesium, built for strength and rigidity but lightweight enough for those big jobs. Ends are plastic-capped to prevent concrete from building up inside. Pairs of replacement end caps are available for 1-1/2"x3-1/2" (*CC606-01)* and 2"x4" (*CC406-01)* screeds.

Easy Grip

1"x4"

No.	Size
CC506	6'
CC508	8'
CC510	10'
CC512	12'
CC514	14'
CC516	16'

(1"x4" shipped 2 per carton - must order in quantities of 2)

1-1/2"x3-1/2"

No.	Size
CC606	6'
CC608	8'
CC610	10'
CC612	12'
CC614	14'
CC616	16'
CC619	18'
CC620	20'
CC621	24'

Repl. End Caps
CC606-01 (Pair)

2"x4"

No.	Size
CC406	6'
CC408	8'
CC410	10'
CC412	12'
CC414	14'
CC416	16'
CC417	20'
CC418	26'

Repl. End Caps
CC406-01 (Pair)

2"x5"

No.	Size
CC419	16'
CC420	20'
CC424	24'
CC426	26'

Screeds 8' or longer must ship via truck

GENUINE MAGNESIUM EXTRU-LITE™

Diamond XX™ Magnesium Screeds

Features unique double X-shaped pattern inside each screed for superior resistance to bending, twisting, and warping. The metal end caps eliminate concrete build-up. Lightweight magnesium offers an easy-to-carry tool with exceptional strength.

US Patent #10,352,005 B1

1-1/2"x3-1/2"

No.	Size
CC606DX	6'
CC608DX	8'
CC610DX	10'
CC612DX	12'
CC614DX	14'
CC616DX	16'
CC620DX	20'
CC621DX	24'

2"x4"

No.	Size
CC406DX	6'
CC408DX	8'
CC410DX	10'
CC412DX	12'
CC414DX	14'
CC416DX	16'
CC417DX	20'
CC427DX	24'

Replacement Diamond XX™ Screed End Caps

No.	Size
GF11216-02	1-1/2"x3-1/2"
GF11223-02	2"x4"

Screeds 8' or longer must ship via truck

EZ-Bend Screed Handles™

The Original Screed Bracket™

- Patented angle is designed to give you the most comfortable working angle when pushing or pulling.
- Maximizes movement efficiency and reduces fatigue by covering more surface area with less effort.
- Comfortably stand instead of kneeling. Less strain on back and knees, and keeps hands out of concrete.
- Great for use in spreading concrete and landscaping material such as sand, gravel, soil, and mulch.

- Quickly and easily attach to screeds or two-by-four boards measuring 1-1/2" thick (not included). For best results, use 4-8 foot screeds.
- *Requires eight 1" coarse thread drywall screws to attach brackets to screed or board (not included).*

No. CC502 (Pair)

The Original Screed Bracket™ (US Patent #D758,833 S); Diamond XX™ Screed (US Patent #10,352,005 B1)

STRAIGHTEDGES

Outriggers Only *(Style A)*

Included with select straightedges.
The 5' aluminum supports accept 1-3/4" extension handles.
No. CC711

All straightedges feature a quick release pin on braces. Each tool is noted with Style A or Style B Outrigger Supports.

Magnesium Super Flat Paver's Straightedge
"Bump Cutter"

Durable, accurate straightedge and checking tool lets user produce a flat, even surface. Plugged ends eliminate build-up in tool. Knucklehead® II bracket (CC296) adjusts blade to fill and level uneven areas. Comes complete with outrigger braces and 10' aluminum button handle (CC291).

No.	Size
CC708**	8'
CC714**	10'
CC716**	12'
CC720**	16'
CC711	Outriggers Only

**Must ship via truck

Round End Mag Check Rod

Cut down high spots and ridges, or move materials to low areas with this adjustable square edge tool. Round ends prevent marking. Magnesium construction is 30% lighter than aluminum. Plugged ends eliminate build-up in tool. Comes complete with outrigger braces, 10' aluminum button handle (CC291), and Knucklehead® II bracket (CC296).

No.	Size
CC717**	8'
CC718**	10'
CC709**	12'
CC711	Outriggers Only

**Must ship via truck

A) Magnesium Keyhole Paver's Straightedge

Special keyhole design for strength. Sturdy, lightweight highway straightedge and checking tool. Plugged ends eliminate build-up in tool. Comes complete with outrigger braces, 10' aluminum button handle (CC291), and Knucklehead® II bracket (CC296).

No.	Size
CC721**	10'
CC722**	12'
CC723**	16'
CC724**	20'
CC711	Outriggers Only

Add "01" after part no. for screed only

B) Magnesium Keyhole Hand Screed (Only)

Unique shape makes it easy to grip and is the perfect tool for hand screeding. Plugged ends eliminate build-up in tool.

No.	Size
CC726**	10'
CC727**	12'
CC728**	16'
CC729**	20'

**Must ship via truck



Combination Keyhole Mag Bump Screed *(not shown)*

Unique straightedge design can be reversed to use the flat or curved side of the tool. Plugged ends eliminate build-up in tool.

Includes threaded bracket (CC676) and 12' magnesium threaded handle (CC229). See End View at right for side shape and measurements.

No.	Size
CC730**	12'

**Must ship via truck

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

Aluminum Paver's Straightedge

A lightweight, durable, and accurate straightedge and checking tool. Easy to handle, making inspection easy. Plugged ends eliminate build-up in tool. Comes with 10' magnesium threaded handle (CC228) and braces.

No.	Size
CC710**	10'
CC712**	12'

Blade Only

No.	Size
CC710-03**	10'
CC712-03**	12'

**Must ship via truck



Style B Outriggers

Magnesium Paver's Straightedge

An excellent checking tool. It is a lightweight, durable, and accurate straightedge. Easy to handle, which makes inspection of slabs easy. Magnesium construction is 30% lighter than aluminum. Plugged ends eliminate build-up in tool. Comes with 12' magnesium threaded handle (CC229) and braces.

No.	Size
CC561**	10'
CC562**	12'

**Must ship via truck

Style B Outriggers

BuckEye™ Straightedge

With Level Vial Handle

One-person straightedge for striking off, leveling, and bringing concrete to surface grade. Top-reading spring-loaded level vial for easy on-the-job adjustments. Made of lightweight high-grade aluminum alloy. Wood handle tapered for smooth comfortable grip.

No.	Size
CC891	4'x1-1/2"x1-1/2"
CC892	5'x1-1/2"x1-1/2"
CC893	6'x1-1/2"x1-1/2"
CC894**	8'x1-1/2"x1-1/2"
CC895**	10'x1-1/2"x1-1/2"
CC896**	12'x1-1/2"x1-1/2"

**Must ship via truck



Adjustable Level Vial



Buckaroo™ Straightedge

With Level Vial Handle

One-person straightedge for floating or striking off concrete. Smooth tapered handle includes top-reading adjustable level vial for easy positioning. Base of tool comes with round edge for floating and square edge for cutting. Made from magnesium, very lightweight. Ideal for concrete and landscape construction.

No.	Size
CC897	40"x1-3/8"x2"
CC421L	4'x1-3/8"x2"
CC422L	6'x1-3/8"x2"
CC428L**	8'x1-3/8"x2"
CC423L**	10'x1-3/8"x2"

**Must ship via truck

Adjustable Level Vial



Aluminum Curb Forming Tool

Lightweight aluminum blade is used to shape curbs. Features two comfortable wooden knob handles set 12" from each end. End caps prevent build-up of material from extended use.

No.	Size
CC635	48"x1"x2"

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

BUTTON EXTENSION HANDLES

All Handles must be ordered in bundle (bndl) quantities only



Anodized Aluminum Button Handles

1-3/8" Diameter Swaged

- Anodized aluminum prevents hands from turning black caused by oxidation
- Swaged ends nest and snap together with spring lock buttons
- Lightweight aluminum button handles for use with Kraft double tilt action float brackets
- Secured with Single Button Clip

1-3/8" Diameter Silver Anodized

No.	Size	Bndl Qty.
CC336	6'	6
CC336-PK3	6'	3
CC331**	8'	3

1-3/8" Diameter Blue Anodized

No.	Size	Bndl Qty.
CC330B	4'	3
CC336B	6'	6
CC336B-PK3	6'	3
CC331B**	8'	3
CC239B**	10'	3

CC336-10	Single Button Clips (10 Pack)
CC336-100	Single Button Clips (100 Pack)

**t ship via truck



Powder Coated Aluminum Swaged Handles

h Visibility Orange

" Diameter

No.	Size	Bndl Qty.
CC336SO	6'	6
CC336SO-PK3	6'	3
31SO**	8'	3

1-3/4" Diameter

No.	Size	Bndl Qty.
CC289SO	6'	6
CC289SO-PK3	6'	3
CC293SO**	8'	3

Bright Blue

3" Diameter

No.	Size	Bndl Qty.
CC336SBC	6'	6
CC336SBC-PK3	6'	3
CC331SBC**	8'	3

1-3/4" Diameter

No.	Size	Bndl Qty.
CC289SBC	6'	6
CC289SBC-PK3	6'	3
CC293SBC**	8'	3

Bright Red

1-3/8" Diameter

No.	Size	Bndl Qty.
CC336SRC	6'	6
CC336SRC-PK3	6'	3
CC331SRC**	8'	3

1-3/4" Diameter

No.	Size	Bndl Qty.
CC289SRC	6'	6
CC289SRC-PK3	6'	3
CC293SRC**	8'	3

**Must ship via truck



Fiberglass Button Handle

1-1/2" Diameter

- Fiberglass threaded handle for use with bull floats and brackets
- Metal end connects to additional Fiberglass Button Handles
- Use Button Handle Adapter *(CC675, sold separately)* to connect Fiberglass Button Handles to button bull float brackets, including all double tilt brackets

No.	Size	Bndl Qty.
CC674	6'	6
CC674-PK3	6'	3

Button Handle Adapter

Small side of the adapter connects to 1-3/8" button handles; larger side connects to 1-3/4" button handles. Use this adapter to connect large and small button handles to each other with a secure connection. The adapter's overall length is 13-1/2".

No. CC675

View Additional Handles

Clevis Handles	Pages 64, 72
Broom Handles	Page 80
Gator Tools™	Page 94

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

*All Handles must be ordered in **bundle** (bndl) quantities only*

1-3/4" BUTTON EXTENSION HANDLES

Anodized Aluminum Button

1-3/4" Diameter Swaged

- Anodized aluminum prevents hands from turning black caused by oxidation
- Swaged ends nest and snap together with spring lock buttons
- Lightweight aluminum button handles for use with Kraft double tilt action float brackets
- Secured with Double Button Clip

1-3/4" Diameter Silver Anodized

No.	Size	Bndl Qty.
CC289S	6'	6
CC289S-PK3	6'	3
CC293S**	8'	3
CC291S**	10'	3

1-3/4" Diameter Blue Anodized

No.	Size	Bndl Qty.
CC283SB	4'	3
CC289SB	6'	6
CC289SB-PK3	6'	3
CC293SB**	8'	3
CC291SB**	10'	3

1-3/4" Diameter Red Anodized

No.	Size	Bndl Qty.
CC289SR	6'	6
CC289SR-PK3	6'	3
CC293SR**	8'	3
CC291SR**	10'	3

CC289-10	Double Button Clips (10 Pack)
CC289-100	Double Button Clips (100 Pack)

**Must ship via truck

Gold Anodized Aluminum Button Handles

1-3/4" Diameter Swaged

- Anodized aluminum prevents hands from turning black caused by oxidation
- Swaged ends nest and snap together with spring lock buttons
- Lightweight aluminum button handles for use with Kraft double tilt action float brackets

1-3/4" Diameter Gold Anodized

No.	Size	Bndl Qty.
CC289SG	6'	6
CC289SG-PK3	6'	3
CC293SG**	8'	3
CC291SG**	10'	3

CC289-10	Double Button Clips (10 Pack)
CC289-100	Double Button Clips (100 Pack)

**Must ship via truck

Aluminum Button Handles

1-3/4" Diameter, with Insert

- Use with insert to connect handles together

No.	Size	Bndl Qty.
CC289	6'	6
CC289-PK3	6'	3
CC293**	8'	3
CC291**	10'	3
CC292**	12'	3

CC289-10	Double Button Clips (10 Pack)
CC289-100	Double Button Clips (100 Pack)
CC289-02	Insert with Button Clip

**Must ship via truck

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

Handles must be ordered in bundle quantities only.

THREADED EXTENSION HANDLES

All Handles must be ordered in bundle (bndl) quantities only



Red Aluminum

Silver Aluminum

Blue Aluminum

Aluminum Threaded Handles

- Anodized aluminum prevents hands from turning black caused by oxidation
- Molded thread plugs in each end join handles together
- Fits bull float/fresno threaded brackets and can be combined with 1-1/4" or 1-3/4" float handles made by other manufacturers

Red Anodized

1-3/4" Diameter

No.	Size	Bndl Qty.
CC234R	4'	3
CC236R	6'	6
CC236R-PK3	6'	3

Silver

1-1/4" Diameter

No.	Size	Bndl Qty.
CC668	4'	3
CC670	6'	6
CC670-PK3	6'	3

1-3/4" Diameter

No.	Size	Bndl Qty.
CC234	4'	3
CC236	6'	6
CC236-PK3	6'	3
CC238**	8'	3
CC239**	10'	3

Blue Anodized

1-1/4" Diameter

No.	Size	Bndl Qty.
CC670B	6'	6
CC670B-PK3	6'	3

1-3/4" Diameter

No.	Size	Bndl Qty.
CC236B	6'	6
CC236B-PK3	6'	3

**Must ship via truck

Silver Magnesium

Magnesium Threaded Handles

1-3/4" Diameter

- Lightest handle - available in 6 sizes
- Magnesium won't turn hands black from oxidation
- Threaded handles are lightweight and extra strong
- Fits bull float and fresno threaded brackets and can be combined with 1-3/4" float handles made by other manufacturers
- Molded thread plugs in each end join handles together

No.	Size	Bndl Qty.
CC224	4'	3
CC225	5'	3
CC226	6'	6
CC226-PK3	6'	3
CC227**	8'	3
CC228**	10'	3
CC229**	12'	3

GENUINE MAGNESIUM EXTRU-LITE™

30% Lighter Than Aluminum

**Must ship via truck

Fiberglass Threaded

Fiberglass Threaded Handles

1-1/2" Diameter

- Fiberglass threaded handle for use with bull floats and brackets.

No.	Size	Bndl Qty.
CC672	6'	6
CC672-PK3	6'	3

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

Handles must be ordered in bundle quantities only.

HANDLE ADAPTERS

1-3/4" Diameter Aluminum Adapters

Threaded to Button Handle Adapters

- Adapters allow finisher to use lightweight button handles with threaded-type bracket assemblies

No.	Description
CC286	Male
CC285	Female

Clevis to Button Handle Adapter

- Adapts clevis style tools to 1-3/4" snap style handles

No. CC284

Male Threaded to Button Handle Adapter

Fits 1-3/8" and 1-3/4" Handles

- Versatile adapter allows finisher to use lightweight button handles with threaded-type bracket assemblies

No. CC339



Broom Thread to 1-3/8" Button Handle Adapter

Use your button bull float handle on brooms to reduce the need for extra handles.

No. CC487

1-3/8" Diameter Handle Adapters

Clevis to Button Handle Adapter

This adapter is for use with clevis tools. Use with walking edgers, walking groovers, brooms, fresnos, and other tools with post-type or angle connectors. Narrow adapter for tighter tolerances such as blue steel walking tools, clevis swivel brackets, and Straight Arrow Groovers.

No.	Description
CC332	8" Clevis
CC332L	12" Clevis
CC332N	8" Narrow Clevis
CC332LN	12" Narrow Clevis

Threaded to Button Handle Adapter

This adapter can be used with 1-3/8" button handles and other similar handles. It's used to convert threaded float brackets for use with button handles.

No.	Description
CC333	Female
CC334	Male

Clevis to Threaded Handle Adapter

This adapter converts clevis tools such as trowels, fresnos, walking edgers, walking groovers, and brooms for use with threaded handles.

No.	Description
CC335	Clevis / Female
CC337	Clevis / Male

EZY-Tilt® Fresno/Broom Adapter

Accepts 1-3/8" and 1-3/4" diameter button handles to fit fresnos, brooms, walking edgers, and walking groovers.

No. CC295

Fresno Adapter

Adapts fresnos, brooms, walking edgers and, walking groovers to fit threaded bull float handles.

No. CC662

Fresno Bracket

360° all-angle bracket. Toothed bracket tightens to set and keep a desired angle. Made from cast aluminum for longer wear.

No.	
CC298	Bracket (w/Hardware)
CC288	Top Half (Only)
CC300	Bottom Half (Only)

Hardware included with CC298 only

WITH SINGLE TILT ACTION FLOAT AND FRESNO BRACKETS

Threaded Fresno or Broom Bracket

Attach to fresno or broom to lock the handle at the best angle. Use with 1-1/4" and 1-3/4" threaded handles.
No. CC665

Button Fresno or Broom Bracket

Attach to single action fresno or broom to lock the handle at the best angle. Use with 1-3/8" and 1-3/4" button handles.
No. CC666

Button Handle Float Brackets

Quick and easy coupling of both 1-3/8" or 1-3/4" button handles. Handle sockets adjust 180° and lock in place to desired angle.

No.	Description
CC696	A) Complete 4-Hole Bracket
CC697	B) Complete 2-Hole Bracket
CC698	Button Handle Socket (Only)

A
4-Hole Bracket

B
2-Hole Bracket

Threaded Handle Float Brackets

Handle socket fits all 1-1/4", 1-1/2", or 1-3/4" threaded extension handles. Handle sockets adjust 180° and lock in place to desired angle.

A) 2-Hole Bracket

No.	Description
CC676	Complete 2-Hole Bracket
CC678	Threaded Handle Socket (Only)
CC681	Bracket Base (Only)

B) 4-Hole Bracket

No.	Description
CC800	Complete 4-Hole Bracket
CC678	Threaded Handle Socket (Only)
CC679	Bracket Base (Only)

A
2-Hole Bracket



B
4-Hole Bracket

MULTI-TWIST™ BRACKETS

ROTATES 360°

Multi-Twist™

Rotating Concrete Tool Brackets

These small brackets rotate 360° to work from all angles. Attach brackets to brooms, bull floats, fresnos, or walking edgers and groovers. Twist the handle to tighten and set at any angle. Adapters are required and connect to push button or threaded handles.

A) Clevis Bracket
Use with walking groovers, edgers, brooms, and tools with clevis brackets
No. CC686*

B) 6-Hole Bracket
Fits all 2 or 4-hole floats
No. CC687*

C) 2-Hole Bracket
Attach to fresnos, bull floats, or brooms
No. CC688*

D) Button Handle Adapter
Connects to 1-3/8" and 1-3/4" button extension handles
No. CC689*

E) Threaded Handle Adapter
Connects to all threaded bull float handles
No. CC685*

Multi-Twist™ Tool Brackets MUST be used with adapter

A

B

C

D

E

Tools sold separately

Mini Orbit-er™

Single Action Tilt Bracket

- 180° tilting action for floats, fresnos, brooms, and clevis tools
- Twist to lock angle into place

No.	Size
CC682*	1-3/8"
CC683*	1-3/4"

*See page 193

WITH DOUBLE TILT ACTION BUTTON HANDLE FLOAT BRACKETS

ALL Double Action Tilt Brackets accept handles inside or outside of the bracket!

Use them with any 1-3/8" or 1-3/4" button handles!

Knucklehead® II Bull Float Bracket

"The Original"

Lighter design helps to eliminate concrete build-up!
Fits all 2 or 4-hole bull floats. No adapter needed.

- Made of rugged, lightweight cast aluminum
- One-to-one turning ratio of handle and pitch of blade
- Protected grease reservoir for longer wear
- Turning handle eliminates bending and lifting

No. CC296



US Patent #4,335,485

Knucklehead® II Rebuild Kit
Extend the life of your tool. Includes plastic bushing and snap rings.
No. CC296K

Orbit-er™ Tilt Bracket

- For floating flush against the wall
- Quick and easy turning action
- Pitch of float blade controlled by turning handle
- Notched fabrication prevents over extension of gears
- Fits ***ALL*** 2 or 4-hole floats

No. CC270*

EZY-Tilt® II

- Made of rugged, lightweight aluminum
- Pitch of blade controlled by turning handle
- Eliminates bending and lifting
- Chain prevents over extension of bracket
- Designed to fit all 2 or 4-hole bull floats

No. CC294

EZY-Tilt®

- Made of rugged, lightweight aluminum
- Pitch of blade controlled by turning handle
- Eliminates bending and lifting
- Chain prevents over extension of bracket
- Fits only 2-hole bull floats
- Converter plate (CC287) required when mounting to a 4-hole bull float

No. CC290

U.S. Patent #6,827,523 B2

Converter Plate

Use to convert a 4-hole mount to a 2-hole mount for more versatility. Plate is 5"x4". Hardware not included.
No. CC287

GATOR TOOLS™

Gator Glide™ Adjustable Leveling Bracket

- Fits 2-hole or 4-hole floats
- High-quality, high-strength aluminum construction
- Long-wearing precision machined parts
- Internally housed bronze and stainless steel components
- Dual grease fittings flush out dirt and debris and lubricate the bracket
- Quickly adjust with a twist of the handle

No. GF10330

US Patent #6,827,523 B2

*See page 193

Extruded Magnesium Walking Float

Square End or Round End

This lightweight magnesium float is perfect for floating small areas of concrete. Fitted with our 360° all-angle bracket, which lets you work at any angle. Unique T-Channel design gives the finisher the option of adjusting handle bracket position along the blade to their preference. *Use with clevis handles (sold separately, page 55) or adapters (page 35).*

Square Ends

No.	Size
CC815	24"x3-1/4"
CC811	30"x3-1/4"

Round Ends

CC814	24"x3-1/4"
CC813	30"x3-1/4"
CC812	36"x3-1/4"

Extruded Magnesium Walking Float

With Multi-Twist™ Bracket

GENUINE MAGNESIUM EXTRU-LITE™

Bracket rotates 360° to work at any angle. Twist the handle to tighten and set angle. Adapters connect to push button or threaded handles. ***(Requires bracket adapter, sold separately.)***

Round Ends with 2-Hole

No.	Size
CC814MT	24"x3-1/4"
CC813MT	30"x3-1/4"
CC812MT	36"x3-1/4"

Multi-Twist™ Bracket Adapters

A) Button Handle Adapter

Connects to 1-3/8" and 1-3/4" button extension handles

No. CC689*

B) Threaded Handle Adapter

Connects to all threaded bull float handles

No. CC685*

Mini Magnesium Bull Float

GENUINE MAGNESIUM EXTRU-LITE™

- Lightweight and longer lasting than aluminum alloy
- Square ends float to corners
- Small sizes fit into tight places
- Unpainted for rugged use
- *Accepts any 4-hole adjustable tilting handle bracket (sold separately)*

No.	Size
CC858-01	8"x8"
CC861-01	10"x8"
CC865-01	24"x8"

A) EZY-Tilt® Fresno/Broom Adapter

Accepts 1-3/8" and 1-3/4" diameter button handles to fit fresnos, brooms, walking edgers, and walking groovers.

No. CC295

B) Fresno Adapter

Adapts fresnos, brooms, walking edgers and groovers to fit threaded bull float handles.

No. CC662



Bronze Fresno Trowel Groover Bits

Change your fresno into a long-handled groover by simply turning the two thumbscrews. Use more than one to make parallel grooves. 1/4" radius. Fits 5" wide fresnos.

No.	Bit Depth
CC622	1/4"
CC623	1/2"
CC625	3/4"
CC626	1"

Bronze Bull Float Groover Bit

Use bull float as groover. Attaches with two thumbscrews. Mount as many groovers as needed. Bit width is 1/2" with a 1/4" radius. Works on 8" wide bull floats.

No.	Bit Depth
CC940	3/4"
CC941	1"
CC942	1-1/2"
CC943	2"



Bracket Options (Sold Separately)

4-Hole Threaded
CC800

4-Hole Button
CC696

EZY-Tilt® II
CC294

EZY-Tilt®
CC290

Knucklehead® II
CC296

Orbit-er™
CC270*

Gator Glide™
GF10330

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

*See page 193

GENUINE EXTRU-LITE™ MAGNESIUM

MAGNESIUM IS 30% LIGHTER THAN ALUMINUM

MULTI-RIBBED FOR EXTRA STRENGTH

BROKEN-IN BLADE

BULL FLOATS

Recommended:
4-Hole Threaded Bracket (CC800) Page 36

Sold separately

Magnesium Bull Float

- Lightweight and longer lasting than aluminum alloy
- Float blade is "broken-in", curved, and balanced to prevent digging
- *Accepts any 4-hole fixed or tilt float bracket (sold separately, pages 36-37)*

Blade and bracket sold separately

Square End (Blade Only)	
No.	**Size**
CC735-01	36"x8"
CC801-01	42"x8"
CC745-01	45"x8"
CC802-01	48"x8"
CC754-01	54"x8"
CC760-01	60"x8"
CC761-01	72"x8"
CC802NP-01	48"x8" (NO PAINT)

Round End (Blade Only)	
No.	**Size**
CC736-01	36"x8"
CC742-01	42"x8"
CC743-01	45"x8"
CC803-01	48"x8"
CC744-01	54"x8"
CC804-01	60"x8"
CC808-01	72"x8"
CC803NP-01	48"x8" (NO PAINT)

Magnesium Channel Float

Special Design Improves Flatness

GENUINE EXTRU-LITE™ MAGNESIUM

Blade and bracket sold separately unless CC048 or CC050 is ordered

- Great finishing tool - extra strong
- Ideal for many jobs such as flatwork, paving, etc.
- 2" tall sides for rigidity
- 8' and 10' available with outrigger braces (CC711), bracket (CC294), and handle for easy float adjustment
- *Handles for 4', 5', and 6' sold separately (pages 32-33)*
- Brackets only available with CC048 or CC050

No.	Size
CC044-01	48"x6" Blade Only
CC045-01	60"x6" Blade Only
CC046-01	72"x6" Blade Only
CC048-01**	96"x6" Blade with 8' Button Handle (CC293) and 5' Braces (CC711) ***(Without Bracket)***
CC048-02**	96"x6" Blade Only
CC050-01**	120"x6" Blade with 10' Button Handle (CC291) and 5' Braces (CC711) ***(Without Bracket)***
CC050-02**	120"x6" Blade Only
CC048**	96"x6" Blade with (1) 8' Button Handle (CC293), 5' Braces (CC711), and (1) EZY-Tilt® II Bracket (CC294)
CC050**	120"x6" Blade with (1) 10' Button Handle (CC291), 5' Braces (CC711), and (1) EZY-Tilt® II Bracket (CC294)

Magnesium Dual Edge Channel Float

- Rounded front for floating, square 90° back for finishing
- 2" tall sides for rigidity
- Great tool for finishing floors requiring high "F" numbers
- 8' and 10' available with outrigger braces (CC711), bracket (CC296), and handle for easy float adjustment
- *Handles for 4', 5', and 6' sold separately (pages 32-33)*
- Brackets only available with CC048SR or CC050SR

GENUINE EXTRU-LITE™ MAGNESIUM

No.	Size
CC044SR-01	48"x6" Blade Only
CC045SR-01	60"x6" Blade Only
CC046SR-01	72"x6" Blade Only
CC048SR-01**	96"x6" Blade with (1) 8' Button Handle (CC293) and 5' Braces (CC711) ***(Without Bracket)***
CC048SR-02**	96"x6" Blade Only
CC050SR-01**	120"x6" Blade with (1) 10' Button Handle (CC291) and 5' Braces (CC711) ***(Without Bracket)***
CC050SR-02**	120"x6" Blade Only
CC048SR**	96"x6" Blade with (1) 8' Button Handle (CC293), 5' Braces (CC711), and (1) Knucklehead® II Bracket (CC296)
CC050SR**	120"x6" Blade with (1) 10' Button Handle (CC291), 5' Braces (CC711), and (1) Knucklehead® II Bracket (CC296)

Blade and bracket sold separately unless CC048SR or CC050SR is ordered

*See page 193 **Must ship via truck

7" Wide Blue Steel Fresno

40% More Finishing Area

- Made of high-quality tempered flexible blue steel blade
- Round ends and a wider working surface prevent marking and gouging while creating a smooth finish
- 7" wide blade allows user to finish close to walls and obstructions without bracket interference
- *Use with 2-hole tilting brackets (sold separately, pages 36-37)*

No.	Size
CC840B-01	36"x7"
CC841B-01	48"x7"
CC842B-01	60"x7"

Recommended:
EZY-Tilt® II Float Bracket (CC294) Page 37

Sold separately

Recommended:
Knucklehead® II Tilt Float Bracket (CC296) Page 37

Sold separately

7" Wide
No bracket interference

Blade and bracket sold separately

Round End Fresno with Edger

- Finish and edge in one pass
- Carbon steel blade with 1/2" radius, 5/8" lip edger on one end
- Great tool for sidewalks and decorative concrete
- 360° swivel bracket lets you work at any angle
- *Use with narrow clevis handles (sold separately, page 72)*
- *Fresno handle adapters and groover attachments also available (page 38)*

No.	Size	Radius
CC618FE	18"x5"	1/2"
CC624FE	24"x5"	1/2"
CC630FE	30"x5"	1/2"
CC636FE	36"x5"	1/2"
CC642FE	42"x5"	1/2"
CC648FE	48"x5"	1/2"



Big "D" Blue Steel Bull Float

- Carbon blue steel blade with rounded ends for producing a super smooth finish
- Heavy-duty 3-1/2" C-Channel design for extra rigidity and flatness
- *Accepts any 4-hole adjustable tilting handle bracket (sold separately, page 37)*

No.	Size
CC747-01	24"x12"
CC748-01	36"x12"
CC750-01	48"x12"
CC749-01	60"x12"
CC751-01	72"x12"

Heavy-duty wide C-Channel design for extra rigidity and flatness

Recommended:
EZY-Tilt® II Float Bracket (CC294) Page 37

Sold separately

Flat End Big "D" Blue Steel Bull Float

- Carbon blue steel blade with 3" radius corners for producing a super smooth finish without gouging
- Heavy-duty 3-1/2" C-Channel design for extra rigidity and flatness
- *Accepts any 4-hole adjustable tilting handle bracket (sold separately, page 37)*

No.	Size
CC737-01	24"x12"
CC738-01	36"x12"
CC739-01	48"x12"

Fresno Float Weight

Fits in Big "D" channel. Pair of 5 lb. iron weights. Using 2 for balance is recommended. **No.** CC755 (Pair)

Blade and bracket sold separately

FRESNO TROWELS

All-Angle Steel Fresno Trowels

Carbon Steel or Blue Steel

- Made of high-quality tempered steel for a perfect finish
- 360° all-angle bracket allows you to set it at any angle
- *Use with clevis handles (sold separately, page 55) or adapters (page 35)*
- *Fresno handle adapters and groover attachments also available (page 38)*

Carbon Steel		*Blue Steel*	
No.	**Size**	**No.**	**Size**
CC849	24"x5"	CC849B	24"x5"
CC850	30"x5"	CC850B	30"x5"
CC851	36"x5"	CC851B	36"x5"
CC852	42"x5"	CC852B	42"x5"
CC853	48"x5"	CC853B	48"x5"

Fresno Trowel With Swivel Bracket

Carbon Steel or Blue Steel

- Made of high-quality tempered steel with square steel mounting
- 360° swivel bracket lets you work at any angle
- Round-end fresno eliminates marking or gouging slabs
- *Use with narrow clevis handles (sold separately, page 72)*
- *Fresno handle adapters and groover attachments also available (page 38)*

Carbon Steel		*Blue Steel*	
No.	**Size**	**No.**	**Size**
CC618	18"x5"	CC618B	18"x5"
CC624	24"x5"	CC624B	24"x5"
CC630	30"x5"	CC630B	30"x5"
CC636	36"x5"	CC636B	36"x5"
CC642	42"x5"	CC642B	42"x5"
CC648	48"x5"	CC648B	48"x5"
CC552	Replacement Swivel Bracket	CC552	Replacement Swivel Bracket

Fresno Trowel with Adjustable Tooth Bracket

Carbon Steel or Blue Steel

- Made of high-quality tempered steel for a perfect finish
- Uniquely designed bracket (CC665) has teeth to keep handle at set angle without slippage
- *Use with threaded handles or button bull float handles depending on bracket choice (sold separately, pages 32-34)*

Carbon Steel with Threaded Bracket		*Blue Steel with Threaded Bracket*		*Carbon Steel with Button Bracket*		*Blue Steel with Button Bracket*	
No.	**Size**	**No.**	**Size**	**No.**	**Size**	**No.**	**Size**
CC820	24"x5"	CC820B	24"x5"	CC820BT	24"x5"	CC820BBT	24"x5"
CC821	30"x5"	CC821B	30"x5"	CC821BT	30"x5"	CC821BBT	30"x5"
CC822	36"x5"	CC822B	36"x5"	CC822BT	36"x5"	CC822BBT	36"x5"
CC823	42"x5"	CC823B	42"x5"	CC823BT	42"x5"	CC823BBT	42"x5"
CC824	48"x5"	CC824B	48"x5"	CC824BT	48"x5"	CC824BBT	48"x5"



Fresno Trowel

Carbon Steel or Blue Steel

- Quality tempered steel blade with square steel mounting
- *ONLY the **EZY-Tilt® bracket** (CC290, sold separately, page 37) fits this fresno*

Carbon Steel		*Blue Steel*	
No.	**Size**	**No.**	**Size**
CC830-01	24"x5"	CC830B-01	24"x5"
CC831-01	30"x5"	CC831B-01	30"x5"
CC832-01	36"x5"	CC832B-01	36"x5"
CC833-01	42"x5"	CC833B-01	42"x5"
CC834-01	48"x5"	CC834B-01	48"x5"
CC835-01	60"x5"	CC835B-01	60"x5"

Must Use:
EZY-Tilt® Float Bracket (CC290) Page 37

Sold separately

Blade and bracket sold separately

"H" Bracket

2-Hole Bracket Bar

Cali Mahogany Bull Floats

- Made of Asian Mahogany wood
- Smooth 3/4" thick wood face

"H" Bracket

- *Handle bracket accepts Fresno/Broom Adapter (CC295) for any size button handle or Fresno Adapter (CC662) for threaded handles (sold separately, page 35)*
- *Float can also be used with a narrow clevis handle (sold separately, page 72)*

No.	Size
CC982	24"x7-1/4"
CC983	36"x7-1/4"
CC984	48"x7-1/4"

2-Hole Bracket Bar

- Steel "H" Style bracket supports float working surface
- *Bracket Bar accepts any 2-hole fixed or tilt bracket float brackets (sold separately, pages 36-37)*

No.	Size
CC981	24"x7-1/4"
CC985	36"x7-1/4"
CC986	48"x7-1/4"

"H" Bracket

2-Hole Bracket Bar

Laminated Canvas-Resin Bull Floats

- Long-wearing 3/8" thick laminated canvas-resin float
- Square ends with rounded corners

"H" Bracket

- *Handle bracket accepts Fresno/Broom Adapter (CC295) for any size button handle or Fresno Adapter (CC662) for threaded handles (sold separately, page 35)*
- *Float can also be used with a narrow clevis handle (sold separately, page 72)*

No.	Size
CC982CR	24"x7"
CC983CR	36"x7"
CC984CR	48"x7"

2-Hole Bracket Bar

- Steel "H" Style bracket supports float working surface
- *Bracket Bar accepts any 2-hole fixed or tilt float bracket (sold separately, pages 36-37)*

No.	Size
CC981CR	24"x7"
CC985CR	36"x7"
CC986CR	48"x7"

Cali Mahogany

Canvas-Resin

Narrow Bull Floats

- *Use with narrow clevis handles (sold separately, page 72)*
- *Use adapters for extension handles (sold separately, page 35)*

Cali Mahogany

- Made of Asian Mahogany wood
- Smooth 3/4" thick wood face

No.	Size
CC847-24	24"x4"
CC847-30	30"x4"

Laminated Canvas-Resin

- Long-wearing 3/8" thick laminated canvas-resin float
- Square ends with rounded corners

No.	Size
CC848	24"x5"

Laminated Wood Bull Floats

Accepts 4-Hole Brackets

Brass threaded inserts for superior strength

- Long-lasting laminated float
- 1-3/4" thick; with reinforced ends
- *Accepts any 4-hole fixed or tilt float bracket (sold separately, pages 36-37)*

Square End

No.	Size
CC781-01	36"x7"
CC782-01	48"x7"
CC783-01	60"x7"
CC782H	48"x7" (With "H" Bracket)

Round End

CC782RE-01	48"x7"

Recommended:
EZY-Tilt® II Float Bracket (CC294) Page 37

Sold separately

Laminated Canvas-Resin Bull Float

- Long-wearing 3/8" thick canvas-resin float
- Rounded ends and "broken-in" shape
- Heavy-duty 1/8" thick, 3-1/2" wide C-Channel for extra rigidity
- *Accepts any 4-hole fixed or tilt float bracket (sold separately, pages 36-37)*

No.	Size
CC785-01	48"x7"



IDEAL FOR DECORATIVE CONCRETE APPLICATIONS

ORANGE THUNDER®
With KO-20™ Technology

BULL FLOATS AND WALKING FLOATS

Speed to Performance

- Engineered, Curved Surface Lines
- Low Surface Friction
- Machine Beveled Edges

Ease of Use

- Less Drag on Float
- Self-Lubricating Surface
- Lightweight Material
- High Visibility Color

Wear Life

- Blunt Impact Resistant
- Superior Slide Abrasion
- Less Than .01% Liquid Absorption

Orange Thunder® Bull Float

Featuring KO-20™ Technology

The blade has rounded ends and broken-in edges for floating without gouging. An extra-long 3-1/2" wide heavy-duty C-Channel design provides extra rigidity and flatness for this 8" wide blade. *Use with 2 or 4-hole bull float brackets (sold separately, pages 36-37).*

No.	Size
CC2020RE	36"x8"
CC2021RE	48"x8"
CC2022RE	60"x8"

Orange Thunder® Walking Float With Ultra Twist™ Bracket

Featuring KO-20™ Technology

The blade has rounded ends and broken-in edges for floating without gouging. An anodized aluminum bar forms a rib providing extra rigidity and flatness for this 3-1/2" narrow blade. Fitted with Ultra Twist™ Bracket (GF11401).

No.	Size
CC2014	24"x3-1/2"
CC2013	30"x3-1/2"
CC2012	36"x3-1/2"



See Orange Thunder® Darbies, Groovers, and Hand Floats with Revolutionary KO-20™ Technology, Pages 20-21

EZY-TOTE TOOL CARRIER™

Your choice of 1-3/8" or 1-3/4" button handles is secured in a plastic divider to prohibit sliding. The 4-hole float features a choice of popular double-tilt brackets connected to the float blade. The bag has a cut-out opening for the bracket to protrude without harming the bag's integrity. Comes with 5 exterior pockets and 4 interior pockets to hold various tools. The bag features plastic straps, metal snaps, and Velcro closures to secure the tools and bag during transport. Two padded adjustable straps allow for balanced carrying. Choose from four popular floats, three double-tilt brackets, and a choice in diameter of button handles for a complete kit. **No. CC1001* (Bag Only)**

Step 1
Choose Float
Choose between our Square and Round End Magnesium Bull Floats or Round End Magnesium Channel Float. *See noted pages for individual product information*.

A) 48" Square End Magnesium Bull Float (CC802-01) Page 39

B) 48" Round End Magnesium Bull Float (CC803-01) Page 39

C) 48" Round End Magnesium Channel Float (CC044-01) Page 39

D) 48" Orange Thunder® Bull Float with KO-20™ Technology (CC2021RE) Page 43

Step 2
Choose Bracket
Choose between three bull float brackets: EZY-Tilt® II, Knucklehead® II, or the Orbit-er™. *See noted pages for individual product information.*



A) EZY-Tilt® II Bracket (CC294) Page 37

B) Knucklehead® II Bracket (CC296) Page 37

C) Orbit-er™ Bracket (CC270*) Page 37

Step 3
Choose Handle
Selection includes four 6' Blue Anodized Aluminum Extension Handles. Choose between 1-3/8" diam. or 1-3/4" diam. Both fit with available tilt brackets. *See noted pages for individual product information.*

6' Anodized Aluminum Button Extension Handle, 1-3/8" diam. (CC336B) Page 32

6' Coated Aluminum Button Extension Handle, 1-3/4" diam. (CC289SBC) Page 32

No Substitutions – Order bag (CC1001) and products separately to create a customized kit.

CAUTION: Metal extension handles/adapters should not be used near electrical wiring. Orange Thunder® Floats (Patent Pending) *See page 193

EZY-TOTE TOOL CARRIER™

EZY-Tote Tool Carrier™ with Square End Bull Float

Includes EZY-Tote Tool Carrier™ (CC1001), Float, Bracket, and Four 6' Handles

Float	48" Square End Magnesium Bull Float (CC802-01)					
Bracket	EZY-Tilt® II (CC294)		Knucklehead® II (CC296)		Orbit-er™ (CC270)	
Handle	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SBC)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SBC)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SBC)
Part No.	**CC1002**	**CC1003**	**CC1004**	**CC1005**	**CC1006**	**CC1007**

EZY-Tote Tool Carrier™ with Round End Bull Float

Includes EZY-Tote Tool Carrier™ (CC1001), Float, Bracket, and Four 6' Handles

Float	48" Round End Magnesium Bull Float (CC803-01)					
Bracket	EZY-Tilt® II (CC294)		Knucklehead® II (CC296)		Orbit-er™ (CC270)	
Handle	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SBC)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SBC)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SBC)
Part No.	**CC1008**	**CC1009**	**CC1010**	**CC1011**	**CC1012**	**CC1013**

EZY-Tote Tool Carrier™ with Round End Channel Float

Includes EZY-Tote Tool Carrier™ (CC1001), Float, Bracket, and Four 6' Handles

Float	48" Round End Magnesium Channel Float (CC044-01)					
Bracket	EZY-Tilt® II (CC294)		Knucklehead® II (CC296)		Orbit-er™ (CC270)	
Handle	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SBC)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SBC)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SBC)
Part No.	**CC1014**	**CC1015**	**CC1016**	**CC1017**	**CC1018**	**CC1019**

EZY-Tote Tool Carrier™ with Orange Thunder® Bull Float

Includes EZY-Tote Tool Carrier™ (CC1001), Float, Bracket, and Four 6' Handles

Float	48" Round End Orange Thunder® Bull Foat (CC2021RE)			
Bracket	EZY-Tilt® II (CC294)		Knucklehead® II (CC296)	
Handle	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SBC)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SBC)
Part No.	**CC1020**	**CC1021**	**CC1022**	**CC1023**

Orange Thunder® Floats (Patent Pending)

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

4 Blades Per Carton



Finish



Float

Combo Rounded Corners (RC)

Combination

Channel Combo/Finish (Master/Arrow)

Each blade is designed for longer life and greater performance

Blades are made with heavy-duty steel to cut down on blade changes

Retro Adapter Bar

Mount adapter bar to power troweler and quickly change blades with snap pins. Bar fits 7/8" channel. Each bar comes with two snap clips for mounting.

No.	Size	Fits
SK148	10" Long	36"
(ONLY fits SK232 & SK233)		
SK150	14" Long	46"/48"
(ONLY fits SK234 & SK235)		
SK147	Snap Clip for Bar	

Grinding Stone Holder (ONLY)

Please specify troweler and make.

SK312	(Up to 36" Machine Size)
SK318	(Over 36" Machine Size)

Grinding Stone Holder (With Stone)

SK313	(Up to 36" Machine Size)
SK319	(Over 36" Machine Size)

Grinding Stone (ONLY)

SK320	(6 Grit, 2"x2"x8")

Machine Size	MFG No.	Blade	Size	Kraft No.
Allen/Razorback				
30"	41696	Finish	6"x10-1/2"	SK237
		Comb.	6"x10-1/2"	SK236
36"	015890	Finish	6"x14"	SK100
	016095	Comb.	8"x14"	SK101
	0282314	Float	10"x14"	SK102
46"	015695	Finish	6"x18"	SK214
	016094	Comb.	8"x18"	SK215
	02822318	Float	10"x18"	SK105
Bartell				
24"	20455	Finish	4-3/4"x9"	SK238
30"	20407	Finish	4-3/4"x10"	SK239
	10400	Finish	6"x10-1/2"	SK237
36"	20414	Finish	6"x14"	SK100
	20479	Comb.	8"x14"	SK101
	20415	Float	10"x14"	SK102
46"	20410	Finish	6"x18"	SK214
	20480	Comb.	8"x18"	SK215
	20411	Float	10"x18"	SK105
Edco (V-Notch Channel)				
34" & 36"	F-1	Finish	6"x14"	SK300
	C-1	Comb.	8"x14"	SK301
	M-1	Float	10"x14"	SK302
42"		Finish	6"x16"	SK304
		Comb.	8"x16"	SK305
		Float	10"x16"	SK306
44"-48"	F-3	Finish	6"x18"	SK307
	C-3	Comb.	8"x18"	SK308
	M-3	Float	10"x18"	SK309
Goldblatt				
28"	19177	Comb.	6"x10"	SK177
36"	19172	Finish	6"x14"	SK172
	19179	Comb.	8"x14"	SK179
	19102	Float	10"x14"	SK102

PROFORM® POWER TROWELER REPLACEMENT BLADES

Machine Size		MFG No.	Blade	Size	Kraft No.
Master/Arrow					
36"		RT36	Channel Finish	6"x14"	SK232
		RC36	Channel Comb.	8"x14"	SK233
			Finish	6"x14"	SK100
			Comb.	8"x14"	SK101
			Float	10"x14"	SK102
46"		3RT46	Channel Finish	6"x18"	SK234
			Comb.	8"x18"	SK215
		3FF46	Float	10"x18"	SK105
		3RC46	Channel Comb.	8"x18"	SK235
MBW					
30"			Comb.	8"x10"	SK242
			Comb. Metric	8"x10"	SK242M8
36"		5347	Finish	6"x14"	SK100
		5402	Comb.	8"x14"	SK101
		5403	Float	10"x14"	SK102
46"		5383	Finish	6"x18"	SK214
		5412	Comb.	8"x18"	SK215
		5413	Float	10"x18"	SK105
Stone					
36"		34578	Finish	6"x14"	SK100
		34583	Comb.	8"x14"	SK101
		34586	Float	10"x14"	SK102
46"		34580	Finish	6"x18"	SK214
		34585	Comb.	8"x18"	SK215
		34589	Float	10"x18"	SK105
Stow					
36"		22027	Finish	6"x14"	SK100
		22029	Comb.	8"x14"	SK101
		22028	Float	10"x14"	SK102
46"		21637	Finish	6"x18"	SK214
		21988	Comb.	8"x18"	SK215
		21989	Float	10"x18"	SK105
Superior / Boren					
36"		2836FL	Comb.	8"x14"	SK220
44"		2844FL	Comb.	8"x16"	SK226
			Float	10-1/2"x17-1/2"	SK108
			Float, Raised Clip	10-1/2"x17-1/2"	SK109
		2844C	Flat Finish RC	8"x16"	SK227
48"		2848FL	Comb.	8"x18"	SK228

Machine Size		MFG No.	Blade	Size	Kraft No.
Wacker					
36"		79638	Finish	6"x14"	SK100
		79637	Comb.	8"x14"	SK101
		75061	Float	10"x14"	SK102
48"		79642	Finish	6"x18"	SK214
		79641	Comb.	8"x18"	SK215
		112000	Float	10"x18"	SK105
Wagman					
24"		WB47590	Finish	4-3/4"x9"	SK238
		WB6105F	Finish	6"x10-1/2"	SK237
30"		WX5925M6	Comb. Metric	4-3/4"x9"	SK241
36"		WX614F	Finish	6"x14"	SK100
		WX8140	Comb.	8"x14"	SK101
		WX1014FO	Float	10"x14"	SK102
44"		WF816F	Flat Finish RC	8"x16"	SK227
46-48"		WX618F	Finish	6"x18"	SK214
		WX8180	Comb.	8"x18"	SK215
		WX1018FO	Float	10"x18"	SK105
		WX-818F	Flat Finish RC	8"x18"	SK217
60"		WX-623F	GOLD Finish	6"x23"	SK216G
		WX8230	GOLD Comb.	8"x23"	SK218G
Whiteman / MultiQuip					
24"		C244	Comb. Metric	4-3/4"x9"	SK241
36"		F-90	Finish	6"x14"	SK100
		C-844	Comb.	8"x14"	SK101
		CL-954F	Float	10"x14"	SK102
46-48"		F-400	Finish	6"x18"	SK214
		C-464	Comb.	8"x18"	SK215
		CL444F	Float	10"x18"	SK105
		RC818	Flat Finish RC	8"x18"	SK217
		F616	Finish	6"x16"	SK221
		C8160	Comb.	8"x16"	SK222
		RC816	Flat Finish RC	8"x16"	SK219
Rounded Corner Combination Blades					
Flat combination blade with 2" radius corners. Offers more blade surface.					
		Fits most popular models	Comb. RC	8"x14"	SK101R
			GOLD Comb. RC	8"x18"	SK215GR
			Comb. RC	8"x18"	SK215R
		Fits Superior	Comb. RC	8"x14"	SK220R
			Comb. RC	8"x16"	SK226R
			Comb. RC	8"x18"	SK228R

PROFORM® POWER TROWELER REPLACEMENT BLADES

4 Blades Per Carton



ProForm® Ultra Blue
15-25% Longer Life

Each blade is crafted with ultra-blue steel and is 30% thicker than standard blades, providing 25% longer life and greater performance with fewer blade changes.

Machine Size	Blade	Size	Part No.	Mfg. Compatibility
36"	Finish	6"x14"	SK100B	Fits Allen, Bartell, Stone, Stow, Wacker, Whiteman, & other popular styles of Trowelers
	Comb.	8"x14"	SK101B	
46"-48"	Finish	6"x18"	SK214B	
	Comb.	8"x18"	SK215B	
	Finish RC	8"x18"	SK217B	
	Comb.	8"x12-1/2"	SK225B	Fits Superior / Boren Trowelers
	Comb.	8"x14"	SK220B	
	Comb.	8"x16"	SK226B	
	Finish RC	8"x16"	SK227B	
	Comb.	8"x18"	SK228B	
Offset Channel	Comb.	8"x18"	SK231B	Fits Master Trowelers

ProForm® Heavy-Duty Gold
Thick and Rugged
25-50% Longer Life

The heavy-duty blade is 50% thicker than the standard blade, ensuring 25-50% longer life and unbeatable performance.

Machine Size	Blade	Size	Part No.	Mfg. Compatibility
36"	Finish	6"x14"	SK100G	Fits Allen, Bartell, Stone, Stow, Wacker, Whiteman, & other popular styles of Trowelers
	Comb.	8"x14"	SK101G	
	Comb. RC	8"x14"	SK107G	
46"-48"	Finish	6"x18"	SK214G	
	Comb.	8"x16"	SK222G	
	Comb.	8"x18"	SK215G	
	Comb. RC	8"x18"	SK215GR	
	Finish RC	8"x18"	SK217G	
	Comb.	8"x16"	SK226G	Fits Superior / Boren Trowelers
	Comb.	8"x18"	SK228G	
60"	Finish	6"x23"	SK216G	Fits Whiteman Trowelers
	Comb.	8"x23"	SK218G	
46"	Finish	6"x18"	SK234G	Fits Master Trowelers
Offset Channel	Comb.	8"x18"	SK231G	

ProForm® Power Troweler Blades for Allen, Bartell, Boren, Husqvarna, Superior, Wacker, Whiteman, and Others

Orange Thunder® Blades
Featuring KO-20™ Technology

Popular for floating and finishing where non-marring and burnishing marks are a concern. *For walk-behind machines ONLY. Not for use on Float Pans.*

Mfg. Compatibility	Blade	Size	Part No.
Fits most models	Finish	6"x14"	SK100-OT
Fits most models	Comb.	8"x14"	SK101-OT
Fits most models	Finish	6"x18"	SK214-OT
Fits most models	Comb.	8"x18"	SK215-OT

(Patent Pending)

Orange Thunder® Steel Backed Blades
Featuring KO-20™ Technology

NEW

Steel backing adds rigidity for a harder finish. *For walk-behind and ride-on machines. Not for use on Float Pans.*

Mfg. Compatibility	Blade	Size	Part No.
Fits most models	Finish	6"x14"	SK100-OTSR
Fits most models	Comb.	8"x14"	SK101-OTSR
Fits most models	Finish	6"x18"	SK214-OTSR
Fits most models	Comb.	8"x18"	SK215-OTSR

(Patent Pending)

PROFORM® FLOAT PANS

- Achieve flatter floors with less time on the job!
- Made to fit non-overlapping, "Walk-Behind" and "Ride-On" power trowelers
- Pan fits right over power trowel blades

STORAGE:
Always store pans securely and vertically. Pans can be bent or damaged if not stored properly.

The best way to achieve flatter floors

- Made to fit non-overlapping "walk-behind" or "ride-on" power trowelers
- Rotate pans for optimal life
- Slightly beveled to keep pan from digging into concrete
- Finish area is slightly smaller than the float pan due to beveling
- Blade slots on the float pan fit to blades on trowel
- Blade slots can be used on trowelers that run either direction



(Slight bevel keeps pan from digging into the concrete)



Slide rod in for secure attachment

Add "F" after part number for flat Z-Clip or Safety Rod Style float pans

Safety Rod Style

Please specify troweler make and size

No.	Pan Diameter *(12-Gauge Pan)*		Steel
SK400SR	35-3/4"	(34-3/4" Inside Diam.)	4 Blade
SK401SR	36-1/2"	(35-1/2" Inside Diam.)	4 Blade
SK402SR**	38-1/4"	(37-1/4" Inside Diam.)	4 Blade
SK403SR**	45-3/4"	(44-3/4" Inside Diam.)	4 Blade
SK407SR**	45-3/4"	(44-3/4" Inside Diam.)	5 Blade
SK414SR**	45-3/4"	(44-3/4" Inside Diam.)	6 Blade
SK404SR**	47-3/4"	(46-3/4" Inside Diam.)	4 Blade

Heavy-Duty	Pan Diameter *(10 Gauge Pan)*		Steel
SK412SR** ◊	38-1/4"	(37-1/4" Inside Diam.)	4 Blade
SK410SR**	45-3/4"	(44-3/4" Inside Diam.)	4 Blade
SK411SR**	45-3/4"	(44-3/4" Inside Diam.)	5 Blade
SK406SR**	47-3/4"	(46-3/4" Inside Diam.)	4 Blade
SK409SR**	47-3/4"	(46-3/4" Inside Diam.)	5 Blade

Heavy-Duty	Pan Diameter *(10 Gauge Pan)*		Steel
SK408SR**	60"	(58-1/4" Inside Diam.) (90° Lip)	6 Blade

No.	Description
SK399	Repl. Float Pan Safety Rod (All Pans)

** Must ship via truck
◊ Only fits Boren Machines

Add "F" after part number for flat Z-Clip or Safety Rod Style float pans

Z-Clip Style

Please specify troweler make and size

No.	Pan Diameter *(12-Gauge Pan)*		Steel
SK400**	35-3/4"	(34-3/4" Inside Diam.)	4 Blade
SK401**	36-1/2"	(35-1/2" Inside Diam.)	4 Blade
SK402**	38-1/4"	(37-1/4" Inside Diam.)	4 Blade
SK403**	45-3/4"	(44-3/4" Inside Diam.)	4 Blade
SK407**	45-3/4"	(44-3/4" Inside Diam.)	5 Blade
SK414**	45-3/4"	(44-3/4" Inside Diam.)	6 Blade
SK404**	47-3/4"	(46-3/4" Inside Diam.)	4 Blade

Heavy-Duty	Pan Diameter *(10 Gauge Pan)*		Steel
SK412** ◊	38-1/4"	(37-1/4" Inside Diam.)	4 Blade
SK410**	45-3/4"	(44-3/4" Inside Diam.)	4 Blade
SK411**	45-3/4"	(44-3/4" Inside Diam.)	5 Blade
SK406**	47-3/4"	(46-3/4" Inside Diam.)	4 Blade
SK409**	47-3/4"	(46-3/4" Inside Diam.)	5 Blade

** Must ship via truck
◊ Only fits Boren Machines

Edger Pan *#14 Gauge Steel*

Edger pans with 90° lip allow machine troweling and floating close to walls and obstructions.

No.	Pan Diameter	Mfg. Compatibility
SK420**	24" (90° lip)	Allen, Bartell, MBW, Wacker, and Whiteman/MultiQuip
SK421**	30" (90° lip)	Allen, Wacker, and Whiteman/MultiQuip

**Must ship via truck

SPECIALTY FLOATS AND FRESNOS

Multi-Trac Bull Float Groover

Cuts Clean, Sharp Grooves Every Time

- Ideal for: streets, highways, off ramps, safety ramps, and bridges
- Produces a uniform sharp groove in various concrete applications where water drainage and traction are critical
- ***All floats: groove depth and width 1/4"x1/4"***
- *Accepts any 4-hole fixed or tilt float brackets (sold separately, pages 36-37)*

No.	Float Size	Spacing
CC789-01	24"x8"	1/2"
CC788-01	36"x8"	1/2"
CC787-01	48"x8"	1/2"
CC792-01	24"x8"	3/4"
CC791-01	36"x8"	3/4"
CC790-01	48"x8"	3/4"
CC798-01	24"x8"	1"
CC797-01	36"x8"	1"
CC796-01	48"x8"	1"
CC795-01	24"x8"	2-1/4"
CC794-01	36"x8"	2-1/4"
CC793-01	48"x8"	2-1/4"

Recommended:
Knucklehead® II Tilt Float Bracket (CC296) Page 37

Sold separately

Use with any Kraft Tool Double Tilt Action float bracket

Bottom View

End View

GENUINE MAGNESIUM EXTRU-LITE™

Stainless Steel Multi-Trac Fresno

Cuts Clean Sharp Grooves Every Time

- Cuts clean, sharp safety grooves
- Grooves are 1/4" wide by 1/4" deep
- Uniquely designed bracket (CC665) has teeth to keep handle at set angle without slippage

Bottom View



Size 24"x5"

No.	Groove Spacing
CC875	3/4"
CC876	1"
CC874	1-1/2"

Size 36"x5"

No.	Groove Spacing
CC878	3/4"
CC880	1"
CC877	1-1/2"

Size 48"x5"

No.	Groove Spacing
CC889	3/4"
CC890	1"
CC888	1-1/2"

Add "BT" after part number for button fresno bracket (CC666)

Barrier Trowel

Swivel Bracket

Great for making safety grooves. Carbon steel blade with rounded corners. Use with fresno groover attachments to create parallel grooves. Order groover bits separately. *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35).*

No.	Size
CC628-01	13-1/2"x5"
CC629-01	15"x5"



Bronze Groover Bits

No.	Depth
CC622	1/4"
CC623	1/2"
CC625	3/4"
CC626	1"

Order bits separately

Concrete Roller Tamps

- 5" roller diameter
- Depresses the aggregate and brings the fat to the surface in a uniform manner
- Levels the slab in half the time and does a better job then other conventional tampers
- Prepares the surface for a smoother finish
- *Rollers fit either threaded or button extension handles (sold separately, pages 32-34)*



Special Roller Tamp Screen



Double Roller Tamps - 2 rollers per tamp head

Uses Threaded Bull Float Handles

No.	Size
CC948	18"
CC952	36"
CC958	48"

Uses 1-3/8" Button End Handles

No.	Size
CC948A	18"
CC952A	36"
CC958A	48"

Uses 1-3/4" Button End Handles

No.	Size
CC948B	18"
CC952B	36"
CC958B	48"

Replacement Roller with Shaft

No.	Size
CC949	18"
CC954	36"
CC959	48"

Single Roller Tamps - 1 roller per tamp head

Uses Threaded Bull Float Handles

No.	Size
CC952SINGLE	36"

Uses 1-3/8" Button End Handles

No.	Size
CC952ASINGLE	36"

Uses 1-3/4" Button End Handles

No.	Size
CC952BSINGLE	36"

Replacement T-Clamp
Cast piece secures handle to roller frame. Use on all Roller Tamps.
No. CC952-03

Replacement Handle
No. CC883
Hardware Packet
No. CC883-02

Concrete Tamper

Rugged and durable concrete tampers are built to handle any job. Tamping pushes large aggregate to the bottom of the cement to add strength; fat rises to the top for easy finishing. Balanced for ease in use. Welded support bar between the handles for stability. Contoured handles with a slight texture provides a firm grip.

Round Hole Grill Pattern

No.	Size
CC887-01	36"x6-5/8" Grill Only
CC887ASM**	36"x6-5/8" Assembled
CC885-01	48"x8" Grill Only
CC885ASM**	48"x8" Assembled

Big Diamond Grill Pattern

Many concrete finishers prefer this style because it diverts the concrete splash away from the legs of the finisher.

No.	Size
CC879-01	36"x8" Grill Only
CC879ASM**	36"x8" Assembled
CC881-01	48"x8" Grill Only
CC881ASM**	48"x8" Assembled

**Must ship via truck

Economy Concrete Tamper

Durable concrete tampers are built to handle any job. Tamping with this tool pushes large aggregate to the bottom of the cement to add strength; fat rises to the top for easy finishing. Balanced for ease in use with support bar. Hardware included. Ships flat, unassembled.

No.	Size	Grill Pattern
CC887E*	36"x8"	Round Hole
CC885E*	48"x8"	Round Hole
CC879E*	36"x8"	Diamond
CC881E*	48"x8"	Diamond



Can ship UPS

Safety Roller

Diamond Patterned Safety Roller gives a rough, skid-resistant finish to concrete ramps. Perfect for wheelchairs or loading walkways where a non-skid surface is a must. Roller is 5" in diameter and made of tough expanded steel diamond mesh. *Use with threaded float handles (sold separately, page 34).*

No.	Roller Size
CC956-24	24"
CC956-36	36"



8" Roller Tamp

Prepares the slab the same way as other roller tamps. Works great in small areas, steps, or close to buildings and walls. Special handle angle keeps the finisher from scraping against buildings, forms, or walls. *Use with 1-3/8" swaged button handle or adapter (sold separately, pages 32-35).*

No.	Description
CC946	8"x5" Diameter Roller with 1-3/8" Button Handle Adapter

*See page 193

ALL-STEEL GROOVERS

- ***Available in hand and walking styles***
- ***Extra weight of tools creates sharp, clean grooves***
- ***Easy-to-see red target sites on walking groovers for straight lines***

All-Steel Hand Groovers

All groovers measure 6"x6". Made of heavy-duty steel for sharp cuts and long wear. Turned-up edges for clean grooves. Closed-end bit eliminates build-up in tool.

Wood Handle No.	***Bike Grip Handle*** No.	Radius	Depth
CF1701	CF1713	1/4"	1/4"
CF1702	CF1714	1/4"	1/2"
CF1703	CF1715	1/4"	3/4"
CF1704	CF1716	1/4"	1"
CF1708	CF1722	3/8"	1/2"
CF1705	CF1717	1/2"	1/2"
CF1706	CF1718	1/2"	3/4"
CF1707	CF1719	1/2"	1"
CF1709	CF1723	3/4"	1/2"
CF1710	CF1720	3/4"	3/4"
CF1711	CF1721	3/4"	1"

All-Steel Walking Angle Groovers

Cuts groove diagonally away from corners and enclosed areas. *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35).*

No.	Size	Radius	Depth
CC704	8"x10"	3/4"	1"
CC705	8"x10"	1/2"	1"
CC706	8"x10"	3/4"	7/8"

Handle Adapter Plates

Handle adapters for all-steel groovers and hand tools. Three styles: swivel action, 2-hole single action, or 6-hole single action. *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35).*

No.	Description
CC653	6-Hole Single Action Plate Adapter
CC659	2-Hole Single Action Adapter
CC660	2-Hole Swivel Action Adapter



A

B

C

All-Steel Walking Groovers

A) For Bull Float Brackets

2 studs fit handle adapter plates or bull float brackets (sold separately, pages 36-37).

No.	Size	Radius	Depth
CC702A	8"x10"	1/2"	1"
CC703A	8"x10"	3/4"	1"
CC700	12"x14"	1/2"	1"
CC701	12"x14"	3/4"	1"

B) For Fresno Adapters

Prong style mounting to use with narrow clevis handles (sold separately, page 72) or adapters (page 35).

No.	Size	Radius	Depth
CC1724	6"x6"	1/4"	1/4"
CC1725	6"x6"	1/2"	1/2"
CC1726	6"x6"	1/2"	1"
CC1727	6"x6"	3/4"	3/4"
CC1728	6"x6"	3/4"	1"
CC702	8"x10"	1/2"	1"
CC703	8"x10"	3/4"	1"

C) With Mounting Bar And Clevis Bracket

Mounting bar reinforces the top. Single Action Clevis Bracket (CC659) fitted on bar. *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35).*

No.	Size	Radius	Depth
CC1701	8"x10"	1/4"	1/4"
CC1702	8"x10"	1/4"	1/2"
CC1703	8"x10"	1/4"	3/4"
CC1704	8"x10"	1/4"	1"
CC1708	8"x10"	3/8"	1/2"
CC1705	8"x10"	1/2"	1/2"
CC1706	8"x10"	1/2"	3/4"
CC1707	8"x10"	1/2"	1"
CC1709	8"x10"	3/4"	1/2"
CC1710	8"x10"	3/4"	3/4"
CC1711	8"x10"	3/4"	1"
CC1713	12"x14"	1/4"	1/4"
CC1714	12"x14"	1/4"	1/2"
CC1715	12"x14"	1/4"	3/4"
CC1716	12"x14"	1/4"	1"
CC1722	12"x14"	3/8"	1/2"
CC1717	12"x14"	1/2"	1/2"
CC1718	12"x14"	1/2"	3/4"
CC1719	12"x14"	1/2"	1"
CC1723	12"x14"	3/4"	1/2"
CC1720	12"x14"	3/4"	3/4"
CC1721	12"x14"	3/4"	1"

BRONZE GROOVERS

MEDIUM BIT
5-1/2"x3"

Choice of Handle

Wood	ProForm®
CF260	CF260PF

3/8" Deep Bit **5/16" Wide Bit** **Radius 1/4"**

SMALL BIT
6"x2"

Choice of Handle

Wood	ProForm®
CF301	CF301PF

3/16" Deep Bit **3/16" Wide Bit** **Radius 1/4"**

LARGE BIT
6"x4-1/2"



Choice of Handle

Wood	ProForm®
CF303	CF303PF

1/2" Deep Bit **3/8" Wide Bit** **Radius 1/4"**

BIG TEX BIT
6"x4-1/2"



Wood	ProForm®
CF408	CF408PF

5/8" Deep Bit **5/8" Wide Bit** **Radius 1/4"**

NARROW BIT
6"x4-1/2"



Wood	ProForm®
CF305	CF305PF

3/4" Deep Bit **3/8" Wide Bit** **Radius 1/4"**

BIG BIT
6"x4-1/2"



Wood	ProForm®
CF304	CF304PF

3/4" Deep Bit **7/8" Wide Bit** **Radius 3/8"**

DEEP BIT
6"x4-1/2"



Wood	ProForm®
CF314	CF314PF

1" Deep Bit **1/2" Wide Bit** **Radius 1/4"**

DENVER JUMBO BIT
6"x4-1/2"



Wood	ProForm®
CF316	CF316PF

1" Deep Bit **1-1/4" Wide Bit** **Radius 1/2"**

CANADIAN DEEP BIT
6"x4-1/2"



Wood	ProForm®
CF315	CF315PF

1-1/2" Deep Bit **1/2" Wide Bit** **Radius 1/4"**

COLORADO BIT
6-1/2"x3"



Wood	ProForm®
CF380	CF380PF

3/4" Deep Bit **3/8" Wide Bit** **Radius 1/8"**

EXTRA DEEP BIT
7-1/2"x4-1/2"



Wood	ProForm®
CF317	CF317PF

1-1/2" Deep Bit **1/2" Wide Bit** **Radius 1/4"**

DEEP BIT
8"x4-1/2"



Wood	ProForm®
CF374	CF374PF

1" Deep Bit **1/2" Wide Bit** **Radius 1/4"**

BRONZE EDGERS & GROOVERS

- Unique long-wearing one-piece casting
- Hand-polished for the professional concrete finisher
- Available in either wood or soft grip ProForm® handles
- Made in the USA

Bit 3/4" Deep with 3/8" Radius

Lip 3/4" Deep with 3/8" Radius

Matched Set

Bronze Groover and Edger

Groover bit (depth and radius) matches edger lip. Perfect for matching edge and groove finishes on sidewalks and driveways.

Wood No.	*ProForm®* No.	Size
CF318	CF318PF	Edger, 6"x3", 3/8" Radius, 3/4" Lip
CF319	CF319PF	Groover, 6"x6", 3/8" Radius, 3/4" Bit Depth, 5/8" Width

Edgers

Special turned-up ends to eliminate gouging of concrete

Wood No.	*ProForm®* No.	Size	Radius	Lip
CF311	CF311PF	6"x2-3/4"	1/4"	5/8"
CF313	CF313PF	6"x4"	1/4"	5/8"

Jumbo Bronze Edger

Special turned-up ends to eliminate gouging of concrete

Wood No.	*ProForm®* No.	Size	Radius	Lip
CF312	CF312PF	9"x4"	1/4"	3/4"

Bronze Concrete Name Stamp

The perfect way to mark concrete for permanent identification. Made from high grade bronze. Stamp is 9"x5" oval with flat ends. Up to 16 spaces on each of 3 lines. Replacement year stamp is 5/8" high. *Stamp can be furnished without date on request.* Allow approximately 2-3 weeks for shipment.

No.	Description
CF400	Stamp with 2026 Insert
CF400PF	Stamp with 2026 Insert with ProForm® Handle
CF400-01	Stamp without Date
CF400PF-01	Stamp without Date with ProForm® Handle
CF401-26	2026 Date (Insert Only)
CF401-27	2027 Date (Insert Only)

Large Text Bronze Concrete Name Stamp

The perfect way to mark concrete for permanent identification. Made from high grade bronze. Stamp is 9"x5" rectangle with rounded corners. Up to 8 spaces on each of 2 lines. Replacement year stamp insert is 1-5/8" high. Allow approximately 2-3 weeks for shipment.

No.	Description
CF406	Stamp with 2026 Insert
CF406PF	Stamp with 2026 Insert with ProForm® Handle
CF407-26	2026 Date (Insert Only)
CF407-27	2027 Date (Insert Only)

PUT YOUR NAME HERE
Order forms available online or ask your Customer Service Representative

PUT YOUR NAME HERE
Order forms available online or ask your Customer Service Representative

Bronze Chamfer Tube Edger

- Belt polished surface for cutting clean, smooth edges
- Used for creating chamfered edges on round support piers
- Made of long-wearing one-piece bronze with 1" lip and 45° turned-up ends
- Slope on the pier edge can be varied depending upon wetness of the concrete and the angle and pressure applied by the user

Wood	***ProForm®***	
No.	**No.**	**Diameter**
CF382	CF382PF	12"
CF383	CF383PF	16"
CF384	CF384PF	18"
CF385	CF385PF	24"
CF386	CF386PF	30"
CF387	CF387PF	36"
CF388	CF388PF	48"

Bronze Rocker Groover

Curved blade and tilt handle give plenty of knuckle room.

No.	Size	Bit	Radius
CF306	5"x1-3/4"	1/4"x1/4"	1/8"
CF307	5"x1-3/4"	3/8"x3/8"	1/4"
CF308	5"x1-3/4"	1/2"x1/2"	1/4"

Clevis Wood Handles

For Bronze Groovers

A) Long Handle

No.	Description
CC386	5' Handle with Steel Clevis
CC266	6' Handle with Steel Clevis

B) Short Handle

Short handle attaches to long-handled tools for use as a hand tool and in tight spaces

No.	Description
CC299	6" Handle with Steel Clevis



Walking Bronze Groover

Single End Bit Groover

- Belt polished surface for cutting clean, smooth, sharp grooves
- Long-wearing one-piece bronze with turned-up ends
- Easy to clean and comfortable to use
- *Use with clevis handles (sold separately) or adapters (page 35)*

6"x4-1/2"

No.	Radius	Depth	Width
CC303-01	1/4"	1/2"	3/8"
CC308-01	1/4"	5/8"	5/8"
CC304-01	3/8"	3/4"	7/8"
CC305-01	1/4"	3/4"	3/8"
CC314-01	1/4"	1"	1/2"
CC316-01	1/2"	1"	1-1/4"
7-1/2"x4-1/2"			
CC317-01	1/4"	1-1/2"	1/2"
8"x4-1/2"			
CC374-01	1/4"	1"	1/2"

"Side Railer" Bronze Groover

- Unique design with raised sides allows this popular bronze groover to more accurately follow forms and straightedges when grooving
- *Use with clevis handles (sold separately) or adapters (page 35)*

6"x4-1/2"

No.	Radius	Depth	Width
CC314SR-01	1/4"	1"	1/2"
CC304SR-01	3/8"	3/4"	7/8"

Bull float handles and adapters also compatible with bronze walking tools. See pages 32-35.

Adapters for use with bull float handles available (*page 35*)

Double End Bit Groover

- Grooves in both directions
- *Use with clevis handles (sold separately) or adapters (page 35)*

8"x4-1/2"

No.	Radius	Depth	Width
CC275-01	1/4"	1"	1/2"

8"x8" Single End Bit Groover

- Largest bronze walking groover available
- Belt polished surface for cutting clean, smooth, sharp grooves
- Long-wearing one-piece bronze with turned-up ends
- Easy to clean and comfortable to use
- *Use with clevis handles (sold separately) or adapters (page 35)*

No.	Radius	Depth	Width
CC276-01	1/4"	3/4"	3/8"
CC277-01	1/8"	3/4"	1/4"
CC278-01	1/4"	1"	3/8"
CC279-01	1/4"	1-1/2"	5/8"

Bronze Edgers

- Belt polished surface for cutting clean, smooth edges
- Long-wearing one-piece bronze with turned-up ends
- Easy to clean and comfortable to use
- *Use with clevis handles (sold separately) or adapters (page 35)*

No.	Size	Radius	Lip
CC313-01	6"x4"	1/4"	5/8"
CC302-01	9"x4"	1/4"	3/4"

Elite Series™ EDGERS AND GROOVERS

Iron Groover
Dallas Bit Groover
Made of long-wearing, heavy-duty malleable iron. Turned-up edges prevent gouging. Features approximately 1/8" radius.

No.	Size	Depth	Width
CF299	6"x4-1/2"	5/8"	5/8"

Ultra Hard Groover
Heavy-Duty Iron
This west coast favorite is made of a special formula chrome-nickel-iron metal that is long-lasting. 6" wood handle with steel clevis tightens to various angles.

No.	Size	Depth	Width
CF404	3-1/2"x4"	1/4"	3/8"

Quick Change Bracket
Converter Bracket for Hand-Held Tools
- Converts any wood-handled tool into a walking tool in seconds
- Thumb screws hold aluminum bracket securely in place
- Fits all cork or wooden handled bronze, stainless steel, and blue steel hand tools

No. CC495



Hand tool not included

Elite Series™ ★★★★★ Five Star Edgers and Groovers
Each Elite Series™ Hand Edger, Groover, and Step Tool is made to meticulous standards to create a long-lasting quality tool and a smooth, professional finish on every job. The unique cork handle wicks away moisture for a firm grip without chafing and slipping.

No. CF047K

(US Patent #D854,395 S)

Elite Series™ Bronze Groover
100% Bronze
- Long-wearing single-piece casting
- Hand-polished for professional finish
- Turned-up ends prevent gouging
- Bit extends out on one end to move through concrete, flat end works to forms
- Moisture-wicking cork handle
- Matching Stainless Steel Groovers available *(sold separately, page 57)*



LARGE BIT
6"x4-1/2"

Cork Handle
CFE303K

1/2" Deep Bit | 3/8" Wide Bit | Radius 1/4"



NARROW BIT
6"x4-1/2"

Cork Handle
CFE305K

3/4" Deep Bit | 3/8" Wide Bit | Radius 1/4"



BIG BIT
6"x4-1/2"

Cork Handle
CFE304K

3/4" Deep Bit | 7/8" Wide Bit | Radius 3/8"



DEEP BIT
6"x4-1/2"

Cork Handle
CFE314K

1" Deep Bit | 1/2" Wide Bit | Radius 1/4"



DENVER JUMBO BIT
6"x4-1/2"
Cork Handle
CFE316K

1" Deep Bit | 1-1/4" Wide Bit | Radius 1/2"

See Kraft Tool's Signature Bronze Hand Groover on page 53

See Kraft Tool's Signature Bronze Edger on page 54

Elite Series™ Bronze Edger
- Long-wearing single-piece casting
- Hand-polished for professional finish
- Turned-up ends prevent gouging
- Moisture-wicking cork handle

No.	Size	Radius	Lip
CFE311K	6"x2-3/4"	1/4"	5/8"



Curved End Edgers

Strong #16 gauge stainless steel blade. Edger has turned-up end(s) to prevent gouging of concrete.

A) Both Ends Curved

Cork Handle

No.	Size	Radius	Lip
CFE142K	6"x2-1/2"	1/4"	3/8"
CFE141K	6"x3"	1/4"	3/8"
CFE092KC	6"x3"	3/8"	1/2"
CFE172KC	6"x4"	1/4"	3/8"
CFE173KC	6"x4"	3/8"	1/2"
CFE165KC	6"x4"	1/2"	5/8"
CFE168KC	8"x4"	1/4"	3/8"
CFE167KC	8"x4"	3/8"	1/2"
CFE166KC	8"x4"	1/2"	5/8"

B) One End Curved

Cork Handle

No.	Size	Radius	Lip
CFE141KCF	6"x3"	1/4"	3/8"
CFE092KCF	6"x3"	3/8"	1/2"
CFE172KCF	6"x4"	1/4"	3/8"
CFE173KCF	6"x4"	3/8"	1/2"
CFE165KCF	6"x4"	1/2"	5/8"
CFE168KCF	8"x4"	1/4"	3/8"
CFE167KCF	8"x4"	3/8"	1/2"
CFE166KCF	8"x4"	1/2"	5/8"

See Kraft Tool's Signature Curved End Edger on page 62

Stainless Steel Hand Groover

- Top plate for additional strength
- Polished stainless steel for extra smooth working surface
- Turned-up ends prevent gouging and build-up on tool

No.	Size	Radius	Depth
CFE599K	6"x6"	1/4"	3/8"

See Kraft Tool's Signature Stainless Steel Hand Groover on page 61

Stainless Steel Hand Edgers *(Right)*

Strong #16 gauge stainless steel construction for a longer-lasting blade. A steel mounting welded to the blade secures the cork handle to the tool.

See Kraft Tool's Signature Hand Edgers on page 61

Hand Edger

#18 Gauge Stainless Steel

Special brushed stainless steel for an extra smooth working surface.

Cork Handle

No.	Size	Radius	Lip
CFE039K	8"x8"	1/4"	1/2"
CFE035K	8"x8"	1/2"	3/4"
CFE038K	8"x8"	3/4"	7/8"

See Kraft Tool's Signature Hand Edger on page 61

Closed Bit Groover

- Stainless steel blade for a polished groove
- Matches Kraft Bronze Groovers
- Measures 6"x6"

No.	Radius	Depth	Bit Width
CFE303KSS	1/4"	1/2"	3/8"
CFE305KSS	1/4"	3/4"	3/8"
CFE314KSS	1/4"	1"	1/2"
CFE304KSS	3/8"	3/4"	7/8"
CFE316KSS	1/2"	1"	1-1/4"

See Kraft Tool's Signature Signature Closed Bit Groovers on page 60

No.	Width	Radius	Lip
6" Long Sidewalk Edgers			
CFE161K	1-1/2"	1/4"	3/8"
CFE160K	2"	3/8"	1/2"
CFE162K	2-1/2"	1/4"	3/8"
CFE170K	3"	1/8"	1/4"
CFE163K	3"	1/4"	3/8"
CFE092K	3"	3/8"	1/2"
CFE164K	3-1/2"	3/8"	1/2"
CFE171K	4"	1/8"	1/4"
CFE172K	4"	1/4"	3/8"
CFE173K	4"	3/8"	1/2"
CFE165K	4"	1/2"	5/8"
CFE907K	4"	5/8"	3/4"
CFE174K	4"	3/4"	1"
CFE136K	6"	1/8"	1/4"
CFE137K	6"	1/4"	3/8"
CFE138K	6"	3/8"	1/2"
CFE175K	6"	1/2"	5/8"
CFE912K	6"	5/8"	3/4"
CFE139K	6"	3/4"	1"
CFE908K	6"	1"	1-1/4"
8" Long Sidewalk Edgers			
CFE169K	4"	1/8"	1/4"
CFE168K	4"	1/4"	3/8"
CFE167K	4"	3/8"	1/2"
CFE166K	4"	1/2"	5/8"
CFE185K	4"	3/4"	1"
CFE127K	5"	1/4"	3/8"
CFE128K	5"	3/8"	1/2"
CFE129K	5"	1/2"	5/8"
CFE130K	5"	3/4"	1"
CFE100K	6"	1/8"	1/4"
CFE101K	6"	1/4"	3/8"
CFE102K	6"	3/8"	1/2"
CFE103K	6"	1/2"	5/8"
CFE104K	6"	3/4"	1"
CFE105K	8"	1/8"	1/4"
CFE106K	8"	1/4"	3/8"
CFE107K	8"	3/8"	1/2"
CFE108K	8"	1/2"	5/8"
CFE109K	8"	3/4"	1"
9" Long Highway Edgers			
CFE155K	2-1/2"	1/2"	5/8"
CFE176K	3"	1/2"	5/8"
CFE188K	4"	1/2"	5/8"
CFE189K	4"	3/4"	1"
CFE190K	5"	3/8"	1/2"
CFE191K	5"	1/2"	5/8"
10" Long Highway Edgers			
CFE158K	3-1/2"	1/4"	3/8"
CFE159K	4"	3/8"	1/2"
CFE154K	4"	1"	1-1/4"
CFE140K	4"	1-1/2"	2"
CFE143K	5-3/4"	2"	2-5/8"
CFE909K	6"	1/4"	3/8"
CFE320K	6"	3/8"	1/2"
CFE321K	6"	1/2"	5/8"
CFE906K	6"	5/8"	3/4"
CFE322K	6"	3/4"	1"
CFE323K	6"	1"	1-1/4"
CFE144K	6-1/4"	3"	3-1/4"

Elite Series™ Five Star Cork Edger and Groover Handle (US Patent #D854,395 S)

Elite Series™ STEP TOOLS







Sidewalk and Curb Tools

Stainless Steel

A) Outside Nose Tool

Cork Handle

No.	Size	Radius	Lip
CFE146K	6"x4"	1/2"	1-1/2"
CFE147K	6"x4"	3/4"	1-1/2"
CFE148K	6"x4"	1"	1-1/2"
CFE243K	6"x4"	1-1/2"	2"
CFE244K	6"x6"	1/2"	1-1/2"
CFE245K	6"x6"	3/4"	1-1/2"
CFE247K	6"x6"	1"	1-1/2"
CFE242K	6"x6"	1-1/2"	2"

B) Inside Cove Tool

Cork Handle

No.	Size	Radius	Lip
CFE157K	6"x4"	1/2"	1-1/2"
CFE152K	6"x4"	3/4"	1-1/2"
CFE153K	6"x4"	1"	1-1/2"
CFE248K	6"x6"	1/2"	1-1/2"
CFE249K	6"x6"	3/4"	1-1/2"
CFE250K	6"x6"	1"	1-1/2"

See Kraft Tool's Signature Sidewalk and Curb Tools on page 69

Step and Corner Tools

Stainless Steel

A) Outside Nose Tool

Cork Handle

No.	Size	Radius
CFE125K	6"x2-1/2"	1/4"
CFE123K	6"x2-1/2"	1/2"
CFE121K	6"x2-1/2"	Square

B) Inside Cove Tool

Cork Handle

No.	Size	Radius
CFE126K	6"x2-1/2"	1/4"
CFE124K	6"x2-1/2"	1/2"
CFE122K	6"x2-1/2"	Square

See Kraft Tool's Signature Step and Corner Tools on page 69

Step Tools

Stainless Steel

- Inside and outside step tools
- 8"x4" with 1/2" radius and 4" lip

Cork Handle

No.	Description	Batter
CFE177K	Inside Tool	1/2" at 6"
CFE178K	Outside Tool	1/2" at 6"
CFE180K	Inside Tool	None
CFE181K	Outside Tool	None

See Kraft Tool's Signature Step Tools on page 69

Hand Seamer/Groover

Stainless Steel

Seamer makes smooth control joints. Rivet-free design and brushed stainless steel for an extra smooth working surface. Closed-end bit eliminates build-up in tool.

Cork Handle

No.	Size	Radius	Depth
CFE019K	8"x5"	3/8"	5/8"
CFE023K	8"x5"	1/2"	3/4"
CFE027K	8"x5"	3/4"	7/8"
CFE025K	8"x8"	3/8"	1/2"
CFE040K	8"x8"	3/8"	5/8"
CFE026K	8"x8"	1/2"	3/4"
CFE021K	8"x8"	3/4"	7/8"
CFE029K	10"x10"	3/4"	7/8"



See Kraft Tool's Signature Hand Seamer/Groover on page 63

Elite Series™ Finishing Trowels Pages 3-6
Elite Series™ Hand Floats Pages 13-15

Elite Series™

Five Star Edgers And Groovers

★★★★★

Blue Crucible Steel Step Tools

- Tempered blue crucible spring steel
- Blade is very flexible and lightweight
- Available with or without batter

A) Inside Step Tool - Tapered Blade

Cork Handle

No.	Size	Lip	Radius	Batter
CFE584K	7"x6"	6"	1/4"	1/2" at 6"
CFE585K	7"x6"	6"	3/8"	1/2" at 6"
CFE586K	7"x6"	6"	1/2"	1/2" at 6"
CFE587K	7"x6"	6"	3/4"	1/2" at 6"
CFE588K	7"x6"	6"	1"	1/2" at 6"
CFE760K	7"x6"	6"	1/4"	None
CFE761K	7"x6"	6"	3/8"	None
CFE762K	7"x6"	6"	1/2"	None
CFE763K	7"x6"	6"	3/4"	None
CFE764K	7"x6"	6"	1"	None
CFE766K	7"x6"	6"	1-1/2"	None

B) Outside Step Tool

Cork Handle

No.	Size	Lip	Radius	Batter
CFE589K	6"x6"	3-1/2"	1/4"	1/2" at 6"
CFE590K	6"x6"	3-1/2"	3/8"	1/2" at 6"
CFE591K	6"x6"	3-1/2"	1/2"	1/2" at 6"
CFE592K	6"x6"	3-1/2"	3/4"	1/2" at 6"
CFE593K	6"x6"	3-1/2"	1"	1/2" at 6"
CFE767K	6"x6"	3-1/2"	1/4"	None
CFE768K	6"x6"	3-1/2"	3/8"	None
CFE769K	6"x6"	3-1/2"	1/2"	None
CFE770K	6"x6"	3-1/2"	3/4"	None
CFE771K	6"x6"	3-1/2"	1"	None
CFE772K	6"x6"	3-1/2"	1-1/2"	None





See Kraft Tool's Signature Blue Steel Step Tools on page 72

No.	Size	Radius
CFE566K	6"x3"	1/8"
CFE568K	6"x3"	1/4"
CFE569K	6"x3"	3/8"
CFE570K	6"x3"	1/2"
CFE565K	6"x3"	3/4"
CFE567K	6"x4"	1/8"
CFE572K	6"x4"	1/4"
CFE573K	6"x4"	3/8"
CFE574K	6"x4"	1/2"
CFE562K	6"x4"	5/8"
CFE571K	6"x4"	3/4"
CFE675K	6"x4"	1"
CFE670K	6"x5-1/2"	1/8"
CFE671K	6"x5-1/2"	1/4"
CFE672K	6"x5-1/2"	3/8"
CFE673K	6"x5-1/2"	1/2"
CFE674K	6"x5-1/2"	3/4"
CFE579K	6"x6"	1/8"
CFE575K	6"x6"	1/4"
CFE576K	6"x6"	3/8"
CFE577K	6"x6"	1/2"
CFE563K	6"x6"	5/8"
CFE578K	6"x6"	3/4"
CFE564K	6"x6	1"
CFE677K	9"x4"	1/4"
CFE676K	9"x4"	3/8"
CFE678K	9"x4"	1/2"
CFE595K	9"x6"	1/4"
CFE596K	9"x6"	3/8"
CFE597K	9"x6"	1/2"
CFE598K	9"x6"	3/4"

See Kraft Tool's Signature Blue Steel Edgers on page 71

Blue Crucible Steel Curb and Step Tools

- Provides just the right feel and flex for a professional finish
- Rivets ground for smooth finish



A) Curb Tool - Outside

- Measures 9"x5"

Cork Handle

No.	Lip	Radius	Batter
CFE580K	5"	1/2"	1-1/2" at 6"
CFE581K	5"	3/4"	1-1/2" at 6"

B) Step Tool - Inside

Cork Handle

No.	Size	Lip	Radius
CFE515K	6"x4"	3"	1"
CFE516K	6"x6"	3"	1"



See Kraft Tool's Signature Blue Steel Curb and Step Tools on page 71

Blue Crucible Steel Junior Step Tools

- Provides just the right feel and flex for a professional finish
- Rivets ground for smooth finish



A) Junior Step Tool - Outside

Cork Handle

No.	Size	Lip	Radius
CFE517K	6"x5"	2"	1/2"

B) Junior Step Tool - Inside

Cork Handle

No.	Size	Lip	Radius
CFE518K	6"x5"	2"	1/2"



See Kraft Tool's Signature Blue Steel Step Tools on page 72

Elite Series™ Five Star Cork Edger and Groover Handle (US Patent #D854,395 S)

SIGNATURE EDGERS & GROOVERS

Universal Groovers

Stainless Steel

- Popular among concrete finishers
- Single-piece formed groover bit
- Turned-up edges for clean groove
- Rivet-free design

Universal Hand Groover

Wood	*ProForm®*		
No.	**No.**	**Size**	**Bit**
CF118	CF118PF	6"x3"	1/2" Wide 1/2" Deep

Universal Walking Groover

- Includes all-angle bracket. *Use with clevis handles (sold separately, page 55) or adapters (page 35).*

No.	**Size**	**Bit**
CC089-01	6"x3"	1/2" Wide/Deep

Jumbo Hand Groover

- Stainless steel blade
- Turned-up edger prevents gouging
- Top plate for strength

Wood	*ProForm®*		
No.	**No.**	**Size**	**Bit**
CF119	CF119PF	6"x5"	3/8" Radius 1/2" Deep

Western Style Hand Groover

Stainless Steel

- Strong #18 gauge brushed stainless steel blade
- Tall sides on the tool prevent build-up on top of groover during use
- Rivet-free for a smooth finish

Wood	*ProForm®*			
No.	**No.**	**Size**	**Radius**	**Depth**
CF1418	CF1418PF	6"x6"	1/8"	1/4"
CF1218	CF1218PF	6"x6"	1/8"	1/2"
CF1014	CF1014PF	6"x6"	1/4"	1"
CF3438	CF3438PF	6"x6"	3/8"	3/4"
CF1212	CF1212PF	6"x6"	1/2"	1/2"
CF3412	CF3412PF	6"x6"	1/2"	3/4"
CF1012	CF1012PF	6"x6"	1/2"	1"
CF3434	CF3434PF	6"x6"	3/4"	3/4"
CF1034	CF1034PF	6"x6"	3/4"	1"

Western Style Walking Groover

- Strong #18 gauge brushed stainless steel blade
- Tall sides on the tool prevent build-up on top of groover during use
- Rivet-free for a smooth finish
- Swivel bracket adjusts 360°
- *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35)*

No.	**Size**	**Radius**	**Depth**
CC1212-01	6"x6"	1/2"	1/2"
CC3412-01	6"x6"	1/2"	3/4"
CC0112-01	6"x6"	1/2"	1"
CC1213-01	8"x8"	1/2"	1/2"
CC3413-01	8"x8"	1/2"	3/4"
CC0113-01	8"x8"	1/2"	1"
CC1214-01	8"x12"	1/2"	1/2"
CC3414-01	8"x12"	1/2"	3/4"
CC0114-01	8"x12"	1/2"	1"

Western Style Hand Edger

Stainless Steel

- Strong #18 gauge brushed stainless steel blade
- Rivet-free for a smooth finish
- Radius matches Western Style Hand Groover

Wood	*ProForm®*			
No.	**No.**	**Size**	**Radius**	**Lip**
CF1212SE	CF1212SEPF	6"x6"	1/2"	1/2"
CF5812SE	CF5812SEPF	6"x6"	1/2"	5/8"
CF3412SE	CF3412SEPF	6"x6"	1/2"	3/4"
CF1012SE	CF1012SEPF	6"x6"	1/2"	1"
CF3434SE	CF3434SEPF	6"x6"	3/4"	3/4"

Closed Bit Groover

- Stainless steel blade for a polished groove
- Matches Kraft Bronze Groovers
- Measure 6"x6"

Wood	*ProForm®*			Bit
No.	**No.**	**Radius**	**Depth**	**Width**
CF303SS	CF303PFSS	1/4"	1/2"	3/8"
CF305SS	CF305PFSS	1/4"	3/4"	3/8"
CF314SS	CF314PFSS	1/4"	1"	1/2"
CF304SS	CF304PFSS	3/8"	3/4"	7/8"
CF316SS	CF316PFSS	1/2"	1"	1-1/4"

See Elite Series™ Edgers on Page 57

Sidewalk and Highway Edgers *(Right)*
Rivet-Free #16 Gauge Stainless Steel

Stainless Steel Hand Groover

- Top plate provides additional strength to move through concrete
- Special polished stainless steel for extra smooth working surface
- Turned-up ends prevent gouging

Wood	*ProForm®*			
No.	**No.**	**Size**	**Radius**	**Depth**
CF599	CF599PF	6"x6"	1/4"	3/8"

See Elite Series™ Groovers on Page 57

Stainless Steel Walking Groover

- Turned-up ends prevent gouging
- All-angle bracket adjusts 360° to work from any angle
- *Use with clevis handles (sold separately, page 55) or adapters (page 35)*

No.	**Size**	**Radius**	**Depth**
CC599-01	6"x6"	1/4"	3/8"

Hand Edger
#18 Gauge Stainless Steel

Special *brushed stainless steel* for an extra smooth working surface.

Wood	*ProForm®*			
No.	**No.**	**Size**	**Radius**	**Lip**
CF039	CF039PF	8"x8"	1/4"	1/2"
CF035	CF035PF	8"x8"	1/2"	3/4"
CF038	CF038PF	8"x8"	3/4"	7/8"

See Elite Series™ Edgers on Page 57

Wood Handle
Stainless Steel

6" Long Sidewalk Edgers			
No.	**Width**	**Radius**	**Lip**
CF161	1-1/2"	1/4"	3/8"
CF160	2"	3/8"	1/2"
CF162	2-1/2"	1/4"	3/8"
CF170	3"	1/8"	1/4"
CF163	3"	1/4"	3/8"
CF092	3"	3/8"	1/2"
CF164	3-1/2"	3/8"	1/2"
CF171	4"	1/8"	1/4"
CF172	4"	1/4"	3/8"
CF173	4"	3/8"	1/2"
CF165	4"	1/2"	5/8"
CF907	4"	5/8"	3/4"
CF174	4"	3/4"	1"
CF136	6"	1/8"	1/4"
CF137	6"	1/4"	3/8"
CF138	6"	3/8"	1/2"
CF175	6"	1/2"	5/8"
CF912	6"	5/8"	3/4"
CF139	6"	3/4"	1"
CF908	6"	1"	1-1/4"
8" Long Sidewalk Edgers			
CF169	4"	1/8"	1/4"
CF168	4"	1/4"	3/8"
CF167	4"	3/8"	1/2"
CF166	4"	1/2"	5/8"
CF185	4"	3/4"	1"
CF127	5"	1/4"	3/8"
CF128	5"	3/8"	1/2"
CF129	5"	1/2"	5/8"
CF130	5"	3/4"	1"
CF100	6"	1/8"	1/4"
CF101	6"	1/4"	3/8"
CF102	6"	3/8"	1/2"
CF103	6"	1/2"	5/8"
CF104	6"	3/4"	1"
CF105	8"	1/8"	1/4"
CF106	8"	1/4"	3/8"
CF107	8"	3/8"	1/2"
CF108	8"	1/2"	5/8"
CF109	8"	3/4"	1"
9" Long Highway Edgers			
CF155	2-1/2"	1/2"	5/8"
CF176	3"	1/2"	5/8"
CF188	4"	1/2"	5/8"
CF189	4"	3/4"	1"
CF190	5"	3/8"	1/2"
CF191	5"	1/2"	5/8"
CF241	6"	1-1/2"	2"
10" Long Highway Edgers			
CF158	3-1/2"	1/4"	3/8"
CF159	4"	3/8"	1/2"
CF154	4"	1"	1-1/4"
CF140	4"	1-1/2"	2"
CF143	5-3/4"	2"	2-5/8"
CF909	6"	1/4"	3/8"
CF320	6"	3/8"	1/2"
CF321	6"	1/2"	5/8"
CF906	6"	5/8"	3/4"
CF322	6"	3/4"	1"
CF323	6"	1"	1-1/4"
CF240	6"	1-1/2"	2"
CF144	6-1/4"	3"	3-1/4"

ProForm® Handle
Stainless Steel

6" Long Sidewalk Edgers			
No.	**Width**	**Radius**	**Lip**
CF161PF	1-1/2"	1/4"	3/8"
CF160PF	2"	3/8"	1/2"
CF162PF	2-1/2"	1/4"	3/8"
CF170PF	3"	1/8"	1/4"
CF163PF	3"	1/4"	3/8"
CF092PF	3"	3/8"	1/2"
CF164PF	3-1/2"	3/8"	1/2"
CF171PF	4"	1/8"	1/4"
CF172PF	4"	1/4"	3/8"
CF173PF	4"	3/8"	1/2"
CF165PF	4"	1/2"	5/8"
CF907PF	4"	5/8"	3/4"
CF174PF	4"	3/4"	1"
CF136PF	6"	1/8"	1/4"
CF137PF	6"	1/4"	3/8"
CF138PF	6"	3/8"	1/2"
CF175PF	6"	1/2"	5/8"
CF912PF	6"	5/8"	3/4"
CF139PF	6"	3/4"	1"
CF908PF	6"	1"	1-1/4"
8" Long Sidewalk Edgers			
CF169PF	4"	1/8"	1/4"
CF168PF	4"	1/4"	3/8"
CF167PF	4"	3/8"	1/2"
CF166PF	4"	1/2"	5/8"
CF185PF	4"	3/4"	1"
CF127PF	5"	1/4"	3/8"
CF128PF	5"	3/8"	1/2"
CF129PF	5"	1/2"	5/8"
CF130PF	5"	3/4"	1"
CF100PF	6"	1/8"	1/4"
CF101PF	6"	1/4"	3/8"
CF102PF	6"	3/8"	1/2"
CF103PF	6"	1/2"	5/8"
CF104PF	6"	3/4"	1"
CF105PF	8"	1/8"	1/4"
CF106PF	8"	1/4"	3/8"
CF107PF	8"	3/8"	1/2"
CF108PF	8"	1/2"	5/8"
CF109PF	8"	3/4"	1"
9" Long Highway Edgers			
CF155PF	2-1/2"	1/2"	5/8"
CF176PF	3"	1/2"	5/8"
CF188PF	4"	1/2"	5/8"
CF189PF	4"	3/4"	1"
CF190PF	5"	3/8"	1/2"
CF191PF	5"	1/2"	5/8"
CF241PF	6"	1-1/2"	2"
10" Long Highway Edgers			
CF158PF	3-1/2"	1/4"	3/8"
CF159PF	4"	3/8"	1/2"
CF154PF	4"	1"	1-1/4"
CF140PF	4"	1-1/2"	2"
CF143PF	5-3/4"	2"	2-5/8"
CF909PF	6"	1/4"	3/8"
CF320PF	6"	3/8"	1/2"
CF321PF	6"	1/2"	5/8"
CF906PF	6"	5/8"	3/4"
CF322PF	6"	3/4"	1"
CF323PF	6"	1"	1-1/4"
CF240PF	6"	1-1/2"	2"
CF144PF	6-1/4"	3"	3-1/4"

SIGNATURE EDGERS & GROOVERS

Curved End Edgers

Strong #16 gauge stainless steel blade.

A) Both Ends Curved

Edger has turned-up ends to prevent gouging of concrete.

Wood No.	*ProForm*® No.	Size	Radius	Lip
CF142	CF142PF	6"x2-1/2"	1/4"	3/8"
CF141	CF141PF	6"x3"	1/4"	3/8"
CF092C	CF092PFC	6"x3"	3/8"	1/2"
CF172C	CF172PFC	6"x4"	1/4"	3/8"
CF173C	CF173PFC	6"x4"	3/8"	1/2"
CF165C	CF165PFC	6"x4"	1/2"	5/8"
CF168C	CF168PFC	8"x4"	1/4"	3/8"
CF167C	CF167PFC	8"x4"	3/8"	1/2"
CF166C	CF166PFC	8"x4"	1/2"	5/8"

B) One End Curved

One end curved to prevent gouging. Flat side fits against walls and forms.

Wood No.	*ProForm*® No.	Size	Radius	Lip
CF141CF	CF141PFCF	6"x3"	1/4"	3/8"
CF092CF	CF092PFCF	6"x3"	3/8"	1/2"
CF172CF	CF172PFCF	6"x4"	1/4"	3/8"
CF173CF	CF173PFCF	6"x4"	3/8"	1/2"
CF165CF	CF165PFCF	6"x4"	1/2"	5/8"
CF168CF	CF168PFCF	8"x4"	1/4"	3/8"
CF167CF	CF167PFCF	8"x4"	3/8"	1/2"
CF166CF	CF166PFCF	8"x4"	1/2"	5/8"

See Elite Series™ Edgers on Page 57



Walking Edger/Groover

A) All-Angle Bracket

- *Use with clevis handles (sold separately, page 55) or adapters (page 35)*

No.	Size	Edger Radius	Groove
CC034-01	6"x8"	3/8"	1/4"
CC149-01	6"x8"	3/4"	1/4"

B) Swivel Bracket

- *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35)*

No.	Size	Edger Radius	Groove
CC1046-01	6"x8"	1/2"	1/4"
CC1055-01	6"x8"	1/2"	1/2"

Hand Edger/Groover

Stainless Steel

- Handy tool for most commercial jobs
- Forms top of curb and cuts grooves all in one pass

Wood No.	*ProForm*® No.	Size	Edger Radius	Groove
CF034	CF034PF	6"x8"	3/8"	1/4"
CF046	CF046PF	6"x8"	1/2"	1/4"
CF1055	CF1055PF	6"x8"	1/2"	1/2"
CF149	CF149PF	6"x8"	3/4"	1/4"
CF044	CF044PF	6"x10"	3/4"	1/4"
CF045	CF045PF	6"x12"	3/4"	1/4"

Deep Bit Hand Groover

Stainless Steel

- Strong #16 gauge blade
- Edger has turned-up ends to prevent gouging of concrete
- Top plate provides additional strength to move through concrete

Wood No.	*ProForm*® No.	Size	Radius	Depth
CF115	CF115PF	6"x6"	1/4"	1"
CF116	CF116PF	6"x6"	1/4"	1-1/2"
CF117	CF117PF	6"x6"	1/4"	2"
CF110	CF110PF	10"x3-1/2"	3/8"	1/2"

Western Groover

Stainless Steel

Popular on commercial jobs. Single-piece formed groover with top plate. Cuts grooves 3/16"x3/16". Blade is 2" wide, 3" long.

No. CF402

Hand Seamer/Groover

Stainless Steel

Seamer makes smooth control joints. No rivet design and *brushed stainless steel* for an extra smooth working surface. Closed-end bit eliminates build-up in tool.

Wood	***ProForm®***			
No.	**No.**	**Size**	**Radius**	**Depth**
CF019	CF019PF	8"x5"	3/8"	5/8"
CF023	CF023PF	8"x5"	1/2"	3/4"
CF027	CF027PF	8"x5"	3/4"	7/8"
CF025	CF025PF	8"x8"	3/8"	1/2"
CF040	CF040PF	8"x8"	3/8"	5/8"
CF026	CF026PF	8"x8"	1/2"	3/4"
CF021	CF021PF	8"x8"	3/4"	7/8"
CF029	CF029PF	10"x10"	3/4"	7/8"

1-Piece Formed Closed-End Bit

See Elite Series™ Seamer/Groover, Page 58

Single Edger with Groover

Stainless Steel

Heavy-duty stainless steel groover makes smooth clean joints while edging. Closed-end bit eliminates build-up in tool. *Use with threaded float handles (sold separately, page 34).*

No.	**Size**	**Radius**	**Bit**	**Shiner**
CC663	6"x8"	1/2"	3/4"	2"
CC664	6"x8"	3/4"	7/8"	2"

Add "BT" after part number for button socket (CC698)

1-Piece Formed Closed-End Bit

1-Piece Formed Closed End-Bit



Add "BT" after part number for button socket (CC698)

Walking Seamer/Groover

Stainless Steel with Threaded Handle Bracket

Seamer makes smooth control joints. Rivet-free design and *brushed stainless steel* for an extra smooth working surface. Closed-end bit eliminates build-up in tool. *Use with threaded float handles (sold separately, page 34).*

No.	**Size**	**Radius**	**Depth**
CC025	8"x8"	3/8"	1/2"
CC040	8"x8"	3/8"	5/8"
CC026	8"x8"	1/2"	3/4"
CC027	8"x8"	3/4"	7/8"
CC024	9"x7"	3/4"	7/8"
CC028	10"x10"	1/4"	1/2"
CC030	10"x10"	1/2"	3/4"
CC029	10"x10"	3/4"	7/8"

12"x5" Walking Edger with Adjustable Groover

Stainless Steel

Heavy-gauge stainless steel. Adjustable bronze groover locks in place. Accepts one or more fresno groover bits (page 38) for making parallel grooves. Fitted with 360° all-angle bracket. *Use with clevis handles (sold separately, page 55) or adapters (page 35).*

No.	**Radius**	**Bit Depth**
CC609-01	3/8"	1/4"
CC607-01	3/8"	1/2"
CC600-01	3/8"	3/4"
CC601-01	3/8"	1"
CC613-01	1/2"	1/4"
CC611-01	1/2"	1/2"
CC602-01	1/2"	3/4"
CC603-01	1/2"	1"
CC617-01	3/4"	1/4"
CC615-01	3/4"	1/2"
CC604-01	3/4"	3/4"
CC605-01	3/4"	1"

12"x5" Hand Edger with Adjustable Groover

Stainless Steel

Heavy-gauge stainless steel. Adjustable bronze groover locks in place. *Accepts one or more fresno groover bits (sold separately, page 38) for making parallel grooves.* Fitted with comfortable wood handle.

No.	**Radius**	**Bit Depth**
CF609	3/8"	1/4"
CF607	3/8"	1/2"
CF600	3/8"	3/4"
CF601	3/8"	1"
CF613	1/2"	1/4"
CF611	1/2"	1/2"
CF602	1/2"	3/4"
CF603	1/2"	1"
CF617	3/4"	1/4"
CF615	3/4"	1/2"
CF604	3/4"	3/4"
CF605	3/4"	1"



Walking Seamer/Edger

Stainless Steel With Threaded Handle Bracket

Walking edger with threaded handle socket bracket. *Special brushed stainless steel* for an extra smooth working surface.

No.	**Size**	**Radius**	**Lip**
CC031	8"x8"	1/4"	1/2"
CC039	8"x8"	3/8"	1/2"
CC023	8"x8"	3/8"	5/8"
CC035	8"x8"	1/2"	3/4"
CC038	8"x8"	3/4"	7/8"
CC032	9"x7"	3/8"	1/2"
CC033	9"x7"	1/2"	3/4"
CC036	9"x7"	3/4"	7/8"
CC037	10"x10"	1/2"	3/4"

Add "BT" after part number for button socket (CC698)



Heavy-Duty Walking Groover

- Closed-end bit
- Strong stainless steel blade with full top plate for extra strength
- Narrow top plate available in some sizes for a lighter tool
- *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35)*

Full Top Plate

No.	Size	Bit Width	Depth
CC756-01	8"x12"	1/4"	1/4"
No.	**Size**	**Radius**	**Depth**
CC753-01	8"x8"	1/2"	3/4"
CC757-01	8"x12"	3/8"	3/4"
CC759-01	8"x12"	3/4"	7/8"
CC758-01	8"x18"	3/8"	3/4"

Narrow Top Plate *(not shown)*

No.	Size	Radius	Depth
CC757N-01	8"x12"	3/8"	3/4"
CC759N-01	8"x12"	3/4"	7/8"

Heavy-Duty Hand Groover

- Closed-end bit
- Brushed stainless steel creates smooth working surface
- Top plate increases strength for cutting grooves in concrete

No.	Size	Width	Depth
CF756	6"x6"	1/4"	1/4"
No.	**Size**	**Radius**	**Depth**
CF757	8"x5"	3/8"	3/4"

Clevis Wood Handles

For Bronze and Stainless Steel Walking Tools

A) Long Handle

No.	Description
CC386	5' Handle with Steel Clevis
CC266	6' Handle with Steel Clevis

B) Short Handle

Short handle attaches to long-handled tools so they can be used as a hand tool and in tight spaces.

No.	Description
CC299	6" Handle with Steel Clevis

Add "BT" after part number for button socket (CC698)

Walking Groover

With Handle Socket Bracket

- Made of heavy-gauge stainless steel
- Reinforced with an electrically welded back plate, creating a rivet-free design
- *Use with threaded float handles (sold separately, page 34)*

No.	Size	Radius	Depth
CC357	8"x5"	3/8"	1"
CC356	8"x6"	1/4"	3/4"
CC355	10"x3-1/2"	3/8"	1/2"



Add "BT" after part number for button socket (CC698)

Walking Edger

With Handle Socket Bracket

Made of heavy-gauge stainless steel. This tool is reinforced with an electrically welded back plate to which the handle attachment is fastened. Handle socket can be tightened to move it from one side to the other. *Use with threaded float handles (sold separately, page 34).*

No.	Size	Radius	Lip
CC351	8"x5"	3/8"	1/2"
CC350	10"x6"	3/8"	1/2"

Single-Action Two-Way Walking Edger

Made of heavy-gauge stainless steel. This tool is reinforced with an electrically welded back plate to which the handle attachment is fastened. Handle can be tightened to flip from one side to the other. *Use with clevis handles (sold separately) or adapters (page 35).*

No.	Size	Radius	Lip
CC244-01	8"x4"	1/2"	5/8"
CC241-01	10"x6"	3/8"	1/2"
CC242-01	10"x6"	1/2"	5/8"
CC245-01	10"x10"	1/8"	1/2"
CC243-01	10"x10"	1/2"	5/8"

All-Angle Walking Groover

- Made of heavy-gauge stainless steel
- Reinforced with an electrically welded back plate to which the all-angle attachment is fastened
- Rivet-free design for a smooth face
- *Use with clevis handles (sold separately) or adapters (page 35)*

No.	Size	Radius	Depth
CC347-01	8"x6"	1/4"	1"
CC373-01	10"x3-1/2"	3/8"	1/2"

All-Angle Walking Edgers

Made of heavy-gauge stainless steel, this tool is reinforced with an electrically welded back plate. No rivets equals a completely smooth face. *Use with clevis handles (sold separately) or adapters (page 35).*

No.	Size	Radius	Lip
CC122-01	6"x2-3/4"	3/8"	1/2"
CC168-01	8"x4"	1/4"	3/8"
CC167-01	8"x4"	3/8"	1/2"
CC120-01	8"x4"	1/2"	5/8"
CC121-01	8"x4"	3/4"	7/8"
CC101-01	8"x6"	1/4"	3/8"
CC102-01	8"x6"	3/8"	1/2"
CC103-01	8"x6"	1/2"	5/8"
CC104-01	8"x6"	3/4"	7/8"
CC123-01	8"x8"	1/4"	3/8"
CC124-01	8"x8"	3/8"	1/2"
CC108-01	8"x8"	1/2"	5/8"
CC109-01	8"x8"	3/4"	7/8"
CC371-01	10"x3"	3/8"	3/4"
CC370-01	10"x6"	3/8"	1/2"
CC365-01	10"x6"	3/8"	3/4"
CC125-01	10"x6"	1/2"	5/8"
CC126-01	10"x6"	3/4"	7/8"
CC366-01	10"x10"	1/8"	3/4"
CC127-01	10"x10"	3/8"	1/2"
CC128-01	10"x10"	1/2"	5/8"
CC129-01	10"x10"	3/4"	7/8"

WALKING GROOVERS

Walking Airplane Groovers

Groovers are made of high-quality cast aluminum with broken-in face. Bit size matches hand groovers (CF304 and CF314; pages 53, 56-57, 60).

Single Bit Groovers

A) 8"x24" Groover

No.	Bit Depth	Bit Width
Big Bit		
CC304AS-01	3/4"	7/8"
Deep Bit		
CC314AS-01	1"	1/2"

Double Bit Groovers

B) 8"x24" Groover

No.	Bit Depth	Bit Width
Big Bit		
CC304A-01	3/4"	7/8"
Deep Bit		
CC314A-01	1"	1/2"

C) 8"x24" Round End Groover

No.	Bit Depth	Bit Width
Big Bit		
CC304ARE-01	3/4"	7/8"
Deep Bit		
CC314ARE-01	1"	1/2"

D) 8"x12" Groover *(not shown)*

No.	Bit Depth	Bit Width
Big Bit		
CC304B-01	3/4"	7/8"
Deep Bit		
CC314B-01	1"	1/2"

E) 8"x8" Groover

No.	Bit Depth	Bit Width
Big Bit		
CC304C-01	3/4"	7/8"
Deep Bit		
CC314C-01	1"	1/2"

Blade and bracket sold separately



Recommended:
EZY-Tilt® II Float Bracket (CC294) Page 37

Sold separately

West Coast Style Airplane Groover

Made of high-quality cast aluminum. Groover cuts clean, sharp grooves. Tool measures 8"x24" with broken-in face. *Use with clevis handles (sold separately, page 55) or adapters (page 35).*

A) Square Ends

Double End Groover Bit

No.	Radius	Depth
CC320	3/8"	3/4"
CC322	1/4"	1"
CC324	1/4"	1-1/2"

Single End Groover Bit

No.	Radius	Depth
CC321	3/8"	3/4"
CC323	1/4"	1"
CC325	1/4"	1-1/2"

B) Round Ends

Double End Groover Bit

No.	Radius	Depth	Width
CC322RE	1/4"	1"	1"

Magnesium Jumbo Paver's Groover

This popular groover includes choice of 1" or 1-1/2" bronze bit. Replaceable groover bit is adjustable. *Add additional groovers for parallel lines (sold separately, page 38). Use with threaded float handles (sold separately, page 34).*

No.	Size	Radius	Depth
CC858	8"x8"	1/4"	1"
CC859	8"x8"	1/4"	1-1/2"
CC861	8"x10"	1/4"	1"
CC863	8"x10"	1/4"	1-1/2"
CC865	8"x24"	1/4"	1"
CC867	8"x24"	1/4"	1-1/2"

Add "BT" after part number for button bracket (CC696)



Power Groover

- Blade has broken-in front and back
- Cuts sharp, clean grooves
- Cast aluminum bits are replaceable
- Bits are curved in front and back
- Replacement bits available
- *Use with clevis handles (sold separately, page 55) or adapters (page 35)*

No.	Size	Radius	Depth	Width
CC380	9"x12"	1/4"	3/4"	5/8"
CC381	9"x12"	1/4"	1"	5/8"
CC382	9"x12"	1/4"	1-1/2"	5/8"

8"x8" Stainless Steel Walking Groover

Special brushed stainless steel blade. Closed-end bit for clean grooves. Works with 4-hole brackets. *Recommended with EZY-Tilt® II Bracket (CC294, sold separately, page 37).*

No.	Radius	Depth
CC021-01	1/2"	3/4"
CC022-01	1/2"	7/8"

SAFETY GROOVERS

Western Style Safety Groover

Stainless Steel

- Cuts safety grooves for wheelchair ramps and non-skid areas
- Popular in Southwest US
- Turned-up sides prevent concrete build-up
- Bit is 1/4" deep, spaced 3/4" on center

Wood	*ProForm®*		No. of
No.	No.	Size	Grooves
CF1130	CF1130PF	6"x4"	4
CF1131	CF1131PF	6"x5-1/2"	6

Western Style Safety Groover

Stainless Steel

- Cuts safety grooves for wheelchair ramps and non-skid areas
- Popular in Southwest US
- Turned-up sides prevent concrete build-up
- Bit is 1/4" deep, spaced 3/4" on center
- Swivel bracket rotates 360°
- *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35)*

No.	Size	No. of Grooves
CC1131-01	6"x5-1/2"	6

Left and Right Groover: 13"x6"

Straight Groover: 13-1/2"x6"

Safety Ramp Groovers

Stainless Steel

- Ideal for cutting grooves in sidewalk safety ramps where water drainage and traction are critical
- Use as a set of 3 (Left, Straight, and Right)
- Order a line of part numbers for a complete set
- All safety ramp groover's groove depth and width is 1/4"x1/4"

Hand Groovers

Left (45°)	Straight	Right (45°)	Groove Spacing
CF083	CF084	CF085	3/4"
CF086	CF087	CF088	1"
CF080	CF081	CF082	1-1/2"

Walking (Swivel) Groovers

(not shown)

- Comes with 360° swivel bracket
- *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35)*

Left (45°)	Straight	Right (45°)	Groove Spacing
CC083	CC084	CC085	3/4"
CC086	CC087	CC088	1"
CC080	CC081	CC082	1-1/2"

Wheelchair Hand and Walking Groovers

Stainless Steel

- Cuts safety grooves for wheelchair ramps and non-skid areas
- Popular on commercial and government jobs
- Bit is 1/4" deep and 1/4" wide
- Walking groovers include threaded handle bracket

2-1/4" On Center

Wood	*ProForm®*		No. of
No.	No.	Size	Grooves
CF093	CF093PF	8"x10-1/2"	5

Walking Groover

No.	Size	
CC093	8"x10-1/2"	5

2" On Center

Wood	*ProForm®*		No. of
No.	No.	Size	Grooves
CF918	CF918PF	6"x7-1/2"	4
CF919	CF919PF	6"x10"	5

Walking Groover

No.	Size	Grooves
CC918	6"x7-1/2"	4
CC919	6"x10"	5

Add "BT" after part number for button socket (CC698)

Stainless Steel Safety Step Edger/Groover

- Popular on commercial jobs
- Cuts four grooves while edging the step
- 4 grooves 3/4" on center
- 6"x4-1/2"

Wood	***ProForm®***		
No.	**No.**	**Bit Depth**	**Edger Radius**
CF1132	CF1132PF	1/4"	1/4"
CF112	CF112PF	1/4"	1/2"

Stainless Steel Safety Groover

- Heavy-duty stainless steel
- Guide lip on each side
- 6 grooves 3/4" on center

Wood	***ProForm®***		
No.	**No.**	**Size**	**Bit Depth**
CF131	CF131PF	6"x6"	1/4"

Walking Driveway Approach Tool

- Heavy-gauge stainless steel is rivet-free
- Fitted with 360° all-angle bracket
- *Use with clevis handles (sold separately, page 55) or adapters (page 35)*

No.	**Top Size**	**Bottom Width**	**Radius**	**Drop**
CC360-01	6"x6"	4"	1/2"	1"
CC361-01	6"x6"	6"	1/2"	1"
CC362-01	6"x6"	4"	3/4"	1"
CC363-01	6"x6"	6"	3/4"	1"

Curb Ramp Groover

Stainless Steel

- Cuts safety grooves in non-skid areas
- 2" wide on center groove spacing
- Bit is 1/4" deep and 3/4" wide

Hand Groover

Wood	***ProForm®***		
No.	**No.**	**Size**	**No. of Grooves**
CF095	CF095PF	8"x10-3/8"	4

Add "BT" after part number for button socket (CC698)

Walking Groover

- Comes with threaded handle socket
- *Use with threaded float handles (sold separately, page 34)*

No.	**Size**	**No. of Grooves**
CC095	8"x10-3/8"	4

Hand Driveway Approach Tool

- Heavy-gauge stainless steel, 6" length

Wood Handle

No.	**Top Width**	**Bottom Width**	**Radius**	**Drop**
CF098	5"	4"	1/2"	1"
CF097	5"	4"	3/4"	1"
CF099	5"	4"	1"	1"

ProForm® Handle

No.	**Top Width**	**Bottom Width**	**Radius**	**Drop**
CF098PF	5"	4"	1/2"	1"
CF097PF	5"	4"	3/4"	1"
CF099PF	5"	4"	1"	1"

Curb Jointer

- 2"x6" stainless steel blade
- Groover bit is 1/2" deep, 3/4" wide with a 1/2" radius
- Use behind curb machines for finished joints
- Tang extends up for knuckle clearance
- Comfortable smooth wood handle

No. CF409

Two Radius Edger

- Stainless steel 6"x6" edger with two radii (1-1/2" and 3/8" radius)
- Popular for curbs
- Fitted with our ProForm® handle

No. CF606PF



Cast Magnesium Beveler Float

Large Diameter Wood Handle

Float designed to provide an 8" bevel in front of overhead doors for water drainage. Blade measures 16"x3-1/4".

Wood Handle

No.	**Size**
CF066H-8	8" Bevel

A



B

C

D

Curb and Gutter Tools

- Heavy-gauge stainless steel
- Rivet-free for a smooth finish
- Formed to fit the exact contour of the curbs and gutters
- Designed with batter to allow for proper drainage, while maintaining curb integrity

A) 6" Length (2" Batter at 6")

Wood	***ProForm®***	
No.	**No.**	**Size**
CF513	CF513PF	4" Top, 6" Face, 3" Bottom 2" Radius Curb, 90° Gutter

B) 6" Length (1-1/2" Batter at 6")
(Matches CC961 Walking Tool)

Wood	***ProForm®***	
No.	**No.**	**Size**
CF650	CF650PF	4-1/4" Top, 6" Face, 4" Bottom 1-1/2" Radius Curb/Gutter

C) 6" Length (8-1/2" Batter at 4")

Wood	***ProForm®***	
No.	**No.**	**Size**
CF651	CF651PF	4" Top, 8" Face, 2-3/4" Bottom 3/4" Radius Curb/Gutter

D) 6" Length (2" Batter at 6")

Wood	***ProForm®***	
No.	**No.**	**Size**
CF514	CF514PF	4" Top, 6" Face, 2" Radius Curb

Curb and Gutter Tools

- Stainless steel and rivet-free
- Formed to fit the exact contour of edge
- Matching Walking Tool available

6" Length (2" Batter at 6")

Wood	***ProForm®***	
No.	**No.**	**Size**
CF511 *(Matches CC962 Walking Tool)*	CF511PF	6" Top, 6" Face, 6" Bottom 2" Radius Curb, 3" Radius Gutter
CF512 *(Matches CC553 Walking Tool)*	CF512PF	6" Top, 6" Face, 6" Bottom 3" Radius Curb, 2" Radius Gutter

Curb and Gutter Walking Tool

- Heavy-gauge stainless steel is rivet-free
- Fitted with 360° all-angle bracket
- Matching Hand Tool available
- *Use with clevis handles (sold separately, page 55) or adapters (page 35)*

6" Length (1-1/2" Batter at 6")

No.	**Size**
CC961-01	4-1/4" Top, 6" Face, 4" Bottom, 1-1/2" Radius Curb / Gutter

6" Length (2" Batter at 6")

No.	**Size**
CC962-01	6" Top, 6" Face, 6" Bottom, 2" Radius Curb, 3" Radius Gutter

6" Length (2" Batter at 6")

No.	**Size**
CC553-01	6" Top, 6" Face, 6" Bottom 3" Radius Curb, 2" Radius Gutter

Curb Mule

- Strong steel construction
- Forms curb and gutter at same time
- Popular dimension in Texas
- 7" length
- 1-1/2" batter at 6"
- 5" Top, 6" Face, 13-1/2" Bottom, 2-1/2" Radius Curb, 3" Radius Gutter
- *Use with 48" wood handle angled for a comfortable working position (CC966-02, sold separately)*

No.	**Description**
CC966-01	Curb Mule Head
CC966-02	48" Handle

CURB, GUTTER AND STEP TOOLS

Sidewalk and Curb Tools

Stainless Steel

A) Outside Nose Tool

Wood No.	*ProForm®* No.	Size	Radius	Lip
CF146	CF146PF	6"x4"	1/2"	1-1/2"
CF147	CF147PF	6"x4"	3/4"	1-1/2"
CF148	CF148PF	6"x4"	1"	1-1/2"
CF243	CF243PF	6"x4"	1-1/2"	2"
CF244	CF244PF	6"x6"	1/2"	1-1/2"
CF245	CF245PF	6"x6"	3/4"	1-1/2"
CF247	CF247PF	6"x6"	1"	1-1/2"
CF242	CF242PF	6"x6"	1-1/2"	2"

See Elite Series™ Sidewalk and Curb Tools on page 58

B) Inside Cove Tool

Wood No.	*ProForm®* No.	Size	Radius	Lip
CF157	CF157PF	6"x4"	1/2"	1-1/2"
CF152	CF152PF	6"x4"	3/4"	1-1/2"
CF153	CF153PF	6"x4"	1"	1-1/2"
CF248	CF248PF	6"x6"	1/2"	1-1/2"
CF249	CF249PF	6"x6"	3/4"	1-1/2"
CF250	CF250PF	6"x6"	1"	1-1/2"



Step and Corner Tools

Stainless Steel

A) Outside Nose Tool

Wood No.	*ProForm®* No.	Size	Radius
CF125	CF125PF	6"x2-1/2"	1/4"
CF123	CF123PF	6"x2-1/2"	1/2"
CF121	CF121PF	6"x2-1/2"	Square

See Elite Series™ Step and Corner Tools on Page 58

B) Inside Cove Tool

Wood No.	*ProForm®* No.	Size	Radius
CF126	CF126PF	6"x2-1/2"	1/4"
CF124	CF124PF	6"x2-1/2"	1/2"
CF122	CF122PF	6"x2-1/2"	Square

Step Tools

Stainless Steel

- Inside and outside step tools
- 8"x4" with 1/2" radius and 4" lip

Wood No.	*ProForm®* No.	Description	Batter
CF177	CF177PF	Inside Tool	1/2" at 6"
CF178	CF178PF	Outside Tool	1/2" at 6"

See Elite Series™ Step Tools on Page 58

Wood No.	*ProForm®* No.	Description	Batter
CF180	CF180PF	Inside Tool	None
CF181	CF181PF	Outside Tool	None



Curb and Gutter Tools

- Heavy-gauge stainless steel and rivet-free
- 1-1/2" batter at 6"
- Measures 6"x5"

A) Curb Tool

Wood No.	*ProForm®* No.	Radius	Lip
CF197	CF197PF	1-1/2"	3-1/2"
CF193	CF193PF	2"	3-1/2"
CF195	CF195PF	3"	3-1/2"

B) Gutter Tool

Wood No.	*ProForm®* No.	Radius	Lip
CF198	CF198PF	1-1/2"	4-1/2"
CF196	CF196PF	2"	4-1/2"
CF194	CF194PF	3"	4-1/2"





STAINLESS STEEL CHAMFER TOOLS

Walking Chamfer Tool
- Heavy-gauge stainless steel
- 45° angle is designed especially for tilt-up and concrete slab work
- *Use with clevis handles (sold separately, page 55) or adapters (page 35)*

No.	Size	Lip
CC342-01	9"x6"	1/2"
CC345-01	9"x6"	3/4"
CC349-01	9"x6"	1"

Stainless Steel Edger With Float Handle
- Heavy-gauge rivet-free stainless steel
- Designed to fit exact contour of edge

Wood No.	*ProForm*® No.	Size	Radius
CF900	CF900PF	10"x6"	1/4"
CF901	CF901PF	10"x6"	3/8"
CF902	CF902PF	10"x6"	1/2"
CF903	CF903PF	10"x6"	5/8"
CF904	CF904PF	10"x6"	3/4"
CF905	CF905PF	10"x6"	1"

Narrow Edger

Chamfer Edger

Stainless Steel Narrow Edger
- Heavy-gauge rivet-free stainless steel
- Perfect for narrow or hard-to-get-at-finishing jobs

Wood No.	*ProForm*® No.	Size	Radius	Lip
CF111	CF111PF	1"x6"	1/4"	3/8"
CF113	CF113PF	1"x6"	3/8"	1/2"
CF114	CF114PF	1"x6"	1/2"	5/8"
CF120	CF120PF	1"x6"	3/4"	1"

Stainless Steel Chamfer Edger

Wood No.	*ProForm*® No.	Size	Angle	Lip
CF199	CF199PF	1"x6"	45°	3/4"

Single Lip Chamfer Tool
- Heavy-gauge stainless steel
- Lip is placed at a 45° angle

Wood No.	*ProForm*® No.	Size	Lip
CF192	CF192PF	6"x4"	3/4"
CF132	CF132PF	10"x6"	1/2"
CF134	CF134PF	10"x6"	3/4"

Wall Capping Tool
- High-quality rivet-free stainless steel
- Ideal for rounding concrete on top of walls

Wood No.	*ProForm*® No.	Size	
CF520	CF520PF	9"x6-3/4"	(6" Wall)
CF521	CF521PF	9"x9"	(8" Wall)

Carpet Edger
- Heavy-gauge rivet-free stainless steel
- Designed to fit exact contour of edge
- Lip angle is 45°

Wood No.	*ProForm*® No.	Size	Lip
CF089	CF089PF	6"x3"	3/16"
CF090	CF090PF	6"x4"	3/16"
CF091	CF091PF	6"x6"	3/16"

Tapered Hand Edger
Made of heavy-gauge stainless steel to work in all-angle corners. 4" wide edger is tapered for ease of movement and fitting odd angles.

Wood No.	*ProForm*® No.	Size	Radius	Lip
CF151	CF151PF	Tapered 8" to 3"	3/8"	1/2"
CF156	CF156PF	Tapered 8" to 3"	1/2"	5/8"

Stainless Steel Wall Edger
Wall edger fits between wall forms and smooths the surface. 45° turned-up end to create cove. Heavy-gauge stainless steel and fitted with ProForm® handle. Blade measures 7-1/2"x8" with 1-1/8" lip.

No. CF661PF

90° Carpet Edger
- Heavy-gauge rivet-free stainless steel
- Designed to fit exact contour of edge
- Lip angle is 90°

Wood No.	*ProForm*® No.	Size	Lip
CF528	CF528PF	6"x3"	1/4"

Heavy-Duty Steel Edger #7
- Made of long-lasting #12 gauge steel
- Designed to fit exact contour of edge
- A favorite in the Great Lakes Region

Wood No.	*ProForm*® No.	Size	Radius
CF527	CF527PF	8"x2"	3/8"

ProForm® Float Handle (US Patent #6,473,939 B1) (US Patent #6,821,468 B2)

FLEXIBLE BLUE STEEL EDGERS

- Tempered blue crucible spring steel
- Flexible lightweight blade
- "Gives" for just the right feel when working
- 3 solid rivets, ground for smooth finish



Blue Steel Edgers
With ProForm® Handle

No.	Size	Radius
CF566PF	6"x3"	1/8"
CF568PF	6"x3"	1/4"
CF569PF	6"x3"	3/8"
CF570PF	6"x3"	1/2"
CF565PF	6"x3"	3/4"
CF567PF	6"x4"	1/8"
CF572PF	6"x4"	1/4"
CF573PF	6"x4"	3/8"
CF574PF	6"x4"	1/2"
CF562PF	6"x4"	5/8"
CF571PF	6"x4"	3/4"
CF675PF	6"x4"	1"
CF670PF	6"x5-1/2"	1/8"
CF671PF	6"x5-1/2"	1/4"
CF672PF	6"x5-1/2"	3/8"
CF673PF	6"x5-1/2"	1/2"
CF674PF	6"x5-1/2"	3/4"
CF579PF	6"x6"	1/8"
CF575PF	6"x6"	1/4"
CF576PF	6"x6"	3/8"
CF577PF	6"x6"	1/2"
CF563PF	6"x6"	5/8"
CF578PF	6"x6"	3/4"
CF564PF	6"x6	1"
CF677PF	9"x4"	1/4"
CF676PF	9"x4"	3/8"
CF678PF	9"x4"	1/2"
CF595PF	9"x6"	1/4"
CF596PF	9"x6"	3/8"
CF597PF	9"x6"	1/2"
CF598PF	9"x6"	3/4"

Blue Steel Edgers
With Wood Handle

No.	Size	Radius
CF566	6"x3"	1/8"
CF568	6"x3"	1/4"
CF569	6"x3"	3/8"
CF570	6"x3"	1/2"
CF565	6"x3"	3/4"
CF567	6"x4"	1/8"
CF572	6"x4"	1/4"
CF573	6"x4"	3/8"
CF574	6"x4"	1/2"
CF562	6"x4"	5/8"
CF571	6"x4"	3/4"
CF675	6"x4"	1"
CF670	6"x5-1/2"	1/8"
CF671	6"x5-1/2"	1/4"
CF672	6"x5-1/2"	3/8"
CF673	6"x5-1/2"	1/2"
CF674	6"x5-1/2"	3/4"
CF579	6"x6"	1/8"
CF575	6"x6"	1/4"
CF576	6"x6"	3/8"
CF577	6"x6"	1/2"
CF563	6"x6"	5/8"
CF578	6"x6"	3/4"
CF564	6"x6"	1"
CF677	9"x4"	1/4"
CF676	9"x4"	3/8"
CF678	9"x4"	1/2"
CF595	9"x6"	1/4"
CF596	9"x6"	3/8"
CF597	9"x6"	1/2"
CF598	9"x6"	3/4"

Blue Steel Pool Trowels and Finishing Trowels

Elite Series™ Trowels Page 3-4
Kraft Tool Signature Trowels Pages 8-10

Blue Crucible Steel Curb and Step Tools

- Ground rivets for smooth finish
- Provides just the right feel and flex for a professional finish

A) Curb Tool - Outside

- Measures 9"x5"

Wood	*ProForm®*			
No.	**No.**	**Lip**	**Radius**	**Batter**
CF580	CF580PF	5"	1/2"	1-1/2" at 6"
CF581	CF581PF	5"	3/4"	1-1/2" at 6"

B) Step Tool - Inside

Wood	*ProForm®*			
No.	**No.**	**Size**	**Lip**	**Radius**
CF515	CF515PF	6"x4"	3"	1"
CF516	CF516PF	6"x6"	3"	1"

A
Outside



B
Inside

See Elite Series™ Blue Steel Edgers and Step Tools on page 59

Blue Crucible Steel Junior Step Tools

- Provides just the right feel and flex for a professional finish
- Ground rivets for smooth finish



A
Outside

A) Junior Step Tool - Outside

Wood No.	*ProForm®* No.	Size	Lip	Radius
CF517	CF517PF	6"x5"	2"	1/2"

B) Junior Step Tool - Inside

Wood No.	*ProForm®* No.	Size	Lip	Radius
CF518	CF518PF	6"x5"	2"	1/2"



B
Inside

See Elite Series™ Blue Steel Junior Step Tools on Page 59

Narrow Clevis Handle

- Made to fit blue steel walking tools and other tools with narrow clevis brackets
- Narrow steel clevis for a tight fit

No.	Size
CC656	54"
CC656L	72"

Narrow Clevis
Detail



A
Inside



B
Outside

Blue Crucible Steel Step Tools

- Tempered blue crucible spring steel
- Blade is very flexible and lightweight
- Available with or without batter



A) Inside Step Tool - Tapered Blade

Wood No.	*ProForm®* No.	Size	Lip	Radius	Batter
CF584	CF584PF	7"x6"	6"	1/4"	1/2" at 6"
CF585	CF585PF	7"x6"	6"	3/8"	1/2" at 6"
CF586	CF586PF	7"x6"	6"	1/2"	1/2" at 6"
CF587	CF587PF	7"x6"	6"	3/4"	1/2" at 6"
CF588	CF588PF	7"x6"	6"	1"	1/2" at 6"
CF760	CF760PF	7"x6"	6"	1/4"	None
CF761	CF761PF	7"x6"	6"	3/8"	None
CF762	CF762PF	7"x6"	6"	1/2"	None
CF763	CF763PF	7"x6"	6"	3/4"	None
CF764	CF764PF	7"x6"	6"	1"	None
CF766	CF766PF	7"x6"	6"	1-1/2"	None

B) Outside Step Tool

Wood No.	*ProForm®* No.	Size	Lip	Radius	Batter
CF589	CF589PF	6"x6"	3-1/2"	1/4"	1/2" at 6"
CF590	CF590PF	6"x6"	3-1/2"	3/8"	1/2" at 6"
CF591	CF591PF	6"x6"	3-1/2"	1/2"	1/2" at 6"
CF592	CF592PF	6"x6"	3-1/2"	3/4"	1/2" at 6"
CF593	CF593PF	6"x6"	3-1/2"	1"	1/2" at 6"
CF767	CF767PF	6"x6"	3-1/2"	1/4"	None
CF768	CF768PF	6"x6"	3-1/2"	3/8"	None
CF769	CF769PF	6"x6"	3-1/2"	1/2"	None
CF770	CF770PF	6"x6"	3-1/2"	3/4"	None
CF771	CF771PF	6"x6"	3-1/2"	1"	None
CF772	CF772PF	6"x6"	3-1/2"	1-1/2"	None

See Elite Series™ Blue Steel Step Tools on page 59

Tapered Blue Steel Two-Way Walking Step Tools

- Tempered blue crucible spring steel
- Tapered blade is very flexible and lightweight
- *Use with narrow clevis handles (sold separately) or adapters (page 35)*

A) Inside Step Tool

No.	Size	Lip	Radius	Batter
CC586-01	7"x6"	6"	1/2"	1/2" at 6"
CC762-01	7"x6"	6"	1/2"	None
CC763-01	7"x6"	6"	3/4"	None
CC764-01	7"x6"	6"	1"	None

B) Outside Step Tool

No.	Size	Lip	Radius	Batter
CC590-01	6"x6"	3-1/2"	3/8"	1/2" at 6"
CC591-01	6"x6"	3-1/2"	1/2"	1/2" at 6"
CC770-01	6"x6"	3-1/2"	3/4"	None
CC765-01	6"x6"	3-1/2"	1"	None
CC772-01	6"x6"	3-1/2"	1-1/2"	None



A
Inside

B
Outside



Two-Way Blue Steel Walking Edger

- The edger blade "gives" a little for just the right feel
- Bracket has special angle for increased tilt action
- *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35)*

NEW

No.	Size	Radius
CC390-01	9"x4 "	1/4"
CC391-01	9"x4"	3/8"
CC392-01	9"x4"	1/2"
CC389-01	9"x4"	3/4"
CC393-01	9"x6"	1/4"
CC394-01	9"x6"	3/8"
CC395-01	9"x6"	1/2"
CC396-01	9"x6"	3/4"
CC384-01	9"x8"	1/4"
CC385-01	9"x8"	3/8"
CC387-01	9"x8"	1/2"
CC388-01	9"x8"	3/4"

No.	Size	Radius
CC397-01	9"x10"	1/4"
CC398-01	9"x10"	3/8"
CC399-01	9"x10"	1/2"
CC400-01	9"x10"	3/4"
CC376-01	9"x12"	1/4"
CC377-01	9"x12"	3/8"
CC378-01	9"x12"	1/2"
CC379-01	9"x12"	3/4"
CC401-01	9"x14"	1/4"
CC402-01	9"x14"	3/8"
CC403-01	9"x14"	1/2"
CC404-01	9"x14"	3/4"



All-Angle Blue Steel Walking Edger

With Swivel Bracket

- The edger blade "gives" a little for just the right feel
- Bracket rotates 360°
- *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35)*

No.	Size	Radius
CC390A-01	9"x4 "	1/4"
CC391A-01	9"x4"	3/8"
CC392A-01	9"x4"	1/2"
CC393A-01	9"x6"	1/4"
CC394A-01	9"x6"	3/8"
CC395A-01	9"x6"	1/2"
CC396A-01	9"x6"	3/4"
CC384A-01	9"x8"	1/4"
CC385A-01	9"x8"	3/8"
CC387A-01	9"x8"	1/2"
CC388A-01	9"x8"	3/4"

No.	Size	Radius
CC397A-01	9"x10"	1/4"
CC398A-01	9"x10"	3/8"
CC399A-01	9"x10"	1/2"
CC400A-01	9"x10"	3/4"
CC378A-01	9"x12"	1/2"
CC379A-01	9"x12"	3/4"
CC401A-01	9"x14"	1/4"
CC402A-01	9"x14"	3/8"
CC403A-01	9"x14"	1/2"
CC404A-01	9"x14"	3/4"



Swivel Blue Steel Walking Cove and Nose Tools

With Swivel Bracket

- Blade "gives" a little for just the right feel
- Swivel bracket rotates 360°
- Matching Cove and Nose Tools create steps and gutters
- *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35)*

A) Walking Cove Tool

No.	Size	Lip	Radius
CC9080-01	6"x6"	6"	1/2"
CC9090-01	6"x6"	6"	3/4"
CC9081-01	9"x9"	4"	1/2"
CC9091-01	9"x9"	4"	3/4"

B) Walking Nose Tool

No.	Size	Lip	Radius
CC9040-01	6"x6"	3-1/2"	1/2"
CC9050-01	6"x6"	3-1/2"	3/4"
CC9082-01	9"x9"	4"	1/2"
CC9092-01	9"x9"	4"	3/4"
CC9045-01	9"x12"	3"	1/2"

Hand Cove Tool

- Blade "gives" a little for just the right feel
- Cove Tools for steps and gutters

Wood No.	*ProForm®* No.	Size	Lip	Radius
CF9055	CF9055PF	6"x6"	6"	1/8"
CF9060	CF9060PF	6"x6"	6"	1/4"
CF9080	CF9080PF	6"x6"	6"	1/2"
CF9090	CF9090PF	6"x6"	6"	3/4"
CF9095	CF9095PF	6"x6"	6"	1"
CF9081	CF9081PF	9"x9"	4"	1/2"
CF9091	CF9091PF	9"x9"	4"	3/4"



Blue Steel Chamfer Tool

- Formed to fit exact contour
- Lip is at a 45° angle

Wood No.	*ProForm®* No.	Size	Lip
CF773	CF773PF	6"x6"	3/4"
CF774	CF774PF	6"x6"	1"
CF523	CF523PF	6"x8"	3/4"
CF594	CF594PF	9"x6"	3/4"
CF775	CF775PF	9"x6"	1"

DECORATIVE CONCRETE TOOLS

Aluminum Chisels

Use these aluminum chisels to dress and finish imprinted textured concrete. Popular for creating borders.

No.	Size
CC115	1-1/2"
CC110	3"
CC116	4"
CC117	8"
CC118	12"
CC111	18"



Joint Touch-Up Rollers

Super Flexible

Joint roller used for touching up joints when using texture mats. Match texture and width of existing joints.

No.	Face Size	Face Type
CC566*	3/16"	Flat
CC565*	1/4"	Round
CC567*	3/8"	Flat
CC568*	3/8"	Sanded
CC569*	1/2"	Wedge
CC570*	1/2"	Flat
CC571*	1/2"	Sanded

Salt Roller

30" long decorative salt roller. Make small decorative impressions in concrete using rock salt. *Use with 1-3/8" diameter snap button handles (sold separately, page 32) or adapters (page 35).*

No. CC957



Deco Hand Edger

Made of quality heavy-gauge stainless steel. Rivet-free for smooth clean edges. Fitted with smooth comfortable wood handle.

No.	Size	Radius	Lip
CF659	6"x6"	2"	2-1/2"

Decorative Concrete Border Tool

An edger and groover in one! This high-quality, heavy-gauge stainless steel tool creates a decorative border. Rivet-free for clean grooves and edges. Fitted with comfortable wood handle.

No.	Size	Radius	Bit	Spacing
CF656	6"x12"	1/2"	5/8"	9"



Deco Hand Groover

Made of quality heavy-gauge stainless steel. Rivet-free for smooth clean edges. Fitted with smooth comfortable wood handle.

No.	Size	Radius	Bit Depth
CF660	6"x7-5/8"	1-1/2"	1-3/4"

Plastic Step Tools

Special design for pool work. Clear plastic material will not mark or darken white coatings. Both sides of 5" lip are ***tapered*** for a smooth finish. Fitted with smooth comfortable wood handle.

A) Outside Nose Tool

No.	Size	Radius
PL653T	6"x5"	1/2"
PL652T	6"x5"	3/4"
PL650T	6"x5"	1"
PL654T	6"x5"	1-1/2"
PL651T	6"x5"	2"

B) Inside Cove Tool

No.	Size	Radius
PL656T	6"x5"	1/2"
PL655T	6"x5"	3/4"
PL659T	6"x5"	1"
PL657T	6"x5"	1-1/2"
PL660T	6"x5"	2"

A Outside

B Inside

*See page 193

Adjustable Winged Groover

- Made of high-quality heavy-gauge stainless steel
- Professional-quality tool designed to fit exact contours of edges
- Wings adjust up to fit contour of job
- *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35)*

No.	Size	Bit Depth	Bit Width	Bit Radius
CC734	9"x20"	1-1/4"	1"	1/2"

Straight Arrow Hand Groover

Made of high-grade aluminum. Hand groover is designed to cut straight control joints. Use in conjunction with walking groovers. Fitted with comfortable ProForm® float handle. Groover length 12" with a 4" wide top for greater stability.

No.	Radius	Bit Depth	Bit Width
CC012PF-125	1/4"	1-1/4"	1/4"
CC012PF-150	1/4"	1-1/2"	1/4"
CC012PF-175	1/4"	1-3/4"	1/4"

Double End Deco "V" Jointer

Jointer is made of high-quality aluminum. Use in conjunction with texture mats for touch-up or cutting of small grooves. Groover designed to cut 3/16" or 1/4" joints. A must tool for every finisher.

No.	Size	Description
CC112	12"	"V" Jointer (3/16" x 1/4")

Broadcast Gun

Easily broadcasts decorative vinyl color chips and fine materials. Use gun with compressor at approximately 15 PSI. Vinyl chips are distributed evenly on epoxy floor projects. Adjust compressor for desired spraying distance and vinyl chip density on floor. Hopper capacity is 1.25 gallons.
No. PC801

Straight Arrow Groover

Ideal tool for cutting long and straight control joints

These high-grade aluminum groovers are designed to cut long and straight control joints. The design features a 4" wide top, providing greater stability. The bolted sight marker can move along the center channel to help cut perfectly long and straight control joints. Serrated bit moves aggregate within the groove for stronger concrete. The adjustable bracket assembly slides on a center track for preferential placement. *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35).*

A) Straight Bit

No.	Size	Bit Depth	Bit Width
CC006W-125	24"	1-1/4"	1/4"
CC006W-150	24"	1-1/2"	1/4"
CC006W-175	24"	1-3/4"	1/4"
CC003W-125	36"	1-1/4"	1/4"
CC003W-150	36"	1-1/2"	1/4"
CC003W-175	36"	1-3/4"	1/4"
CC004W-125	48"	1-1/4"	1/4"
CC004W-150	48"	1-1/2"	1/4"
CC004W-175	48"	1-3/4"	1/4"
CC005W-125	60"	1-1/4"	1/4"
CC005W-150	60"	1-1/2"	1/4"
CC005W-175	60"	1-3/4"	1/4"

B) Serrated Bit

No.	Size	Bit Depth	Bit Width
CC006WS-125	24"	1-1/4"	1/4"
CC006WS-150	24"	1-1/2"	1/4"
CC006WS-175	24"	1-3/4"	1/4"
CC003WS-125	36"	1-1/4"	1/4"
CC003WS-150	36"	1-1/2"	1/4"
CC003WS-175	36"	1-3/4"	1/4"
CC004WS-125	48"	1-1/4"	1/4"
CC004WS-150	48"	1-1/2"	1/4"
CC004WS-175	48"	1-3/4"	1/4"
CC005WS-125	60"	1-1/4"	1/4"
CC005WS-150	60"	1-1/2"	1/4"
CC005WS-175	60"	1-3/4"	1/4"



ProForm® Float Handle (US Patent #6,473,939 B1) (US Patent #6,821,468 B2)

Float and Broom Combo

Float and broom in one pass
Helps eliminate reaching and lifting
Perfect tool for wide slabs

Great tool to finish wide slabs without reaching or lifting. Adjustable broom adapter bar allows user to determine the working angle of the broom. For best results, broom should extend past end of float. *Use with button bull float handles or adapters (sold separately, pages 32-35).*

PARTS MUST BE ORDERED SEPARATELY.



All parts for the Float Broom Combo are sold separately

	No.	Description
A)	CC802-01	48"x8" Heavy-Duty Magnesium Bull Float
B)	CC294	EZY-Tilt® II 6-Hole Bracket (use 1-3/8" or 1-3/4" Snap Button Bull Float Handle)
C)	CC181	Combo Broom Adapter Bar with Plate (Fits Bull Floats, Big "D" Floats and Fresnos with Tilting Brackets or Adapters to Use with Texture Brooms)
D)	CC191	Replacement Bracket for Adapter Bar (Sold individually, ***2 Required***)
E)	CC182	54" Medium Bristle Weigh-Lite® Broom ***with Two Brackets (CC191)*** for Adapter Bar
F)	CC190	54" Replacement Broom Strip for (CC182) Medium Bristles

Works with Many Other Tools, too!

- Other Brooms (pg. 79)
- Flat Wire Texture Brooms (pg. 77)
- Bull Floats (pg. 39)
- Fresnos with 2-Hole Bracket (pg. 40-41)
- Big "D" Steel Fresnos (pg. 40)
- Gator Tools™ Bull Floats (pg. 90)



A) 28" Countertop Darby

Smooth and level concrete countertops with this lightweight magnesium countertop darby. The base of the tool has a rounded edge for floating and a square edge for cutting or finishing. Wooden knob and rib handle give perfect control.

No.	Size
CC898	28"x1-3/8"x2"

B) 40" Buckaroo™ Straightedge

Small size makes this tool ideal for finishing concrete countertops. The base of the tool has a rounded edge for floating and a square edge for cutting or finishing. Smooth 3-hole wooden handle includes adjustable top-reading level vial.

No.	Size
CC897	40"x1-3/8"x2"

Wood and Canvas-Resin Bull Floats Page 42

Wood and Canvas-Resin Hand Floats Pages 15, 19, 123

Liquid Release

Easy to apply with sprayer. Forms lubricating barrier between concrete and mats. Use on colored or uncolored concrete. Alternative to powdered release agents. 5 Gallons.

No. RR175**

**Must ship via truck

Utility Stamps

Stamp concrete with locations of water and sewer lines. 3" tall letters made of long-wearing cast aluminum. Large 4-3/4" handle can be used by hand or with mallet.

No.	Description
CF405	Water Utility Stamp
CF403	Sewer Utility Stamp



Water Sewer

Flat Wire Texture Broom



A popular tool to create non-skid surfaces on highways, bridges, airport runways, ramps, driveways, and cattle pens. The broom produces a uniform rough groove surface on roads and bridges for maximum traction. The exposed flat wires are 5" long, 1/8" wide, and spaced 1/2", 5/8", 3/4", or 1" apart. The .028" thick long-lasting tempered blue spring steel tines are replaceable for extending the life of the tool. This material provides a slight "give" as it creates traction. Check State and Federal Department of Transportation (DOT) specifications in relation to the tine spacing and length for your area. Measuring your choice of 36", 48", or 60" across, the tool provides a wide reach on projects both large and small. *Use with clevis handles (sold separately, page 55) or adapters (page 35).*

When Ordering Please Specify: 1/2", 5/8", 3/4", or 1" spacing on center (3/4" is the most popular size).

No.	Size	Spacing
CC196-1/2	36"	1/2"
CC196-5/8	36"	5/8"
CC196-3/4	36"	3/4"
CC196-1	36"	1"
CC198-1/2	48"	1/2"
CC198-5/8	48"	5/8"
CC198-3/4	48"	3/4"
CC198-1	48"	1"
CC199-1/2	60"	1/2"
CC199-5/8	60"	5/8"
CC199-3/4	60"	3/4"
CC199-1	60"	1"
CC200-10	10 Pack Replacement Tines	
CC200-100	100 Pack Replacement Tines	

SPECIAL ORDERING AVAILABLE:

Special length and spacing needed?

CALL TODAY!

800-422-2448

Special lengths are also available for large paving machines.

Kraft also offers wire texture brooms that vary according to State or Federal specifications in relation to tine spacing and length.

Concrete Step-Saver® Tools

Now cut perfect control joints and corners before removing the forms

- Easy to use, saves time and increases the quality of your work
- Must-have tools for every concrete finisher



Ideal for Parking Curbs, Step Faces, Step Corners, Control Joints, Curb & Gutter, Stadium Risers, Exposed Aggregate

Step-Saver® Groovers

- Used to groove vertical and horizontal control joints into the face of slabs, curbs, and steps
- Simply work the groover between the form and concrete for a perfect joint every time

No.	Length	Depth	Width
CF007	12"	3/4"	3/8"
CF008	12"	1"	1/2"
CF009	12"	3/4"	7/8"
CF010	6"	1"	1/2"

US Patent #D-333,600

Step-Saver® Edgers

- Make finishing step corners a breeze
- Insert and work between forms and concrete at step corners
- Once risers are stripped perfect, rounded corners remain

No.	Length	Radius
CF001	10"	3/8"
CF002	10"	1/2"
CF003	10"	3/4"

US Patent #5,098,278

CONCRETE FINISH BROOMS AND BRUSHES

Concrete Floor Broom

All-purpose floor broom for concrete and wood floors. 3" black Tampico fiber on wooden block. *Use with broom thread handles or adapters (sold separately, page 80).*

No.	Size
CC183-01	18"
CC184-01	24"
CC186-01	36"

All-Purpose Horsehair Floor & Finish Broom

All-purpose floor broom for concrete and wood floors. 2-7/8" pure 100% black horsehair on wood block. *Use with broom thread handles or adapters (sold separately, page 80).*

No.	Size
CC187-01	24"
CC192-01	36"

Curb Brush

Curb brush for hand brushing freshly laid concrete surfaces. 3-1/8" long soft plastic fiber bristles secured in 12" wood block. Perfect for small finishing jobs.

No. CC169

Hand Concrete Finish Brush

Curb brush with built in 4" handle for finishing freshly laid concrete. 12" long, with 3" soft poly horsehair blend bristles. Great for finishing small areas.

No. CC269

Horsehair Hand Finish Brush

Thick 3" poly horsehair blend bristles provide a soft finish that keeps its shape with use. Use for finishing or cleaning. Smooth wood handle provides ample knuckle clearance during use.

No.	Size
CC267	12"

Pool Finish Brush

2-1/2" soft Nylex® bristles for finishing concrete and specialty materials, and for exposing aggregate in pool finishes.

No.	Size
CC268	12"

Nylex® Truck Brush

2-1/4" soft Nylex® bristles for finishing concrete and exposing aggregate in decorative finishes. White bumper protects walls and edges. *Use with broom thread handles or adapters (sold separately, page 80).*

No.	Size
BL437	10"

Gator Tools™ Brooms Page 95

Green Nylex® Soft Finish Broom

Soft concrete finish broom with memory resistant soft green flagged Nylex® bristles leaves a finish similar to horsehair. Easy clean-up. *Use with broom thread handles or adapters (sold separately, page 80).*

No.	Size	Bristles
CC454-01	24"	2-3/8"
CC456-01	36"	2-1/4"
CC459-01	48"	2-1/4"

CONCRETE FINISH BROOMS

Concrete Finishing Broom

Soft plastic bristles designed to give a fine finish on poured concrete. Long-wearing bristles on wood block. *Use with broom thread handles or adapters (sold separately, page 80).*

Plastic Bristles

No.	Size	Bristles	No.	Size	Bristles
CC164-01	18"	2-3/8"	CC166-01	36"	3-1/4"
CC165-01	24"	2-3/8"	CC188-01	48"	3-1/4"

Horsehair Bristles (for a softer finish)

CC193-01	24"	2-1/2"	CC194-01	36"	2-1/2"

CC163	5' Metal Threaded Wood Handle

Concrete Finishing Broom (Wood)

Brush down concrete after floating with these poly fiber brooms. Medium-general purpose black poly bristles. All bristles are epoxy set for long wear and durability. All brooms are made from solid hardwood lacquered blocks for just the right feel and finish. *Use with clevis handles (sold separately, page 55) or adapters (page 35).*

No.	Size	Bristle Material	
CC170	24"	Medium-General Purpose (Black Poly)	*Soft Finish*
CC172	36"	Medium-General Purpose (Black Poly)	
CC173	48"	Medium-General Purpose (Black Poly)	

"The Performer" Concrete Finishing Broom

Concrete finishing broom has three rows of 3" black nylon bristles. Adapter included. *Use with broom thread handles or adapters (sold separately, page 80).*

No.	Size	No.	Size
CC254	24"	CC256	36"
CC255	30"	CC259	Repl. Plastic Handle Adapter
		CC259-01	Repl. Metal Saddle Bracket

Soft Nylon Concrete Finishing Broom

Lightweight broom with two rows of extra soft 4" nylon bristles. Made for a fine finish on concrete. *Use with clevis handles (sold separately, page 55) or adapters (page 35).*

No.	Size
CC457	36"
CC458	48"

Concrete Finishing Broom (Aluminum)

Brush down concrete after floating with these lightweight aluminum brooms. *Three* bristles styles to choose from: medium/general purpose black poly (shown), extra soft white poly, or natural horsehair and poly blend. All bristles are epoxy set for long wear and durability. *Use with clevis handles (sold separately, page 55) or adapters (page 35).*

No.	Size	Bristle Material
CC175	24"	Medium/General Purpose (Black Poly)
CC177	36"	Medium/General Purpose (Black Poly)
CC178	48"	Medium/General Purpose (Black Poly)
CC189	60"	Medium/General Purpose (Black Poly)
CC203	72"	Medium/General Purpose (Black Poly)
CC179	36"	Extra Soft (White Poly)
CC206	24"	Natural Horsehair and Poly Blend
CC180	36"	Natural Horsehair and Poly Blend
CC176	48"	Natural Horsehair and Poly Blend

Weigh-Lite® Concrete Finishing Broom

Made for brushing concrete surface. No waiting for surface to dry. Clevis bracket included. *Use with clevis handles (sold separately, page 55) or adapters (page 35).*

3-1/4" Trim, .015" Bristle, Soft Black Poly

No.	Size	Replacement Bristle Strip	
CC154	24"	CC155	24"
CC156	36"	CC157	36"
CC158	48"	CC159	48"

5" Trim, .022" Bristle, Medium Coarse White Poly (not shown)

No.	Size	Replacement Bristle Strip	
CC247	36"	CC247-01	36"
CC248	48"	CC249	48"
CC250	54"	CC251	54"

5" Trim, .030" Bristle, Coarse Black Poly (not shown)

No.	Size	Replacement Bristle Strip	
CC246	36"	CC246-01	36"

Replacement Bracket Only
No. CC160

Broom Handle Adapter

Cutout section of adapter fits over broom bracket. Adjustable angle. Accepts broom thread handle. Base accepts clevis handles.

No.	Size
CC493	Broom Adapter (Hardware Included)
CC494	Broom Bracket Base (Hardware Included)

Extension Handle Broom Adapter

Attach paint rollers, brooms, etc., to molded thread extension handles.
No. CC297

Broom Thread to 1-3/8" Button Handle Adapter

Use your 1-3/8" Button Bull Float handle *(sold separately, page 32)* on brooms to reduce the need for extra handles.
No. CC487

See Other Adapters on page 35

Flipper Tilt Bracket™

Pre-set your broom to automatically tilt at desired angle to finish during both extension and retrieval. Adjustable stops limit broom to pivot to a pre-set angle *or* maintain a fixed handle position. Allows for a full 105° range of motion. Use with thread or button handle adapters. Attach bracket to CC494 broom bracket base (included with most Kraft finishing brooms).
No. CC496



Telescoping Extension Handle

Anodized aluminum telescoping extension handle. 1-3/8" button style attachment. Use with brackets and adapters to fit 1-3/8" diameter. Ideal for extra-long reach with lighter tools such as brooms. Twist-lock holds handle at the desired length.

No.	Size	
CC430**	8'-16'	Telescoping Handle
CC436**	12'-24'	Telescoping Handle
CC430-01	Replacement Lock Assembly	

**Must ship via truck

3-Piece Aluminum Handle

3-piece, snap-style, 5' anodized aluminum handle with broom thread tip.
No. CC263

Broom Handles

Telescoping Fiberglass® Handles

These handles fit all brooms that take a broom thread. Swivel twist-lock loosens and tightens handles when extended to desired length.

	No.	Size
A)	CC446	Fiberglass® with Aluminum Extensions 6'3" to 12'
B)	CC429	Fiberglass® with Aluminum Extensions 6'6" to 18'
C)	CC448	All Fiberglass® 6'3" to 12'

Wood Handles

	No.	Size
D)	CC163	5' Metal Thread Wood Broom Handle
E)	CC163L	6' Metal Thread Wood Broom Handle
F)	CC107L	72" Wood Jam Handle, 1-1/8" Diam.

Steel Handle

60" heavy-duty coated steel handle with broom threaded tip.
G) **No.** GG232

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

Squeegees and Aluminum Frame

Sturdy, lightweight 24" wide aluminum squeegee frame used with a 24" wide, 1-1/8" high, EPDM squeegee blade, available in straight, V-Notched, or U-Notched. Used to ensure consistent depth when spreading thin materials. *Used with broom thread handle. Shown with 3-piece, 5 foot aluminum handle (CC263). All items sold separately.*

No.	Description
GG235-01	24" Aluminum Frame ONLY **(Order Blades Separately)**
GG235-04	24" Wide Straight Blade Squeegee Replacement Blade
GG235-02	24" Wide 1/8" V-Notched Squeegee Replacement Blade
GG235-03	24" Wide 1/4" V-Notched Squeegee Replacement Blade
GG235-05	24" Wide 1/4" U-Notched Squeegee Replacement Blade
CC263	3-Piece Aluminum Handle
GG224-04*	Replacement Handle Bracket



Squeegee Trowel

With Soft Grip Handle for Comfort

A contractor's favorite, used to smooth a variety of coatings in general construction, drywall, and concrete restoration. Includes blade protector for extended life. *Can be used by hand or with broom thread handles (sold separately, page 80).*

Squeegee Tool Handle
US Patent #D614,471S

No.	Description
GG242	12"
GG243	14"
GG244	18"
GG246	22"
GG247	26"
GG244-01	Replacement Handle

Wood Frame Stainless Steel Smoother

24" stainless steel blade in laminated wood mounting. Used to apply and smooth coatings, especially self-leveling material. *Use by hand or with broom thread handles (sold separately, page 80).*

No.	Description
A) GG604	24" Smoother with Bracket and Built-in Handle
B) GG603	24" Smoother with Bracket
GG224-04*	Replacement Bracket

Flexible Blue Steel Bent Blade Smoother

The 24" flexible blue steel blade is bent to provide maximum blade contact for surface coating materials. Ideal for overlays, underlays, and other cement-based materials. A threaded bracket works with any broom thread handle. *Includes 3-piece, 5 foot aluminum handle (CC263).*

No.	Description
GG608	Smoother with 3-Piece Handle
GG608-01	Smoother without Handle

Blue Steel Smoother

Smoother's 24" blue steel flexible blade with aluminum mounting spreads material evenly. Use to smooth overlays, epoxies, and coating materials when you need a thin, consistent finish. *Includes 3-piece, 5 foot aluminum handle (CC263).*

No.	Description
GG607	Smoother with 3-Piece Handle
GG607-01	Smoother without Handle

*See page 193

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

Plastic Bucket and Pail

Durable 90 mil 5 gal. translucent bucket and 10 qt. pail for general uses such as mixing or moving various materials. Lid for 5 gallon bucket sold separately.

5 Gal. Plastic Bucket

Liters, Quarts, Gallons measurements

No.	Description
GG468	5 Gal. Plastic Bucket
GG468-01	Plastic Lid (Fits GG468 5 Gal. Bucket)
GG468-02	Plastic Lid with Spout (Fits GG468 5 Gal. Bucket)

10 Qt. Plastic Pail

Ounces, Liters, Quarts measurements

No.	Description
GG470	10 Qt. Plastic Pail

Self Leveling Pins

A popular solution for measuring when surfaces are inconsistent. Cut down the plastic pin to desired height and place around the floor. Adhesive strip secures to substrate. When the material is poured to top of the pins, it will blend in with the material. Measures up to 4" deep with graduations in 1/8" and millimeters.

No.	Description
GG240*	Pack of 100

Gauge Rake Pro™

Use with concrete coatings, self-leveling material, and underlayments when a consistent application is key. Replaceable gauges fit securely on both ends of the lightweight aluminum frame to create a predetermined depth. Gauges are designed to lock in place. Rotate the gauges to extend their life. *Use with broom thread handles or adapters (sold separately unless CC994 is ordered, page 80).*

No.	Description
CC994	24" Rake, Gauges, and 3-Piece 5' Aluminum Handle (Must order in quantities of 3)
CC994-01	24" Gauge Rake Head with Gauges
CC995-01	36" Gauge Rake Head with Gauges
CC991	Full Set of Replacement Gauges 1 Pair Each: 1/16", 1/8", 1/4", 3/8", 1/2"

CC994 Display Box

No.	Description
CC991-01	Replacement 1/16" Gauge Set
CC991-02	Replacement 1/8" Gauge Set
CC991-03	Replacement 1/4" Gauge Set
CC991-04	Replacement 3/8" Gauge Set
CC991-05	Replacement 1/2" Gauge Set

(Replacement gauges do not include hardware)

No.	Recommended Handles
CC263	3-Piece, 5' Aluminum Handle
GG232	60" Coated Steel Handle

(Handles sold separately unless CC994 is ordered)

Set of 5 Pairs of Gauges (not to scale)

Gauge Rake

Made of lightweight aluminum. Adjusts up to 2" for uniform coating of surface. *Use with broom thread handles or adapters (sold separately, page 80).*

No.	Description
CC975-01	24" Gauge Rake Head
CC976-01	36" Gauge Rake Head
CC975-04	Replacement Sleds & Hardware

Double Notch Rake

Hardened steel blade with V-Notch for spreading floor coatings. The reversible 2-1/4" tall blade is notched on both sides. *Use with broom thread handles or adapters (sold separately, page 80).*

18" Double Notch Rake

No.	V-Notch Size
GG591-01	3/16"
GG605-01	1/4"
GG592-01	3/8"
GG593-01	1/2"

24" Double Notch Rake

No.	V-Notch Size
GG594-01	3/16"
GG606-01	1/4"
GG595-01	3/8"
GG596-01	1/2"

GG224-04* Replacement Bracket

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

*See page 193

CONCRETE RESTORATION



Self-Leveling Kit Pro™

Complete kit with all the items required for a professional to mix and install self-leveling products. Featuring a heavy-duty Gauge Rake and Squeegee Trowel.

No.	Description
GG650PRO	Complete Self-Leveling Kit Pro™
A) GG601	15 Gal. Mixing Barrel with Lid
B) GG602	5 Qt. Measuring Pitcher
C) CC994-01	24" Gauge Rake Pro™ Including 5 Sets of Gauges
D) GG244	18" Squeegee Trowel
E) GG240*	10 Self-Leveling Pins
F) HC178*	Hi-Craft® Gunite Shoes
G) GG603	24" Wood Frame Stainless Steel Smoother with Bracket
H) CC263	5' 3-Piece Aluminum Handle (for Smoother and Gauge Rake)
I) DC717*	Oval Mixer (Zinc Plated Steel)

Self-Leveling Kit

Complete kit with all the items required to mix and install self-leveling products.

No.	Description
GG600	Complete Self-Leveling Kit
A) GG601	15 Gal. Mixing Barrel with Lid
B) GG602	5 Qt. Measuring Pitcher
C) CC975-01	24" Gauge Rake/Leveler
D) HC178*	Hi-Craft® Gunite Shoes
E) GG240*	10 Self-Leveling Pins
F) GG603	24" Wood Frame Stainless Steel Smoother with Bracket
G) CC263	5' 3-Piece Aluminum Handle (for Smoother and Gauge Rake)
H) DC717*	Oval Mixer (Zinc Plated Steel)



Dual Cartridge Epoxy Gun

Easy-pull-and-release trigger for dispensing two component materials through static mixers. Dispensing rods are hardened for long wear and strength.

No.	Size
GG469*	300 mL x 300 mL

The Big Tipper™

Barrel Transporting and Pouring Cart

Moving and pouring barrels becomes a 1 person job with this cart. Strong steel construction creates a frame to hold and move a 15 gallon barrel. Center support acts as a belt to secure and lock barrel into place during use. Handle design for easy pouring. Includes 2 locking and 2 non-locking swivel rubber casters for easy movements around a jobsite. *Barrel sold separately.*

No.	Description
GG599**	The Big Tipper™
GG599-02	Replacement Casters 4" Locking (Pair)
GG599-03	Replacement Casters 4" Non-Locking (Pair)

**Must ship via truck

*See page 193

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

CONCRETE RESTORATION

Spiked Rollers

Roll out air bubbles in epoxy coatings and self-leveling material with three styles of spiked nylon rollers. Use caution with sharp Spiked Rollers.



Bubble Blaster Spike Roller

Bubbled ends keep roller from penetrating too deep and reduces material splatter.

No.	Size	Description
GG480	9"	Roller with Frame
GG481	18"	Roller with Frame
GG480-01	9"	Bubble Blaster Roller Only
GG481-01	18"	Bubble Blaster Roller Only
DW179M*	9"	Spike Roller Frame
DW178	18"	Spike Roller Frame



Super Spike Roller

Each spike measures 1/2" long. Super sharp spikes.

No.	Size	Description
GG476	9"	Roller with Frame
GG478	18"	Roller with Frame
GG477	9"	Super Spike Roller Only
GG479	18"	Super Spike Roller Only
DW179M*	9"	Spike Roller Frame
DW178	18"	Spike Roller Frame



Standard Spike Roller

Lightweight design. Each spike measures 1-1/4" long.

No.	Size	Description
GG609	9"	Roller with Frame
GG618	18"	Roller with Frame
GG610	9"	Standard Spike Roller Only
GG619	18"	Standard Spike Roller Only
DW179M*	9"	Spike Roller Frame
DW178	18"	Spike Roller Frame

Phenolic Roller

Strong flat roller for applying heavy epoxies, mastics, and anti-slip coatings. A great tool for spreading and leveling thin materials. Solvent-resistant for a longer life.

No.	Size	Description
GG474	9"	Roller Only
GG475	18"	Roller Only
(18" roller comes with end caps)		
DW179*	9"	Roller Frame
DW178	18"	Roller Frame

9" Spike Roller Frame

Aluminum frame with contoured plastic handle with thumb rest. *Use by hand or with broom thread handles (sold separately, page 80).*
No. DW179M*

Nap Roller Covers

Shed-resistant for a smooth professional finish. Durable phenolic core used for applying adhesives and coatings, especially for moisture vapor barrier. *Order roller frame separately.*

No.	Width	Nap
DW171	9"	1/4"
DW172	9"	3/8"
(18" comes with end caps)		
DW174	18"	1/4"
DW173	18"	3/8"



Roller End Caps

Prevent material from building up inside rollers. Comes in a pack of 6 caps.
No. DW178-02

18" Roller Frame

With Threaded Handle Adapter

18" aluminum frame securely holds standard 18" paint rollers, adhesive rollers, and spiked rollers for rolling larger areas. Full, two-sided frame applies even pressure across length of roller. *Use with broom thread handles or adapters (sold separately, page 80).*
No. DW178

9" Roller Frame

Contoured plastic handle *can be used by hand or with broom thread handles (sold separately, page 80). Order roller covers separately.*
No. DW179*

*See page 193

Roller Tray
Durable plastic holds roller up to 18" long.
No. DW189

Heavy-Duty Gunite Shoes
Adjustable
Lightweight aluminum shoes, fitted with (12) 1" permanent steel spikes. Adjustable sole plate and heel support. Two adjustable nylon straps securely hold gunite shoe to work boot. One size fits most.
No. CC970 (Pair)

Flexible Gunite Shoes
Gray flexible plastic lets you work with natural movements. Protect your work and bring air bubbles out of the application. (13) firmly attached 3/4" (overall length) steel spikes cover the bottom of the shoe. Two adjustable nylon straps securely hold gunite shoe to work boot. One size fits most.

No.	Description
HC177*	Flexible Gunite Shoes (Pair)
HC177-01*	3/4" Replacement Spikes (26)
HC178-02*	Replacement Straps (Set)

Gunite Shoes

Used for epoxy installation. Fitted with (13) 1-1/2" (overall length) steel spikes. Two adjustable nylon straps with clasps securely hold gunite shoe to work boot. One size fits most.

No.	Description
HC178*	Gunite Shoes (Pair)
HC178-01*	1-1/2" Replacement Spikes (26)
HC178-02*	Replacement Straps (Set)

Oval Mixer
High viscosity mixer. Oval shape effectively removes air from mixtures. Designed to fit edges of barrels. Corrosion-resistant plated steel. 26" Shaft. For use in a 1/2" drill.
No. DC717*



Unomixer
Ideal for fast mixing of many materials, from paint to cement. Unique design mixes materials quickly. 3-1/4" diameter spiral head is welded to 16" shaft for strength. For use in a 1/2" drill.
No. DC363*

Triangle Blade Mixer
Multi-purpose triangle blade mixer. Use with all concrete-based products. Measures 9-1/2" head depth, 23-1/4" overall. For use in a 1/2" drill.
No. DC721

Stainless Steel Jiffy Mud and Paint Mixers
For heavy-duty jobs. Fits 5-10 gallon containers. 20-1/2" long, 1/2" shaft, top diameter 4-5/8", bottom diameter 5", depth 5". Use with 1/2" drill.
No. DC409

Stainless Steel Jiffy Mixer
For small containers 2 gallons or less. 10-1/4" long, 1/4" shaft, top diameter 2-5/8", bottom diameter 2-5/8", depth 2-3/8". Use with 3/8" drill at 450-750 RPMS for best results.
No. DC408

Junior Mud Mixer
Rounded end design for better balance when mixing, prevents scraping of container. Ideal for mixing drywall mud and texture materials. Mud mixer has a cast aluminum paddle 8-1/2"x5" deep. 7/16" steel shaft works in slow speed 1/2" drill.

No.	Size
DC713	7/16" Diam. x 30" Shaft
DC714	7/16" Diam. x 36" Shaft
DC714L	7/16" Diam. x 46" Shaft



Epoxy Mixing Paddle
Flat steel blade with slots so material flows through and around mixer. Ideal for mixing epoxies, mortars, resins, and other construction materials. Plated to resist wear and corrosion. 7/16" hex shaft. Overall length is 18". Fits most 1/2" drill motors.
No. DC719



Double Bent Mixer
Bent mixing blades provide a bottom-to-top mixing action. Mix urethane and other materials smoothly. Plated to reduce wear and corrosion. 18" hex shaft fits most 1/2" drill motors. 4"x3" blades.
No. DC720

*See page 193

GUNITE TOOLS

Heavy-Duty Gunite Step Trowel

Strongest trowel around. Long-wearing thicker blade adds rigidity to this extra heavy-duty trowel. ProForm® handle is centered on a 1/2" square steel bar. Rivets have not been ground off, making the trowel tougher and stronger for use on gunite.

ProForm®

No.	Size
CF204PF	14"x4"
CF206PF	18"x4"

18" Trowel is ideal for pool steps

Gunite Trowel

Same craftsmanship as all regular Kraft concrete trowels. Rivets have not been ground off, making the trowel tougher and stronger for use on gunite.

Wood	***ProForm®***	
No.	**No.**	**Size**
CF208C	CF208PF	12"x4"
CF205C	CF205PF	12"x5"
CF209C	CF209PF	14"x4"

Radius Bender

Radius bender is used for rounding and finishing corners of pools and other shotcrete or gunite corners that need freehand finishing. Blue steel blade measures 24"x2-1/2".

No. CC980

Curved Shotcrete Fresno

This fresno is specially curved for shotcrete work. The rivets are left unground for extra strength. High-quality round end carbon blade with steel mounting. *Use with clevis handles (sold separately, page 55) or adapters (page 35).*

No.	Size	Description
CC914	24"x5"	Round End with Batter
CC915	30"x5"	Round End with Batter

Gunite Fresnos

This fresno is extra tough for working in rough gunite and shotcrete material. A high-quality carbon blade with steel mounting. Rivets are left unground for additional strength. The 24" round end fresno is also available with batter to prevent gouging material.

A) With Single Action Bracket

Single-action bracket can be used with clevis handles (sold separately, page 55) or adapters (page 35)

No.	Size	Description
CC651	24"x5"	Round End
CC652	30"x5"	Round End
CC963	24"x5"	Round End with Batter

A

B) With Swivel Bracket

Use with narrow clevis handles (sold separately, page 72) or adapters (page 35)

No.	Size	Description
CC647	24"x5"	Round End with Batter

B

Magnesium Gunite Smoother

Extru-Lite™ Magnesium base holds the flexible blue steel blade for cutting and smoothing gunite applications. Cut down high spots, shape walls, create a smooth finish, or prep walls for plaster. Angled ends to fit in corners. Hollow extrusion with end caps to avoid build-up and added weight.

No.	Size	Hand Holes
CC972	24"	2
CC973	36"	3
CC974	48"	4
CC969	72"	6



Add "02" after part no. for replacement blade with screws

End View

Rub Bricks

A) Fluted with Handle

Fluted silicon carbide rub bricks make dressing down concrete fast and easy. Fluted on a diagonal, providing sharp edges to help with stubborn materials while carrying away excess debris. Contoured plastic handle minimizes fatigue. Preferred by finishers for its ease of use.

No.	Size	Grit
CF268	8"x3-1/2"x1-1/2"	20
CF283	6"x3"x1"	20
CF282	6"x3"x1"	60

B) Fluted Less Handle

Made of silicon carbide, fluted on two sides.

No.	Size	Grit
CF462	6"x2"x2"	20
CF482	8"x2"x2"	20

A

B

Replacement Handle for all Rub Bricks CF283-01

Round Rub Brick

Lightweight round rub brick with handle. Makes grinding easy. Use one in each hand in a circular motion. Stone is 1" thick and 6" in diameter.

No.	Size	Grit
CF270	6"x1"	20

Broken-In Rub Brick

Already broken-in and ready for smoothing and dressing down concrete. A good value for the price.

No.	Size	Grit
CF281	8"x3-1/2"x3/4"	20

Rub Brick Mop

Fluted rub brick mop used for concrete smoothing, dressing down, and removing form marks. *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35).*

No.	Size	Grit
CC497-01	8"x7" without Handle	20
CF268-01	Replacement Rub Brick (2 Required)	20

White Rub Brick Mop

Non-marring surface is ideal for decorative applications to insure a clean finish. Two fluted rub bricks are secured to a strong aluminum bracket. *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35).*

No.	Size	Grit
CC489-01	8"x7" without Handle	60
ST280-01	Replacement Rub Brick (2 Required)	60

Heavy-Duty Tampers

Ideal for tamping soil, gravel, sand, and texture mats to achieve the right amount of pressure. Heavy-duty cast iron tampers fitted with 48" hardwood handle.

A) Cast Iron/Poly-Coated Base Texture Mat Tamper with Heavy-Duty Handle

Special poly-coated base prevents tearing or marring of texture mats.

No.	Description
CC928	11"x11" Heavy-Duty / 21 lbs.
CC928-01	Heavy-Duty Repl. Handle

B) Cast Iron Base Dirt Tamper with Heavy-Duty Handle

No.	Description
CC929	10"x10" Heavy-Duty / 17 lbs.
CC928-01	Heavy-Duty Repl. Handle

C) Cast Iron Base Dirt Tamper

Excellent way to tamp dirt surfaces. Cast iron tamper fitted with a 44" hardwood handle.

No.	Description
CC925	8"x8" / 12 lbs.
CC926	10"x10" / 13 lbs.
CC927	Replacement Handle



Foam Rubber Knee Pads

Professional foam rubber, hard shell knee pads. Contoured cap provides extra support and comfort for heavy use. Velcro® closures are easy to adjust and use.

No. WL135 (Pair)

Non-Skid Knee Pads

(not shown)

Same as above. Rubber cap prevents sliding and marring of surfaces.

No. WL136 (Pair)

Rubber Cushion Knee Pads

A rubber cushion knee pad on the inside with a solid rubber surface for rugged, long wear. Adjustable web straps with Velcro® closures are embedded within the pad. (Judsen Knee Pads)

No. WL070 (Pair)

Leather Knee Pads

Tough leather makes for long wear. Lined with felt and shaped to fit your knee. Rivet construction holds soft felt in place. One adjustable strap holds pad securely in place.

No.	Description
WL087	1/2" Thick Felt (Pair)
WL088	1" Thick Double Felt (Pair)

Flat Leather Knee Pads

Hard but pliable, comfortable leather knee pads lined with soft felt that bends with the knee. One adjustable strap holds pad in place while you work.

No. WL071 (Pair)

Knee Pads

Super Soft / Front Closure

- Protect knees with soft neoprene pad
- Unique, easy-to-use front Velcro® strap
- Wide binding straps will not gouge
- Coated with non-marring polyurethane for added protection and durability

No. WL139* (Pair)

Heavy-Duty Gel Knee Pads

- Crafted with a heavy-duty PVC shell
- Features extra-thick, soft gel cushioning
- Thigh support design stays in place
- Strong hook-and-loop straps are easy to adjust

No. WL074* (Pair)

Polyurethane Knee Pads

- Made of shock-absorbing and durable polyurethane
- One strap holds the pad in place
- Pads are molded in one piece
- Very popular with concrete finishers

No. WL083 (Pair)

Ultra Rubber Knee Pads

- Durable rubber with comfortable foam pad insert
- Accordion-style cap
- Adjustable replaceable straps

No.	Description
WL084*	Knee Pads (Pair)
WL084-01	Replacement Straps

Economy Soft Cap Knee Pads

- Long, contoured, flexible cap provides a protective base
- Foam rubber cushion offers soft protection for knees
- Velcro® closures are easy to adjust

No. WL136E* (Pair)

Polyurethane Knee Pads

- Made of durable, lightweight polyurethane
- Used for all types of construction projects
- Two web straps holds pad to knees
- Pads are molded in one piece

No.	Description
WL080	Knee Pads (Pair)
WL082	Replacement Straps (Pair)

*See page 193

Denver Sliders

Made with top-quality #16 gauge stainless steel for an extra smooth sliding surface. Round edges and corners with special nesting design. Built-in toe brackets for easy back-and-forth motion. Weight: 11 lbs.

No.	Size
CC152	28"x8-1/2" (Pair)

Special Nesting Design

Concrete Sliders (Knee Boards)

Made from heavy-duty, lightweight ABS plastic that resists corrosion. Easy to use, easy to clean. One size fits most. Knee pads are replaceable.

No.	Description
CC153	30"x10" (Pair)
WL080	Replacement Pads (Pair)
WL082	Replacement Straps (Pair)

Lightweight Stainless Steel Knee Boards

Knee boards are made of #18 gauge stainless steel. They are durable and easy to use. Knee pads are replaceable.

No.	Size
CC162	28"x8" (Pair)
WL080	Replacement Pads (Pair)
WL082	Replacement Straps (Pair)

#18 Gauge

Deluxe Heavy-Duty Stainless Steel Knee Boards

Made with #16 gauge polished stainless steel to reduce corrosive problems. Reinforced and contoured on the bottom to prevent digging into the concrete. Adjustable knee pads are replaceable and allow a "comfort fit."

No.	Size
CC150	31"x8" (Pair)
CC151	28"x8" (Pair)
WL080	Replacement Pads (Pair)
WL082	Replacement Straps (Pair)

Heavy-Duty
#16 Gauge

EZ-Kneeler™ Kneeboard

Comfortable Multi-Purpose Kneeboard

- ***Washable and chemical resistant***
- ***Weighs only 2 lbs.***
- ***1-1/2" thick foam cushion***

Provides knees comfortable support and protection - no more sore knees! A 1-1/2" thick foam cushion (working surface measures 19-1/4"x13-1/2") securely fastened to a 14"x24" polypropylene tray for maximum comfort and long life. It's a favorite among concrete finishers and tile installers.

No. WL069 (10 Per Carton)



Ready to Display
In Case Cut Boxes

Orange Thunder® Cincy Sliders

Featuring KO-20™ Technology

Experience the low surface friction of KO-20™ as you hand work around a slab on these sliders. The exceptional durability of this material prolongs the use. Bright orange color is easy to spot on the jobsite.

No.	Size
CC2053	28"x8" (Pair)

ORANGE THUNDER® With KO-20™ Technology

Orange Thunder® Floats (Patent Pending)

GatorLoy™ Channel Float

Dual Edge

Channel float has 2" tall sides for rigidity. Dual edge float has a rounded front edge for floating and a square 90° back for finishing. Made of ultra-light, ultra-strong GatorLoy™, a unique aluminum alloy. Features broken-in rounded edges and an unpainted finish. Designed for air-entrained concrete and will not prematurely seal the concrete, reducing the trapping of bleed water. *Use with Gator or Kraft Tool bull float brackets (sold separately, pages 36-37, 92).*



No.	Size
GF11563	48"x6"
GF11573	60"x6"
GF10370	72"x6"
GF10380**	96"x6"
GF10390**	120"x6"

** Must ship via truck

Aluminum Extrusion

GatorLoy™ Bull Floats

Bull float has wide rib spacing on top of the blade for added stability, straightness, and long wear. Float can easily cut bumps, fill ridges, and smooth out ridges after screeding. Made of ultra-light, ultra-strong GatorLoy™, a unique aluminum alloy. Features broken-in edges and an unpainted finish. Designed to embed the concrete aggregates while floating the concrete cream to the top, resulting in a smooth and level surface. *Use with Gator or Kraft Tool bull float brackets (sold separately, pages 36-37, 92).*

Aluminum Extrusion

Square End (Blade Only)

No.	Size
GF10346	24"x8"
GF10348	36"x8"
GF10349	42"x8"
GF10350	48"x8"
GF11271	60"x8"

Round End (Blade Only)

No.	Size
GF10356	24"x8"
GF10358	36"x8"
GF10359	42"x8"
GF10360	48"x8"
GF11201	60"x8"

GatorLoy™ Walking Floats

Walking floats are an excellent lightweight alternative to bull floats. They allow the finisher to float concrete at a distance, not reachable by hand floats. Also helpful for maneuvering around obstacles such as pipes, drains, and poles. Made of ultra-light, ultra-strong GatorLoy™, a unique aluminum alloy. Features broken-in edges and an unpainted finish. *Use with extension handles (sold separately, pages 32-33, 94).* Unique Gator Tools™ hole spacing.

A) With Gator Glide™ Mini Adjustable Leveling Bracket

Comes complete with Gator Glide™ Mini Adjustable Leveling Bracket (GF11630). *Accepts **ONLY 1-3/8"** button extension handles (sold separately, pages 32, 94).*

Square End

No.	Size
GF11784	16"x4"
GF11785	20"x4"
GF11786	24"x4"
GF11787	30"x4"
GF10077	36"x4"
GF10078	48"x4"

Round Ends

No.	Size
GF11789	16"x4"
GF11790	20"x4"
GF11791	24"x4"
GF11792	30"x4"
GF10079	36"x4"
GF10094	48"x4"

Add "01" after part number for float without bracket

B) With Ultra Twist™ Pivoting Bracket

Comes complete with Ultra Twist™ Pivoting Bracket (GF11401). *Use with 1-3/8" or 1-3/4" button extension handles (sold separately, pages 32-33, 94).*

Square End

No.	Size
GF11566	16"x4"
GF11567	20"x4"
GF10810	24"x4"
GF11568	30"x4"
GF10073	36"x4"
GF10074	48"x4"

Round Ends

No.	Size
GF11570	16"x4"
GF11571	20"x4"
GF10809	24"x4"
GF11572	30"x4"
GF10075	36"x4"
GF10076	48"x4

Aluminum Extrusion

A

Fits 1-3/8" Handles

B



Fits 1-3/8" or 1-3/4" Handles

Product Category	Pages
Brackets and Adapters	35-37
Brooms and Brushes	76-79
Bull Floats	38-40, 42-43
Darbies	14, 20, 22-23
Extension Handles	32-34
EZ-Tote Tool Carrier™	44-45
Fresnos	40-41
Hand Floats	13-19, 21
Placers	26-27
Screeds	28-29
Straightedges	30-31

QUICK CLASP FLOAT CASE™

Top: Square End Bull Float
Middle: Round End Bull Float
Bottom: Round End Channel Float

US Patent #6,709,196 B1
and #6,863,471 B2

Quick Clasp Float Case™

Complete Kit

Provides concrete finishers a convenient all-in-one kit to easily organize and safely transport your tools to the work site. Case comes complete with everything you need to float concrete. Hardened molded plastic case securely holds your choice of four 6' long 1-3/8" or 1-3/4" button handles. The 4-hole float can be chosen by the user - GatorLoy™ Square or Round End Bull Float or Channel Float. Each float comes with a Gator Glide™ Adjustable Leveling Bracket (GF10330). The case securely holds all items. Case features sturdy metal clasps and a comfortable nylon shoulder strap.

All Kraft Tool Bull Floats and Brackets fit within the Quick Clasp Gator Case.

Quick Clasp Float Case™ ONLY

No.	Fits Handle
GF10326	1-3/8" Diam. (*Not Included*)
GF10325	1-3/4" Diam. (*Not Included*)
GF10325-02	Nylon Shoulder Strap *(Strap NOT included when purchasing case ONLY)*

Case with 1-3/8" Handles

Case comes complete with float, 6'x1-3/8" handles (GF10343), and bracket.

Square End Bull Float		Round End Bull Float		Round End Channel Float	
Kit No.	**Float Size**	**Kit No.**	**Float Size**	**Kit No.**	**Float Size**
GF10299-138	42"	GF10303-138	36"	GF11564-138	48"
GF10300-138	48"	GF10304-138	42"	GF10309-138	60"
GF11270-138	60"	GF10305-138	48"	GF10310-138	72"
		GF11200-138	60"		

All cases containing tools must ship via truck.

Case with 1-3/4" Handles

Case comes complete with float, 6'x1-3/4" handles (GF10341), and bracket.

Square End Bull Float		Round End Bull Float		Round End Channel Float	
Kit No.	**Float Size**	**Kit No.**	**Float Size**	**Kit No.**	**Float Size**
GF10299	42"	GF10303	36"	GF11564	48"
GF10300	48"	GF10304	42"	GF10309	60"
GF11270	60"	GF10305	48"	GF10310	72"
		GF11200	60"		

All cases containing tools must ship via truck.

Gator Glide™ Adjustable Leveling Bracket (US Patent #6,827,523 B2) Carrying Case (US Patent #6,709,196 B1 and #6,863,471 B2)

No Substitutions - Order case and Gator or Kraft products separately to create a customized kit.

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

BRACKETS

US Patent #6,827,523 B2

Gator Glide™ Adjustable Leveling Bracket

Double tilt action bracket accepts both 1-3/8" and 1-3/4" button extension handles. Base can accommodate 2-hole or 4-hole floats. High-quality features include high-strength aluminum construction with bronze and stainless steel components, all housed internally to protect from concrete build-up. Dual grease fittings flush out dirt and debris and lubricate the bracket. Quickly adjust with a twist of the handle.
No. GF10330

Gator Glide™ Mini Adjustable Leveling Bracket

For 1-3/8" Handles

Double tilt action bracket accepts **ONLY 1-3/8"** button extension handles. A smaller, lighter-weight bracket with the same angle and pitch as the larger Adjustable Leveling Bracket. Constructed of lightweight aluminum. Compact size is excellent for use on 2-hole Gator walking floats and darbies.
No. GF11630

Ultra Twist™ Bracket

Swivel action bracket accepts both 1-3/8" and 1-3/4" button extension handles. Handle socket rotates 360° and locks into place at a desired angle. Fits 2-hole Gator walking floats, fresnos, darbies, and brooms.
No. GF11401

Wide Blue Steel Fresno

40% More Finishing Area

- 7" wide blade allows user to finish close to walls and obstructions without bracket interference
- High-quality tempered flexible blue steel blade
- Round ends and a wider working surface prevent marking and gouging while creating a smooth finish.
- Includes Ultra-Twist™ Bracket (GF11401) for movement in all directions
- Twist the handle to lock the position of the bracket

No.	Size
GF20840B	36"x7"
GF20841B	48"x7"

Add "01" after part number for fresno without bracket



Single Tilt Broom Bracket

Bracket accepts both 1-3/8" and 1-3/4" button extension handles. For use with Gator finishing brooms. Constructed of lightweight aluminum.
No. GF11600

Carbon Steel Fresno

- High-quality tempered steel blade for a perfect finish
- Round ends and a wider working surface prevent marking and gouging while creating a smooth finish
- Includes Ultra-Twist™ Bracket (GF11401) for movement in all directions
- Twist the handle to lock the position of the bracket
- *Attach Bronze Fresno Groover Bits for grooving (sold separately, page 38)*

No.	Size
GF20849	24"x5"
GF20851	36"x5"
GF20853	48"x5"

DARBIES & HAND FLOATS

GatorLoy™ Hand and Curb Darbies

With Ultra Grip™ Handles

Each 3" wide darby stays straight and flat while floating flat concrete surfaces or doing curb work. Quickly covers more area than a regular hand float. Made of ultra-light, ultra-strong GatorLoy™, a unique aluminum alloy. Features broken-in edges and an unpainted finish. Two handles are designed to maintain user comfort and reduce fatigue while enabling firm control of the tool. Adding a bracket allows the tool to be used with extension handles to reach areas from a distance.

A) With 2 Handles Only

Comes complete with two handles.

Square Ends		***Round Ends***	
No.	**Size**	**No.**	**Size**
GF10813	36"	GF10100	36"
GF10814	42"	GF10102	42"

B) With Gator Glide™ Mini Adjustable Leveling Bracket

Comes complete with two handles and a Gator Glide™ Mini Adjustable Leveling Bracket (GF11630). *Accepts **ONLY 1-3/8"** button extension handles (sold separately, pages 32, 94).*

Square Ends		***Round Ends***	
No.	**Size**	**No.**	**Size**
GF11807	36"	GF10108	36"
GF11808	42"	GF10109	42"

C) With Ultra Twist™ Pivoting Bracket

Comes complete with two handles and an Ultra Twist™ Pivoting Bracket (GF11401).
Use with 1-3/8" or 1-3/4" button extension handles (sold separately, pages 32-33, 94).

Square Ends		***Round Ends***	
No.	**Size**	**No.**	**Size**
GF11803	36"	GF10103	36"
GF11804	42"	GF10104	42"

A

Aluminum Extrusion

B

Fits 1-3/8" Handles

C



Fits 1-3/8" or 1-3/4" Handles

GatorLoy™ Hand Floats

With Ultra Grip™ Handle

Hand floats stay straight and flat while embedding the concrete aggregates and floating the cream to the surface without sealing the concrete. Made of ultra-light, ultra-strong GatorLoy™, a unique aluminum alloy. Features broken-in edges and an unpainted finish. The handle is designed to maintain user comfort and reduce fatigue.

Square End

No.	**Size**
GF11470	7-1/2"x3"
GF10800	12"x3"
GF10801	14"x3"
GF10802	16"x3"
GF10803	18"x3"
GF10804	20"x3"
GF10842	24"x3"

Round End

No.	**Size**
GF10807	16"x3"

Round Front, Square Back

No.	**Size**
GF10806	16"x3"

Square End Jumbo Hand Float

No.	**Size**
GF10805	16"x4"

Ultra Grip™ Replacement Float Handle

No. GF10610

Square End

Round End

Round Front, Square Back

Jumbo

Aluminum Swaged Button Extension Handles

Powder Coated

Produced from high-quality hardened aluminum and protected by a powder coated finish. Swaged ends nest and snap together with spring lock buttons.

1-3/8" Diameter Handles

No.	Size	Bndl Qty.
GF10343	6'	6
GF10343-PK3	6'	3
GF10345	8'	3

CC336-10 Single Button Clips (10 Pack)

1-3/4" Diameter Handles

No.	Size	Bndl Qty.
GF10341	6'	6
GF10341-PK3	6'	3
GF10342	8'	3

CC289-10 Double Button Clips (10 Pack)

Order in cartons of 5

GatorLoy™ Hand Darbies

With Ultra Grip™ Handle

Hand darbies stay straight and flat while floating concrete to smooth the surface without sealing it. Quickly covers more area than a regular hand float. Made of ultra-light, ultra-strong GatorLoy™, a unique aluminum alloy. Features broken-in edges and an unpainted finish. The handle is designed to maintain user comfort and reduce fatigue. Available with a straight blade or tapered blade, which offers less weight at the end of the tool.

Straight Darby

No.	Size
GF10811	30"x3"

Tapered Darby

No.	Size
GF10812	30" Tapers 3" to 2"

Straight Darby

Tapered Darby

Aluminum Extrusion

Gator Skin™

Tool Protector, Conditioner, and Lubricant

Formulated to lubricate, condition, and protect your concrete and masonry tools from rust and corrosion. Also helps save time during clean-up. Before use, spray down your tools to prevent concrete build-up. Gator Skin™ is blended to disperse evenly and adhere to the tool surface. Safe to use on most metal, plastic, and rubber surfaces. Great for use on moving parts on hand and walking tools. May also be used as a general-purpose lubricant.

No.	Description
GF10900	32 oz. Bottles With Trigger Sprayer (Sold in Case of 12)
GF10905	1 Gallon Bottles (Sold in Case of 4)
GF10950	5 Gallon Container
GF10955**	55 Gallon Drum

**Must ship via truck

GatorLoy™ Aluminum Placer

Convenient Detachable Hook

Placer will not bend while pushing and pulling heavy, wet concrete. Made of ultra-light, ultra-strong GatorLoy™, a unique aluminum alloy. Blade features a reinforcing rib running the length of the blade to help keep it straight and rigid. Designed with a convenient detachable hook. Includes 60" coated hardened aluminum handle. Ships unassembled.

No.	Description
GF11203	20"x4-1/4"

Apply to tool before use

Clean off tool

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

All Handles must be ordered in bundle quantities only.

SCREEDS

Diamond XX™ Aluminum Screeds

GatorLoy™ Toughness

Built to handle the toughest jobs and maintain their straightness in the most demanding applications. Inside the screed, the Diamond XX™ pattern gives it superior resistance to bending, twisting, and warping. The metal end caps eliminate concrete build-up. Made from ultra-light, ultra-strong GatorLoy™, a unique aluminum alloy, these screeds are built to last.

US Patent #10,352,005 B1

1-1/2"x3-1/2"

No.	Length
GF11216	6'
GF11217	8'
GF11218	10'
GF11219	12'
GF11220	14'
GF11221	16'
GF11222	20'
GF11238	24'

Screeds 8' or longer must ship via truck

GF11216-02 1-1/2"x3-1/2" End Caps (Pair)

2"x4"

No.	Length
GF11223	6'
GF11224	8'
GF11225	10'
GF11226	12'
GF11227	14'
GF11228	16'
GF11229	20'
GF11237	24'

Screeds 8' or longer must ship via truck

GF11223-02 2"x4" End Caps (Pair)

BROOMS

Poly Concrete Brooms

These high-quality poly brooms are available in 3 bristle textures for just the right finish. 3" long trim, secured in wood block. Broom comes complete with Single Tilt Broom Bracket (GF11600). *Use with 1-3/8" or 1-3/4" button extension handles (sold separately, pages 32-33, 94).*

Medium Soft Bristles (0.010")

No.	Size
GF11622	12" Hand Broom (No Bracket)
GF11627	36"
GF11628	48"

Medium Bristles (0.015")

No.	Size
GF11602	12" Hand Broom (No Bracket)
GF11614	24"
GF11617	36"
GF11620	48"

Coarse Bristles (0.022")

No.	Size
GF11603	12" Hand Broom (No Bracket)
GF11618	36"
GF11621	48"

Fine Synthetic Horsehair Broom

These high-quality brooms give your concrete surface a finely-brushed texture. 3" long trim, secured in wood block. Broom comes complete with Single Tilt Broom Bracket (GF11600). *Use with 1-3/8" or 1-3/4" button extension handles (sold separately, pages 32-33, 94).*

No.	Size
GF11616	36"
GF11619	48"

Add "01" after part number for broom without bracket

Medium Bristle Poly Hand Broom

Fine Synthetic Horsehair Broom

PAVING STRAIGHTEDGES

A) Diamond XX™ Paving Screeds

"Bump Cutter"

Durable, accurate straightedge and checking tool lets the user produce a flat, even surface. Built to handle the toughest jobs and maintain their straightness in the most demanding applications. Inside the screed, the Diamond XX™ pattern gives it superior resistance to bending, twisting, and warping. Metal end caps eliminate concrete build-up. Made from ultra-light, ultra-strong GatorLoy™, a unique aluminum alloy, these screeds are built to last.

Paving Screed Complete Kit

Comes complete with Diamond XX™ Paving Screed with Gator Glide™ Adjustable Leveling Bracket (GF10330), Outriggers (GF10344), and three 6' long 1-3/4" diameter handles (GF10341).

1-1/2"x3-1/2"

No.	Size
GF11414	8'
GF11415	10'
GF11416	12'
GF11418	16'
GF11419	20'

Add "01" after part number for screed only which accepts brackets and outriggers

2"x4"

No.	Size
GF11435	8'
GF11436	10'
GF11437	12'
GF11439	16'
GF11440	20'

Ultra Brace™ Outriggers Only

(For Paving Screeds and Floats)

To be used with Diamond XX™ Paving Screeds and Floats. The 5' aluminum braces accept 1-3/4" button extension handles.
No. GF10344

A



End View

Aluminum Extrusion

Interior detail of Diamond XX™ pattern in screed and float

US Patent #10,352,005 B1



End View

Aluminum Extrusion

B

B) Diamond XX™ Paving Floats

Check Rod

Cut down high spots and ridges or move material to low areas. Built to handle the toughest jobs and maintain their straightness in the most demanding applications. Inside the float, the Diamond XX™ pattern gives it superior resistance to bending, twisting, and warping. Metal end caps eliminate concrete build-up. Made from ultra-light, ultra-strong GatorLoy™, a unique aluminum alloy, these floats are built to last.

Paving Float Complete Kit

Comes complete with Diamond XX™ Paving Float with Gator Glide™ Adjustable Leveling Bracket (GF10330), Outriggers (GF10344), and three 6' long 1-3/4" diameter handles (GF10341).

4"x2"

No.	Size
GF11456	8'
GF11457	10'
GF11458	12'
GF11460	16'
GF11461	20'

Add "01" after part number for float only, which accepts brackets and outriggers

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

All products on this page must ship via truck

ASPHALT LUTES & RAKES

Aluminum Asphalt Placer Lute With Round to Square Wood Handle

A must-have in this industry. Heavy-duty 30" aluminum blade. The round to square 66" wood handle not only adds comfort but gives the end user a great grip. Ships unassembled.

No.	Description
GG875	Asphalt Placer Lute
GG875-01	Replacement Blade
GG875-02	Replacement Bracket
GG875-03	66" Replacement Handle

Landscape and Asphalt Rake

This rake's 36" aluminum head is made for rugged use on asphalt and other tough materials. The 2-1/2" teeth have ball tips to ensure a longer life. The 7'x1-3/8" magnesium handle is attached to a strong T-Lute bracket (GG824-03). Ships unassembled.

No.	Size
CC960	36"
GG824-02	7' Replacement Handle

Magnesium Asphalt Rake

Lightweight magnesium head features standard teeth on one side and a smooth edge on the other, also available with no teeth. Includes 7'x1-3/8" blue anodized aluminum handle, which prevents hands from turning black caused by oxidation. Foam grip protects end of handle. Fitted with braces for extra support. Ships unassembled.

Standard Teeth Rake

No.	Size
GG624	24"
GG624-01	24" Blade Only
GG625	30"
GG625-01	30" Blade Only
GG626	36"
GG626-01	36" Blade Only
GG627	42"
GG627-01	42" Blade Only
GG626-03	7' Blue Aluminum Handle

NO Teeth Rake

No.	Size
GG625N	30"
GG625N-01	30" Blade Only
GG626N	36"
GG626N-01	36" Blade Only

GENUINE MAGNESIUM EXTRU-LITE™

Magnesium Asphalt Lute

With T-Lute Bracket and Magnesium Handle

Heavy-duty magnesium construction for longevity and strength. Aluminum T-lute bracket for strength. Ensures asphalt is applied evenly. Use smooth side for finishing. Handles are 1-3/8" in diameter. Ships unassembled.

Standard Teeth Lute

No.	Head Size	Handle
GG824-6	24"	6'
GG824	24"	7'
GG824-9**	24"	9'
GG824-01	24"	Blade Only
GG830-6	30"	6'
GG830	30"	7'
GG830-9**	30"	9'
GG830-01	30"	Blade Only
GG836-6	36"	6'
GG836	36"	7'
GG836-9**	36"	9'
GG836-01	36"	Blade Only
GG842-6	42"	6'
GG842	42"	7'
GG842-9**	42"	9'
GG842-01	42"	Blade Only

**Must ship via truck

Replacement Lute Bracket and Hardware
No. GG824-03

Flat Teeth Lute

No.	Head Size	Handle
GG824F-6	24"	6'
GG824F	24"	7'
GG824F-9**	24"	9'
GG824F-01	24"	Blade Only
GG830F-6	30"	6'
GG830F	30"	7'
GG830F-9**	30"	9'
GG830F-01	30"	Blade Only
GG836F-6	36"	6'
GG836F	36"	7'
GG836F-9**	36"	9'
GG836F-01	36"	Blade Only
GG842F-6	42"	6'
GG842F	42"	7'
GG842F-9**	42"	9'
GG842F-01	42"	Blade Only

NO Teeth Lute

No.	Head Size	Handle
GG830N	30"	7'
GG830N-01	30"	Blade Only
GG836N	36"	7'
GG836N-01	36"	Blade Only

Magnesium Asphalt Lute

With T-Lute Bracket and 7' Blue Aluminum Handle

- Handles are 1-3/8" in diameter
- Comfortable foam grip on handle
- Ships unassembled

Standard Teeth Lute

No.	Head
GG830B	30"
GG836B	36"

NO Teeth Lute

No.	Head
GG830NB	30"
GG836NB	36"

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

*See page 193

ASPHALT TOOLS

46" Junior Mud Mixer

Rounded end design for better balance when mixing. Extra-long shaft for mixing in large containers. Mud mixer has a cast aluminum paddle 8-1/2"x5" deep. 7/16" steel hex shaft works in slow-speed 1/2" drill.

No.	Size
DC714L	7/16" Diam. x 46" Shaft



All Steel Tamper

One-piece heavy-duty steel pipe construction with welded gussets for increased strength. Designed for professional rugged use. Base is used to flatten asphalt and other materials. Stands 48" tall with rubber grip for comfort.

No.	Size
CC921	8"x8"
CC939	10"x10"

Asphalt Crack Hoe

Cleans asphalt cracks before sealing. V-Shaped 2"x4" steel head. Comes with 5' wood handle attached to head.

No. GG812

Pour Pot

This 2.5 gallon, heavy-gauge steel pour pot is an easy way to fill asphalt cracks with hot or cold crack filler. The convenient stand-up design is available with or without wheels. Easy-to-use adjustable 3-size pouring nozzle with fingertip control top valve (squeeze to open, release to close).

No.	Description
GG961*	Pour Pot
GG961-01*	Pour Pot with Wheel Kit
GG961-02	4" Wheel Kit ONLY

Asphalt Banding Machine

60% larger than a pour pot

Creates a consistent 3" wide band over cracks. Pull back on the machine to use. Holds 4 gallons of hot or cold crack sealant. Reversible wear plate extends life before replacement.

No.	Description
GG966*	Asphalt Bander
GG966-01*	Repl. Wear Plate
GG966-02*	6" Repl. Wheels (Pair)

Sealcoat Brush

An aluminum bracket secures the 2-1/4" black poly trim for applying asphalt sealcoating and other materials. The stiff bristles are ideal on most asphalt jobs. Screws allow a quick change of the broom strip for jobs. *The handle bracket accepts broom thread handles (sold separately, page 104). Kraft's 60" vinyl-coated steel handle is recommended (GG232).*

No.	Description
GG847	24" Brush
GG848	36" Brush
GG849	48" Brush
GG847-01	24" Replacement Brush Strip
GG848-01	36" Replacement Brush Strip
GG849-01	48" Replacement Brush Strip
GG847-02	Replacement Sealcoat Brush Holder and Bracket (Fits All Sizes)
GG232	60" Heavy-Duty Coated Steel Broom Handle
CC163L	6' Metal Thread Wood Broom Handle

More broom threaded handles on page 104
For bull float adapters and handles see pages 32-35



Round Wire Street Broom

3-3/4" coated steel wire bristles make this broom a perfect asphalt prep and clean up tool. Great for rough spots. *Use with a tapered handle (sold separately, page 104).*

No.	Description
GG877-01	16" Round Wire Street Broom Head Only
BL432	54" Tapered Handle
CC107L	72" Wide Diameter (1-1/8") Tapered Wood Handle

Ammo Chalk Box

Heavy-duty 150' chalk line with oversized ring. Holds 1-1/2 lbs. of chalk. Moisture-resistant easy refill lid. Great for paving contractors and highway departments. *Chalk sold separately (page 107).*

No.	Description
GG302	Ammo Chalk Box
GG302-01	150' Replacement Line
GG317-48	Yellow Chalk 48 lbs.

*See page 193

SQUEEGEES

Permanent Head Crack Squeegees

Head is welded into a fixed position for your choice of either push or pull action. V-Shape funnels hot or cold crack filler. Red silicone blade withstands temperatures up to 450°F. Attached to a 54" heavy-duty wood handle.

No.	Description
GG816	Push Style V-Shaped Squeegee
GG817	Pull Style V-Shaped Squeegee
GG814-02	V-Shape Red Silicone Replacement Blade

Asphalt Sealcoating Squeegees

Rounded end blade allows a thin layer of material to be placed on the surface. Square end blade cleans working surface and can apply sealant. Both styles feature a Neoprene blade that withstands temperatures up to 220°F and is clamped to an aluminum head for an easy change or reversal of blade. Blade angle designed for easy working angle and quick break-in period.

Round Edge Asphalt Sealcoating Squeegee

No.	Size	Handle
GG844RE	24" Squeegee	7'
GG844RE-6	24" Squeegee	6'
GG844RE-01	24" Replacement Blade	
GG845RE	36" Squeegee	7'
GG845RE-6	36" Squeegee	6'
GG845RE-01	36" Replacement Blade	
GG846RE	48" Squeegee	7'
GG846RE-6	48" Squeegee	6'
GG846RE-01	48" Replacement Blade	

Square Edge Asphalt Sealcoating Squeegee

No.	Size	Handle
GG844	24" Squeegee	7'
GG844-01	24" Replacement Blade	
GG845	36" Squeegee	7'
GG845-01	36" Replacement Blade	
GG846	48" Squeegee	7'
GG846-01	48" Replacement Blade	

Reversible Head Crack Squeegees

Reversible head allows a push or pull action to funnel material into cracks. Choose between V or U-Shaped black Neoprene blade that withstands temperatures up to 220°F V-Shaped red silicone blade withstands temperatures up to 450°F Blades are reversible.
Handles sold separately.

A) V-Shaped Black Neoprene

No.	Description
GG813-01	Head and Blade
GG813-02	Replacement Blade
CC656	54" Narrow Clevis Handle

B) V-Shaped Red Silicone

GG814-01	Head and Blade
GG814-02	Replacement Blade
GG814-03	54" Handle, Without Pin

C) U-Shaped Black Neoprene

GG815-01	Head and Blade
GG815-02	Replacement Blade
GG814-03	54" Handle, Without Pin

B
V-Shaped
GG814

Head and handle
sold separately

A
V-Shaped
GG813-01

C
U-Shaped
GG815-01

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

Forged Bow Rake

Use for tough landscaping jobs or roadwork. Made from one piece of forged, tempered steel, it features 16 curved 2-5/8" teeth across the 16-1/4" wide rake head. Two rivet construction connects the ferrule through the 60" Ashwood handle for extra strength and durability. Ideal for breaking up compacted soil, spreading materials evenly, raking leaves and grass, or moving asphalt material, heavy stones, and gravel. A great rake for professional contractors and homeowners.

No. GG874* **

**Must ship via truck



Packed 6 Per Bundle

Landscape Rake

Made for rugged use on rocks, gravel, mulch, and other landscaping material. The 36" aluminum head has 2-1/2" teeth with ball tips to endure a long life. The straight teeth are great for raking through both landscape and asphalt materials. After raking, flip the blade over to smooth the material for a professional look. Heavy-duty braces support the head. Handle is anodized to protect the metal and prevent the user's hands from turning black from oxidation. The 1-3/8" diameter handle is easy to grasp. Ships unassembled.

No.	Handle
GG959-5	5'
GG959	7'



Heavy-Duty Road Rake

14 Forged Teeth

A versatile rake for road work or heavy-duty landscaping. The forged steel head features 14 teeth across 16". The 3-1/2" long teeth provide support when moving stones, gravel, and asphalt material. An 8" ferrule secures the 60" hardwood handle to the rake head.

No. GG871* **

**Must ship via truck

Packed 6 Per Bundle

Steel Asphalt Rake

Long 18" Shank

Heavy-duty construction designed for tough use in asphalt paving. The 16" wide head features 14 teeth that extend down 3-1/4" to move through material. 18" long shank provides extra reach to burn asphalt build-up. Sturdy wood handle is 60" long. Entire length of the tool is 78".

No. GG870* **

**Must ship via truck



Packed 6 per Bundle

Wood Asphalt Shoes

Walk on asphalt without harming the surface. Use to get hard-to-reach areas for tamping. The lightweight yet strong plywood sole protects the user from excessive heat. Galvanized back plate holds your heel in place. Nylon straps with adjustable plastic clasps are easy to secure on work boot. One size fits most.

No. GG810

Felt Asphalt Shoes

Walk on asphalt comfortably without damaging the surface. Use to tamp down the surface in hard-to-reach areas. 1/2" felt protects the user and the surface. Each shoe has a galvanized steel base with a heel base to secure the user's foot for stability. Two adjustable nylon straps fit around the ankle and the top of the foot. One size fits most.

No. GG811

Professional Asphalt Mahogany I-Beam Level

Designed to be used in asphalt construction - NO plastic parts.
Made from the finest selection of mahogany wood.

No.	Length	Vials
SLAL48	48" (1219mm)	2

SANDS® SINCE 1895 THE FIRST NAME IN LEVELS MADE IN USA

- Heavy-duty aluminum I-beam for reinforced strength
- Two top-reading Solid Set Cat's Eye Yellow double bent vials for accuracy
- Protective glass lenses
- Two large hand holes and one hang hole

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

*See page 193

SCRAPERS & SQUEEGEES



Floor/ Form Scraper

Cleans and shaves all types of material from concrete and wood surfaces. Great for concrete form cleaning. Fitted with 54" metal handle. 36" and 48" scraper comes with handle braces for extra support.

No.	Size
GG013	7" Scraper
GG013-01	7" Blade Only
GG014	14" Scraper
GG014-01	14" Blade Only
GG018	18" Scraper
GG018-01	18" Blade Only
GG022	22" Scraper
GG022-01	22" Blade Only
GG023	36" Scraper with Braces
GG023-01	36" Blade with Support
GG024	48" Scraper with Braces
GG024-01	48" Blade with Support
GG014-04	54" Repl. Handle with Handle Clamp Bracket (For All Floor/Form Scrapers)

Big Floor Scraper

Telescoping Handle

Features an 8" wide heavy-duty replaceable blade and a twist-lock adjustable telescoping handle. Handle length adjusts from 36" to 59". The perfect tool for floor preparation.

No.	Description
FC506	Big Floor Scraper
FC507	(5) 8" Replacement Blades

Heavy-Duty Rubber Floor Squeegee

Rugged, heavy-duty floor squeegee with all-steel construction. Pure gum rubber blade is replaceable and reversible for longer wear. *Comes complete with 60" wood handle and ferrule (CC901-02).* Ships unassembled.

No.	Description
GG285	24" Rubber Floor Squeegee
GG286	36" Rubber Floor Squeegee
GG287	24" Rubber Refill
GG288	36" Rubber Refill

Heavy-Duty Floor Scraper

Ideal for after work clean-up. Scraper blades are firm but flexible. Comes with heavy-duty 60" shovel-type wood handle.

No.	Size
CC214	Floor Scraper w/14" Blade
CC218	Floor Scraper w/18" Blade
CC222	Floor Scraper w/22" Blade
CC207	14" Blade (for CC214 only)
CC208	18" Blade (for CC218 only)
CC209	22" Blade (for CC222 only)
XHDW04	Wood Replacement Handle

Heavy-Duty Floor Scraper

T-Handle Floor Scraper

54" long all-steel floor scraper. All-steel "T" handle with weighted head for extra leverage. Shaves all kinds of floor coverings on any type of floor. Fitted with 7" or 10" replaceable steel blade.

No.	Size
GG393	Floor Scraper w/7" Blade
GG397	Floor Scraper w/10" Blade
GG394	7" Replacement Blade
GG395	10" Replacement Blade

T-Handle Floor Scraper

Right Angle Scraper

18" scraper with 60" aluminum cushion grip handle. Right angle bracket gives extra strength. Heavy-gauge, replaceable steel blade. Perfect clean-up tool.

No.	Size
GG012	18" Right Angle Scraper
GG018-01	18" Replacement Blade

Right Angle Scraper

Squeegees

All Neoprene squeegee blades come with metal head and aluminum bracket. *Use with broom thread handles or adapters (sold separately, page 80).*

Straight Blade Squeegee

Blade, head, and bracket only

No.	Size
GG223-01	18"
GG224-01	24"
GG236-01	36"

Curved Blade Squeegee

Blade, head, and bracket only

No.	Size
GG224C-01	24"
GG236C-01	36"

Squeegee Replacement Blades

No.	Size
GG223-03	18"
GG224-03	24"
GG236-03	36"
GG232	60" Threaded Coated Steel Handle
CC163	60" Threaded Wood Handle
CC163L	72" Threaded Wood Handle
GG224-04*	Replacement Handle Bracket

Shown with GG232 Handle

*See page 193

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

PROFESSIONAL SHOVELS

Short Handle Shovels

	No.	Description	Handle Type	Bundle Qty
A	GG860*	Square Point Shovel	31" "D" Wood	6
B	GG863*	Round Point Shovel	31" "D" Wood	6
C	GG866*	Round Blade Drain Spade	31" "D" Wood	6
D	GG867*	Square Blade Drain Spade	31" "D" Wood	6

Long Handle Shovels

	No.	Description	Handle	Bundle Qty
E	GG861*	Square Point Shovel	48" Wood	6
F	GG861F*	Square Point Shovel	48" Fiberglass	6
G	GG864*	Round Point Shovel	48" Wood	6
H	GG864F*	Round Point Shovel	48" Fiberglass	6
I	GG866L*	Round Blade Drain Spade	48" Wood	6

(All shovels must be ordered in bundle quantities only) (All products on this page must ship via truck)

*See page 193

PROFESSIONAL SHOVELS

- 14-gauge tempered steel blades for superior strength
- Forward turn step for comfort and firmer footing
- Double riveted lacquered hardwood handles
- Wood and fiberglass handles available

Scoops

	No.	Description	Handle Type	Bundle Qty
A	GG873*	#2 Aluminum Scoop	48" Wood	6
B	GG869*	#12 Aluminum Scoop	28" "D" Wood	3
C	GG868*	Steel Asphalt Scoop	31" "D" Wood	3

Landscape/Floor Scraper

7" long forged head ideal for scraping flooring materials, roadways, roofs, landscape edging, and breaking up ice.

	No.	Description	Handle Type	Bundle Qty
D	GG859*	7" Scraper	54" Wood	6

Fully-Stocked Retail Shovel Display

36 shovels are included in the metal frame display measuring 27" wide by 16" deep and 50" tall. Stands on four casters, two lock display in place. Signage included. Display includes (6) GG860, (6) GG863, (12) GG861, and (12) GG864.

No.	Description
GG900*	Shovel Display with 36 Shovels

Post Driver

- Steel sleeve rides over post and guides hammer action to safely drive post into the ground
- Eliminates the need to dig holes
- Handles situated at 120° setting
- Easy assembly - No epoxy or wood wedges needed
- Fits up to 2-3/8" diameter posts
- 28" Overall length

No. GG858

*See page 193

(All shovels must be ordered in bundle quantities only) (All products on this page must ship via truck)

Heavy-Duty Broom

Designed for heavy sweeping. Heavy-duty 5-3/4" crimped orange poly bristles. Bristles hold up under the toughest conditions. *Recommended with tapered wood handle (CC107L, sold separately). Also works with threaded broom handles.*

No.	Size
CC264-01	16" Broom Head
CC195-01	18" Broom Head
CC197-01	24" Broom Head
CC195-02	Broom Handle Braces
BL432	54" Wood Jam Handle, 1-1/8" Diam.
CC107L	72" Wood Jam Handle, 1-1/8" Diam.

Must Order Bracket Separately

Squeegee Coater Brush

18" hardwood block includes squeegee, brush, and handle hole. Two rows of 2" Palmyra bristles permits even distribution of coatings and asphalt sealers. Squeegee creates a smooth professional finish. *Recommended with threaded broom handle (CC163, sold separately).*

No. GG876-01

Blue Poly Floor Broom

Designed for wet or dry sweeping on rough surfaces, especially for spreading sand and gravel on hardscapes. 4-1/4" long blue poly bristles on wood block. Includes a handle brace for stability. *Recommended with threaded broom handle (CC163, sold separately).*

No.	Description
GG238-01	24" Brush Head, Bracket

3 Knot Brush

4-1/4" long durable bristles resist acids - ideal for applying roof sealants. Rounded design provides better coverage around pipes and other obstructions. *Recommended with threaded broom handle (CC163, sold separately).*

No. BL501

Economy Coating / Cleaning Brush

Perfect for applying coatings, rough scrubbing, or acid cleaning. Smooth wood block with 9-1/2" brush surface and 2" Tampico fibers. *Recommended with threaded broom handle (CC163, sold separately).*

No. BL503

Broom Handles

Telescoping Fiberglass® Handles

These handles fit all brooms that require a broom thread. Swivel twist-lock loosens and tightens handles when extended to desired length.

	No.	Size
A)	CC446	Fiberglass® with Aluminum Extensions 6'3" to 12'
B)	CC429	Fiberglass® with Aluminum Extensions 6'6" to 18'
C)	CC448	All Fiberglass® 6'3" to 12'

Wood Handle

	No.	Size
D)	CC163	5' Metal Thread Wood Broom Handle
E)	CC163L	6' Metal Thread Wood Broom Handle
F)	CC107L	72" Wood Jam Handle, 1-1/8" Diam.

Steel Handle

60" heavy-duty coated steel handle with broom threaded tip.

G) **No.** GG232



Broom Handle Adapters
Page 80

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

General Purpose Hammer

20 oz. curved claw general-purpose hammer with smooth face. 11" wood handle.

No. GG219

Framing Hammer

21 oz. fiberglass handle with a comfortable grip and your choice of a smooth or milled face on this must-have framing hammer.

No.	Style
GG641*	Smooth Face
GG642*	Milled Face

Estwing® 16" All Steel Framing Hammer

Drive nails straight and fast with this powerful steel hammer. Shock Reduction Grip®.

No.	Weight	Face
GG417	22 oz.	Milled
GGE316S	16 oz.	Smooth

Sledge Hammers

Double-faced sledge hammer available in two sizes. Choice of fiberglass or wood handles. Fiberglass handle has rubber grip for strong hold.

36" Fiberglass Handle

No.	Size
GG638F*	8 lb.
GG640F*	10 lb.

32" Wood Handle

No.	Size
GG638*	8 lb.
GG640*	10 lb.
GG638-01	Replacement Wood Handle with Wedges



Sledge Hammer with Fiberglass Handle

4 lb. sledge style head with strong fiberglass handle with rubber grips. Ideal for working with forms, stakes, and other general construction jobs. Overall length: 14-1/2".

No.	Weight
BL454F*	4 lbs.

Mash Hammer

Forged steel head. Comes with 8-1/4" wood or fiberglass handle. Used by the professional bricklayer.

No.	Weight	Handle
BL453*	3 lbs.	Wood
BL453F*	3 lbs.	Fiberglass

Estwing® One-Piece Mash Hammer

Made of steel with nylon-vinyl cushion grip. Polished face and bevel, painted finish.

No.	Weight
BL352	2 lbs.
BL353	3 lbs.
BL354	4 lbs.

Dead Blow Hammer

2 lb. hammer packs a wallop yet dampens the vibration when striking the surface and minimizes the rebound. Compact head is flared for full coverage. The extruded handle is secured to tool. A rubber cover eliminates the possibility of sparking when striking metal and minimizes surface marring.

No.	Weight
BL275*	2 lbs.



Drywall Hammers

Chrome-plated head features a checkered face to make nailing easier and prevent breaking the surface of wallboard.

Heavy-Duty

No.	Description
DW254	18 oz. Head / 14" Handle
DW264	18 oz. Head / 16" Handle

Lightweight

No.	Description
DW354	13 oz. Head / 14" Handle
DW364	13 oz. Head / 16" Handle

Scaling Hammer

Scaling hammer is used for cleaning in preparation for refinishing old brick. Can also be used for chipping mortar in a variety of ways.

No.	Weight
GG334*	16 oz.

*See page 193

CAUTION: Always use approved safety protection.

CONTRACTOR BASICS

Ammo Chalk Box

Heavy-duty 150' chalk line with oversized ring. Holds 1-1/2 lbs. of chalk. Moisture-resistant, easy refill lid. Great for paving contractors, highway departments, and landscape contractors. (*Order chalk separately.)*

No.	Description
GG302	Ammo Chalk Box
GG302-01	150' Replacement Line

100' Chalk Box With Line Level

A retractable line level provides versatility to this 100' chalk box. The line level is attached to the line so it can't get lost. The end hook dock can tack into drywall or hook on nails. Easy chalk refill minimizes waste. Comfortable grip fits in hand. Hang hole for easy storage. (*Order chalk separately.)*

No. GG337*

Large 150' Chalk Box

Heavy Duty

This heavy-duty chalk box features 150' of line. The sturdy line has a pull ring for easy pulling and hooks onto nails to snap the line. The durable plastic container is easy to fill. It holds over a pound of chalk, so you spend less time refilling. A solid single-piece steel handle ensures a long life for this tool. (*Order chalk separately.)*

No. GG335

Dual Cartridge Epoxy Gun

Easy-pull-and-release trigger for dispensing two component materials through static mixers. Dispensing rods are hardened for long wear and strength.

No.	Size
GG469*	300 mL x 300 mL

Pro Caulk Gun

Professional caulking gun features all-steel construction. Easy-to-load barrel swivels to change the angles on corners quickly. Ladder hook keeps the tools handy on the jobsite.

No.	Description
GG279*	10 oz.
GG277*	1 qt.

DIY Caulk Gun

Lightweight, easy-to-load gun with spout cutter and puncture tool. Accommodates standard 10 oz. caulk cartridge.

No. GG278*

4' Caulk Gun

Extra Long Reaching

Long reaching for caulking floors without stooping or ceilings without a ladder or stretching. Anodized aluminum gun won't turn hands black from use. Cut the plastic top to desired diameter for tip. Includes plunger and replaceable tip for use with tubes of caulk. Set up for use with sausage packs of caulking and fireproofing. Remove tip and plastic plug for use with tubes of caulk.

No.	Description
GG276*	Caulk Gun
GG276-01*	Replacement Tip for Caulk Gun
GG276-02*	Replacement Sausage Tip Pack for Caulk Gun

Contractor Carpenter Pencils

Flat style will not roll. Easy to sharpen.

No.	Description
SL450	Carded (2 Per)
SL450B	Bulk Pack 72 (Not Carded)

*See page 193

MEASURING TAPES

Metal Chalk Box
Use as a chalk line or plumb bob. Comes with 100' line. (*Order chalk separately.)*
No. GG313*

Chalk
High-quality chalk for use in any chalk box.

No.	Color	Weight
GG303	White	8 oz.
GG304	Blue	8 oz.
GG305	Glo Orange	8 oz.
GG306	Red	8 oz.
GG307	Yellow	8 oz.
GG221	White	5 lbs.
GG314	Blue	5 lbs.
GG315	Glo Orange	5 lbs.
GG316	Red	5 lbs.
GG317	Yellow	5 lbs.
GG317-48	Yellow	48 lbs.

200' Tape Measure
- Nylon coated steel tape
- 16" marking for studs
- Top-quality, durable plastic case
- Handy, easy reel handle

No. **Size**
GG298* 200'x1/2" (ft., in.)

25' Lufkin® Tape with Wide Thumb Lock
- 4 rivet for durability
- 16" markings for studs
- Texture strip for increased grip
- Orange stripe on mirror finish chrome-like case is easy to spot
- 1" wide tape with 8' standout
- Extra-wide thumb lock for comfort
- Nylon coated blade for legibility

No. **Size**
GG338* 25'x1"

Lufkin® Power Tape
Easy-to-read black markings on yellow steel tape. Stud markings at 16". Strong 4 rivet construction. Top-quality, durable plastic case with handy belt clip.

No. **Size**
GG294* 25'x1" Engineer's Scale (1/16", feet, 10ths, 100ths)

Walking Tape
Quickly and easily measure long distances. Heavy-duty wheel is long-lasting. Gear drive counter for accuracy. Non-glare counter is easy to read. Measures up to 10,000' (1.89 miles) without resetting. Kickstand keeps tool upright when not in use. Folding handle for easy storage.

No. **Description**
GG283* Feet/Inches
GG283M* Metric

Chalk Line Marker
- 11" diameter cylinder holds chalk
- As the tool rolls, it dispenses a 2" line of chalk
- Easy to fill
- Designed for Tennis Courts
- Comfortable handle grip
- *Order chalk separately*
- Overall length is 44"

No.
GG336

Twisted Poly Rope
This yellow 3-strand twisted polypropylene rope is designed for general-purpose marine, industrial, agricultural, and utility applications. Lightweight, rot-proof, and moisture-resistant, this rope provides reliable performance in wet and outdoor environments.

600' Spool

No. **Diameter**
BC381 1/4"
BC383 3/8"

1200' Spool

No. **Diameter**
BC382 1/4"

Orange Latex Gloves
Sturdy latex gloves are resistant to most caustic chemicals, paints, and sealers. Provides hand protection from liquids and other materials. One size fits most.

No. GG426*

Sold 12 per case cut carton

*See page 193

Double Pouch Style 11-Pocket Moccasin Leather Carpenter's Apron

Our top-of-the-line leather apron made for the professional craftsman. Finest quality supple moccasin leather.

- Large double-stitched nylon pockets
- Stress points rivet reinforced
- 2 large and 2 medium size nail pockets
- 6 small tool pockets
- 25' tape pocket
- 2 strap leather hammer loops
- 1-1/2" combination square holder
- Adjustable 2" polypropylene web belt

No. WL028

Drywall Tool Pouch

The best heavy leather drywall tool pouch on the market. Features a 3"x2" steel hammer loop plus six other tool loops and holders. Securely made with total rivet construction for heavy-duty use.

No. WL077

Promotional 10-Pocket Split Leather Carpenter's Apron

This outstanding value has top-of-the-line features at a promotional price.

- Strong suede split leather
- 2 large and 2 medium size nail pockets
- 6 small tool pockets
- 25' tape pocket
- 2 strap leather hammer loops
- Adjustable 2" polypropylene web belt

No. WL029

Flat Type Drywall Tool Pouch

A flat 9-compartment drywall tool pouch features 4 flared front pockets that hold pencils, knives, etc. A strong metal clip allows any size tape to be carried. Also features a sharpening stone pocket, circle cutter pockets, and a 3"x2" steel hammer loop.

No. WL096

Deluxe 9-Pocket Nail Bag

A favorite of drywall installers. This deluxe 9-pocket drywall nail bag is made of the finest moccasin leather.

No. WL520

Deluxe 5-Pocket Nail Bag

Deluxe 5-pocket nail bag has 10" flared pocket, 4"x6" pouched pocket with 2 nail slots, and a hammer holder. All pockets are fully bound for long wear and lockstitched with strong nylon thread. Rivet reinforced. Strong but supple leather makes this bag one of our best.

No.	Description
WL044	Left Side Hammer Loop
WL045	Right Side Hammer Loop

3-Pocket Nail Bag

This fine-quality genuine cowhide nail bag has 3 pockets to hold more tools and nails than a standard bag.

No. WL516

A) Steel Hammer Loop

3"x2" steel loop hammer holder made for easy insertion. Top grain leather is riveted for long wear. Fits easily on belt.

No. WL095

B) Hammer Holder with Sheath

3"x3" steel hammer loop with sheath to hold knives or snips. Fits easily on belt.

No. WL093

C) Hammer and Hatchet Holder

3"x2-1/2" steel loop. Loop swings freely to make carrying hammer easier. Made of heavy leather. Fits easily on belt.

No. WL403

1-Pocket Nail Bag

Popular nail bag made of soft but heavy chrome split leather. Lockstitching and riveting make this bag extremely sturdy. Bag has a bellowed flared pocket and wide tunnel belt loop.

No. WL046

Large Bucket Bag

Polyester backed with PVC material. Fits over a 5 gallon bucket. Organizes a wide range of tools for a jobsite. 42 exterior pockets, 10 interior pockets, and tape holder.
No. WL104*

Bucket and Tools Not Included

Standard Tool Bag

Polyester backed with PVC and a reinforced bottom make this light, but strong. Large zippered opening with 6 inside and 6 outside pockets. Soft handles and shoulder strap allow easy transport to and from the jobsite.

No.	Size
WL102*	20"x8-1/2"x13-1/2"

Professional Tool Bag

Polyester backed with PVC and a heavy reinforced bottom makes this a perfect bag for the professional. Extra large zippered opening for tools and supplies. Comes with 15 inside pockets, 10 outside pockets, and heavy-duty handles and shoulder strap.

No.	Size
WL103*	24"x10-1/2"x13-1/2"

Deluxe Canvas Tool Bags
With Leather Bottom

Our finest heavy-duty canvas and leather reinforced bags are for masons, mechanics, and lineworkers. Made with a 12-gauge steel hinged frame and heavy #10 canvas, this bag is made for heavy work and long-lasting wear. Leather reinforcing on the bottom and 3" up on the sides. Inside is a 9"x11" pocket. Waterproof bottom board.

No.	Size
WL200	20"x14"
WL220	22"x14"

Deluxe Canvas Tool Bags

An expertly made bag, deep and roomy, built around a 12-gauge steel hinged frame. Leather handles, buckles, and canvas are riveted into the frame. Lockstitched sewing ensures long life. Inside is a 9"x11" pocket and a masonite bottom board provides waterproofing.

No.	Size
WL020	20"x14"
WL024	24"x14"

Professional Canvas Bag
With Outside Pockets

24" large capacity heavy-duty canvas bag. Soft, durable canvas, leather handles, and lockstitched sewing ensure long life. Interior pocket for organization. Exterior pockets for easy reach storage. Masonite board for shape and waterproofing.

No.	Size
WL025	24"x14"

Cushion Grip Knee Pads

- Protect knees with soft neoprene pad
- Foam rubber cushion offers soft protection for knees
- Adjustable elastic straps and easy-release slip-buckle clips design

No. WL072* (Pair)

Economy Tool Bag

Economical 20" wide canvas tool bag. A lightweight but sturdy all-purpose bag. Two steel dowels are sewn into casings and a masonite bottom board holds the bag's shape. Two buckles secure top closed.

No.	Size
WL050	20"x13"x12"

Professional Leather Bottom Bag

Heavy-duty, lightweight leather bottom canvas bag comes with tough nylon support handles. Convenient masonite bottom board holds the bag in shape and provides waterproofing.

No.	Size
WL224	24"

Double Prong Leather Work Belt

Double leather work belt. Belt adjusts from 30" to 54". Reinforced back with double roller buckles. Quality stitching with solid rivets.
No. WL049

Leather Work Belt

General-purpose work belt for nail bags and tool pouches. Fits 29" to 46" waist.

No.	Width	Description
WL099	2"	Deluxe
WL098	1-3/4"	Economy

Web Pistol Belt

Strong polypropylene web belt adjusts from 32" to 46" with hook-in fastener.
No. WL052

*See page 193

Plastic Bucket and Pail

Durable 90 mil 5 gallon translucent bucket and 10 quart pail for general use such as mixing or moving various materials. *Lid for 5 gallon bucket sold separately.*

5 Gal. Plastic Bucket

Liters, Quarts, Gallons measurements

No.	Description
GG468	5 Gal. Plastic Bucket
GG468-01	Plastic Lid (Fits GG468 5 Gal. Bucket)
GG468-02	Plastic Lid with Spout (Fits GG468 5 Gal. Bucket)

10 Qt. Plastic Pail

Ounces, Liters, Quarts measurements

No.	Description
GG470	10 Qt. Plastic Pail

GG468-02

Bucket Dolly

Strong, molded plastic construction to move heavy buckets *(sold separately)*.

No.	Description
ST379	Bucket Dolly
ST379-PK6	Bucket Dolly (6 Pack)

Fortex® Pail

These popular Fortex® black rubber pails will not rust, dent, leak, or chip. They are not affected by heat or cold, acids, alkalis, or most other chemicals.

No.	Size	Description
GG460*	10 qt.	Standard
GG462*	12 qt.	Heavy-Duty with Spout
GG463*	12 qt.	Heavy-Duty
GG464*	18 qt.	Utility with Spout

Without Spout With Spout

ProForm® Universal Tool Pro-Clips

Essential Tools Within Easy Reach

Introducing our new heavy-duty galvanized steel hooks, designed for ultimate convenience and durability, ensuring your essential tools are always within reach. Their versatile design lets you secure them to your belt or pocket, keeping your tools organized and readily accessible on the jobsite. With their impressive load-bearing capacity, you can confidently carry a variety of tools, eliminating clutter and optimizing your workflow.

A) Single Hook

One 1/4" thick prong is ideal for securely holding one or two easily accessible tools at a time.
No. CF058S

B) Double Hook

Two 1/4" thick prongs accommodate larger or bulkier items. Great choice for users with a diverse range of tools or those who frequently switch between tasks.
No. CF058D

C) Hammer Holder

This 1/8" thick hook features a unique shape that supports tools with larger handles, ensuring a snug fit for items like hammers, squeegees, and more.
No. CF058H

NEW

A
Single Hook
(Patent Pending)



B
Double Hook
(US Patent #D1,070,552 S)

View More Info

C
Hammer Holder
(US Patent #D714,542 S)

Construction Boots

Excellent in wet/muddy conditions

Rugged, heavy-duty vinyl boots made of the finest materials and for the toughest construction work. Excellent in wet, muddy conditions. Boot height: 16".

"Over-The-Sock" White Boot

Non-marking soles

No.	Size
GG907-WHITE*	7
GG908-WHITE*	8
GG909-WHITE*	9
GG910-WHITE*	10
GG911-WHITE*	11
GG912-WHITE*	12
GG913-WHITE*	13

Must order in quantities of 6

"Over-The-Sock" Black Boot

No.	Size
GG908*	8
GG909*	9
GG910*	10
GG911*	11
GG912*	12
GG913*	13

Must order in quantities of 6

"Over-The-Shoe" Yellow Boot

No.	Size
GG918	8
GG919	9
GG920	10
GG921	11
GG922	12
GG923	13
GG924	14
GG925	15

Must order in quantities of 6

"Over-The-Shoe" Black Boot

No.	Size
GG918-BLACK	8
GG919-BLACK	9
GG920-BLACK	10
GG921-BLACK	11
GG922-BLACK	12
GG923-BLACK	13
GG924-BLACK	14
GG925-BLACK	15

Must order in quantities of 6

RECOMMENDATION: Buy "Over-The-Shoe" boots 1-2 sizes larger than your regular shoe size.

Single Hook (Patent Pending), Double Hook (US Patent #D1,070,552 S), Hammer Holder (US Patent #D714,542 S)

*See page 193

More Floor Covering Tools On Pages 174-184

HI-CRAFT® FLOOR COVERING TOOLS

Notch Trowels

Hardened and tempered 11"x4-1/2" steel blade for wearability. Strong aluminum mounting with soft grip handle.

Order in Case Cut cartons of 6 each



SQ
1/4"x1/4"x1/4"
HC404PFCC*



SQ
1/4"x3/8"x1/4"
HC411PFCC*



SQ
1/2"x1/2"x1/2"
HC412PFCC*



V
3/16"x5/32"
HC408PFCC*



U
3/4"x9/16"x3/8"
HC420PFCC*

Grout Floats

Closed cell pad with gum rubber face. Rounded corners in front, square corners in back. Non-marring top with beveled edges. Textured plastic handle.

No.	Size
HC395P*	9-1/2"x4" Tile Grouter's Float

Order in Case Cut cartons of 6 each

Tile Spacers

Evenly spaces tile for uniform grout lines. Constructed out of tough, durable plastic. More quantities available. See page 176.

No.	Size	Quantity
ST324*	1/16" Spacer	Bag of 300
ST326*	1/8" Spacer	Bag of 200
ST328*	3/16" Spacer	Bag of 150
ST330*	1/4" Spacer	Bag of 100
ST332*	3/8" Spacer	Bag of 50



Images to Scale

Order in Case Cut cartons of 12 each

Economy Notch Trowel

Economy notch trowel with 9"x4" steel blade mounted to contoured plastic handle.

No.	Notch	Notch Size
HC167P*	SQ	1/4"x3/8"x1/4"
HC169P*	SQ	1/4"x1/4"x1/4"
HC170P*	V	3/16"x5/32"

Order in Case Cut cartons of 12 each

Adhesive Spreader

Economy stainless steel adhesive spreader with 9" cold rolled steel blade. Hang hole for easy display or storage.

No	Notch	Size
HC305*	SQ	1/4"x3/8"x1/4"
HC307*	SQ	1/4"x1/4"x1/4"

Tile Pliers / Nipper

Made of forged tool steel with 5/8" wide offset jaws. Carbide-tipped edges assure easy and accurate cutting of tile every time. Rubber coated handles for comfortable grip. Cuts wall tile, thin vitreous, and quarry tile. 8" length.

No. HC210*

Order in Case Cut cartons of 6 each

Grout Saw

Fitted with two blades. Use one blade for thin grout joints and two blades for thicker grout joints. Non-slip comfort handle with hang hole.

No.
HC174*

Order in Case Cut cartons of 6 each

Vinyl Knife

Hook axe knife with an extra-heavy, curved carbon steel sharp point for making even, accurate cuts in vinyl and linoleum. Comfortable, contoured soft grip handle.

No. HC300*

Order in Case Cut cartons of 5 each

Asphalt Trowel

Use the right angle edge like a shovel to apply filler material into cracks. Steel blade tamps down the material and edge helps smooth surfaces.

No. HC249PF*

Order in cartons of 6 each

More Asphalt Tools on pages 97-100

*See page 193

HI-CRAFT® Value Priced Trade Tools

More Concrete Tools On Pages 3-96

HI-CRAFT® CONCRETE TOOLS

Concrete Trowels

Carbon steel blade ground for smooth finishing. Strong aluminum mounting fitted with soft grip handle.

Square End Finishing Trowel

No.	Size
HC145PF*	11"x4-1/2"
HC146PF*	14"x4"
HC144PF*	16"x4"
HC142PF*	18"x4"

Round End Pool Trowel

No.	Size
HC437PF*	14"x4"
HC438PF*	16"x4"



Order in cartons of 6 each

Cali Mahogany Wood Float

Made of hard Asian Mahogany. Float is 3-1/2" wide and 1/2" thick. Fitted with a smooth wood handle.

No.	Size
HC160	12"x3-1/2"
HC161	14"x3-1/2"
HC162	16"x3-1/2"
HC164	18"x3-1/2"
HC165	20"x3-1/2"

Order in cartons of 6 each

Econo Mag Float

Float blade made of tough, durable extruded magnesium. Precise handle position creates perfect balance and superb floating action. Measures 16"x3-1/8".

No.	Handle
HC065	Wood
HC065PF	Soft Grip

Order in cartons of 6 each



Fresno Trowels with Swivel Bracket

Round end fresno eliminates marking or gouging slabs. 360° all-angle bracket lets you work at any angle. *Use with narrow clevis handles (sold separately, page 72) or adapters (page 35).*

No.	Size
HC188*	18"x5"
HC189*	24"x5"
HC190*	36"x5"
HC191*	48"x5"

Universal Groover

Popular among concrete finishers from coast to coast. Long-lasting steel groover is rivet-free for a smooth finish. The 6"x3" blade has turned-up ends to cut a clean 1/2"x1/2" groove.

No.	Handle
HC148*	Wood Handle
HC148PF*	Soft Grip Handle

Order in cartons of 6 each

Cast Aluminum Concrete Edger

Order in cartons of 6 each

Both ends turned-up

No.	Size	Radius	Lip
HC154	5-7/8"x2-5/8"	3/8"	1/2"

Cast Aluminum Concrete Groover

Order in cartons of 6 each



A) Front end turned-up and back end straight

No.	Size	Radius	Width	Depth
HC152	6"x2-3/4"	7/32"	3/8"	3/8"

B) Both ends turned-up

No.	Size	Radius	Width	Depth
HC153	5-3/4"x2-1/2"	13/64"	1/2"	1/2"

Concrete Edger

Order in cartons of 6 each

6"x3" carbon steel edger has 3/8" radius. Ends are turned-up so it will not gouge concrete. Fitted with either wood or soft grip handle.

No.	Handle
HC147*	Wood
HC147PF*	Soft Grip

*See page 193

More Masonry Tools On Pages 136-151

HI-CRAFT® MASONRY TOOLS

Narrow Pattern Brick Trowel

The narrow pattern brick trowel is great for work on brick, veneer, and other small jobs. The blade is made of taper ground tempered steel for hardness.

Wood	*Soft Grip*	
No.	**No.**	**Length**
HC139*	HC139PF*	10"
HC705*	HC705PF*	11"

Order in cartons of 6 each

Wide Pattern Brick Trowel

The wide pattern brick trowel carries more mortar and is great for small jobs using concrete blocks. The blade is made of taper ground tempered steel for hardness.

Wood	*Soft Grip*	
No.	**No.**	**Length**
HC149*	HC149PF*	10"

Order in cartons of 6 each

7" Gauging Trowel

Carbon steel blade is ground for flexibility. Perfect for mixing or transferring material. The blade is 7" long and 3-1/2" wide at heel. The perfect size for patching.

No.	**Handle**
HC443*	Wood
HC443PF*	Soft Grip

Order in cartons of 6 each

Buttering / Tile Setter's Trowel

Tempered steel and taper ground. Blade measures 7"x4-3/8".

No.	**Handle**
HC441*	Wood
HC441PF*	Soft Grip

Order in cartons of 6 each

Pointed Sword Trowels

High carbon steel blade. Works well in tight corners and spaces. Soft handle and strong mounting for comfort and strength.

No.	**Size**
HC121*	14-1/4"x4-11/16"
HC123*	17-3/4"x4-1/2"



Pointing and Margin Trowels

Blade is made of tempered steel, taper ground and fitted with wood or soft grip handle.

Wood Handle	
No.	**Blade Size**
HC150*	Pointing 5"
HC422*	Pointing 5-1/2"
HC423*	Pointing 7"
HC431*	Margin 5"x1-1/2"
HC151*	Margin 5"x2"
HC434*	Margin 6"x2"
HC433*	Margin 8"x2"

Soft Grip Handle	
No.	**Blade Size**
HC150PF*	Pointing 5"
HC422PF*	Pointing 5-1/2"
HC423PF*	Pointing 7"
HC431PF*	Margin 5"x1-1/2"
HC151PF*	Margin 5"x2"
HC434PF*	Margin 6"x2"
HC433PF*	Margin 8"x2"

Order in cartons of 6 each

Caulking Trowel

Order in cartons of 6 each

Trowels are made of carbon steel and ground for flexibility. Ideal for tuckpointing. Blade length 7".

Wood Handle	
No.	**Blade Width**
HC761*	3/16"
HC762*	1/4"
HC763*	3/8"
HC764*	1/2"
HC765*	5/8"
HC766*	3/4"
HC768*	1"

Soft Grip Handle	
No.	**Blade Width**
HC761PF*	3/16"
HC762PF*	1/4"
HC763PF*	3/8"
HC764PF*	1/2"
HC765PF*	5/8"
HC766PF*	3/4"
HC768PF*	1"



Cross Joint Trowel

5" blade of carbon steel for strength and flexibility. Tempered, ground, and polished for perfect balance. Rounded end blade is excellent for applying mortar in small areas. Great for mixing, scraping, patching, and repair.

No.	**Handle**
HC445*	Wood
HC445PF*	Soft Grip

Order in cartons of 6 each

*See page 193

HI-CRAFT® DRYWALL TOOLS

More Plaster and Drywall Tools On Pages 152-173

Hammer End Putty and Joint Knives

Joint knives designed for many applications, including drywall and putty. Carbon blades ground for flexibility. Nylon handle has brass-plated hammer end for nail setting.

No.	Flex
HC527*	1-1/2"
HC528*	2"
HC529*	4"
HC530*	5"
HC533*	6"

Order in cartons of 5 each

Drywall Hammer

Checkered face on 14 oz. polished head securely attached to a 16" wood handle for perfect balance.
No. HC535*



Order in cartons of 6 each

5 in 1 Combination Tool

5 tools in 1: scraper, seam opener, spreader, putty remover, and a cutout to remove paint from rollers. Brass-plated hammer end for nail setting. 2-1/2" wide blade.
No. HC524*

Order in cartons of 5 each

Diamond-Shaped Joint Knife

This pie-shaped knife works in corners and around doors and windows without changing the tool's position. 3-1/4" polished steel work surface. Brass-plated hammer end for nail setting.
No. HC522*

Order in cartons of 5 each

Clipped Angle Joint Knife

Angle gives the proper amount of pressure in hard-to-reach places and awkward corners and angles. 6" polished steel work surface. Brass-plated hammer end for nail setting.
No. HC523*

Order in cartons of 5 each

DIY Drywall Repair Kit

This 7-piece kit contains the basic tools needed for small to intermediate drywall repairs around the house. Mix your material in the hard plastic **Mud Pan**. An 8" flexible **Blue Steel Taping Knife** features a balanced, wide plastic handle for clean taping. Three sizes of **Plastic Joint Knives** (2", 4", and 6") offer versatility for small jobs or filling nail holes to patching walls. Use the 3-sided **Corner Tool** for finishing inside or outside corners. All of the knives feature hang holes for easy storage. Create a smooth finish on your project with the medium-grit **Sanding Sponge**.
No. HC100*

No.	Description	Carton Qty.
HC100*	DIY Drywall Repair Kit	6
DW210	Plastic Mud Pan	6
HC908*	8"x3" Blue Steel Taping Knife with Wide Plastic Handle	6
HC096*	3-Sided Plastic Corner Tool	36
HC097*	2" Plastic Joint Knife	48
HC098*	4" Plastic Joint Knife	36
HC099*	6" Plastic Joint Knife	24
HC216	Sanding Sponge (Package of 4)	6

HC096*	HC097*	HC098*	HC099*	HC216
Order in cartons of 36 each	Order in cartons of 48 each	Order in cartons of 36 each	Order in cartons of 24 each	Order in cartons of 6 each

*See page 193

Texture Gun and Hopper

The Hi-Craft® texture gun and hopper is lightweight and easy to use. Hopper is made from molded high-impact plastic. Sprays variety of drywall textures, including stucco and decking material. Aluminum gun comes complete with 2 air nozzles, adjustable orifice plate for texture adjustment, locking trigger system for less fatigue, and large 2 gallon hopper. Hopper has built-in angle for maximum fill and operates on 6.25 CFM free air at 25 PSI.

No. HC501

Drywall Taper

Taper is made of lightweight aluminum with separate mud and tape compartments. Holds up to 500' roll of tape. Easy to adjust mud metering blade. Comes with wood and nylon strap handles. Instructions included.

No.	Description
HC540*	Drywall Taper
HC540-01*	Replacement Blade
HC540-02*	Wood and Handle Strap Assembly

EIFS Float

Use for a textured finish on EIFS material and stucco. The white blade will not discolor materials. The completely smooth blade is made of durable break-resistant lightweight plastic. Rounded corners and edges allow for continuous application without gouging. Comfortable textured plastic handle and mounting are securely attached to top plate.

No.	Size
HC797*	12"x5"



Order in cartons of 6 each

Texture Float

Special formula green plastic foam. Does an excellent job on any sand surface, including plaster, drywall, and concrete. Comes with comfortable textured plastic handle.

Coarse Texture

No.	Size
HC132	10"x4"x3/4"
HC134	12"x4"x3/4"
HC136	12"x5"x1"
HC138	12"x5"x3/4"

Fine Texture

No.	Size
HC132F	10"x4"x3/4"
HC134F	12"x4"x3/4"
HC136F	12"x5"x1"
HC138F	12"x5"x3/4"

Order in cartons of 50 each

Hand Sander

Hard plastic fitted with a soft, comfortable textured handle for improved grip. Padded sanding face provides a more uniform surface for sanding. Use with pre-cut drywall sandpaper *(sold separately)* or half of an 8"x11" sheet.

No. HC341P*

Order in cartons of 6 each

Diecut Sandpaper

Ideal for sanding down drywall joint mud or drywall board. Sheet size: 11"x4-3/16".

No.	Grit	Sheets
DC080	80	100
DC100	100	100
DC083	120	100
DC084	150	100
DC082	80	10
DC102	100	10
DC103	120	10
DC104	150	10

Metal Pole Sander

Lightweight aluminum sander has a padded face to create a uniform surface. Bracket moves 180° for ease of movement on walls and ceilings. Includes 48" vinyl-coated metal handle, or use any threaded broom handle (page 104). Fits pre-cut sandpaper *(sold separately)* or a half of an 8"x11" sheet.

No.	Size
HC517ASM*	Pole Sander with 48" Handle
HC517-01*	Pole Sander (Head Only)
HC517-02M	48" Replacement Handle

Order in cartons of 6 each

Open Weave

Diecut Fabricut Sandpaper

This open weave silicon carbide sanding cloth practically cleans itself. It lasts longer, cuts joint mud faster than regular sandpaper, and is designed not to clog easily. Sheet size: 11"x4-1/4".

No.	Grit	Sheets
DC120	120	25
DC220	220	25
DC122	120	10
DC222	220	10

*See page 193

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

Professional Digital Box Level

- Digital display stores measurements and helps you find exact angles, percentages, and pitches
- Splash and dust resistant
- Unique top-reading plumb vial for easy reading accuracy
- 10 minute auto shut-off. Requires one 9 Volt battery (*not included)*

No.	Size	Description
SLDIG24*	24" (610mm)	1 Hand Hole
SLDIG48*	48" (1219mm)	2 Hand Holes
SLDIG24C*	24" (610mm)	Level with Case
SLDIG48C*	48" (1219mm)	Level with Case

Top-reading level vial and plumb vial
Accurate to .0005" per inch

Shock absorbent end caps

Hand hole(s) and one hang hole

Digital display
Accurate to 0.1° at level and plumb

Magnetic

Side and Top-Reading Plumb Vial

Professional LED Level

- Top-reading level vial
- Accurate to .0005" per inch
- Magnified top vial
- Shock absorbent end caps
- LEDs light up acrylic vials for high visibility
- Anodized precision milled aircraft aluminum
- Requires 2 AA batteries *(not included)*
- Does **NOT** fit Sands Level Cases

No.	Size
SLLED24*	24" (610mm)
SLLED48*	48" (1219mm)

Top-reading level vial and two plumb vials
Accurate to .0005" per inch

Shock absorbent end caps
Two hang holes



Magnified top vial

LEDs light up vials



Rare earth magnets

LEDs light up vials for high visibility

Professional Level Cases

Easy Hang Hook

Available in 5 sizes 24" to 96"

- Will protect and prolong the life of the level
- Easy open/close end with peg hook for hanging
- Durable high-impact plastic case
- Opening measures 1-1/4"x2-1/2"
- Available in 5 sizes
- Fits most levels

No.	Length
SLPLC24	24" (610mm)
SLPLC36	36" (914mm)
SLPLC48	48" (1219mm)
SLPLC72	72" (1829mm)
SLPLC96**	96" (2438mm)

**Must ship via truck

*See page 193

SANDS® SINCE 1895 THE FIRST NAME IN LEVELS MADE IN USA A Kraft Tool Co.® Brand

PROFESSIONAL LEVELS

Sands Level Online

Professional Cast Aluminum Levels

Durable cast aluminum
Will not warp
Will not rust

No.	Length	Vials
SL1818	18" (457mm)	6
SL2424	24" (610mm)	6
SL2828	28" (711mm)	6
SL3030	30" (762mm)	6
SL4848	48" (1219mm)	6



Precision milled frame for accurate work surface

Solid Set Cat's Eye Yellow double bent vials for accuracy with protective lenses

Cast Aluminum Level Repair Kit
Includes: (6) Lenses, (6) Paper Rings, (1) 8 oz. Painter's Putty, and (1) Aluminum Putty Tool
No. SL010

Guaranteed accurate to .0004" per inch

Professional Plumber's Cast Aluminum Level

Durable cast aluminum
Will not warp
Will not rust

No.	Length	Vials
SL2424P	24" (610mm)	4





Precision milled frame for accurate work surface



Four Solid Set vials: top-reading vial, 45° vial, and twin plumb vials



Solid Set Cat's Eye Yellow double bent vials for accuracy with protective glass lenses

Guaranteed accurate to .0004" per inch

Professional Top-Reading Magnetic Aluminum Extruded Levels



No.	Length	Vials
SLPML24	24" (610mm)	3
SLPML48	48" (1219mm)	3
SLPML72	72" (1829mm)	5

Heavy-duty extruded aluminum I-beam frame with strong magnetic strip

Special replaceable Solid Set acrylic Roto Vial® feature for accurate leveling in all directions



Shock absorbent end caps, Cat's Eye Yellow vials, top-reading window for the level vial, and two plumb vials

SANDS PROFESSIONAL MAHOGANY LEVELS

Wood Level Repair Kit
Includes: (6) Lenses, (1) 8 oz. Painter's Putty, (1) Aluminum Putty Tool, and (1) 2 oz. Raw Linseed Oil
No. SL011

Professional Top-Reading Mahogany I-Beam Levels

Heavy-duty aluminum I-beam frame for extra strength

- Made from the finest selection of mahogany wood

No.	Length	Vials
SLTMI-48	48" (1219mm)	5



Shock absorbent rubber end caps

Five Solid Set Cat's Eye Yellow double bent vials with protective glass lenses



Adjustable top vial for accuracy

Guaranteed accurate to .0004" per inch

Professional Mahogany Flat Brass Levels

Solid flat brass trim with screws makes it more durable

- Made from the finest selection of mahogany wood

No.	Length	Vials
SL22BY24	24" (610mm)	6
SL22BY48	48" (1219mm)	6

Six Solid Set Cat's Eye Yellow double bent vials for accuracy

Two large hand holes and one hang hole

Shock absorbent rubber end caps and protective glass lenses

Guaranteed accurate to .0004" per inch

Professional Walnut/Maple Laminated Levels

Premium grade walnut/maple with flat stainless steel binding and wrap around end caps

No.	Length	Vials
SLWML24	24" (610mm)	6
SLWML48	48" (1219mm)	6



Six Solid Set Cat's Eye Yellow double bent vials for accuracy

Two large hand holes and one hang hole



Double strength glass lenses

Guaranteed accurate to .0004" per inch

Contractor Mahogany Carpenter Levels

- Made from the finest selection of mahogany wood and double sealed with a smooth lacquer finish

Top-reading vial

With end caps

No.	Length	Vials
SL2024	24" (610mm)	(1) Level Vial, (1) Plumb Vial, and (1) 45° Vial with Hand Holes
SL2048	48" (1219mm)	(1) Level Vial, (1) Plumb Vial, and (1) 45° Vial with Hand Holes



Solid Set Cat's Eye Yellow bent vials for accuracy with heavy protective glass lenses

SL2024 and SL2048 include top-reading vial and shock absorbent rubber end caps

No.	Length	Vials
SL11824A	24" (610mm)	(2) Level Vials, (1) Plumb Vial, and (1) 45° Vial

Professional Mahogany I-Beam Levels

Heavy-duty aluminum I-beam frame for extra strength

- Made from the finest selection of mahogany wood

No.	Length	Vials	
SLMA24	24" (610mm)	6	with Hand Grooves
SLMA36	36" (914mm)	6	
SLMA48	48" (1219mm)	6	
SLMA72	72" (1829mm)	8	

Solid Set Cat's Eye Yellow double bent vials for accuracy with protective glass lenses

Two large hand holes and one hang hole

Shock absorbent rubber end caps

Guaranteed accurate to .0004" per inch

Professional Brass Bound Mahogany Levels

Angle bound brass binding embedded in wood for extra strength

- Made from the finest selection of mahogany wood

No.	Length	Vials
SL12AB24	24" (610mm)	6
SL12AB36	36" (914mm)	6
SL12AB48	48" (1219mm)	6

Six Solid Set Cat's Eye Yellow double bent vials for accuracy with protective glass lenses

Two large hand holes and one hang hole



Shock absorbent rubber end caps

Guaranteed accurate to .0004" per inch

Professional Stainless Steel Bound Mahogany Levels

Angle bound NO RUST stainless steel binding on all edges

- Made from the finest selection of mahogany wood

No.	Length	Vials
SL44SB48	48" (1219mm)	6

Six Solid Set Cat's Eye Yellow double bent vials for accuracy with protective glass lenses

Two large hand holes and one hang hole



Shock absorbent rubber end caps

Professional Asphalt Mahogany I-Beam Level



Two top-reading vials

- Designed to be used in asphalt construction - NO plastic parts
- Made from the finest selection of mahogany wood

No.	Length	Vials
SLAL48	48" (1219mm)	2

Heavy-duty aluminum I-beam frame for extra strength

Two top-reading Solid Set Cat's Eye Yellow double bent vials for accuracy

Two large hand holes and one hang hole for hanging



Protective glass lenses

SANDS CONTRACTOR LEVELS

Sands Level & Tool Since 1895

Professional Aluminum Extruded Levels

No.	Length	Vials
SLHD24	24" (610mm)	6
SLHD36	36" (914mm)	6
SLHD48	48" (1219mm)	6
SLHD72	72" (1829mm)	10 (NO END CAPS)
SLHD96**	96" (2438mm)	10 (NO END CAPS)

**Must ship via truck

Heavy-duty extruded aluminum I-beam frame


Strong, lightweight frame with shock absorbent end caps


Cat's Eye Yellow double bent vials for accuracy with replaceable protective plastic lenses and vials


Precision milled frame for work surface accurate to .004" per inch

Professional Aluminum Box Levels

- Ribbed extruded, anodized aircraft aluminum frame
- Precision milled for accuracy
- Lightweight frame will not warp or twist
- Magnified center vial

No.	Length	Vials
SLBZ24*	24" (610mm)	3
SLBZ48*	48" (1219mm)	3
SLBZ72*	72" (1829mm)	3

Waterproof for easy clean-up of wet trades like tile and plaster

Top-reading window for level vial, one horizontal and two plumb vials


Strong bright yellow acrylic vials are accurate and consistent


Magnified top vial

Guaranteed accurate to .0005" per inch

Professional Aluminum Box Levels with Hand Holes

- Ribbed extruded, anodized aircraft aluminum frame
- Precision milled for accuracy
- Lightweight frame will not warp or twist
- Two hand holes with grips
- Does **NOT** fit Sands Level Cases

No.	Length	Vials
SLBZ24HH*	24" (610mm)	3
SLBZ48HH*	48" (1219mm)	3
SLBZ72HH*	72" (1829mm)	3

Waterproof for easy clean-up of wet trades like tile and plaster

Top-reading window for level vial, one horizontal and two plumb vials


Magnified top vial

Shock absorbent end caps


Strong bright yellow acrylic vials are accurate and consistent

*See page 193

SANDS CONTRACTOR LEVELS

Contractor Extruded Aluminum Levels

• Easy-to-read English and Metric markings on top of level

No.	Length	Vials
SLSC3612	12" (305mm)	6 (no rule or end caps)
SLSC3624	24" (610mm)	6
SLSC3636	36" (914mm)	6
SLSC3648	48" (1219mm)	6
SLSC4872	72" (1829mm)	8 (no rule)



Strong, lightweight aluminum I-beam frame

Cat's Eye Yellow double bent vials for accuracy with replaceable protective plastic lenses & vial

Two large hand holes and one hang hole

Shock absorbent end caps

Guaranteed accurate to .0004" per inch

Contractor Magnetic Extruded Aluminum Levels

• Easy-to-read English and Metric markings on top of level

No.	Length	Vials
SLQML24	24" (610mm)	3
SLQML48	48" (1219mm)	3
SLQML72	72" (1829mm)	4 (no rule)

Same features as Contractor Extruded Aluminum Levels (above), with the addition of:



Solid set replaceable Roto Vial® protective plastic lenses and vials

Full length strong magnetic strip

Guaranteed accurate to .0004" per inch

Utility Aluminum Extruded Levels

• Engineered to meet the demands of the home handyperson

No.	Length	Vials
SLPL218	18" (457mm)	2
SLPL318	18" (457mm)	3
SLPL224	24" (610mm)	2
SLPL324	24" (610mm)	3
SLPL336	36" (914mm)	3
SLPL348	48" (1219mm)	3



Lightweight extruded aluminum I-beam frame

Large hand holes and one hang hole

"V" groove on bottom of frame for use on round pipe, conduit, or flat surfaces

Solid set replaceable Roto Vial® protective plastic lenses and vials

TORPEDO & SPECIALTY LEVELS

All Torpedo Levels come with
- **One Level Vial**
- **One Plumb Vial**
- **One 45 Degree Vial**

Professional 9" Aluminum Torpedo Level
3 Vial
Small size and aluminum frame makes a popular choice in welding.

No.	Size
SLSC50	9" (229mm)

Professional 9" Magnetic Aluminum Torpedo Level
3 Vial
Small size magnetic level with aluminum frame makes a popular choice in welding.

No.	Size
SLSC50M	9" (229mm)

Contractor 9" Magnetic Plastic Torpedo Level
3 Vial
Rubber end caps stand up to the rigors of a jobsite.

No.	Size
SLPT12M*	9" (229mm)

Utility (DIY) 9" Magnetic Plastic Torpedo Level
3 Vial
Lightweight plastic and slim design is great for projects around the house.

No.	Size
SLPT9M*	9" (229mm)

Professional Specialty Levels

A) Aluminum Line and Surface Level

No.	Length	Vials
SLSC55	3" (76mm)	1

B) Plastic Line Level

No.	Length	Vials
SLPLL3	3" (76mm)	1

C) Cross Check Level

No.	Size	Vials
SL480*	2"x1-1/2"	2

D) Bull's Eye Level

No.	Size	Vials
SL400*	1-5/8" Diam.	1

Patent Pending

8" Billet Level
- 4 vials – 0°, 45°, 90°, and Variable Pitch
- Variable Pitch in 1/8" graduations up to 1/2"
- Laser etched Markings on bright yellow vials
- V-groove for use on pipes and rounded surfaces
- Strong aluminum alloy
- Powerful magnets

No. SL82B*

Pipe Level Set
Includes 5 Sizes
Easily measures slopes of pipes. Clip-on pipe level set includes five sizes to fit 1/2" to 2" thick steel, copper, plastic, and PVC pipes. Each clip features two vials for vertical and horizontal reading.

No. SL409*

*See page 193

Professional Brass Plumb Bob

- Removable cap for easy string installation
- Bright machined finish brass will not rust
- Ideal for finding vertical points
- Protective tool packaging

No.	Description
SL43*	8 oz.
SL42*	12 oz.
SL41*	16 oz.
SL40*	24 oz.
SL38*	32 oz.
SL40-01*	Replacement Steel Tip

Professional Steel Plumb Bob

- Bright plated finish
- Machined hexagonal steel
- Removable cap for easy string installation
- Ideal for finding vertical points

No.	Description
SL52C*	8 oz. Carded
SL51*	12 oz. Carded

Rapid Square®

- Flat finish to prevent glare
- Durable, lightweight aluminum
- Easy-to-read dark, permanent graduations
- 7/8" lip rests on boards
- 5 tools in 1 (try square, miter square, protractor, inscriber, and saw guide)

No.	Description
SLRS45	7" Rapid Square® with Manual
SLRS45B	7" Rapid Square® without Manual (Pack of 12)

With Manual

Professional Combination Squares

- Level vial in the head of the square
- Steel scribe and solid brass knurled thumb screw for adjustment
- Easy-to-read permanently etched graduations
- Available with plastic or zinc head
- Ideal for level, plumb, and miter work

No.	Description
SLCS0	12" Plastic Head (304.8mm)
SLCS1	12" Zinc Head (304.8mm)

Professional Try and Mitre

- Hardened stainless steel blade
- Markings in inches and metric



No.	Description
SL430*	45° - 90°

Contractor Carpenter Pencils

Flat style will not roll. Easy to sharpen.

No.	Description
SL450	Carded (2 Per)
SL450B	Bulk Pack 72 (Not Carded)

Contractor Clear Redwood Floats

Quality redwood float with 5/8" thick blade. A popular choice for working color hardeners into decorative surfaces.

No.	Size
SL529	12"x5" (304.8mm x 127mm)
SL528	15"x3-1/2" (381mm x 88.9mm)

SL529

SL528
Beveled Front

*See page 193

Professional Meter Stick *- 39.37" Length*

39.37" = 1 Meter
- Bright anodized extruded aluminum
- Easy-to-read black graduations
- Convenient metric conversion tables printed on back
- Hang hole for storage

No.	Description	Carton Qty
SLM39	Meter Stick = 39.37"	10

Professional Yard Stick

- Bright anodized extruded aluminum
- Easy-to-read black graduations
- Rules are reverse reading
- 2-sided for use from any angle
- Hang hole for storage

No.	Description	Carton Qty
SLAYS362	Yard Stick 36"x1-1/8" (914.4mm x 28.575mm)	10

Professional Straightedges

4 Sizes 24" - 72"
- Bright anodized extruded aluminum
- Easy-to-read black graduations
- Reverse reading
- Sturdy 3/16" (4.76mm) thick blade
- Solid 2" (50.8mm) wide surface
- Hang hole for storage

No.	Description	Carton Qty
SLASE24T	24" (609.6mm)	5
SLASE36T	36" (914.4mm)	5
SLASE48T	48" (1219.2mm)	3
SLASE72T	72" (1828.8mm)	3

Soffit Square

Polished steel used in metal stud framing to square soffit track and studs. Special 2" wide notch in square fits over stud track to allow correct alignment with no track / lip interference. Easy-to-read 1/8" and 1/4" graduations.

No.	Description
DW242	12"x8"

Professional Drywall Square with Lip

- Bright, clear anodized aluminum
- Easy-to-read black numbers and 1/16" graduations
- Perfect for jobs where a smaller tool is needed
- Lip catches board for easy placement and cutting of drywall board or sheet material

No.	Description
SL694	16"x24" with Lip (406.4mm x 609.6mm)



SANDS T-SQUARES



Professional Drywall T-Squares

- Available in 48" and 54" lengths, 1/8" and 3/16" thickness
- 16" arm for locating studs
- Bright clear anodized extruded aluminum or easy-to-spot yellow painted aluminum
- Four rivet construction designed for strength
- Easy-to-read black graduations

1/8" Thick Blade (3.175mm)

- 1/8" graduations

No.	Length	Carton Qty
SL672	48" (1219.2mm)	2
SL676	48" (1219.2mm)	6

Heavy-Duty 3/16" Thick Blade (4.76mm)

- 1/16" graduations

Bright Anodized Aluminum

No.	Length	Carton Qty
SL682	48" (1219.2mm)	2
SL686	48" (1219.2mm)	6
SL692	54" (1371.6mm)	2

Bright Yellow Painted Aluminum

No.	Length	Carton Qty
DW225	48" (1219.2mm)	2
DW226	54" (1371.6mm)	2



T-Square collapsed

Detail of adjustable angle blade

Professional Adjustable T-Square

- Adjusts to set 30°, 45°, 60°, 75°, and 90° angles
- 16" stud markings
- Lip on arm catches material for easy cutting and scoring
- Bright anodized extruded aluminum, 1/4" thick
- Plastic knob adjusts angle and length
- Collapse for easy transportation

No.	Length	Carton Qty
SL680*	48"	4

Professional Aluminum T-Squares



- Ideal for drafting and industrial design
- Bright anodized extruded aluminum, 3/16" thick
- Easy-to-read 1/16" and 1/8" black graduations
- Accurate 90° angle

No.	Description
SLATS24	24"x2" (609.6mm x 50.8mm)
SLATS36	36"x2" (914.4mm x 50.8mm)
SLATS48	48"x2" (1219.2mm x 50.8mm)

*See page 193

CARPENTER SQUARES



Contractor Angle Stair Gauge

- Attach to metal carpenter square for accurate repeat angle cuts on rafters, stairs, etc.
- Solid brass

No.	Description
SL460	2 Per Card

Square Holder

Square holder for displays. Holds up to 15 Squares!
No. KTCSQHOLDER*

Printed Numbers

Long-lasting and easy-to-read printed numbers

Features: ***A, B, C, D, E / Printed*** ***Multiple Features***
Graduations: 1/16", 1/10", 1/12", 1/8"

No.	Size	Description
SL100RB	16"x24"	Rafter Square - Steel - Black
SL100RP	16"x24"	Rafter Square - Steel - Polished
SLA100R	16"x24"	Rafter Square - Aluminum

Features: ***H, K, L, O / Printed*** ***Multiple Features***
Graduations: 1/8", 1/4"

No.	Size	Description
SL8P	8"x12"	Square - Steel - Polished

Features: ***F / Printed***
Graduations: 1/8", 1/4"

E/M = Engish/Metric

No.	Size	Description
SLSC1P	16"x24"	Standard Square - Steel - Polished
SLSC1A	16"x24"	Standard Square - Aluminum

Features: ***Printed***
Graduations: 1/8", millimeters

No.	Size	Description
SL400P	16"x24"	English / Metric - Steel - Polished
SL800P	8"x12"	English / Metric - Steel - Polished

Features: ***G, H, J, K, L, M, N, O / Printed*** ***Multiple Features***
Graduations: 1/8"

No.	Size	Description
SLSC4P	16"x24"	Printed Square - Steel - Polished

SLA100R
Aluminum

SL200P
Polished

SL100RB
Black

KEY TO FEATURES

Features listed next to Squares

- A. Rafter Framing Rule
- B. Octagon Scale
- C. Brace Measure
- D. 1/100 Scale
- E. Essex Board Measure
- F. Reverse Reading Rule
- G. Metric Equivalents
- H. Wood Screw Drill Size
- J. Protractor
- K. Useful Information
- L. Nail Information
- M. Decimal Equivalents
- N. Screw Thread Gauge
- O. Board Foot Table

*See page 193

W. Rose™

• Since 1798 •

THE WORLD'S FINEST BRICKLAYER'S TOOLS

SINGLE-PIECE FORGED FOR STRENGTH

FORGED STEEL

The blade and shank are forged from a single-piece of uniquely formulated carbon steel for extra toughness. Forging also assures product consistency.

HEAT TEMPERED

Blades are heat tempered with a special, time-tested process to ensure uniform blade hardness.

FLEXIBILITY

W. Rose™ features a tapered ground blade for flexibility. Blades are made in standard or limber weights.

STRENGTH

The forged steel blade and shank offer strength and integrity, with no internal voids created by welding pieces together. Forged steel will not weaken or crack.

HAND-POLISHED

Each blade is carefully polished to keep mortar centered on the blade and resist sliding.

SHANK ANGLE

The standard shank angle is specifically balanced to reduce wrist fatigue.

INSPECTION

Every trowel is inspected to maintain the high-quality standards of the W. Rose™ legacy. They also undergo testing for blade hardness and consistent size.

HANDLE STYLES

Five handle styles are available on most W. Rose™ trowels: ProForm® soft grip, leather, wood, plastic, and moisture-wicking cork. All handles are specially contoured for a comfortable grip.

ROSE TOOLS ENDURE

For over 200 years, W. Rose™ has been the premier brand for the highest-quality masonry tools. William Rose established the company in 1798 near Philadelphia in Blockley Township, Pennsylvania. This blacksmith shop spent much of the early 1800s making tools, cavalry sabers, and officer swords for the U.S. Army. In 1864 W. Rose™ began specializing in quality-edged tools, knives, and their signature brick trowel.

In 2001, Kraft Tool Co.® acquired W. Rose™ and remains dedicated to maintaining the legendary quality of its masonry products.

As they have for over 225 years, Rose Tools Endure

W. Rose Online

NARROW LONDON PATTERN

The diamond-heeled blade carries mortar away from the handle for spreading. The narrow size is ideal for brick, block, and general masonry projects. Single-piece forged steel. Tapered ground for balance and flexibility. Available in 5 handle styles.

SCAN QR CODE FOR W. ROSE™ NARROW LONDON BRICK TROWEL OPTIONS AVAILABLE WITH A LOW LIFT SHANK

Standard Shank - Narrow London
SOLD IN CARTONS OF 6

Cork Handle

No.	*Blade*	*Heel Width*
RO116-9K	9"	4-3/16"
RO116-9 1/2K	9-1/2"	4-1/4"
RO116-10K	10"	4-1/2"
RO116-10 1/2K	10-1/2"	4-5/8"
RO116-11K	11"	4-3/4"
RO116-11 1/2K	11-1/2"	4-7/8"
RO116-12K	12"	5"
RO116-12 1/2K	12-1/2"	5-1/4"
RO116-13K	13"	5-3/8"

ProForm® Soft Grip Handle

No.	*Blade*	*Heel Width*
RO116-9SH	9"	4-3/16"
RO116-9 1/2SH	9-1/2"	4-1/4"
RO116-10SH	10"	4-1/2"
RO116-10 1/2SH	10-1/2"	4-5/8"
RO116-11SH	11"	4-3/4"
RO116-11 1/2SH	11-1/2"	4-7/8"
RO116-12SH	12"	5"
RO116-12 1/2SH	12-1/2"	5-1/4"
RO116-13SH	13"	5-3/8"

6" Wood Handle

No.	*Blade*	*Heel Width*
RO116-9	9"	4-3/16"
RO116-9 1/2	9-1/2"	4-1/4"
RO116-10	10"	4-1/2"
RO116-10 1/2	10-1/2"	4-5/8"
RO116-11	11"	4-3/4"
RO116-11 1/2	11-1/2"	4-7/8"
RO116-12	12"	5"
RO116-12 1/2	12-1/2"	5-1/4"
RO116-13	13"	5-3/8"

Leather Handle

No.	*Blade*	*Heel Width*
RO316-9	9"	4-3/16"
RO316-9 1/2	9-1/2"	4-1/4"
RO316-10	10"	4-1/2"
RO316-10 1/2	10-1/2"	4-5/8"
RO316-11	11"	4-3/4"
RO316-11 1/2	11-1/2"	4-7/8"
RO316-12	12"	5"
RO316-12 1/2	12-1/2"	5-1/4"
RO316-13	13"	5-3/8"

Plastic Handle

No.	*Blade*	*Heel Width*
RO1416-9	9"	4-3/16"
RO1416-9 1/2	9-1/2"	4-1/4"
RO1416-10	10"	4-1/2"
RO1416-10 1/2	10-1/2"	4-5/8"
RO1416-11	11"	4-3/4"
RO1416-11 1/2	11-1/2"	4-7/8"
RO1416-12	12"	5"
RO1416-12 1/2	12-1/2"	5-1/4"
RO1416-13	13"	5-3/8"

Standard Shank - Narrow London
SOLD IN CARTONS OF 2

Cork Handle

No.	*Blade*	*Heel Width*
RO116-9K-PK2	9"	4-3/16"
RO116-9 1/2K-PK2	9-1/2"	4-1/4"
RO116-10K-PK2	10"	4-1/2"
RO116-10 1/2K-PK2	10-1/2"	4-5/8"
RO116-11K-PK2	11"	4-3/4"
RO116-11 1/2K-PK2	11-1/2"	4-7/8"
RO116-12K-PK2	12"	5"
RO116-12 1/2K-PK2	12-1/2"	5-1/4"
RO116-13K-PK2	13"	5-3/8"

ProForm® Soft Grip Handle

No.	*Blade*	*Heel Width*
RO116-9SH-PK2	9"	4-3/16"
RO116-9 1/2SH-PK2	9-1/2"	4-1/4"
RO116-10SH-PK2	10"	4-1/2"
RO116-10 1/2SH-PK2	10-1/2"	4-5/8"
RO116-11SH-PK2	11"	4-3/4"
RO116-11 1/2SH-PK2	11-1/2"	4-7/8"
RO116-12SH-PK2	12"	5"
RO116-12 1/2SH-PK2	12-1/2"	5-1/4"
RO116-13SH-PK2	13"	5-3/8"

6" Wood Handle

No.	*Blade*	*Heel Width*
RO116-9-PK2	9"	4-3/16"
RO116-9 1/2-PK2	9-1/2"	4-1/4"
RO116-10-PK2	10"	4-1/2"
RO116-10 1/2-PK2	10-1/2"	4-5/8"
RO116-11-PK2	11"	4-3/4"
RO116-11 1/2-PK2	11-1/2"	4-7/8"
RO116-12-PK2	12"	5"
RO116-12 1/2-PK2	12-1/2"	5-1/4"
RO116-13-PK2	13"	5-3/8"

Leather Handle

No.	*Blade*	*Heel Width*
RO316-9-PK2	9"	4-3/16"
RO316-9 1/2-PK2	9-1/2"	4-1/4"
RO316-10-PK2	10"	4-1/2"
RO316-10 1/2-PK2	10-1/2"	4-5/8"
RO316-11-PK2	11"	4-3/4"
RO316-11 1/2-PK2	11-1/2"	4-7/8"
RO316-12-PK2	12"	5"
RO316-12 1/2-PK2	12-1/2"	5-1/4"
RO316-13-PK2	13"	5-3/8"

Plastic Handle

No.	*Blade*	*Heel Width*
RO1416-9-PK2	9"	4-3/16"
RO1416-9 1/2-PK2	9-1/2"	4-1/4"
RO1416-10-PK2	10"	4-1/2"
RO1416-10 1/2-PK2	10-1/2"	4-5/8"
RO1416-11-PK2	11"	4-3/4"
RO1416-11 1/2-PK2	11-1/2"	4-7/8"
RO1416-12-PK2	12"	5"
RO1416-12 1/2-PK2	12-1/2"	5-1/4"
RO1416-13-PK2	13"	5-3/8"

WIDE LONDON PATTERN

The wide, diamond-shaped blade carries the mortar towards its tip. The Wide London pattern holds more mortar, making it a popular pattern for concrete block and stonework. Single-piece forged steel for strength. Available in 5 handle styles.

SCAN QR CODE FOR W. ROSE™ WIDE LONDON BRICK TROWEL OPTIONS AVAILABLE WITH A LOW LIFT SHANK

Standard Shank - Wide London
SOLD IN CARTONS OF 6

Cork Handle

No.	*Blade*	*Heel Width*
RO112-9K	9"	5-1/4"
RO112-9 1/2K	9-1/2"	5-3/8"
RO112-10K	10"	5-1/2"
RO112-10 1/2K	10-1/2"	5-1/2"
RO112-11K	11"	5-5/8"
RO112-11 1/2K	11-1/2"	5-3/4"
RO112-12K	12"	5-13/16"

ProForm® Soft Grip Handle

No.	*Blade*	*Heel Width*
RO112-9SH	9"	5-1/4"
RO112-9 1/2SH	9-1/2"	5-3/8"
RO112-10SH	10"	5-1/2"
RO112-10 1/2SH	10-1/2"	5-1/2"
RO112-11SH	11"	5-5/8"
RO112-11 1/2SH	11-1/2"	5-3/4"
RO112-12SH	12"	5-13/16"

6" Wood Handle

No.	*Blade*	*Heel Width*
RO112-9	9"	5-1/4"
RO112-9 1/2	9-1/2"	5-3/8"
RO112-10	10"	5-1/2"
RO112-10 1/2	10-1/2"	5-1/2"
RO112-11	11"	5-5/8"
RO112-11 1/2	11-1/2"	5-3/4"
RO112-12	12"	5-13/16"

Leather Handle

No.	*Blade*	*Heel Width*
RO312-9	9"	5-1/4"
RO312-9 1/2	9-1/2"	5-3/8"
RO312-10	10"	5-1/2"
RO312-10 1/2	10-1/2"	5-1/2"
RO312-11	11"	5-5/8"
RO312-11 1/2	11-1/2"	5-3/4"
RO312-12	12"	5-13/16"

Plastic Handle

No.	*Blade*	*Heel Width*
RO1412-9	9"	5-1/4"
RO1412-9 1/2	9-1/2"	5-3/8"
RO1412-10	10"	5-1/2"
RO1412-10 1/2	10-1/2"	5-1/2"
RO1412-11	11"	5-5/8"
RO1412-11 1/2	11-1/2"	5-3/4"
RO1412-12	12"	5-13/16"

Standard Shank - Wide London
SOLD IN CARTONS OF 2

Cork Handle

No.	*Blade*	*Heel Width*
RO112-9K-PK2	9"	5-1/4"
RO112-9 1/2K-PK2	9-1/2"	5-3/8"
RO112-10K-PK2	10"	5-1/2"
RO112-10 1/2K-PK2	10-1/2"	5-1/2"
RO112-11K-PK2	11"	5-5/8"
RO112-11 1/2K-PK2	11-1/2"	5-3/4"
RO112-12K-PK2	12"	5-13/16"

ProForm® Soft Grip Handle

No.	*Blade*	*Heel Width*
RO112-9SH-PK2	9"	5-1/4"
RO112-9 1/2SH-PK2	9-1/2"	5-3/8"
RO112-10SH-PK2	10"	5-1/2"
RO112-10 1/2SH-PK2	10-1/2"	5-1/2"
RO112-11SH-PK2	11"	5-5/8"
RO112-11 1/2SH-PK2	11-1/2"	5-3/4"
RO112-12SH-PK2	12"	5-13/16"

6" Wood Handle

No.	*Blade*	*Heel Width*
RO112-9-PK2	9"	5-1/4"
RO112-9 1/2-PK2	9-1/2"	5-3/8"
RO112-10-PK2	10"	5-1/2"
RO112-10 1/2-PK2	10-1/2"	5-1/2"
RO112-11-PK2	11"	5-5/8"
RO112-11 1/2-PK2	11-1/2"	5-3/4"
RO112-12-PK2	12"	5-13/16"

Leather Handle

No.	*Blade*	*Heel Width*
RO312-9-PK2	9"	5-1/4"
RO312-9 1/2-PK2	9-1/2"	5-3/8"
RO312-10-PK2	10"	5-1/2"
RO312-10 1/2-PK2	10-1/2"	5-1/2"
RO312-11-PK2	11"	5-5/8"
RO312-11 1/2-PK2	11-1/2"	5-3/4"
RO312-12-PK2	12"	5-13/16"

Plastic Handle

No.	*Blade*	*Heel Width*
RO1412-9-PK2	9"	5-1/4"
RO1412-9 1/2-PK2	9-1/2"	5-3/8"
RO1412-10-PK2	10"	5-1/2"
RO1412-10 1/2-PK2	10-1/2"	5-1/2"
RO1412-11-PK2	11"	5-5/8"
RO1412-11 1/2-PK2	11-1/2"	5-3/4"
RO1412-12-PK2	12"	5-13/16"

W. Rose™ ProForm® Trowel Handle (US Patent #D508,638), W. Rose™ Cork Trowel Handle (US Patent #D874,242)

PHILADELPHIA PATTERN

The square heel on this professional trowel holds the most mortar and is the most popular trowel for laying block. Single-piece forged steel for strength. Tapered ground for balance and feel. Available in 5 handle styles.

Standard Shank - Philadelphia
SOLD IN CARTONS OF 6

Cork Handle

No.	*Blade*	*Heel Width*
RO110-9K	9"	5-1/8"
RO110-9 1/2K	9-1/2"	5-3/16"
RO110-10K	10"	5-1/4"
RO110-10 1/2K	10-1/2"	5-3/8"
RO110-11K	11"	5-7/16"
RO110-11 1/2K	11-1/2"	5-1/2"
RO110-12K	12"	5-9/16"

ProForm® Soft Grip Handle

No.	*Blade*	*Heel Width*
RO110-9SH	9"	5-1/8"
RO110-9 1/2SH	9-1/2"	5-3/16"
RO110-10SH	10"	5-1/4"
RO110-10 1/2SH	10-1/2"	5-3/8"
RO110-11SH	11"	5-7/16"
RO110-11 1/2SH	11-1/2"	5-1/2"
RO110-12SH	12"	5-9/16"

6" Wood Handle

No.	*Blade*	*Heel Width*
RO110-9	9"	5-1/8"
RO110-9 1/2	9-1/2"	5-3/16"
RO110-10	10"	5-1/4"
RO110-10 1/2	10-1/2"	5-3/8"
RO110-11	11"	5-7/16"
RO110-11 1/2	11-1/2"	5-1/2"
RO110-12	12"	5-9/16"

Leather Handle

No.	*Blade*	*Heel Width*
RO310-9	9"	5-1/8"
RO310-9 1/2	9-1/2"	5-3/16"
RO310-10	10"	5-1/4"
RO310-10 1/2	10-1/2"	5-3/8"
RO310-11	11"	5-7/16"
RO310-11 1/2	11-1/2"	5-1/2"
RO310-12	12"	5-9/16"

Plastic Handle

No.	*Blade*	*Heel Width*
RO1410-9	9"	5-1/8"
RO1410-9 1/2	9-1/2"	5-3/16"
RO1410-10	10"	5-1/4"
RO1410-10 1/2	10-1/2"	5-3/8"
RO1410-11	11"	5-7/16"
RO1410-11 1/2	11-1/2"	5-1/2"
RO1410-12	12"	5-9/16"

Standard Shank - Philadelphia
SOLD IN CARTONS OF 2

Cork Handle

No.	*Blade*	*Heel Width*
RO110-9K-PK2	9"	5-1/8"
RO110-9 1/2K-PK2	9-1/2"	5-3/16"
RO110-10K-PK2	10"	5-1/4"
RO110-10 1/2K-PK2	10-1/2"	5-3/8"
RO110-11K-PK2	11"	5-7/16"
RO110-11 1/2K-PK2	11-1/2"	5-1/2"
RO110-12K-PK2	12"	5-9/16"

ProForm® Soft Grip Handle

No.	*Blade*	*Heel Width*
RO110-9SH-PK2	9"	5-1/8"
RO110-9 1/2SH-PK2	9-1/2"	5-3/16"
RO110-10SH-PK2	10"	5-1/4"
RO110-10 1/2SH-PK2	10-1/2"	5-3/8"
RO110-11SH-PK2	11"	5-7/16"
RO110-11 1/2SH-PK2	11-1/2"	5-1/2"
RO110-12SH-PK2	12"	5-9/16"

6" Wood Handle

No.	*Blade*	*Heel Width*
RO110-9-PK2	9"	5-1/8"
RO110-9 1/2-PK2	9-1/2"	5-3/16"
RO110-10-PK2	10"	5-1/4"
RO110-10 1/2-PK2	10-1/2"	5-3/8"
RO110-11-PK2	11"	5-7/16"
RO110-11 1/2-PK2	11-1/2"	5-1/2"
RO110-12-PK2	12"	5-9/16"

Leather Handle

No.	*Blade*	*Heel Width*
RO310-9-PK2	9"	5-1/8"
RO310-9 1/2-PK2	9-1/2"	5-3/16"
RO310-10-PK2	10"	5-1/4"
RO310-10 1/2-PK2	10-1/2"	5-3/8"
RO310-11-PK2	11"	5-7/16"
RO310-11 1/2-PK2	11-1/2"	5-1/2"
RO310-12-PK2	12"	5-9/16"

Plastic Handle

No.	*Blade*	*Heel Width*
RO1410-9-PK2	9"	5-1/8"
RO1410-9 1/2-PK2	9-1/2"	5-3/16"
RO1410-10-PK2	10"	5-1/4"
RO1410-10 1/2-PK2	10-1/2"	5-3/8"
RO1410-11-PK2	11"	5-7/16"
RO1410-11 1/2-PK2	11-1/2"	5-1/2"
RO1410-12-PK2	12"	5-9/16"

W. ROSE™ LIMBER BLADES

The same W. Rose™ quality with a more flexible blade. Available in our most popular blade patterns, sizes, and handles.

NARROW LONDON

*Standard Shank, **Limber** Blade*

SOLD IN CARTONS OF 2

Cork Handle

No.	*Blade*	*Heel Width*
RO116-10LK	10"	4-1/2"
RO116-10 1/2LK	10-1/2"	4-5/8"
RO116-11LK	11"	4-3/4"
RO116-11 1/2LK	11-1/2"	4-7/8"
RO116-12LK	12"	5"
RO116-13LK	13"	5-3/8"

ProForm® Soft Grip Handle

No.	*Blade*	*Heel Width*
RO116-10LSH	10"	4-1/2"
RO116-10 1/2LSH	10-1/2"	4-5/8"
RO116-11LSH	11"	4-3/4"
RO116-11 1/2LSH	11-1/2"	4-7/8"
RO116-12LSH	12"	5"
RO116-13LSH	13"	5-3/8"

6" Wood Handle

No.	*Blade*	*Heel Width*
RO116-10L	10"	4-1/2"
RO116-10 1/2L	10-1/2"	4-5/8"
RO116-11L	11"	4-3/4"
RO116-11 1/2L	11-1/2"	4-7/8"
RO116-12L	12"	5"
RO116-13L	13"	5-3/8"

Leather Handle

No.	*Blade*	*Heel Width*
RO316-10L	10"	4-1/2"
RO316-10 1/2L	10-1/2"	4-5/8"
RO316-11L	11"	4-3/4"
RO316-11 1/2L	11-1/2"	4-7/8"
RO316-12L	12"	5"
RO316-13L	13"	5-3/8"

Plastic Handle

No.	*Blade*	*Heel Width*
RO1416-10L	10"	4-1/2"
RO1416-10 1/2L	10-1/2"	4-5/8"
RO1416-11L	11"	4-3/4"
RO1416-11 1/2L	11-1/2"	4-7/8"
RO1416-12L	12"	5"
RO1416-13L	13"	5-3/8"

WIDE LONDON

*Standard Shank, **Limber** Blade*

SOLD IN CARTONS OF 2

Cork Handle

No.	*Blade*	*Heel Width*
RO112-10LK	10"	5-1/2"
RO112-10 1/2LK	10-1/2"	5-1/2"
RO112-11LK	11"	5-5/8"
RO112-11 1/2LK	11-1/2"	5-3/4"
RO112-12LK	12"	5-13/16"

ProForm® Soft Grip Handle

No.	*Blade*	*Heel Width*
RO112-10LSH	10"	5-1/2"
RO112-10 1/2LSH	10-1/2"	5-1/2"
RO112-11LSH	11"	5-5/8"
RO112-11 1/2LSH	11-1/2"	5-3/4"
RO112-12LSH	12"	5-13/16"

6" Wood Handle

No.	*Blade*	*Heel Width*
RO112-10L	10"	5-1/2"
RO112-10 1/2L	10-1/2"	5-1/2"
RO112-11L	11"	5-5/8"
RO112-11 1/2L	11-1/2"	5-3/4"
RO112-12L	12"	5-13/16"

Leather Handle

No.	*Blade*	*Heel Width*
RO312-10L	10"	5-1/2"
RO312-10 1/2L	10-1/2"	5-1/2"
RO312-11L	11"	5-5/8"
RO312-11 1/2L	11-1/2"	5-3/4"
RO312-12L	12"	5-13/16"

Plastic Handle

No.	*Blade*	*Heel Width*
RO1412-10L	10"	5-1/2"
RO1412-10 1/2L	10-1/2"	5-1/2"
RO1412-11L	11"	5-5/8"
RO1412-11 1/2L	11-1/2"	5-3/4"
RO1412-12L	12"	5-13/16"

PHILADELPHIA

*Standard Shank, **Limber** Blade*

SOLD IN CARTONS OF 2

Cork Handle

No.	*Blade*	*Heel Width*
RO110-10LK	10"	5-1/4"
RO110-10 1/2LK	10-1/2"	5-3/8"
RO110-11LK	11"	5-7/16"
RO110-11 1/2LK	11-1/2"	5-1/2"
RO110-12LK	12"	5-9/16"

ProForm® Soft Grip Handle

No.	*Blade*	*Heel Width*
RO110-10LSH	10"	5-1/4"
RO110-10 1/2LSH	10-1/2"	5-3/8"
RO110-11LSH	11"	5-7/16"
RO110-11 1/2LSH	11-1/2"	5-1/2"
RO110-12LSH	12"	5-9/16"

6" Wood Handle

No.	*Blade*	*Heel Width*
RO110-10L	10"	5-1/4"
RO110-10 1/2L	10-1/2"	5-3/8"
RO110-11L	11"	5-7/16"
RO110-11 1/2L	11-1/2"	5-1/2"
RO110-12L	12"	5-9/16"

Leather Handle

No.	*Blade*	*Heel Width*
RO310-10L	10"	5-1/4"
RO310-10 1/2L	10-1/2"	5-3/8"
RO310-11L	11"	5-7/16"
RO310-11 1/2L	11-1/2"	5-1/2"
RO310-12L	12"	5-9/16"

Plastic Handle

No.	*Blade*	*Heel Width*
RO1410-10L	10"	5-1/4"
RO1410-10 1/2L	10-1/2"	5-3/8"
RO1410-11L	11"	5-7/16"
RO1410-11 1/2L	11-1/2"	5-1/2"
RO1410-12L	12"	5-9/16"

W. Rose™ ProForm® Trowel Handle (US Patent #D508,638), W. Rose™ Cork Trowel Handle (US Patent #D874,242)

WIDE HEEL BLADE PATTERN

Wide heel blade is useful when working on thick walls. It holds more mortar for brick and block projects. Available in 4 handle styles.

MADE IN THE USA
SINCE 1798

Cork Handle

Standard Shank - Wide Heel

No.	*Blade*	*Heel Width*
RO221-10K	10"	6"
RO221-10 1/2K	10-1/2"	6"
RO221-11K	11"	6"
RO221-11 1/2K	11-1/2"	6"
RO221-12K	12"	6-1/8"

Leather Handle

Standard Shank - Wide Heel

No.	*Blade*	*Heel Width*
RO321-10	10"	6"
RO321-10 1/2	10-1/2"	6"
RO321-11	11"	6"
RO321-11 1/2	11-1/2"	6"
RO321-12	12"	6-1/8"

6" Wood Handle

Standard Shank - Wide Heel

No.	*Blade*	*Heel Width*
RO221-10	10"	6"
RO221-10 1/2	10-1/2"	6"
RO221-11	11"	6"
RO221-11 1/2	11-1/2"	6"
RO221-12	12"	6-1/8"

Plastic Handle

Standard Shank - Wide Heel

No.	*Blade*	*Heel Width*
RO1421-10	10"	6"
RO1421-10 1/2	10-1/2"	6"
RO1421-11	11"	6"
RO1421-11 1/2	11-1/2"	6"
RO1421-12	12"	6-1/8"

Brick Hammer

Head is forged from highest-quality tool steel available. 1-1/8"x1-1/16" flat face provides a solid base to use with brick and tile chisels. Properly balanced for great leverage. Chisel end for breaking up brick and stone. Fitted with wood handle.

No.	*Head Weight*
RO3131-24	24 oz.

Carbide-Tipped Tile Hammer

Head is forged from highest-quality tool steel available. Chisel end for breaking up tile, brick, and stone. Smooth wood handle is properly balanced for superior leverage and a comfortable grip. Available with a carbide tip for extra strength.

Carbide-Tipped

No.	*Head Weight*	*Face Size*
RO3122-5/8C	8 oz.	5/8"

Without Carbide

No.	*Head Weight*	*Face Size*
RO3122-5/8	8 oz.	5/8"

Premium grade walnut/maple with flat stainless steel binding and wrap around end caps

Sands Professional Walnut/Maple Laminated Levels

These handmade stainless steel bound walnut and maple laminated levels are used by the most discriminating craftsmen. Featuring six Cat's Eye Yellow double bent vials, handset in double strength glass lenses. Will not warp or delaminate. Large hand holes make this level easy to maneuver on the job.

No.	*Length*	*Vials*
SLWML24	24" (610mm)	6
SLWML48	48" (1219mm)	6

SANDS® SINCE 1895 THE FIRST NAME IN LEVELS MADE IN USA

POINTING & MARGIN TROWELS

Forged from a single piece of uniquely formulated steel. Long-lasting, with a comfortable weight and flexibility in the blade. Heat treatment produces a uniform hardness for scraping and digging. Pointing and Margin trowels are perfectly polished and come with smooth wood, moisture-wicking leather, or comfortable cork handles.

Margin Trowels

Cork Handle

No.	*Size*
RO58-5K	5" x 2"
RO58-6K	6" x 2"
RO58-8K	8" x 2"

Wood Handle

No.	*Size*
RO58-5	5" x 2"
RO58-6	6" x 2"
RO58-8	8" x 2"

Leather Handle

No.	*Size*
RO58-5L	5" x 2"
RO58-6L	6" x 2"
RO58-8L	8" x 2"

Pointing Trowels

Cork Handle

No.	*Size*
RO50-5K	5" x 2-1/2"
RO50-6K	6" x 2-3/4"
RO50-7K	7" x 3-3/8"

Wood Handle

No.	*Size*
RO50-5	5" x 2-1/2"
RO50-6	6" x 2-3/4"
RO50-7	7" x 3-3/8"

Leather Handle

No.	*Size*
RO50-5L	5" x 2-1/2"
RO50-6L	6" x 2-3/4"
RO50-7L	7" x 3-3/8"

SPECIALTY TROWELS

SOLD IN CARTONS OF 6

Blade and shank forged as one piece. Unique heat tempering process for hardness and strength. Hand-polished for perfect flexibility.

Brick Weight Large Tang Pointing Trowel

Standard Shank

No.	*Blade*	*Heel Width*	*Handle*
RO50W	7"	3-3/8"	5" Wood
RO50L	7"	3-3/8"	5-1/2" Leather

Tile Trowel

Standard Shank

No.	*Blade*	*Heel Width*	*Handle*
RO75	7"	3-3/16"	5" Wood
RO55	7-1/2"	4-7/16"	5" Wood

Sewer Trowel

Standard Shank

No.	*Blade*	*Heel Width*	*Handle*
RO427-9 1/2	9-1/2"	6"	5" Wood

Pumpkin Seed Trowel

Standard Shank

No.	*Blade*	*Heel Width*	*Handle*
RO414-9	9"	4-3/4"	5" Wood

Mud Trowel

Standard Shank

No.	*Blade*	*Heel Width*	*Handle*
RO6302	7-1/2"	5-3/8"	6" Wood

Buttering Trowel

Standard Shank

No.	*Blade*	*Heel Width*	*Handle*
RO74	7-1/2"	3-1/2"	5" Wood

Bucket Trowel

Standard Shank

No.	*Blade*	*Heel Width*	*Handle*
RO6301	8"	5-3/8"	6" Wood

Gauging Trowel

Standard Shank

No.	*Blade*	*Heel Width*	*Handle*
RO118-9 1/2	9-1/2"	4"	5" Wood
RO118-10	10"	4"	5" Wood

W. Rose™ Cork Trowel Handle (US Patent #D874,242)

JOINTERS & SLED RUNNERS

Created from a uniquely formulated steel for a quality tool. The jointer undergoes a special heat-treating process to achieve hardness and long wear. Each tool is hand-polished steel for a smooth, perfect joint. All jointers are approximately 10-1/2" long.

End View

Sold in cartons of (12)

Convex Jointer

- Strong hot formed steel
- Most popular joint in the United States, creates inverted rounded impression in the mortar joint

No.	*Size*
RO5121-3/8x1/2	3/8" x 1/2"
RO5121-1/2x5/8	1/2" x 5/8"
RO5121-5/8x3/4	5/8" x 3/4"
RO5121-3/4x7/8	3/4" x 7/8"
RO5121-7/8x1	7/8" x 1"
RO5121-1x11/8	1" x 1-1/8"
RO5121-11/8x11/4	1-1/8" x 1-1/4"

End View

Sold in cartons of (12)

Concave Jointer

- Creates a beaded protruding joint
- Very weathertight

No.	*Size*
RO5321-3/8x1/2	3/8" x 1/2"
RO5321-1/2x5/8	1/2" x 5/8"
RO5321-5/8x3/4	5/8" x 3/4"
RO5321-3/4x7/8	3/4" x 7/8"
RO5321-7/8x1	7/8" x 1"
RO5321-1x11/8	1" x 1-1/8"

End View



Sold in cartons of (12)

Flat Slicker

- Creates a smooth flush joint
- Prohibits moisture from entering the joint
- Great for tucking mortar into the joints
- Ideal for exteriors

No.	*Size*
RO5211-1/4x3/8	1/4" x 3/8"
RO5211-3/8x1/2	3/8" x 1/2"
RO5211-1/2x5/8	1/2" x 5/8"
RO5211-5/8x3/4	5/8" x 3/4"
RO5211-3/4x7/8	3/4" x 7/8"
RO5211-7/8x1	7/8" x 1"
RO5211-1x11/8	1" x 1-1/8"
RO5211-11/8x11/4	1-1/8" x 1-1/4"

End View



Sold in cartons of (12)

Grapevine Jointer

- Forged jointer creates shallow joints with an indented line, making it appear deeper
- Popular in colonial period brickwork and masonry restoration

No.	*Size*
RO5150	5/8" x 3/4"
RO5151	1/2" x 5/8"

End View

Sold in cartons of (12)

Bullhorn Jointer

- The forged Bullhorn Jointer is great for touch-ups and compressing mortar

No.	*Size (Large End)*
RO5042-1/4	1/4"
RO5042-3/8	3/8"
RO5042-1/2	1/2"
RO5042-5/8	5/8"
RO5042-3/4	3/4"
RO5042-7/8	7/8"

End View

Sold in cartons of (12)

"V" Jointer

- Creates a rustic appearance on rough and matte finish brick
- V-shape creates a sense of depth in the joint

No.	*Size*
RO5121-5/8V	5/8" x 5/8"

Sled Runners

- Creates an inverted rounded impression in the mortar joint
- Quickly and efficiently make long, straight, and even joints
- Perfect for concrete block walls

Sold in cartons of (6)

End View

A) Convex Loop Sled Runner

No.	*Size*	*Length*
RO5140-3/8	3/8"	17"
RO5140-1/2	1/2"	17"
RO5140-5/8	5/8"	17"
RO5140-3/4	3/4"	17"

B) Convex Mounted Sled Runner

No.	*Size*	*Length*
RO5141-1/2	1/2"	17-5/8"
RO5141-5/8	5/8"	17-5/8"
RO5141-3/4	3/4"	17-5/8"



A



B

Professional Bonded Braided Nylon Line

Premium Quality

Super Tough - Will Not Sag

W. Rose™ professional quality, super tough, and super strong. Bonded for better knot holding and abrasion resistance. 35% stronger than regular mason's line. **216 lb. test**.

No.	*Size*	*Color*
RO685	685'	Yellow & Black
RO686	685'	Orange & Black
RO687	685'	"All American" Red, White, & Blue
RO688	685'	"Camo" Green, Gold, & Brown
RO689	685'	Orange, Black, & Gold

MADE IN THE USA

Yellow & Black

Orange & Black

"All American" Red, White, & Blue

"Camo" Green, Gold, & Brown

Orange, Black, & Gold

Line Pin

Precision forged, heavy-duty steel line pins. Hand-polished. Sold individually.

No.	*Description*
RO2122	Individual Steel Line Pin

Sold Individually

Available in cartons of 12

Shot Glass Holder With Glasses

Perfect gift for any bricklayer. Includes 3 heavy-duty W. Rose™ etched shot glasses. Popular graduation or retirement gift.

No.	*Description*
RO55SHOTGLASS	Shot Glass Holder with 3 Glasses

Ceremonial Trowels

Ideal for retirements, award presentations, and other special occasions. 10" blade.

No.	*Description*
RO316-10G	Gold
RO316-10C	Chrome



W. Rose™ Replacement Trowel Handles

Sold in cartons of (6)

A) ProForm® Handle - RO1000
Unique soft textured, contoured 6" soft grip handle. Tough, rugged, and well-balanced, with hard urethane end cap for tamping.
(US Patent #D508,638)

B) 6" Cork Handle - RO1000K
Cork handle will not stick or slip, for just the right grip. Hard urethane end cap for tamping.
(US Patent #D874,242)

C) 6" Wood Handle - RO100
Smooth, comfortable, strong, second-growth hardwood handle fitted with steel ferrule.

D) Leather Handle - RO300
5-1/2" seasoned wood handle wrapped with genuine leather to provide a smooth, comfortable grip. Fitted with steel ferrule. Helps absorb moisture from sweat.

E) Plastic Handle - RO1400
Clear amber colored 5-1/4" butyrate plastic handle. Tough and rugged handle will not mushroom from tamping bricks or concrete blocks.

W. Rose™ ProForm® Trowel Handle (US Patent #D508,638), W. Rose™ Cork Trowel Handle (US Patent #D874,242)

Margin Trowels

- One-piece forged for strength and flexibility
- Tempered, ground, and polished for perfect balance
- Mix, dig, scrape, patch, and repair
- A must-have for every tool bag

Wood Handle

No.	Blade Size
GG431	5"x1-1/2"
GG432	5"x2"
GG434	6"x2"
GG433	8"x2"

ProForm® Handle

No.	Blade Size
GG431PF	5"x1-1/2"
GG432PF	5"x2"
GG434PF	6"x2"
GG433PF	8"x2"

Pointing Trowels

- One-piece forged for strength and flexibility
- Tempered, ground, and polished for perfect balance
- Mix, dig, scrape, patch, and repair
- A must-have for every tool bag

Wood Handle

No.	Blade Size
GG420	4"x2"
GG421	4-1/2"x2-1/4"
GG424	5"x2-1/2"
GG422	5-1/2"x2-1/2"
GG427	6"x2-3/4"
GG423	7"x3"

ProForm® Handle

No.	Blade Size
GG420PF	4"x2"
GG421PF	4-1/2"x2-1/4"
GG424PF	5"x2-1/2"
GG422PF	5-1/2"x2-1/2"
GG427PF	6"x2-3/4"
GG423PF	7"x3"

Caulking Trowels

- One-piece forged for strength and flexibility
- Tempered, ground, and polished for perfect balance
- Ideal for tuckpointing

Wood Handle

No.	Blade Size
BL761	6-5/8"x3/16"
BL762	6-5/8"x1/4"
BL763	6-5/8"x3/8"
BL764	6-5/8"x1/2"
BL765	6-5/8"x5/8"
BL766	6-5/8"x3/4"
BL767	6-5/8"x7/8"
BL768	6-5/8"x1"



ProForm® Handle

No.	Blade Size
BL761PF	6-5/8"x3/16"
BL762PF	6-5/8"x1/4"
BL763PF	6-5/8"x3/8"
BL764PF	6-5/8"x1/2"
BL765PF	6-5/8"x5/8"
BL766PF	6-5/8"x3/4"
BL767PF	6-5/8"x7/8"
BL768PF	6-5/8"x1"

Margin / Pointing Trowel Leather Pouch

Convenient leather pouch easily snaps around belt. Fits Pointing and Margin Trowels (6" or smaller).
No. AR100

Finger Tape

Protect fingers from abrasions and cuts by wrapping individual fingers with cloth finger tape. 165' per roll.

No.	Size
BL400*	1" x 165'

Archaeology Tools

Specialty trowel made from high-grade steel. Features a thicker beveled blade ideal for digging and scraping on a dig site.

Pointing Trowels

Wood Handle

No.	Blade Size
AR421	4-1/2"x2-1/4"
AR424	5"x2-1/2"

Leather Handle

No.	Blade Size
AR421L	4-1/2"x2-1/4"
AR424L	5"x2-1/2"

ProForm® Handle

No.	Blade Size
AR421PF	4-1/2"x2-1/4"
AR424PF	5"x2-1/2"

Margin Trowels

Wood Handle

No.	Blade Size
AR431	5"x1-1/2"
AR432	5"x2"

Leather Handle

No.	Blade Size
AR431L	5"x1-1/2"
AR432L	5"x2"

ProForm® Handle

No.	Blade Size
AR431PF	5"x1-1/2"
AR432PF	5"x2"

*See page 193

PROFESSIONAL MASONRY TROWELS

Professional Quality Kraft Tool Brick Trowels

- One-piece forging made from the highest grade trowel steel
- Taper ground for flexibility
- Precision balanced
- Fitted with 6" hardwood handle (BL101)

Narrow London

Narrow heel is good for general masonry and brick projects.

No.	Blade Size
BL703	10"x4-1/4"
BL705	11"x4-5/8"
BL707	12"x5"

Wide London

Wide heel holds more mortar for block and stonework.

No.	Blade Size
BL723	10"x5-1/2"
BL729	11"x5-1/2"
BL772	12"x6"

Philadelphia

Square heel holds the most mortar, popular with block work.

No.	Blade Size
BL750	10"x5"
BL752	11"x5-1/2"
BL754	12"x5-5/8"

Kraft Tool Brick and Specialty Trowels

- ***ONE-PIECE FORGED*** *for strength and flexibility*
- *Made of high-grade trowel steel*
- *Tempered, ground, and polished for perfect balance*
- *Taper ground blades for flexibility*

Buttering Trowel

Wood Handle

No.	Blade Length	Heel Width
GG441	7"	4-5/8"

ProForm® Handle

No.	Blade Length	Heel Width
GG441PF	7"	4-5/8"

Cross Joint Trowel

Wood Handle

No.	Blade Length	Heel Width
GG445	5"	1-3/4"

ProForm® Handle

No.	Blade Length	Heel Width
GG445PF	5"	1-3/4"

Gauging Trowel

Wood Handle

No.	Blade Length	Heel Width
GG443	7"	3-1/4"

ProForm® Handle

No.	Blade Length	Heel Width
GG443PF	7"	3-1/4"

Duck Bill Trowel

Wood Handle

No.	Blade Length	Heel Width
GG444	10"	2"

ProForm® Handle

No.	Blade Length	Heel Width
GG444PF	10"	2"

Bucket Trowel

End of blade is cut off diagonally for easy scraping or mixing in buckets or mortar boxes.

No.	Blade Size
BL700	6"x5-1/2"

Rubber Tip for Brick Trowel Handle

Protects the trowel handle from wear and tear.

No.
BL104

(Trowel not included)

JOINTERS & SLED RUNNERS

"The Original"

Hubbard Jointers

The Hubbard Jointer was designed by a bricklayer in the business for 60 years. The cast aluminum handle gives more knuckle clearance. Wear is distributed by revolving the tubular steel blade. Jointer comes assembled with one 1/2" blade and one 5/8" blade. One 3/4" blade and one 7/8" blade are also included in set. Replaceable steel blades available. Keep the handle - replace the blades. Overall length is 8-1/2".

No.	Description
BL280	Jointer with 1/2", 5/8", 3/4", 7/8" Blades
BL281	1/2" (13mm) Replacement Blade
BL282	5/8" (16mm) Replacement Blade
BL283	3/4" (19mm) Replacement Blade
BL284	7/8" (22mm) Replacement Blade



- *7-1/2" Long, High-Quality Tool Steel*
- *Package of 2*

Hubbard Sled Runners

"The Original"

- The Hubbard sled runner operates the same way as the jointer. Keep the handle - replace the blade
- The ideal tool for making half-round sunken, concave joints
- Turning the blade during use helps evenly distribute wear
- Cast aluminum blade holder with wood handle
- Includes a 3/4" diameter blade made of case-hardened steel

No.	Description
BL286	14" Sled Runner with 3/4" Blade
BL285	5/8" Replacement Blade
BL287	3/4" Replacement Blade
BL288	7/8" Replacement Blade

Masonry Barbell Jointer®

Faster jointing

Even wear, Longer life

- Round head jointers in all directions
- Eliminates changing hand or wrist positions
- Keeps knuckles away from wall
- Allows you to apply more pressure with less effort when using fast-setting mortar
- 2 jointers per package

No. BL390

Skate Wheel Joint Raker

Masons love this big wheeled joint raker. Wheels are 1-3/4" in diameter, mounted 2-1/4" apart. Overall width is 3-5/8". Has 8-1/2" aluminum handle that is squared off at the end to rod joints. Hardened nail is adjusted for depth.

No. BL210

"V" Sled Runners

- High-quality steel blade
- Very handy in block construction
- Makes perfect horizontal "V" joints
- **14" blade (shown)** turned up on one end only and **20" blade** turned up on both ends



Wood Handle No.	*ProForm® Handle* No.	Size
BL214	BL214PF	14"x3/4"
BL220	BL220PF	20"x3/4"

"Half Round Convex" Sled Runners

- The best tool you can get for making round sunken, concave, or rodded masonry joints
- High-quality steel blade
- **14" blade (shown)** turned up on one end only and **20" blade** turned up on both ends

Wood Handle No.	*ProForm® Handle* No.	Size
BL215	BL215PF	14"x1/2"
BL216	BL216PF	14"x5/8"
BL217	BL217PF	14"x3/4"
BL229	BL229PF	20"x1/2"
BL226	BL226PF	20"x5/8"
BL227	BL227PF	20"x3/4"

JOINTERS

Brick Jointers



Formed from quality high-carbon steel. Each end makes a different size concave joint. This popular joint resists rain penetration and creates a tight seal. Overall length is 10-1/2".

No.	Size
BL260	3/8"x1/2"
BL261	1/2"x5/8"
BL262	5/8"x3/4"
BL264	3/4"x7/8"
BL265	7/8"x1"

Variable Convex Jointer

Extra Hard

This extra-hard tempered steel jointer is for tile, brick, block, and mortar joints. Produces smooth half-round sunken joints. Tapers from 5/8" to 7/8" on curvature. Legs measure 3-1/2" and 4-1/4" long.

No. BL660

Double Blade Slicker

Formed from the highest grade carbon steel. Each end makes a different size of a flat flush joint. Excellent tool for tuck pointing in tough spots. Overall length is 11".

No.	Size
BL201	1/4"x3/8"
BL202	1/2"x5/8"

Diamond "V" Head Jointers

Works well for striking head joints. Jointer forged from carbon steel. Overall length is 9".

No.	Size
BL290	1/2"
BL291	5/8"

Brick and Stone Marker



Unique cutting tool carves out joints when using imitation brick, stone, and veneering. The lightweight tool cuts out mortar joints. Tough 1/2" wide heat-treated blade is designed to allow the mortar to move out of the joint. The 8" aluminum handle is easy to grasp. Overall length is 10".

No.	Description
BL207	Cutter with Blade
BL208	Extra Blade

"S" Jointers

Ultra Hard

U.S. Patent #4,879,780

The patented "S" curve allows you to approach or maintain different pitch angles while jointing the mortar. Long-wearing hard steel. Overall length is 9-1/4".

No.	Size
BL160	3/8"x1/2"
BL161	1/2"x5/8"
BL162	5/8"x3/4"
BL164	3/4"x7/8"
BL165	7/8"x1"

Plexiglass Jointers



Use this tool on white mortar because it will not discolor or leave black marks. A popular tool used with glass blocks. Overall length is 11-1/4".

No.	Size
BL273	1/4"
BL274	3/8"
BL276	1/2"
BL277	5/8"
BL278	3/4"

Stone and Brick Beader (Grapevine)

Steel blade produces 5/16" raised grapevine joints for creating a popular Southern look. Double end. Overall length is 11-1/2".

No.	Size
BL405	5/16"

Combination Raker-Jointer

Steel raker-jointer is used on rough materials such as adobe brick, split stone, and split block. It has a 3/4" convex jointer on one end, and a 5/16" raker blade at the other end. Overall length is 10".

No. BL205

Heavyweight Convex Jointers



Forged steel large at one end, and tapered at the other to produce half-round sunken joints. Overall length is 9-1/2".

No.	Size
BL270	1/2"
BL271	5/8"
BL272	3/4"

Double End Grapevine Jointers

Forged from high-quality tool steel. Creates a thin line in the middle of joint. Popular in colonial period brickwork as well as masonry restoration. Overall length is 8".

No.	Width	Center Groove
BL402	1/2"x5/8"	1/8"
BL403	5/8"x3/4"	1/8"

Lightweight Concave Stone Beaders

Steel jointer that produces raised half-round beaded joints. A formal looking joint popular on interiors. Creates 2 sizes of beads. Overall length is 10-1/2".

No.	Size
BL140	3/8"x1/2"
BL141	5/8"x3/4"

Low Cost Joint Raker

Lets you work where you can't with a wheeled jointer. This 5/16" steel joint raker is offset to throw out mortar as you rake. A 5/16" and 3/8" tab at the ends helps you rake corners. Overall length is 8".

No. BL103

Grapevine Jointer

Carefully forged from high carbon steel, this jointer with handle is especially convenient when the job calls for this special colonial-style joint. Bit is 1/8" wide on center of blade. 5"x1/2" blade. Curved up end for moving through mortar.

Wood
No. BL401
ProForm®
No. BL401PF

PROFESSIONAL BRAIDED MASON'S LINE

Bonded Braided Line
Strongest line available. Starts with braided line that is coated to create a stronger line. Bonding protects against abrasions and strengthens the bond to hold knots.

Braided Line
Tightly braided line has a strong tensile strength. The unique braiding process increases elasticity and eliminates sagging. Strong line will not unravel even when struck.

Twisted Line
Economic nylon line with moderate stretch. Not as strong as braided. Prone to tangling and unraveling with extended use.

Braided Line

Twisted Line

Professional Braided Nylon Mason's Line
Professional masons and contractors ask for this quality, long-wearing, and tough #18 braided line. Special braiding process **aids elasticity** and **eliminates sagging**. Nylon is **abrasion and alkali resistant**. Solid bright colors make it easy to see and use on job sites. **170 lb. test**.

Fluorescent Orange

Fluorescent Yellow

White

Green

Yellow

Fluorescent Pink

Fluorescent Green

"Patriot"

"Hunter"

250' Tube

No.	Color
BC334T	Fluorescent Orange
BC335T	Fluorescent Yellow
BC336T	White
BC337T	Green
BC338T	Yellow
BC333T	Fluorescent Pink
BC362T	Fluorescent Green **NEW**
BC485T	"Patriot" Red, White, and Blue
BC486T	"Hunter" Green, Gold, and Brown

500' Tube

No.	Color
BC346	Fluorescent Orange
BC339	Fluorescent Yellow
BC340	White
BC341	Green
BC342	Yellow
BC355	Fluorescent Pink
BC363	Fluorescent Green **NEW**
BC487	"Patriot" Red, White, and Blue
BC488	"Hunter" Green, Gold, and Brown

1,000' Tube

No.	Color
BC360	Fluorescent Orange
BC359	Fluorescent Yellow
BC343	White
BC344	Green
BC345	Yellow
BC361	Fluorescent Pink
BC364	Fluorescent Green **NEW**
BC489	"Patriot" Red, White, and Blue
BC490	"Hunter" Green, Gold, and Brown

Professional Mason's Line Winders
Free-spinning plastic winder holds line in place for easy dispensing. Comes with high-quality #18 solid braided mason's line. Easy to see bright colors. **170 lb. test**.

No.	Size	Color
BC332W	250'	Yellow
BC331W	250'	Fluorescent Orange
BC330W	250'	Green
BC329W	100'	Yellow
BC328W	100'	Fluorescent Orange
BC327W	100'	Green

Yellow | Fluorescent Orange | Green

Display with 24 Winders
500' Winder

No.	Color
BC342D	Yellow
BC346D	Fluorescent Orange
BC352D	White and Black

Professional Quality Braided Nylon Mason's Line with EZ-Winder
EZ-Winder makes unwinding and winding a snap
Kraft's quality mason's line spooled on a convenient and easy-to-use winder.

500' Winder

No.	Color
BC342W	Yellow
BC346W	Fluorescent Orange
BC352W	White and Black
BC355W	Fluorescent Pink

1,000' Winder

No.	Color
BC360W	Fluorescent Orange

Ideal For:
Concrete,
Masonry,
General Construction,
Surveying,
Fence Building,
and Landscaping

Fluorescent Orange

Yellow

White and Black

Fluorescent Pink

PROFESSIONAL BONDED BRAIDED MASON'S LINE

Orange and Black

Green and Black

White and Black

Yellow and Black

PREMIUM Professional Bonded Braided Nylon Line

High Visibility Colors

This bright fluorescent, ultra-strong bonded braided line is long-wearing. The extra elasticity helps eliminate sagging. The #18 nylon line has a black flecked braid. Special bonding process adds extra abrasion and alkali resistance. **170 lb. test**.

500' Tube

No.	Color
BC354	Green and Black
BC353	Orange and Black
BC352	White and Black
BC365	Yellow and Black **NEW**

1000' Tube

No.	Color
BC350	White and Black
BC366	Yellow and Black **NEW**

SINCE 1798 W. ROSE TOOLS ENDURE
A Kraft Tool Co.® Brand

W. Rose™ Professional Masonry Tools Pages 127-135

PREMIUM W. Rose™ Super Tough Professional Bonded Braided Nylon Line

No Sag Line

High Visibility Colors

Professional-quality, super tough, super strong. **35% stronger** than regular mason's line. #18 nylon line will not sag. Bonded for better knot holding and abrasion resistance. **216 lb. test** under care.

685' Tubes

No.	Color
RO685	Yellow and Black
RO686	Orange and Black
RO687	"All American" Red, White, and Blue
RO688	"Camo" Green, Gold, and Brown
RO689	Orange, Black, and Gold

"All American" Red, White, and Blue

Yellow and Black

Orange and Black

"Camo" Green, Gold, and Brown


Orange, Black, and Gold

PREMIUM Professional Bonded Braided Nylon Line

General Purpose

Strong green line is the toughest in the business, withstanding the punishing rigors of the construction and industrial trades. Strong, all-purpose, abrasive-resistant braided cord. General utility cord for construction, fishing, masonry, and outdoor applications. Hard braided and specially bonded to resist tangling. Reliable waterproof hand line. Available in 1/2 lb., 1 lb., and 2 lb. tubes.

1/2 lb. Tube

No.	# Test	(Approx.) Yards
SS101132	132	160
SS101176	176	110
SS101240	240	85
SS101265	265	72
SS101315	315	60
SS101350	350	48

1 lb. Tube

No.	# Test	(Approx.) Yards
SS102132	132	320
SS102176	176	220
SS102240	240	170
SS102265	265	144
SS102315	315	120
SS102350	350	96

2 lb. Tube

No.	# Test	(Approx.) Yards
SS103265	265	288
SS103315	315	240

NEPTUNE by Sunset LINE & TWINE SINCE 1932

Green Yellow Flo. Orange White Flo. Pink Flo. Yellow

Contractor Twisted Mason's Nylon Line

NEW SIZES

This low-cost twisted nylon line tests over **120 lbs**. Not affected by mortar, oil, or mildew. Now available in 250 ft., 500 ft., and 1,000 ft. tubes.

250' Tubes

No.	Color
BC301	Green
BC302	Yellow
BC303	Fluorescent Orange
BC304	White
BC305	Fluorescent Pink
BC306	Fluorescent Yellow

500' Tubes

No.	Color
BC311	Green
BC312	Yellow
BC313	Fluorescent Orange
BC314	White
BC315	Fluorescent Pink
BC316	Fluorescent Yellow

1000' Tubes

No.	Color
BC321	Green
BC322	Yellow
BC323	Fluorescent Orange
BC324	White
BC325	Fluorescent Pink
BC326	Fluorescent Yellow





U.S. Patent #5,125,162

Brick Clips and Block Clips

This patented design on brick and block alignment clips is the quickest for setup and the most portable line guides ever developed. The front of the clip has an irregular toothed surface, and a thumb screw in the rear helps secure the clip.

No.	Description
A) BL250	4" Brick Clips (Pair)
B) BL251	2" Block Clips (Pair)

A *The Original*



Adjustable Line Stretchers

2 Popular Styles

These aluminum line stretchers work on various size blocks from 4" to 12". Change size by moving the bolt and wing nut to the correct hole. Sold only in pairs.

No.
A) BL148 (Pair)
B) BL147* (Pair)

Concrete Block Line Stretchers

Stretches line tight between blocks. Can also be used as a winder for storing line when not in use. Sold only in pairs.

No.	Size
BL343	4" to 6" (Pair)
BL342	6" to 8" (Pair)
BL341	8" to 12" (Pair)



Tenite Line Blocks

Blocks grip the wall tightly and will not split or break. Made of hard tenite plastic. Not sold individually.

No.	Size
BL348	3-3/8" Bagged (Pair)
BL349-5PR	3-3/8" Bulk (5 Pairs)

Aluminum Bricklayer's Corner Blocks

These aluminum corner blocks grip the wall tightly and will not break. Line wraps around stem and feeds through slot at the fork. The line pull holds the block at right angles to the brick. 2-1/2" stem lets you easily move the line up. Sold only in pairs.

No. BL253 (Pair)

Bricklayer's Line Pins

Made of tempered steel; stiff and long enough to hold the line. Each pin measures 4-1/2" long.

No.	Quantity
BL158	4
BL159	200

Wood Line Blocks

Hardwood grips the wall tightly to stretch the line. Sold in packs of 5 pairs.

No.	Size
BL350-5PR	4"x1-1/4"x1-1/4" (5 Pairs)

Oversized Line Block

Designed for use on bullnose block but can also be used on other types of block and brick. Sold individually.

No.	Size
BL242	4-1/2"x2"x1-3/4"

Snap-Over Line Twigs / Trigs

Manufactured from spring steel. They snap around the mason's line and eliminate sagging.

No.	Size
BL156	4"x1/2" (14 Pack)
BL157	4"x1/2" (1,000 Pack)



Wood Line Blocks

- Made of hardwood
- Grips the wall tightly
- Bagged in pairs

No.	Size
SLLB2	4"x1-1/4"x1-1/4" (Pair)

SANDS® SINCE 1895 THE FIRST NAME IN LEVELS MADE IN USA

Sands® Levels Pages 116-126

Professional Specialty Levels

A) Aluminum Line and Surface Level

No.	Length	Vials
SLSC55	3" (76mm)	1

B) Plastic Line Level

No.	Length	Vials
SLPLL3	3" (76mm)	1



CAUTION: Always use approved safety protection.

*See page 193

See in action!

Mini Brick Splitter

At only 29 lbs., this brick splitter easily travels from jobsite to jobsite. The opening adjusts up to 5" high to fit a standard brick. The lever action increases arm strength, making cuts with minimum effort. The blades are 4-1/2" long. A 12" rule and square is built right into the Mini Brick Splitter for accurate cuts.

No.	Description
BC582	Mini Brick Splitter
BC582-01	Set of Replacement Blades

Brick and Block Cart

Heavy-duty all terrain cart allows user to move straps of bricks. Comes with 7-1/2" prongs and a heavy-duty 3-piece hub with 2 ply tube-type tires. Rubber-sealed heavy-duty ball bearings. All-steel wheels with grease fittings. Constructed for a lifetime of service. 800 lb. capacity. Weight is 85 lbs.

No.	Size
BC205**	Cart: 29" Wide, 54" High
BC205-01	Short Replacement Prongs (Pair) 7-1/2" (Brick)
BC205-02	Long Replacement Prongs (Pair) 15" (Block)
BC205-03	Replacement Wheel Assembly with Bearings

**Must ship via truck

Masonry Guides

More information and instructions online at www.KraftTool.com.



The finest, most versatile corner pole system available. It can be effectively used on all types of masonry brick veneer or solid load-bearing wall and block work. The 9' pole and fittings are constructed entirely of high-grade aluminum. The top and bottom fittings are completely adjustable and can be used at any height for a quicker and more accurate setup. One person can quickly and easily erect and align. Sturdy, rugged, and practically indestructible, these corner poles will pay for themselves time and time again.

Outside Corner System

No. BC607**
Complete with 9' guide pole (no pole markings), a pair of SLLB2 line blocks, and fittings shown below:

BC617
Outside Corner Base

BC614
Top Sliding Attachment

BC615
Outside Corner Top Fitting

Inside Corner System

No. BC608**
Complete with 9' guide pole (no pole markings), a pair of SLLB2 line blocks, and fittings shown below:

BC618
Inside/Intermediate Base

BC614
Top Sliding Attachment

BC616
Inside/Intermediate Top Fitting

BC619
Inside/Intermediate Line Holder

Guide Pole (Only)

No. BC609**
9' Pole (with no markings)
**Must ship via truck

Pole shown with outside fittings

Fittings may be ordered separately

Heavy-Duty Adjustable Tubular Brick Tongs

Designed and built for long wear. Will not damage brick. Heavy-duty tongs quickly adjust with a wing nut. Adjusts up from 17" to carry 6 to 10 bricks.

No. BC384

Adjustable Brick Tongs

Heavy-duty, quick-adjusting tongs can carry 6 to 10 bricks. Will not damage bricks and is designed and built for long wear.

No.	Size
BC380*	16"

*See page 193

CAUTION: Always use approved safety protection.

Poly-Lined Grout Bag

Poly-lined grout bag has a soft 3/8" tip molded in. Size of tip can be increased by cutting a small amount off with scissors. Ideal for use in grouting masonry or tile joints. Holds 1.25 gallons.

No.	Size
WL010	23"x13"

Metal Tip

Cone-Shaped Heavy-Duty Vinyl Bag

Cone-shaped heavy-duty vinyl bag comes complete with replaceable metal tip.

No.	Size
WL013	24"x10-1/2" Large
WL015	3/8" Replacement Metal Tip
WL014	28"x15" Giant
WL019	7/16" Replacement Metal Tip

Disposable Grout Bags

Eliminate cleanup with clear, one-time use disposable grout bags. Cut tip to desired opening, or use with metal tip (*WL015 or WL019, sold separately*). Sold per box of 50.

No.	Size
WL009*	11"x16" (Box of 50)
WL015	3/8" Metal Tip
WL019	7/16" Metal Tip

Without Spout

With Spout

Fortex® Pail

These popular Fortex® black rubber pails will not rust, dent, leak, or chip. They are not affected by heat or cold, acids, alkalis, or most other chemicals.

No.	Size	Description
GG460*	10 qt.	Standard
GG462*	12 qt.	Heavy-Duty with Spout
GG463*	12 qt.	Heavy-Duty
GG464*	18 qt.	Utility with Spout

Union Fiber Mason's Brush

General-purpose construction cleaning brush. Palmyra and Tampico fibers set in a 3" wood block. Tampico holds water and Palmyra is excellent for scrubbing. Hang hole on the 4-1/2" handle. Overall length is 8-1/2" with 2" long bristles.

No. BL436

Bucket Brush

4" long white Tampico bristles set into a 6-1/4"x1-3/4" plastic head. A handy tool for clean up, applying paste, and many other uses. Hanging device on side allows brush to be stored on bucket away from material. 7" plastic handle with hang hole.

No. BL527

Curved Handle Wire Brush

Round tempered steel wire on a wood block. Great for cleaning tools - removes rust, metal burrs, paint, and varnish. 4x18 rows of 1" trim on the 1" wide base. Hang hole for easy storage. 14" overall length.

No. BL467

Wire Duster Brush

Rounded tempered steel wire bristles on a 3" wood block. Great for dusting and removing metal chips. 9-1/4" overall length, with a 5-1/4" handle. 2-1/2" trim.

No. BL468

High Leverage Compound Bolt Cutter

These all-purpose cutters offer a lower force to cut, delivering superior cutting performance. Come equipped with center-cut blades, allowing them to tackle soft, medium, and hard materials. Integrated stabilizer and ergonomic grips on handles reduces fatigue, ensuring increased leverage and control when cutting.

No.	Weight	Length
GG118*	3.4 lbs.	18"
Capacities: Soft-Medium Metals 12mm, Hard Metals 7mm		
GG119*	6 lbs.	24"
Capacities: Soft-Medium Metals 11mm, Hard Metals 8mm		

HKP® Heavy-Duty Bolt Cutters

For general heavy-duty cutting of all soft or hard metals, including concrete reinforcing rods, hard wire rope, chrome ball wire, cold drawn alloy steel, stainless steel, and tempered spring wire up to Brinell 455 and Rockwell C48 hardness.

No.	Weight	Length
GG124	6 lbs.	24"
Capacities: Soft Metal 7/16" (11mm); Hard 5/16" (8mm)		
GG136	14 lbs.	36"
Capacities: Soft Metal 9/16" (14mm); Hard 7/16" (11mm)		
GG142	20 lbs.	42"
Capacities: Soft Metal 11/16" (17mm); Hard 1/2" (13mm)		

Add "01" after part number for replacement jaws

CAUTION: Always use approved safety protection.

*See page 193

MASONRY BRUSHES

Broom Handles

Must order handles separately from brush heads.

No.	Description
BL431	14" Tapered Wood Jam Handle
BL432	54" Tapered Wood Jam Handle
CC163	60" Metal Threaded Wood Handle
GG232	60" Threaded Coated Steel Handle
CC263	60" Snap-Style 3-Piece Threaded Aluminum Handle

Jumbo Utility Brush

This red handled utility brush is a must for any professional. Long-wearing, 4" white Tampico fibers can be used on masonry, brick, tile, and stone. A truly versatile brush.

No.	Size
BL526	6-1/2"x2" Block

Heavy-Duty Acid Brush

Mason's like this brush because of the solid stock construction and greater holding capacity. Coarse 3" Palmyra and Tampico fibers securely attach to hardwood block. Uses tapered wood handles.

No.	Size
BL430	8-1/4"x2"

Standard Acid Brush

Use to wash down new and old masonry surfaces with muriatic acid. White Tampico fibers are 6" wide, 1-3/4" thick, and 3-1/4" long. 5 rows thick for thorough coverage. Uses tapered wood handles.

No. BL422

Heavy-Duty Acid Brush

Long-wearing acid brush. The smooth finished hardwood block has 18 x 6 rows of stiff 1-1/4" long white Tampico fiber bristles. Uses tapered wood handles.

No.	Size
BL525	8-1/4"x3"

Acid / Cleaning Brush

Ideal brush for cleaning equipment and other surfaces. 2-1/2" long plastic bristles are acid resistant. 10" plastic block. Uses threaded broom handles.

No. BL433

Large Heavy-Duty Acid Brush

Perfect for rough scrubbing or acid cleaning. Smooth 10"x3" hardwood block with 2" white Tampico fibers. Uses threaded or tapered handles.

No. BL528

Nylex® Truck Brush

2-1/4" soft Nylex® brush for finishing concrete and exposing aggregate in decorative finishes. White bumper protects walls and edges. Use with threaded broom handles.

No.	Size
BL437	10"

Truck / Wash Brush

2-1/2" black and white flagged polystyrene bristles. Soft scrubbing action is ideal to prep floors or use on vehicles. White bumper protects walls. Use with threaded handles.

No.	Size
BL435	10-1/2"

Long Arm Acid Brushes

19-3/4" solid wood handle to keep your hands out of harmful materials. Bristles are heat, alkali, and acid resistant. 1-3/4" fiber gives just the right spring to the bristles. Brush face is 5"x3-1/2". Handle is smooth, tumbled block that is easy to grasp.

No.	Fiber
A) BL521	Palmyra
B) BL522	White Tampico
C) BL523	Plastic

Acid Brushes

Designed especially for use with acid and heavy scrubbing. Brush head measures 3"x4" with 2" trim. The 4-1/2" long handle allows for strong scrubbing action. 8-1/2" long overall.

No.	Fiber
A) BL119	Plastic
B) BL120	White Tampico

Deck Brush

Stiff blue filament is resistant to chemicals and holds solutions. Not affected by solvents or acids. Smooth 10"x3" hardwood block with 1-3/4" long bristles. Uses threaded or tapered handles.

No. BL529

Bricklayer's Brush

2-1/2" bristles keeps your projects neat and clean. Choose from medium or soft bristles.

No.	Size
BL428	13" Medium Grey Flagg
BL427	13" Soft Horsehair *(Shown)*

Wire Brush and Scraper

1" long steel wires on a 6-1/4" head for removing paint. Includes 2-7/8" scraper for tough spots.

No. BL466

MORTAR BOXES

HEAVY-DUTY 10 CU. FT. CAPACITY

Steel Mortar Box

- #10 gauge heavy-duty steel
- 6" forklift clearance
- Heavy-duty reinforced top lip
- Joints lapped with continuous welds for extra strength
- Weight: 166 lbs.

No.	Size
BC210**	10 cu. ft.

**Must ship via truck

Inside Top Dimensions:
57" Length, 21" Width, 17-1/4" Height
Inside Bottom Dimensions:
39" Length, 21" Width

HEAVY-DUTY 10 CU. FT. CAPACITY

- #10 gauge heavy-duty steel
- Easy turn heavy-duty 8" casters; two swivel with locking feature and two straight
- Reinforced 1" steel handle
- Joints lapped with continuous welds for extra strength
- 3-1/2" forklift clearance
- Weight: 260 lbs.

No.	Size
BC211**	10 cu. ft. Mortar Box *with* Casters
BC211-01**	10 cu. ft. Mortar Box *without* Casters

**Must ship via truck

Mud Dobber MORTAR BOX *with Heavy-Duty Casters*

Inside Top Dimensions:
45" Length, 22" Width, 18" Height
Inside Bottom Dimensions:
36 -1/2" Length, 22" Width

Poly Mortar Box

Durable poly mortar box holds 9 cubic feet of material. A reinforced top lip stands up to the rigors of use. Smooth interior is easy to clean. The lightweight material makes it easy to maneuver around a jobsite.

Inside Top Dimensions:
60" Length, 32" Width, 12" Height
Inside Bottom Dimensions:
34" Length, 23" Width

No.	Size	Thickness	Weight
BC218**	9 cu. ft.	350 mil	26 lbs.

**Must ship via truck

Steel Mortar Box

Steel mortar boxes made of heavy-duty 16 gauge steel. Smooth interior makes mixing easier. Leakproof construction.

No.	Size	Weight
BC206**	50-1/2"x29"x12-1/2" (6 cu. ft.)	50 lbs.
BC209**	61-3/4"x33"x13" (9 cu. ft.)	65 lbs.
BC215**	78"x39"x13" (15 cu. ft.)	94 lbs.

**Must ship via truck

Polyethylene Mortar Boxes

Available in two popular sizes. Lightweight but tough. Not affected by heat or cold; easy to clean. Leakproof construction will not rust.

No.	Size	Thickness	Weight
BL375**	55"x33"x7" (4.5 cu. ft.)	250 mil	16 lbs.
BL376**	60"x36"x12" (9.4 cu. ft.)	275 mil	22 lbs.

**Must ship via truck

MORTAR BOARDS & PANS

Polyethylene Mortar Pan
175 mil Thick

One-piece construction. Outwears metal. Not affected by plaster, mortar, or water. Weighs less than 5 lbs. Easy to use, easy to clean. Tapers to 16"x16" at bottom.

No.	Size
BC492	29"x29"x6" (1.4 cu. ft.)

All Steel Mortar Pan

Rounded edges for easy handling. Curved corners and sloped sides make this pan ideal for mixing materials. Smooth interior makes mixing easier. Leakproof. Easy to use, easy to clean. Holds 3 cu. ft.

No.	Size	Gauge
BC212	30"x30"x7"	12
BC212E*	30"x30"x7"	20

All Purpose Tub
100 mil Thick

Great for mixing a variety of materials. (6 per carton)

No.	Size
BC217	26"x20"x6" (1.3 cu. ft.)

Polyethylene Mortar Board

Will not splinter. Will not absorb water. Dry mortar will not stick. Lightweight 150 mil polyethylene is easy to use and clean.

No.	Size
BC480	29"x29"

Economy Mortar Stand

Use on scaffold or ground. Made from tubular steel, 30" tall or 19" laying on side. Weight: 10 lbs.

No. BC293*



Mortar Stand

Folding stand is made of tubular steel and can be used on scaffold or ground. Lightweight and easy to handle. Stand is 29-1/2" tall and has (2) chains. Weight: 12 lbs.

No. BC291

Professional Mortar Board

Our newest Professional Mortar Board keeps your mortar and stucco ready to use at the right consistency, right when you need it. The ABS resin surface resists UV, impact, water, and heat, so your mix stays at working consistency from first scoop to last trowel. The integrated handle makes transport effortless, while the reinforced ribbed backing supports up to 150 lbs. of material with minimal flex.

No.	Size
BC200	24"x24"

Heavy-Duty Mortar Hoe

Mortar hoe has two holes for better mixing. Comes with heavy-duty shovel-type wood handle. Preferred by the pros.

No.	Size
BC228	10"x6" Blade with 66" Handle
BC230	7"x5" Blade with 60" Handle

Short Handle Mortar Hoe

Mortar hoe has two holes for better mixing. Short 18" heavy-duty shovel-type wood handle is ideal for working in tight areas. A must-have tool for every mason. Overall length is 21".

No.	Size
BC229	6-1/2"x4-3/4" Blade

*See page 193

PROFESSIONAL CHISELS

Concrete Chisels
Forged from the finest tool steel, well tempered, properly balanced for a comfortable hold.

No.	Size
CC654	10"x1-7/8"
CC671	10"x2-1/2"
CC655	10"x2-7/8"

English Pattern Plugging Chisel
Plugging chisel has a grooved blade forged from the best steel available. Blade is 4-1/2" tall; tapers from 1" down to 1/2". Overall length is 10".
No. BL377

Plugging Chisel
Forged from the finest tool steel, well tempered, properly balanced for a comfortable hold. Overall length is 10" with 6" handle.

No.	Size
BL576	4-1/2" Blade

Stone Splitting Wedge
Drill hole in stone and insert shims and wedge. Hammer the wedge to force stone apart. Measures 4-3/4"x1/2".
No. BL389

Carbide-Tipped Hand Tracer
Hand tracer makes straight lines on stone. Continued tracing will cause stone to split along this line. 2" beveled blade, 1-1/4" hex diameter, and 8-1/2" overall length.

No.	Weight
BL388	3 lbs.

Carbide Tipped Brick/Stone Hammer
Special designed head with 12" wood handle gives extra striking force with 1" wide durable carbide tip.

No.	Weight
BL150	2 lbs.

Carbide Tipped Chipping Hammer
Forged and tempered. Vertical cutting edge has a carbide tip for perfect angle to remove stone.

No.	Weight
BL149	2 lbs.

Rubber Grip English Bolster Chisel
Rubber grip chisel is easy to hold while using. Forged and heat-treated steel for longer life. Overall length of 8-3/4", 5" handle, 4" wide cutting blade.
No. BL426

Bricklayer's Set
Forged from the finest tool steel, well tempered, properly balanced for a comfortable hold. Overall length is 8".

No.	Size
BL232	2-1/2"
BL233	3"
BL234	4"

Plain Stone Mason's Chisels
Forged from the finest tool steel, powder-coated. Well tempered, properly balanced for a comfortable hold. Beveled end. Overall length is 8".

No.	Size
BL022	1-1/4"x5/8"
BL423	1-3/4"x3/4"
BL424	2-1/4"x3/4"
BL425	2-3/4"x7/8"

Tooth Stone Mason's Chisels
Forged from the finest tool steel, well tempered, properly balanced for a comfortable hold. Overall length is 8".

No.	Size
BL412	1-1/4"x5/8"
BL413	1-3/4"x3/4"
BL414	2-1/4"x3/4"
BL415	2-3/4"x7/8"

A) Hand Stone Chipper
Use to chip a straight edge on a smooth building stone.

No.	Diameter	Bit
BL385	7/8"	2"
BL386	1"	2-1/2"
BL387	1-1/8"	3"



B) Hand Stone Tracer
Marks a straight line on stone. Continued tracing will cause stone to split along this line. Great for shaping and cutting.

No.	Diameter	Bit
BL382	7/8"	2"
BL383	1"	2-1/2"
BL384	1-1/8"	3"

C) Hand Stone Pitching Tool
Use to trim stone on edge to put on a facing.

No.	Diameter	Bit
BL378	7/8"	2"
BL379	1"	2-1/2"
BL381	1-1/8"	3"





CAUTION: Always use approved safety protection.

MASONRY HAMMERS

Kraft Brick Hammer



This heavy-duty brick hammer is available in three sizes. Forged from high-quality tool steel. Comes with a smooth, comfortable 11-1/4" wood handle.

No.	Description
BL155	24 oz.
BL153	28 oz.
BL152	32 oz.
BL152L	32 oz. with 15" Handle
BL155-01	11-1/4" Replacement Handle with Wedges

Bricklayer's Hammer

This heavy-duty brick hammer is available in two sizes. Forged from high-quality tool steel. Comes with a smooth, comfortable 10-1/4" wood handle.

No.	Weight
BL255*	16 oz.
BL256*	24 oz.
BL255-01	Replacement Handle with Wedges

Dead Blow Hammer

2 lb. hammer packs a wallop, yet dampens the vibration when striking the surface and minimizes the rebound. Compact head is flared for full coverage. The extruded handle is secured to tool. A rubber cover eliminates possibility of sparking when striking metal and minimizes surface marring.

No.	Weight
BL275*	2 lbs.

Toothed Bush Hammer

Has milled teeth on square face for shaping and texturing masonry materials.

No.	Size	Weight
BL344	1-1/2"	3 lbs.
BL444	1-3/4"	4 lbs.

Deluxe Toothed Bush Hammer

9" long head with 1" square face. Teeth are precision cut to a sharp point for superior cutting action and wear. Comes with smooth wood handle.

No.	Weight
BL151	2 lbs.
BL155-01	Replacement Handle with Wedges

Stone Mason's Hammer

A heavy-duty hammer made of forged and tempered steel. One end used for splitting and breaking stone, and the other end for trimming. Comes with 32" long handle.

No.	Weight
BL336	16 lbs.
BL338	20 lbs.

Mash Hammer

Forged steel head. Comes with 8-1/4" wood or fiberglass handle. Used by the professional bricklayer.

No.	Weight	Handle
BL453*	3 lbs.	Wood
BL453F*	3 lbs.	Fiberglass

Sledge Hammer With Fiberglass Handle

4 lb. sledge style head has a strong fiberglass handle with rubber grips. Overall length 14-1/2". Ideal for working with forms, stakes, and other general construction jobs.

No.	Weight
BL454F*	4 lbs.

One-Piece Estwing® Mash Hammer

Made of steel with Blue Shock Reduction Grip®. Polished face and bevel-painted finish.

No.	Head Weight
BL352	2 lbs.
BL353	3 lbs.
BL354	4 lbs.

Scaling Hammer

Scaling hammer is used for cleaning in preparation for refinishing old brick. Can also be used for chipping mortar in a variety of ways.

No.	Weight
GG334*	16 oz.

Cushion Grip Estwing® Mason's Hammer

Built to really take a punishment. Rugged steel handle will not break, fly off, dent, or get chewed up. Exceptionally well balanced.

No.	Weight
BL320	20 oz.
BL324	24 oz.

Short Handled Stone Mason's Hammer

Made of forged and tempered steel for trimming and splitting stone. Comes with 16" wood handle.

No.	Weight
BL333	3 lbs.
BL334	4 lbs.
BL337	6 lbs.
BL332	16" Replacement Handle with Wedges

*See page 193

CAUTION: Always use approved safety protection.

TAPES & BRICK RULES

Modular Rule

Lists modular spacings on one side; feet, inches, 8ths, and 16ths on the other side. Ruler features six scales. First section is short for butting rule on first 16" module. Legs have square ends.

No.	Size
BL512*	6' Wood



Spacing Rule

Thick hardwood rule lists ten course spacing on one side; has inches, 8ths, and 16ths on other side. Markings at 16" for studs. Joints are lubricated for smooth opening and closing.

No.	Size
BL167*	6' Wood

Brick Mason's Rule for King Size Brick

Designed for oversized brick. The brick rule is designed with spacing starting at 2-7/8" and ranging to 3-1/2" in 1/16" increments. This brick spacing rule is identified with letter "A" through "K". Graduations in 16ths, inches, and 16" inches.

No.	Size
BL169*	6' Wood



Engineer Folding Rule

Red-end folding rule is the finest engineer rule made. Foot numbers in red repeated each inch and 10th of a foot.

No.	Size
GG320*	6' (16ths, Feet, 10ths, 100ths) Wood (1066D)



Mason's Tapes

16' **Spacing Tape** has feet and inches on one edge of blade and space markings on the other. **Modular tape** has modular markings for all common bricks; and feet, inches, and 16ths on one edge of blade.

No.	Size
A) BL518*	16'x3/4" Spacing
B) BL519*	16'x3/4" Modular

Ammo Chalk Box

Heavy-duty 150' chalk line with an oversized ring. Box holds 1-1/2 lbs. of chalk and has a moisture-resistant, easy-refill lid. Great for paving contractors, highway departments, and landscape contractors. (*Order chalk separately, page 107.)*

No.	Description
GG302	Ammo Chalk Box
GG302-01	150' Replacement Line
GG317-48	Yellow Chalk, 48 lbs.

General Contractor Pages 101-110

See our General Contractor section for:

- Measuring Tapes
- Chalk Boxes / Chalk
- Shoves
- Hammers
- Plus Lots More...



*See page 193

PERSONALIZED Mason's Line Twigs / Trigs, Line Blocks, and Line Pins

Personalized Line Twigs/Trigs

- Text only, no logos
- Two line maximum imprint
- Imprint area 3/8" high and 2" wide
- Black imprint color
- 4"x1/2" twig (BL156)

Personalized Line Blocks

- Text only, no logos
- Three line maximum imprint
- Imprint area 1/2" high and 2-1/2" wide
- Black imprint color
- 4"x1-1/4"x1-1/4" block (SLLB2)

Personalized Line Pins

- Text only, no logos
- One line maximum imprint
- Imprint area is 18 spaces
- Printed onto metal surface
- 4-1/2" long pin (BL158)

Ask your helpful Customer Service Representative for a special imprint order form, prices, and quantities. Order forms also available online.

Line Twig Form | Line Block Form | Line Pin Form

Imprint Your Name Here!

Stainless Steel Bucket Scoop

Stainless steel scoop; great for loading trowels and transferring mortar, plaster, or stucco material. Comes with wood handle and bucket hanger. Inside of scoop is tapered from 7" to 3-1/2".

No. PL804*

Bucket Trowel

Stainless steel tapered blade allows user to eliminate wasted material left in bucket. Comes with wood handle and special tang to hang on side of bucket.

No.	Size
PL800*	7"x4-1/2"x3"

Lid Claw

Remove lids from plastic buckets quickly and easily. Made of strong durable plastic.

No.	Size
DW110	8" Length

Apprentice Programs

Kraft Tool is dedicated to the future of building crafts and educating the next generation of masons, contractors, and other trowel trade professionals.

The Apprentice Kit featured on this page has been created in cooperation with trade school curriculum and union guidelines. Kraft has different tool programs that can be customized to best meet the needs of your secondary, post-secondary, apprenticeship, vocational, and technical school program. Please contact us at **1-800-422-2448** for more information about these special programs.

This kit includes everything a new apprentice needs to get started in the Masonry trade.

Masonry Apprentice Kit #BC901AK

Qty	Part No.	Description
1	RO116-10-1/2	10-1/2" W. Rose™ Narrow London Trowel
1	RO3131-24	W. Rose™ Brick Hammer 24 oz.
1	RO5121-3/8x1/2	3/8"x1/2" W. Rose™ Convex Jointer
1	RO5121-5/8x3/4	5/8"x3/4" W. Rose™ Convex Jointer
1	BC334T	250' Tube Flo. Orange Braided Line
1	BL167	Wood Spacing Rule
1	BL210	Skate Joint Raker
1	BL234	4" Bricklayer's Set
1	BL526	Utility Brush
1	GG432	5"x2" Margin Trowel
1	SL12AB48	48" Brass Bound Mahogany Level
1	BL348	Tenite Line Block (Pair)
1	WL050	20" Canvas Tool Bag

See More Apprentice Kit Options on Page 185

Apprentice Kit Options:

- Masonry
- Concrete
- Plaster
- Drywall
- Tile

*See page 193



Rounded Detail and Pointing Detail Trowels

100% Stainless Steel Blade

Great for detailing plaster and EIFS projects.

No.	Size	Description
PL585PF	6"	Rounded Detail
PL586PF	6"	Pointing Detail

Sheet Metal Cutting Shears

A favorite with sheet metal, lath, and tile professionals. Cuts sheet metal, tile, asphalt, wire, plastic, shingling, and carpets. Forged snips are contoured for easier cutting, less fatigue.

No.	Size
LA292*	12-1/2"

LA350 Shown

Wiss® Aviation Style Snips

Perfect for metal lath work. Double action. Plastic color coded grips for safety/comfort.

No.	Size
LA205	Left Cutting (Red)
LA207	Right Cutting (Green)
LA350	Straight and Combination (Yellow)

Offset/Bent Pattern Snips

With 6" Long Handles

Keeps hands off lath for protection. Features extension handles with rubber grips, allowing for better leverage when cutting metal.

No.	Size
LA293*	19"

Lightweight Aluminum Snips

Comfortable, lightweight tool cuts up to #22 gauge steel and stainless steel up to #26 gauge. Great for vinyl, aluminum siding, vinyl flooring, and roofing materials.

No.	Size
LA377*	13"

End Cut Nippers

Comfortably cut wire all day long with these steel lather's nippers. Plastic handle grips create a comfortable hold.

No.	Size
LA407*	7"
LA408*	8"

See the Plaster Apprentice Kit on Page 161

US Patent #6,973,725 B2

Miter Snips

Accurately cuts angles in seconds up to 1" wide x 1/2" thick (replaceable blade). Cuts plastic, decorative moldings, and tile edges/trim. Adjustable miter fence with built-in protractor. 7 preset angles from 45°-135°. Safety lock handle with no-slip grip. To easily change angle, slide the self-indexing metal guide to desired angle.

No.	Description
LA355*	Miter Snips
LA355-01*	Top Cutting Replacement Blade

Magnetic Nail Hammer

The 6" long head grips nails tightly. Lets you work in tight places. 12-1/2" soft grip handle. Weighs 34 oz.

No.	Description
PL258SG	Magnetic Hammer
PL258SG-01	Repl. Magnetic Tip

Magnetic Nail Drivers

Stainless steel nail driver. Grips nails tightly. Lets you reach really tight spots. Has 5/8" hexagonal shank for a good grip.

No.	Description
PL252	5-1/2" Long, 3/4" Dia. Nose
PL256	8" Long, 9/16" Dia. Nose

*See page 193

PLASTER HAWKS

Aluminum Hawk

.060" Thick

High-strength, lightweight aluminum blade with rounded corners to protect against snags. The blade is machine-scored to keep all material centered on the blade. The detachable wood handle includes a rubber hand protector to prevent calluses.

No.	Size
SL518	8"x8"
SL517	9"x9"
SL522	10"x10"
SL519	12"x12"
SL520	13"x13"
SL521	13-1/2"x13-1/2"
SL505	Wood Handle for Sands Hawks



Heavy-Duty Aluminum Hawk

.080" Thickness

Long-wearing .080" thick aluminum hawk. Smooth straight edges with rounded corners. Blade is machine-scored to control material. Detachable handle with threaded bolt and sponge rubber callus preventer.

Wood	***ProForm®***	
No.	**No.**	**Size**
PL510	PL510PF	10"x10"
PL512	PL512PF	12"x12"
PL513	PL513PF	13"x13"
PL524	PL524PF	13-1/2"x13-1/2"
PL528	PL528PF	14"x14"
PL250	Wood Handle	
PL250PF	ProForm® Handle	
PL249	Callus Preventer	

Professional Magnesium Hawk

30% Lighter than Aluminum

Corners are rounded for safety, comfort, and long service. Blade is machine- scored to control material. Has 4" flange reinforcing the center. Comes with a special 1/2" thick sponge rubber hand protector.

Wood	***ProForm®***	
No.	**No.**	**Size**
PL260	PL260PF	8"x8"
PL261	PL261PF	10"x10"
PL262	PL262PF	12"x12"
PL263	PL263PF	13"x13"
PL265	PL265PF	13-1/2"x13-1/2"
PL264	PL264PF	14"x14"
PL266	PL266PF	16"x16"
PL250	Wood Handle	
PL250PF	ProForm® Handle	
PL249	Callus Preventer	

Venetian Trowel

Stainless Steel

Trapezoid-shaped stainless steel finish trowels. Designed for finishing and polishing decorative plaster and stucco. Machined edge with a smooth, bright finish.

Camel Back Wood Handle

No.	Size
PL627	8"x3" (203mmx76mm)
PL628	9-1/2"x3-1/2" (241mmx89mm)

ProForm® Handle

No.	Size
PL627PF	8"x3" (203mmx76mm)
PL628PF	9-1/2"x3-1/2" (241mmx89mm)

Elite Series™ Venetian Trowel

Stainless Steel

Trapezoid-shaped stainless steel finish trowels. Designed for finishing and polishing decorative plaster and stucco. Machined edge with a smooth, bright finish.

Cork Handle

No.	Size
PLE627K	8"x3" (203mmx76mm)
PLE628K	9-1/2"x3-1/2" (241mmx89mm)

ProForm® Trowel Handle (US Patent #6,247,204 B1) Elite Series™ Five Star Cork Handle (US Patent #D853,821 S)

PLASTER FINISHING TROWELS

Carbon Steel

- Longer shank creates a stiffer blade
- Strong carbon steel blade

Camel Back Wood Handle

No.	Size	Shank
PL425	10-1/2"x4-1/2"	9-5/8"
PL451	11"x4-1/2"	9-5/8"
PL456	11-1/2"x4-1/2"	9-5/8"
PL448	11-1/2"x4-3/4"	9-5/8"
PL468	12"x5"	9-5/8"
PL470	13"x5"	11-5/8"
ProForm® Soft Grip Handle		
PL425PF	10-1/2"x4-1/2"	9-5/8"
PL451PF	11"x4-1/2"	9-5/8"
PL456PF	11-1/2"x4-1/2"	9-5/8"
PL448PF	11-1/2"x4-3/4"	9-5/8"
PL468PF	12"x5"	9-5/8"
PL470PF	13"x5"	11-5/8"

Swedish Stainless Steel

- Heat-treated Swedish stainless steel
- Special alloy will not rust, pit, or stain

Camel Back Wood Handle

No.	Size	Shank
PL525	10-1/2"x4-1/2"	9-5/8"
PL551	11"x4-1/2"	9-5/8"
PL547	11"x4-3/4"	9-5/8"
PL556	11-1/2"x4-1/2"	9-5/8"
PL548	11-1/2"x4-3/4"	9-5/8"
PL568	12"x5"	9-5/8"
PL570	13"x5"	11-5/8"
PL574	14"x5"	11-5/8"
PL576	16"x5"	13-5/8"
ProForm® Soft Grip Handle		
PL525PF	10-1/2"x4-1/2"	9-5/8"
PL551PF	11"x4-1/2"	9-5/8"
PL547PF	11"x4-3/4"	9-5/8"
PL556PF	11-1/2"x4-1/2"	9-5/8"
PL548PF	11-1/2"x4-3/4"	9-5/8"
PL568PF	12"x5"	9-5/8"
PL570PF	13"x5"	11-5/8"
PL574PF	14"x5"	11-5/8"
PL576PF	16"x5"	13-5/8"

Golden Stainless Steel

- Special heat treatment for a flatter, longer-lasting blade
- Special alloy will not rust, pit, or stain
- Choice of long or short shank

Camel Back Wood Handle

No.	Size	Shank
PL452	10-1/2"x4-1/2"	9-5/8"
PL454	11"x4-1/2"	9-5/8"
PL455	11"x4-3/4"	9-5/8"
PL453	11-1/2"x4-1/2"	9-5/8"
PL457	11-1/2"x4-3/4"	9-5/8"
PL459	12"x5"	9-5/8"
PL460	13"x5"	11-5/8"
CF543	14"x5"	11-5/8"
CF545	16"x5"	13-5/8"
PL449	11-1/2"x4-3/4"	7-7/8"
PL458	12"x5"	7-7/8"
PL461	13"x5"	7-7/8"
CF544	14"x5"	9-5/8"
PL462	16"x5"	9-5/8"
ProForm® Soft Grip Handle		
PL452PF	10-1/2"x4-1/2"	9-5/8"
PL454PF	11"x4-1/2"	9-5/8"
PL455PF	11"x4-3/4"	9-5/8"
PL453PF	11-1/2"x4-1/2"	9-5/8"
PL457PF	11-1/2"x4-3/4"	9-5/8"
PL459PF	12"x5"	9-5/8"
PL460PF	13"x5"	11-5/8"
CF543PF	14"x5"	11-5/8"
CF545PF	16"x5"	13-5/8"
PL449PF	11-1/2"x4-3/4"	7-7/8"
PL458PF	12"x5"	7-7/8"
PL461PF	13"x5"	7-7/8"
CF544PF	14"x5"	9-5/8"
PL462PF	16"x5"	9-5/8"

Cali Gold™ Plaster Trowels

Golden Stainless Steel

- Special alloy will not rust, pit, or stain
- Lightweight mounting
- Ideal for plaster and stucco projects
- Made of hard stainless steel for long-lasting durability
- Special heat treatment to match the original California style
- Low profile wood handle

No.	Size
PLC122	11"x4-1/2"
PLC123	12"x4"
PLC124	12"x4-1/2"
PLC125	12"x5"
PLC126	13"x5"
PLC127	14"x4"
PLC128	14"x4-1/2"
PLC129	14"x5"
PLC130	16"x4"
PLC131	16"x5"
PLC133	18"x5"
PLC134	20"x5"
PLC135	24"x5"

Go Devil

Applies stucco and other materials quickly. Ideal to move material in an upward motion on walls.

No.	Size	Material
PL267	22"x8"	Magnesium
PL268	22"x10"	Magnesium
PL529	22"x8"	Aluminum
PL530	22"x10"	Aluminum

Elite Series™ PLASTER FINISHING TROWELS



Elite Series™ Golden Stainless Steel

Five Star Plaster Trowels ★★★★★

- Premium blade has a special heat treatment for a flatter, longer-lasting blade
- Precision ground edge

Size	Shank	*ProForm® Handle* No.	*Wood Handle* No.	*Leather Handle* No.	*Cork Handle* No.
11"x4-1/2"	9-5/8"	PLE454PF	PLE454	PLE454L	PLE454K
11-1/2"x4-3/4"	9-5/8"	PLE457PF	PLE457	PLE457L	PLE457K
12"x5"	9-5/8"	PLE459PF	PLE459	PLE459L	PLE459K
13"x5"	11-5/8"	PLE460PF	PLE460	PLE460L	PLE460K
14"x5"	11-5/8"	CFE543PF	CFE543	CFE543L	CFE543K
12"x5"	7-7/8"	PLE458PF	PLE458	PLE458L	PLE458K
13"x5"	7-7/8"	PLE461PF	PLE461	PLE461L	PLE461K

Elite Series™ Carbon Steel *(not shown)*

Size	Shank	*ProForm® Handle* No.	*Wood Handle* No.	*Leather Handle* No.	*Cork Handle* No.
10-1/2"x4-1/2"	9-5/8"	PLE425PF	PLE425	PLE425L	PLE425K
11"x4-1/2"	9-5/8"	PLE451PF	PLE451	PLE451L	PLE451K
12"x5"	9-5/8"	PLE468PF	PLE468	PLE468L	PLE468K
13"x5"	11-5/8"	PLE470PF	PLE470	PLE470L	PLE470K

Special Premium Flexible Stainless Steel Alloy Trowels

Opti-*FLEX*™

- **Unique design makes these trowels lightweight with just the right balance**
- **Flexible blade helps reduce arm and wrist stress**
- **Top blade support plate provides a balance of rigidity on this flexible stainless steel blade**
- **Rivetless stainless steel troweling surface features a machined edge for a superior finish**
- **Special alloy will not rust, pit, or stain**
- **Rounded corners prevent gouging or marks**
- **A great choice for plaster and concrete decor when flexibility and a light touch are key**

Opti-FLEX™ Stainless Steel

Five Star Finishing Trowels

Wider width for increased stability, with broken-in corners. Finish and skim plaster and drywall with a balance of flexibility and toughness.

Size	*ProForm® Handle* No.	*Wood Handle* No.	*Leather Handle* No.	*Cork Handle* No.
12"x4-3/4"	PLE481PF	PLE481	PLE481L	PLE481K
13"x4-3/4"	PLE482PF	PLE482	PLE482L	PLE482K
14"x4-3/4"	PLE483PF	PLE483	PLE483L	PLE483K
16"x4-3/4"	PLE484PF	PLE484	PLE484L	PLE484K

XtremeFLEX™

XtremeFLEX™ Stainless Steel

Five Star Finishing Trowels

Finish and skim with this extra flexible trowel. Broken-in corners.

Size	*ProForm® Handle* No.	*Wood Handle* No.	*Leather Handle* No.	*Cork Handle* No.
12"x4"	PLE462PF	PLE462	PLE462L	PLE462K
13"x4"	PLE463PF	PLE463	PLE463L	PLE463K
14"x4"	PLE464PF	PLE464	PLE464L	PLE464K
16"x4"	PLE465PF	PLE465	PLE465L	PLE465K

ProForm® Trowel Handle (US Patent #6,247,204 B1) Elite Series™ Five Star Wood Handle (US Patent #D584,126) Elite Series™ Five Star Cork Handle (US Patent #D853,821 S)

Regular Dutch Brush

Brush used by plasterers, painters, stucco workers, and cement finishers. Made of Tynex® nylon set in rubber. Hang hole for easy storage. Overall length is 11".

No.	Size	Bristle Length
PL101	7"x1-5/8"	4-1/8"

Stucco Dash Brush

Bristles are attached to a 6"x3-1/8" wood block. The 8" handle provides an easy grip for flinging plaster and other texture material. Great for touch-ups on larger jobs. Available with plastic or Bassine bristles when a stiffer fiber is needed. Also great for use as a clean-up brush.

No.	Bristles	Material
PL114	4"	Bassine Bristles
PL115	5-1/4"	Yellow Plastic Bristles

Blister Brush

The perfect tool to easily apply water or pick water up off newly finished surfaces. Also handy for cement finishing. Has removable hardwood handle with steel ferrule. Insert felt pads into the 1-1/4"x7-1/2" aluminum channel with sturdy 1/8" sidewalls. Comes with two 4"x9" felt pads.

No.	Description
PL224	Blister Brush
PL225	Replacement Felt Pads

Plasterer's Scarifier

Used to easily scratch undercoats so finish coat will bond and not separate. Has light, flexible steel tines, all welded construction. Available with a steel handle or comfortable ProForm® handle. End of ProForm® handle accepts broom thread handles for extended reach *(sold separately, see page 104)*.

***ProForm®* Handle**	***Steel* Handle**	
No.	**No.**	**Size**
PL206PF	PL206	6"
PL208PF	PL208	8"
PL212PF	PL212	12"
PL214PF	PL214	14"
PL216PF	PL216	16"

ProForm®
Scarifier Handle
US Patent
#D614,471S

Blue Steel Scarifier

Flexible blue steel tines easily scratch undercoats to create the perfect surface for finish coats. Strong handle with comfortable soft grip texture.

No.	Size
PL211*	11-1/2"

Scratcher Knife

Blue steel blade on aluminum mounting. The "V" notch on 2 sides of the blade allows brush-type strokes for scratching plaster and stucco for bonding. Strong and wide lightweight plastic handle.

No.	Description
PL629*	12"x5" Blade Notch Size 1/2"x1/2"

Scratcher Trowel

Great for scratching plaster or stucco. Features a 1/2" x 1/2" "V" notch.

Wood	***ProForm®***	
No.	**No.**	**Size**
PL631	PL631PF	12"x5"
PL630	PL630PF	16"x5"

Angle Plane

Use this handy tool instead of your trowel blade to work down high spots, scrape walls, and clean angles. It has 7 blue steel blades, 1" deep.

No.	Size
PL300	10"x4"

PLASTER FLOATS

Super Poly-Foam Floats

- White Poly-Foam that looks and wears like rubber
- Does not disintegrate like most foams

Wood Handle

No.	Size
PL606	10"x4"x3/4"
PL605	12"x4"x3/4"
PL604	12"x5"x1"

Poly-Foam Replacement Pads

PL706	10"x4"x3/4"
PL705	12"x4"x3/4"
PL704	12"x5"x1"

Green Texture Floats

- Brings aggregate out on any sand surface
- Special coarse or fine green plastic foam

Course Green Texture Floats

No.	Size
PL602	10"x4"x3/4"
PL601	12"x4"x3/4"
PL607	12"x5"x3/4"
PL603	12"x5"x1"

Fine Green Texture Floats

PL602F	10"x4"x3/4"
PL601F	12"x4"x3/4"
PL607F	12"x5"x3/4"
PL603F	12"x5"x1"

Course Green Replacement Pads

PL702	10"x4"x3/4"
PL703	12"x4"x3/4"
PL707	12"x5"x3/4"
PL701	12"x5"x1"

Fine Green Replacement Pads

PL702F	10"x4"x3/4"
PL703F	12"x4"x3/4"
PL707F	12"x5"x3/4"
PL701F	12"x5"x1"

Coarse Cell Rubber Floats

- For rough texture surfaces
- Rubber float pad is securely cemented to flat aluminum back

Wood Handle		***Plastic Handle***	
No.	**Size**	**No.**	**Size**
PL374	8"x4"x5/8"	PL374P	8"x4"x5/8"
PL382	10"x4"x3/4"	PL382P	10"x4"x3/4"

Fine Cell Rubber Floats

- For a fine textured finish
- Rubber pad securely cemented to flat aluminum back

Wood Handle		***Plastic Handle***	
No.	**Size**	**No.**	**Size**
PL371	8"x4"x5/8"	PL371P	8"x4"x5/8"
PL372	10"x4"x3/4"	PL372P	10"x4"x3/4"

Red Rubber Floats

- Sponge rubber securely cemented to flat aluminum back

Wood Handle

No.	Size
PL373 (Fine)	8"x5"x1"
PL383 (Coarse)	8"x5"x1"

Plastic Handle

No.	Size
PL373P (Fine)	8"x5"x1"
PL383P (Coarse)	8"x5"x1"

Molded Rubber Floats

- Very dense texture
- Molded black sponge rubber

Wood Handle

No.	Size
PL395	8"x4"x5/8"
PL398	10"x4"x5/8"

Plastic Handle

No.	Size
PL395P	8"x4"x5/8"
PL398P	10"x4"x5/8"

Lightweight Rubber Float

- Sponge rubber of correct density, lightweight red float that covers more surfaces

Wood Handle		***Plastic Handle***	
No.	**Size**	**No.**	**Size**
PL384	12"x4"x1/2"	PL384P	12"x4"x1/2"

Angle Float

This lightweight float is perfect for applying material such as brown coat. Square side edges and tapered angles on both ends easily finish to corners. Each side wall is 3/4" high.

No.	Size	Material
PL061	9"x4"	Magnesium



Jumbo Red Rubber Float

- Popular on the West Coast and Arizona
- Sponge density is the most popular used

Wood Handle		***Plastic Handle***	
No.	**Size**	**No.**	**Size**
PL310	12"x5"x3/4"	PL310P	12"x5"x3/4"

Replacement Float Handles

Your choice of wood or plastic handle.

No.	Description
CF263	7-1/4" Wood Float Handle
CF263P	7" Plastic Float Handle

Float Pads

Replacement pads available for all floats.

DARBIES

SMOOTH EDGE	DOUBLE SERRATED EDGE	SINGLE SERRATED EDGE

GENUINE EXTRU-LITE™ MAGNESIUM



Darby

Strong, lightweight magnesium is popular with plasterers. Raised ridges on each side for extra strength. Fitted with a 15" rib positioned 5-1/2" from the end and a knob handle centered 7-1/2" from the edge.

Smooth Edge

No.	Size
PL400	42"x3-1/2"
PL401	48"x3-1/2"

Double Serrated Edge

No.	Size
PL402	42"x3-1/2"
PL403	48"x3-1/2"

Single Serrated Edge

No.	Size
PL404	42"x3-1/2"
PL405	48"x3-1/2"

Packed 3 per carton

Darby With Double Knob Handle

Strong, lightweight magnesium has raised ridges on each side for extra strength. Knobs are centered 11" from each end.

Smooth Edge

No.	Size
PL410	42"x3-1/2"

Double Serrated Edge

No.	Size
PL412	42"x3-1/2"

Single Serrated Edge

No.	Size
PL414	42"x3-1/2"

Packed 3 per carton

Darby with 24" Rib Handle

Strong lightweight magnesium is fitted with 24" long rib handle. Raised ridges on each side for extra strength. Design preferred by many plasterers. 42" darby is 7-1/2" from edge to center of knob and 5-1/2" from end to rib. 48" Darby is 11" from edge to center of knob, 5-1/2" from edge to rib.

Smooth Edge

No.	Size
PL400-24	42"x3-1/2"
PL401-24	48"x3-1/2"

Double Serrated Edge

No.	Size
PL402-24	42"x3-1/2"
PL403-24	48"x3-1/2"

Single Serrated Edge

No.	Size
PL404-24	42"x3-1/2"
PL405-24	48"x3-1/2"

Packed 3 per carton

GENUINE EXTRU-LITE™ MAGNESIUM

Packed 3 per carton

42" Mag Darby

Reinforced for Strength and Straightness

Strong, lightweight magnesium is popular with plasterers. Fitted with a 15" rib positioned 5-1/2" from the end and a knob handle centered 7-1/2" from the edge.

No.	Size	Edge
PL413	42"	Smooth Edge
PL413D	42"	Double Serrated
PL413S	42"	Single Serrated

End View Detail

Reinforced for extra strength and straightness

30" Blue Steel Round End Plaster Darby

This strong yet flexible blue steel blade is rounded on each end to prevent gouging. The 5" wide blade provides additional coverage for a faster finish. Center rail keeps the blade flat. A wooden 15" rib and knob are spaced for easy movement when moving and smoothing wall material.

No.	Size
PL411B	30"x5"

General Contractor Pages 101-110

Scratcher Darby

"V" Notch

Lightweight magnesium darby with double knob handle. Angled edge for strength and rigidity. 1/2"x1/2" "V" notch.

No.	Size
PL694	42"

Packed 3 per carton

GENUINE MAGNESIUM EXTRU-LITE™

Wedge-Shaped Darby

Wedge-shaped magnesium darby is made of tempered magnesium alloy. It's the choice of the trade. Gives a fine, smooth finish to plaster. Height is 4-3/4".

No.	Size
PC036	36"
PC042	42"
PC048	48"



Packed 3 per Carton

GENUINE MAGNESIUM EXTRU-LITE™

Featheredge

Makes it easy to scrape off mud while following a plastering machine. Perfectly balanced for fingertip control. Width is 4-1/2".

No.	Size
PC004	4'
PC005	5'
PC006	6'
PC007	7'
PC008**	8'
PC010**	10'
PC012**	12'

**Must ship via oversized rate or truck

Packed 3 per carton

GENUINE MAGNESIUM EXTRU-LITE™

Magnesium Slicker

Ideal for straightening and slicking ceilings. No water needed. Designed with an angle at the top for strength, rigidity, and ease of operation. Height is 5". Weighs only 18 oz.

No.	Size
PL695	42"

Packed 3 per carton

GENUINE MAGNESIUM EXTRU-LITE™

Ornamental Tools

The plasterer's delight! Forged and tempered steel.

No.	Description	Size	Length
PL188*	Trowel & Square	3/8"	8-3/4"
PL189*	Trowel & Square	1/2"	9-1/2"
PL190*	Trowel & Square	5/8"	10-1/2"
PL191*	Trowel & Square	3/4"	10-1/2"
PL192*	Trowel & Square	1"	10-1/2"
PL193*	Leaf & Square	3/8"	8-1/2"
PL194*	Leaf & Square	1/2"	8-1/2"
PL195*	Leaf & Square	5/8"	9-1/4"
PL196*	Leaf & Square	3/4"	9-1/2"
PL197*	Leaf & Leaf	1/2"	8-1/2"



Shaping Tools

Forged and tempered steel for long life. 9" length.

No.	Description
PL186*	Cut and Shape Tool
PL187*	Radius Shaping Tool



*See page 193

CORNER TOOLS

Stainless Steel Outside Corner Trowels - 90°

Great for detailing outside corners for EIFS, stucco, and plaster. Leaves a clean, smooth corner. Trowels have 90° angle.

No.	Size	No.	Size
PL590PF	3-1/8"x1/2"	PL593PF	4"x1-1/2"
PL591PF	3-1/8"x3/4"	PL594PF	4"x2"
PL592PF	3-1/8"x1"		

Stainless Steel Inside Corner Trowels - 90°

Great for detailing inside corners for EIFS, stucco, and plaster. Leaves a clean, smooth corner. Trowels have 90° angle.

No.	Size	No.	Size
PL580PF	3-1/8"x1/2"	PL583PF	4"x1-1/2"
PL581PF	3-1/8"x3/4"	PL584PF	4"x2"
PL582PF	3-1/8"x1"		

EIFS Corner Tools

Stainless steel blade with rust-resistant tang and hardwood handle. Ideal tool for finishing corners, grooves, inset/offset trim lines, and around doors and windows.

No.	Size	Corner
PL504	3"x1"	Outside
PL505	3"x1"	Inside
PL506	3"x1-1/2"	Outside
PL507	3"x1-1/2"	Inside
PL508	3"x2"	Outside
PL509	3"x2"	Inside

Plastic Corner Tools

Durable 4" plastic blade with 1-1/2" sidewalls to create inside and outside corners. Great tool for pool, plaster, or stucco jobs. No worries of carbon marks on light-colored material. Choice of 1/2" or 3/4" radius.

No.	Radius	Corner
PL010	1/2"	Inside
PL012	1/2"	Outside
PL014	3/4"	Inside
PL016	3/4"	Outside

Thin Coat Angle Trowel

Made of flexible stainless steel. Has 90° angle. 4" wide blades are tapered back from 5" at center to 4-1/4" at outside edge.

No.	Handle
PL320	Wood
PL320PF	ProForm®

Stainless Steel Corner Tools

The 4" stainless steel blade with 2" sidewalls to provide proper coverage of the corner. Complete with smooth wood handle.

A) Outside Nose Tool

No.	Radius
PL011	1/8"
PL013	1/4"
PL015	3/8"
PL017	1/2"
PL021	3/4"
PL019	90°

B) Inside Cove Tool

No.	Radius
PL011IS	1/8"
PL013IS	1/4"
PL015IS	3/8"
PL017IS	1/2"
PL021IS	3/4"
PL019IS	90°

A
Outside

B
Inside

Miter Rod

Knife edge is ideal for cutting cornices on plaster walls. Durable steel construction. All rods are 4" wide.

No.	Size	No.	Size
PL106	6"	PL116	14"
PL108	8"	PL120	20"
PL110	10"	PL124	24"
PL112	12"		

Flat Wire Texture Broom

Produces a uniform groove surface. Tine row is 11-1/8" long. Flat wire tines measure 3-5/8" in length on 1/2" spacing. Perfect for small jobs.

No.	Size
CC201	12"

EIFS TOOLS

EIFS Notch Trowels

Stainless Steel Notched Trowels

12"x5" Stainless steel notched trowels allow accurate application of EIFS materials. Choice of handles.

Wood	***ProForm®***	
No.	**No.**	**U Notch Size**
PL623	PL623PF	1/4"x1/4"x1-1/2"
PL624	PL624PF	3/8"x1/2"x1-1/2"
PL625	PL625PF	1/2"x1/2"x2"

EIFS Plastic Trowel

Smooth non-marking ABS blade with comfortable handle grip. Ideal for specialty coatings and materials.

No.	**Size**
PL799*	11"x5"

Exterior Finishing Trowel

Used for applying exterior coatings. Lightweight and durable plastic blade. Comfortable molded plastic handle.

No.	**Size**
PL801*	11"x5-1/2"



Hi-Craft® EIFS Float

Use for a textured finish on EIFS material and stucco. White blade won't discolor materials. Durable, break-resistant, lightweight plastic. Rounded corners and edges won't gouge.

No.	**Size**
HC797*	12"x5"

Order in cartons of 6

Plaster Apprentice Kit #PL700AK

Qty	**Part No.**	**Description**
1	BL526	Utility Brush
1	PL194	1/2" Leaf & Square Ornamental Tool
1	PL208	8" Plasterer's Scarifier
1	PL263PF	13"x13" Magnesium Hawk w/ProForm® Handle
1	PL372	10"x4"x3/4"Fine Cell Rubber Float
1	PL453PF	11-1/2"x4-1/2" Gold Stainless Steel Trowel w/ProForm® Handle
1	GG338	25'x1" Lufkin® Tape
1	GG432	5"x2" Margin Trowel
1	SL2424	24" Cast Aluminum Level
1	WL050	20" Canvas Tool Bag



Includes everything a new apprentice needs to get started in the Plaster trade

Tooth Detail

Sharp Tooth Rasp

Heavy-duty rasp prepares surfaces for plaster and stucco applications. The zinc-plated blade has 8mm teeth protruding to scrape through the hardest polymer renders. Creates a more decorative finish by exposing aggregate before final finish. Use the same day as the final set.

No.	**Size**
PL522*	9-7/8"x5-3/4" (250.9mm x 146.1mm)



EIFS Sanding Rasps

These giant sanding rasps have very coarse #12 grit sandpaper faces for use on EIFS wall finish systems. Sandpaper glued to face of aluminum back. Comes with wood float handle for comfortable grip.

No.	**Size**
PL516	14"x2" Rasp
PL515	14"x4" Rasp
PL520	14"x6" Rasp
PL514	14"x8" Rasp
PL519	14"x2" Repl. Self-Adhesive Sheet
PL518	14"x4" Repl. Self-Adhesive Sheet
PL521	14"x6" Repl. Self-Adhesive Sheet
PL517	14"x8" Repl. Self-Adhesive Sheet

More Apprentice Kit Options on Page 185

Masonry, Concrete, Drywall, and Tile

*See page 193

ProForm® Trowel Handle (US Patent #6,247,204 B1)

Texture Rollers

In just minutes, create a unique finish on walls and ceilings. Simply roll this texture roller over fresh textured surfaces to provide a beautiful uniform pattern. Hides blemishes and defects in old walls. Fits standard 9" paint roller.

No.	Description
DW180	Crow's Foot
DW180R	Crow's Foot with Roller Frame
DW181	Basket Weave
DW181R	Basket Weave with Roller Frame
DW182	Monterrey
DW182R	Monterrey with Roller Frame
DW183	Poinsettia
DW183R	Poinsettia with Roller Frame
DW184	Tree Bark
DW184R	Tree Bark with Roller Frame
DW185	Vine
DW185R	Vine with Roller Frame
DW186	Palm Leaf
DW186R	Palm Leaf with Roller Frame

- ***Comes with or without roller frame***
- ***Outstanding decorations for walls***
- ***Economically applied and simple to use***



Crow's Foot Basket Weave Monterrey



Poinsettia Tree Bark Vine Palm Leaf

Poinsettia

Roller Frame Only

9" roller frame with contoured plastic handle, threaded end for broom handle *(sold separately)*.
No. DW179*

Roller Tray (page 85)
18" Plastic **No.** DW189

Patch Gun

Handy and efficient tool for acoustic repairs, remodeling, and patching. Great for spot retouching. The gun holds 2-4 lbs. of mix. Galvanized steel frame won't corrode with use. Comb adjusts for individual project needs. Plastic handle designed to fit a pole for extended reach.

No.	Description
DC196*	Patch Gun
DC196-01*	Replacement Rotary Wheel
DC196-02*	Replacement Lid

Lexan® Knock Down Knife

Clear, durable, and flexible. Used for drywall, EIFS, and acoustical jobs. *Threaded end plastic handle can be used with broom threaded extension handle for longer reach (sold separately, page 104).* Packaged 6 per carton.

No.	Size
DW193	18"x12"
DW194	24"x12"

Spray Shield

High-impact, super-flexible, lightweight, and easy-to-clean plastic. Keeps paint off window frames and floors. Ideal for controlling spray for acoustical ceilings. *Use broom threaded extension handle for longer reach (sold separately, page 104).*

No.	Size
DC191	24"x9"
DC192	36"x9"



Glitter Gun

Plastic glitter gun used to apply glitter to ceilings and walls. Easily operated by turning handle to apply a steady flow of glitter to surface.
No. DC615*



Glitter

Gives sparkling effect to ceilings. Covers about 500 sq. ft. per pound. Glitter is applied by blowing onto a wet surface of texture. Fade and tarnish resistant. Not recommended for outside use.

	No.	Description
A)	DC456	1 lb. Glaschip #20 Size
B)	DC472	1 lb. Iris Glitter
C)	DC452	1 lb. Silver Glitter 1/16"
D)	DC492	1 lb. Gold Glitter 1/16"

Shown with HC517-02M, sold separately

Wallscraper

Sturdy 22" blue steel blade scrapes excess mud from walls and ceilings. Scraper comes with blade support. *Use with broom threaded handles (sold separately, page 104).*

No.	Description
DC386-01	Scraper with Support
DC388	Blade Only
HC517-02M	48" Handle

CAUTION: Always use approved safety protection.

*See page 193

GUNS, HOPPERS & TEXTURE COMPRESSORS

Compressor Unit

Ideal for: Walls and Ceilings, Fire Proofing, Stucco, Decking, Waterproofing

- Unit is equipped with a 1.0 H.P. capacitor-start electric motor with manual reset thermal overload protector
- Rotary vane compressor
- Two-wheel cart is 19" wide, 34" high, and measures 15" front to back
- Heavy-duty 200 P.S.I. hose resists kinking
- The 8"x1-3/4" wheel and tire have a load rating of 100 lbs. each. Shipping weight is 103 lbs.

DO NOT USE SYNTHETIC OIL
Manuals and replacement parts available on www.KraftTool.com

PC401

Flexible Neck for Various Positions

EZY Deck Pro Gun and Hopper

Sprays overlay and decking material

- Built-in 40° downward hopper angle ideal for decks and floors with flexible neck
- Control the 2.5 gallon hopper with built-in finger tip handle
- Full grip trigger for ease and comfort
- Remove nozzle and tip for quick and easy cleaning

PC406 Gun ONLY
PC407 Nozzle Repair Kit
PC408 O-Ring Repair Kit
PC409 Flexible Neck ONLY

PC400** **EZY Deck Pro Gun and Hopper with Compressor** (Complete Unit)

PC201

ProForm® Texture Gun and Hopper

Sprays a variety of textures and materials

- Large 2.5 gallon hopper with built-in control handle, 40° hopper angle for easy spraying
- Hopper angle easily lets user direct spray for walls and ceilings
- Full grip trigger for ease and comfort
- Remove nozzle and tip for quick and easy cleaning

PC406 Gun ONLY
PC407 Nozzle Repair Kit

PC200** **ProForm® Texture Gun and Hopper with Compressor** (Complete Unit)

PC501

Standard Texture Gun and Hopper

Ideal for spraying walls, ceilings, fireproofing, and stucco

- Texture gun made of cast aluminum for long wear
- 1.75 gallon hopper is angled for walls and ceilings
- Top hopper handle for easy control of hopper
- Sprays a variety of textures

PC506 Gun ONLY
PC507 Repair Kit for Standard Gun

PC500** **Standard Texture Gun and Hopper with Compressor** (Complete Unit)

PC301

U.S. Patent #5,415,351

Super-Pro® Texture Gun and Hopper

Sprays a variety of textures and materials

- Large 2.5 gallon hopper with built-in control handle, 40° hopper angle for easy spraying
- Easy-pull full-grip bronze trigger for less fatigue
- Special orifice adjusting nut makes orifice selection quick and easy
- Patented Super-Pro® gun cylinder and shut off valve

PC306 Super-Pro® Gun and Cylinder
PC307 Super-Pro® Gun Cylinder ONLY

PC300** **Super-Pro® Texture Gun and Hopper with Compressor** (Complete Unit)

**Complete units must ship via truck

Drywall Dolly

All-steel structure of welded tubing. Rounded corners for safety. Bed is sloped to carry boards at proper angle. Phenolic resin wheels resist corrosion from most materials and provide exceptional service in cold and wet conditions. Comes with four heavy-duty casters; two locking swivel casters and two straight casters. 48" long by 22" wide and 46" tall. Easily fits through most doorways. Ships assembled. Weight: 92 lbs.
No. DC323

All Drywall Dollies must ship via truck

Economy Drywall Dolly

All-steel construction. 44"x12" sloped bed. 2 straight and 2 locking 8" casters. 22" wide base easily fits through doorways. Bright orange is easy to spot on jobsite. Ships flat, unassembled. Shipping weight: 100 lbs.
No. DC323E*

Economy Drywall Dolly with Non-Marking Wheels

Same steel construction as economy model, but features wheels that will not mark surfaces. Ships flat, unassembled. Weight: 100 lbs.
No. DC323ENM*

Rasp

Ideal tool for shaving and forming wood, vinyl, drywall, and many other materials. Handy tool to carry in the pocket or pouch. Only 5-1/2" long.

No.	Description
DC135*	Rasp
DC136*	Replacement Blade

Drywall Stirrup Footlift

Made of cast aluminum, correctly balanced with lip always returning to the floor. Just kick under board and lift. Stirrup allows the lifter to move without bending over.
No. DW273

Flat Type Drywall Tool Pouch

A flat 9-compartment drywall tool pouch features 4 flared front pockets that hold pencils, knives, etc. A strong metal clip allows for any size tape to be carried. Also features a sharpening stone pocket, circle cutter pockets, and a 3"x2" steel hammer loop.
No. WL096

Drywall Tool Pouch

The best heavy leather drywall tool pouch on the market. Features a 3"x2" steel hammer loop plus six other tool loops and holders. Securely made with total rivet construction for heavy-duty use.
No. WL077

Deluxe 9-Pocket Nail Bag

A favorite of drywall installers. This deluxe 9-pocket drywall nail bag is made of the finest moccasin leather. The tough, yet flexible material naturally resists punctures and tears. The strong lockstitched seams are riveted for additional durability. A hole is provided on the back for easy hanging on a hook, keeping it handy. Fits belts up to 2-1/4" wide.
No. WL520

Nail Bags, Belts Pages 108-109

- Nail Bags
- Tool Belts
- Tool Bags
- Measuring Tape
- More...

Drywall Roll Lifter

Rigid steel construction, ribbed back, weighted nose, and roller-wheel for ease of movement. Allows one person to raise drywall to 3". Weighs 2 lbs., 10 oz.
No. DC171

Mini Lifter

The small yet mighty Junior mini foot lift is only 9" long. Strong, lightweight metal reinforced bottom is shaped to create a small fulcrum for easy lifting. The 1" toe kick protects wall from your boot while easily placing it under boards. Easy to carry in your pocket or pouch for access on small jobs. Hang hole for easy storage.
No. DC175

*See page 193

Corner Roller

Apply joint compound or drywall mud. Sturdy handle for easy reach. Comes with replaceable synthetic cover and plastic handle with threaded end for extended reach.

No.	Description
DC267*	3" with 14" Handle Corner Roller
DC268*	3" Synthetic Cover Replacement

Drywall Apprentice Kit #DC902AK

Qty	Part No.	Description
1	DC317ASM	Drywall Pole Sander
1	DW243	Utility Drywall Saw
1	DW254	18 oz. Drywall Hammer
1	DW442P	Hand Sander
1	DW520	Inside Corner Tool
1	DW533	6" Brass Hammer End Knife
1	DW722	12" EZ-Grip Mud Pan
1	DW810PF	10" Taping Knife
1	DW811	15" Drywall Saw
1	GG338	25'x1" Lufkin® Tape
1	SL671	48" T-Square
1	WL050	20" Tool Bag
1	WL077	Drywall Tool Pouch

Includes everything a new apprentice needs to get started in the Drywall trade

Clinch-On Tool

Clinch-On Tool is operated by a spring-loaded arm. A sharp blow from a rubber mallet *(sold separately)* drives the corner bead on tight, centers it, and clinches it in position without nails or screws.

No.	Size
DC806*	1-1/8" Bead (Less Mallet)
DC807*	1-1/4" Bead (Less Mallet)
DC808*	Repair Kit (Fits Both Sizes)
DC809*	Black Rubber Mallet 28 oz.
FC551*	White Rubber Mallet 30 oz.
DC810*	Kit of 1-1/4" Bead Clinch-On Tool Plus Black Rubber Mallet 28 oz.

Flexible Putty Knife

Industrial quality stainless steel flexible blades. Wood handles with brass rivets.

	No.	Size
A)	DW002	2"

Combination Tool

Five heavy-duty tools in one: scraper, seam opener, spreader, putty remover, and cutout removes paint from rollers. Wood handle with brass rivets.

	No.	Size
B)	DW027	2-1/4"

Heavy "Chisel" Scraper

Thick (.058") stainless steel, single bevel blade with brass riveted wood handle.

	No.	Size
C)	DW025	1-1/2"

Stiff Scrapers

Wood handle with brass rivets, 3" wide stainless steel stiff blade scraper of the best quality. Single bevel on all models.

	No.	Description
D)	DW033	Standard
E)	DW034	Long Handle
F)	DW035	Bent Blade



Crow's Foot Texture Brush

Texture brush made with white Tampico fiber, set in a 1-3/4"x6-3/8" hardwood block. *Hole in center for threaded handle (sold separately, page 104).* Single brush measures 8-1/2" wide and 13-1/2" long when flattened.

No.	Description
DW118	Single Brush
DW118D	Double Brush

Drywall Texture Brush

The perfect brush for texturing. *Use in your hand or with a threaded handle (sold separately, page 104).* This brush is made of horsehair and fiber bristles and is available in 2 sizes.

No.	Bristles	Diam.
DW116	2-1/2" Long	6"
DW117	3-1/2" Long	9"

*See page 193

Tape Not Included

A) Kraft Drywall Taper

Aluminum construction will not rust and is easy to clean. Stainless steel latch on large capacity mud holder will not rust. Holds all 500' rolls of tape. Adjustable slide/blade moves to regulate or meter mud and cut tape quickly and accurately.

No.	Description
DC401	Right Hand
DC401L	Left Hand

B) K.C. Taper

Made exactly like the Kraft Drywall Taper except without the top handle, making it more compact. For right hand use.

No. DC402

Drywall Taper

Made of lightweight aluminum with separate mud and tape compartments. Holds up to 500' roll of tape. Easy to adjust mud metering blade. Comes with wood and nylon strap handles. Instructions included.

No. HC540*



Soffit Square

Polished steel used in metal stud framing to square soffit track and studs. Special 2" wide notch in square fits over stud track to allow correct alignment with no track / lip interference. Easy-to-read 1/8" and 1/4" graduations.

No.	Description
DW242	12"x8"



Professional Drywall Square with Lip

- Bright, clear anodized aluminum
- Easy-to-read black numbers and 1/16" graduations
- Perfect for jobs where a smaller tool is needed
- Lip catches board for easy placement and cutting of drywall board or sheet material

No.	Description
SL694	16"x24" with Lip (406.4mm x 609.6mm)



Professional Drywall T-Squares

- Available in 48" and 54" lengths, 1/8" and 3/16" thickness
- 16" arm for locating studs
- Bright clear anodized extruded aluminum or easy-to-spot yellow painted aluminum
- Four rivet construction designed for strength
- Easy-to-read black graduations

1/8" Thick Blade (3.175mm)

- 1/8" graduations

No.	Length	Carton Qty
SL672	48" (1219.2mm)	2
SL676	48" (1219.2mm)	6

Heavy-Duty 3/16" Thick Blade (4.76mm)

- 1/16" graduations

Bright Anodized Aluminum

No.	Length	Carton Qty
SL682	48" (1219.2mm)	2
SL686	48" (1219.2mm)	6
SL692	54" (1371.6mm)	2

Bright Yellow Painted Aluminum

No.	Length	Carton Qty
DW225	48" (1219.2mm)	2
DW226	54" (1371.6mm)	2

Adjustable T-Square *(see page 125)*

No.	Length	Carton Qty
SL680*	48" (1219.2mm)	4

*See page 193

DRYWALL MUD MIXERS

Jiffler Mixers

- Unique wheel design evenly mixes drywall mud, pigment, and other materials
- Dispersal wheels engineered to evenly mix materials and eliminate lumps
- Zinc-plated steel wheels will stand up to a long life of use
- Adjustable wheels adapt to many different containers and materials
- Flat sides on shaft prevent slipping in drill chuck on large size mixers
- Removable wheels make clean-up easy

(2) Adjustable Wheels with 3-Sided Non-Slip Chuck Shaft

2 Wheels

2-1/2" Wheels attach to a 1/4"x11" shaft. Great for small containers and thinner materials such as paint and powdered materials. Use with a 1/4" drill or larger.
No. DC342

3-1/2" Wheels adjust along the 3/8"x16" shaft. Use a minimum of 1000 plus RPM power depending on the container and viscosity of material. Use with 1/4" drill or larger.
No. DC343

5" Wheels attach to the 3/8"x24" shaft. Easily mixes drywall mud, thinset mortar, grout, and other powdered materials. Use with a 1/2" drill mixer at 450 RPM.
No. DC310

6-1/2" Wheels adjust along the 1/2"x24" shaft to mix larger containers of material. Blend a two-sack batch in one minute. Perfect for use with a 12" to 16" diameter container. Use with 1/2" drill mixer.
No. DC312



(3) Adjustable Wheels with 3-Sided Non-Slip Chuck Shaft

3 Wheels

Design thoroughly mixes components for smoothness. Mix 5 gallons of drywall mud in less than 2 minutes with this mixer. Three 5" mixing wheels can be adjusted on the 3/8"x24" shaft. Use with a 1/2" drill mixer.
No. DC311

Junior Mud Mixer

Ideal for mixing drywall mud and texture materials. Rounded end design for better balance when mixing. Mud mixer has a cast aluminum paddle 8-1/2"x5" deep. 7/16" steel shaft works in slow-speed 1/2" drill.

No.	Shaft Size
DC713	7/16" Diam. x 30" Shaft
DC714	7/16" Diam. x 36" Shaft
DC714L	7/16" Diam. x 46" Shaft



Fast-Mixers

Heavy-duty mixer is ideal for mixing drywall mud and plaster. Mixer has an aluminum paddle 9"x4" deep. 7/16" diam. steel shaft fits any 1/2" or larger slow-speed drill.

No.	Shaft Size
DC307	7/16" Diam. x 28" Length
DC308	7/16" Diam. x 36" Length

Spiffy Mixer

Ideal for small pigment mixes and other materials. Double or triple 5" diam. fan blade mixer, zinc-plated adjustable or welded blades. Non-slip 3/8" steel hexagon shaft for durability. Fits 1/2" slow-speed drill.

No.	Wheels	Shaft
DC304	2	24" Welded (Fixed)



Unomixers

Ideal for fast mixing of all kinds of materials, from paint to cement. For use with 1/2" drill.

No.	Shaft Size
DC362*	2-1/2" Diam. x 16" Length
DC363*	3-1/4" Diam. x 16" Length
DC365*	4-3/4" Diam. x 30" Length
DC367*	5-1/2" Diam. x 30" Length

Deluxe Mud Mixer

Mixes all kinds of drywall mud and texture materials fast and completely. Works in 5 to 55 gallon drums. Paddle head is 9-3/8" wide and 6-1/4" deep with 2" wide center. Mixer works in slow-speed 1/2" or larger drill.

No.	Shaft Size
DC715	7/16" Diam. x 30" Length



Egg Beater Mixer

Use to mix joint compound, thinset, grout, and concrete products. Plated solid steel. Easy to use and easy to clean. 7/16" steel hex shaft. 30" overall length. For use with 1/2" drill or larger.
No. DC716*



Stainless Steel Jiffy Mud and Paint Mixers

For heavy-duty jobs. Fits 5-10 gallon containers. 20-1/2" long, 1/2" shaft, top diameter: 4-5/8", bottom diameter: 5", depth: 5". Use with 1/2" drill.
No. DC409
For small containers 2 gallons or less. 10-1/4" long, 1/4" shaft, top diameter: 2-5/8", bottom diameter: 2-5/8", depth: 2-3/8". Use with 3/8" drill at 450-750 RPM for best results. **No.** DC408

*See page 193

CAUTION: Always use approved safety protection.

DRYWALL KNIVES

Standard Taping Knives

Blue Steel or Stainless Steel

Each taping knife has a lightweight aluminum mounting. The tapered blade is balanced and flexible for just the right feel. Features a secure ProForm® soft grip handle. Choose a blue steel blade for additional flexibility.

Blue Steel	*Stainless Steel*	
No.	**No.**	**Size**
DW808PF	DW808PFSS	8"x3"
DW810PF	DW810PFSS	10"x3"
DW812PF	DW812PFSS	12"x3"

Bucket Scoop

Scoops drywall mud, stucco, and other similar material. Stainless steel blade with non-slip ProForm® handle. Curved radius blade is sized to fit bucket sides for easy removal of material.

No. DC421

Deluxe Taping Knives

Blue Steel or Stainless Steel

Wide flexible blue spring steel or stainless steel blade in lightweight rustproof aluminum mounting. Features soft grip ProForm® handle.

Blue Steel	*Stainless Steel*	
No.	**No.**	**Blade Size**
DW906PF	DW906PFSS	6"x3"
DW908PF	DW908PFSS	8"x3"
DW910PF	DW910PFSS	10"x3"
DW912PF	DW912PFSS	12"x3"
DW914PF	DW914PFSS	14"x3"

Deluxe Short Taping Knives

Stainless Steel

1-3/4" stainless steel blades are stiffer for more finishing control.

No.	**Blade Size**
DW635PFSS	12"x1-3/4"
DW636PFSS	16"x1-3/4"
DW637PFSS	20"x1-3/4"

Long Handle Taping Knives

The 16" long wood handle makes these knives popular on the job. Blade is made of flexible blue spring steel.

No.	**Size**
DW628	18"x4"
DW630	20"x4"
DW634	24"x4"

Long Handle Broad Knives

Choice of 7" or 9" wide blue spring steel blade with rounded corners attached to an aluminum handle. Overall length is 18-1/2". Reinforced where the blade attaches to handle. Easy to change replaceable blade.

No.	**Size**
DW281	7" Broad Knife
DW277	7" Broad Knife with 28" Handle
DW281-01	7" Replacement Blade
DW282	9" Broad Knife
DW282-01	9" Replacement Blade

Rugged Plastic Handle, with Hammer End

Professional Hammer End Joint/Taping Knives

Flexible carbon steel blade is ground and polished for a professional finish. Comfortable handle with a convenient hammer end for nail setting.

No.	**Blade Width**
DW527*	1-1/2"
DW528*	2"
DW529*	4"
DW530*	5"
DW533*	6"

*See page 193

Elite Series™ FIVE STAR DRYWALL KNIVES

Elite Series™ Professional Stainless Steel Drywall Knives

Strong Construction, Will Not Rust

Non-rust stainless steel blade and handle, constructed for strength and longevity. These knives come in 8 sizes and are ideal for scraping, painting, and drywall applications. Choose from a standard or more flexible limber blade. Comfortable contoured handle is easy to grasp and protects hands from the blade. Also available with a sure grip handle.

	Standard Blade		*Limber Blade*	
	Stainless Steel Handle	*Sure Grip Handle*	*Stainless Steel Handle*	*Sure Grip Handle*
Blade Width	**No.**	**No.**	**No.**	**No.**
1-1/2"	DW727*	DW727PF*		
2"	DW728*	DW728PF*		
3"	DW706*	DW706PF*		
4"	DW729*	DW729PF*	DW729L*	DW729PFL*
5"	DW730*	DW730PF*	DW730L*	DW730PFL*
6"	DW733*	DW733PF*	DW733L*	DW733PFL*
8"	DW735*	DW735PF*	DW735L*	DW735PFL*
10"	DW736*	DW736PF*	DW736L*	DW736PFL*

Elite Series™ Chisel End Stainless Steel Joint Knives

Single bevel edge on a narrow stiff blade for scraping and chiseling.

	Stainless Steel Handle	*Sure Grip Handle*
Blade Width	**No.**	**No.**
1-1/2"	DW704*	DW704PF*
3"	DW705*	DW705PF*

Elite Series™ Drywall Trowels

Golden Stainless Steel

Curved golden stainless steel blade designed for finishing drywall joints. Special heat treatment for a long-lasting blade. This unique alloy will not rust, pit, or stain.

	ProForm® Handle	*Wood Handle*	*Leather Handle*	*Cork Handle*
Size	**No.**	**No.**	**No.**	**No.**
14"x5"	DWE543PF	DWE543	DWE543L	DWE543K
16"x5"	DWE545PF	DWE545	DWE545L	DWE545K

Length of blade is slightly curved for finishing joints



Standard WIDE Handle Taping Knife

Blue Steel or Stainless Steel

Strong, wide, lightweight plastic handle. Fitted with a flexible, lightweight blue steel blade. Balanced for effortless taping and finishing.

Blue Steel		*Stainless Steel*	
No.	**Size**	**No.**	**Size**
DW648	8"x3"	DW648SS	8"x3"
DW650	10"x3"	DW650SS	10"x3"
DW652	12"x3"	DW652SS	12"x3"
DW654	14"x3"		

Length of blade is slightly curved for finishing joints

Drywall Trowels

This trowel comes with a curved high-carbon blade for finishing drywall joints. The blade is broken-in and ready for use. A lightweight flexible tool with perfect balance.

	Carbon Steel		*Stainless Steel*	
	Wood	*ProForm®*	*Wood*	*ProForm®*
Size	**No.**	**No.**	**No.**	**No.**
12"x4-1/2"	DW521	DW521PF	DW521SS	DW521SSPF
14"x4-1/2"	DW541	DW541PF	DW541SS	DW541SSPF
16"x4-1/2"	DW516	DW516PF	DW516SS	DW516SSPF

*See page 193

ProForm® Trowel Handle (US Patent #6,247,204 B1) Elite Series™ Five Star Wood Handle (US Patent #D584,126) Elite Series™ Five Star Cork Handle (US Des Patent #D853,821 S)

Flexible Wipe Down Knife

Flexible rubber knife for taping and cleaning excess mud from inside angles. Ideal for splay and angles that are wider than 90°. Lightweight and easy to clean. Can be used by hand or with any 1" diameter pole.

No. DW438





Round It Tool

Flexes for Just the Right Angle!

With just a push of the thumb you can adjust the angles of this tool as you go. For smooth professional outside angles and round corners. Overall length: 10-1/4".

No. DW454

Adjustable Wipe Down Knife

Two knives in one. A flexible rubber taping and wipe down knife for inside 90° angles. Loosen the wing nut, and turn the pad around for angles over 90°.

No. DW453

Loosen nut and rotate for less than 90° or over 90° angles

Bullnose Corner Tool

Bullnose corner tools create corners with a rounded edge for a decorative look. Blade angles flex to 90° when used. Lightweight stainless steel blade is 5" long with 2-1/2" sidewalls.

Wood Handle	***ProForm®*** ***Handle***	
No.	**No.**	**Description**
DW451	DW451PF	Outside
DW450	DW450PF	Inside

Inside Corner Tool

The 5" long flexible stainless steel blade with 4" sidewalls. Its 103° angle flexes to 90° for perfect corners. This is a lightweight, perfectly balanced tool.

No.	**Handle**
DW520	Wood
DW520PF	ProForm®



Outside Corner Tool

Long Handle

Flexible 3" stainless steel blade with 2" sidewalls. Will not rust or pit. Great for finishing around windows and hard-to-reach areas. Overall length: 13".

No.	**Handle**
DW519	Wood
DW519PF	ProForm®

Outside Corner Tool

Made of stainless steel. Will not rust or pit. 80° angle flexes to 90° when used. 5" long at center and tapers to 4-1/4" at outside edge.

Wood Handle	***ProForm®*** ***Handle***	
No.	**No.**	**Blade Depth**
DW619	DW619PF	2-1/2"
DW621	DW621PF	4"

Heli-Arc Stainless Steel

These heli-arc welded mud pans have tapered ends and sides. Pan resists rust and is easy to clean. Sides are sheared to clean knife easily. Measures 3-1/4" deep.

No.	Size
DW710	10"
DW712	12"
DW714	14"
DW718	18"



Plastic Mud Pan

These heavy-duty plastic mud pans have tapered ends and sides with replaceable steel wiping blades. Resists chemicals and will not break if dropped.

No.	Size
DW210	10"
DW212	12"
DW214	14"

Plastic Double Bladed Mud Pan

12" double bladed plastic is more pliable than our standard mud pan. Designed so you can wipe your knife clean on both sides. Measures 3-1/4" deep.

No.	Size
DW312	12"

Order in cartons of 6

EZ-GRIP Mud Pans

Unique Non-Slip Textured Surface

Heli-arc welded stainless steel mud pans feature a non-slip textured surface, providing the professional finisher with a more secure grip and less hand fatigue.

Stainless Steel EZ-Grip Mud Pan

Mud pans have tapered ends and sides. Sides are sheared to clean knife easily. Pan resists rust and is easy to clean.

No.	Size
DW720	10"
DW722	12"
DW724	14"



Round Bottom EZ-Grip Mud Pan

Smooth tapered ends with contoured corners. Sides sheared to clean knife easily. Natural contour for comfortable non-slip grip.

No.	Size
DW723	10"
DW725	12"
DW726	14"

6" Mini Plastic Mud Pan

Small size is perfect for patching. Built-in wiping blade. Sides are textured for a firm grip. Contoured bottom fits well in hand.

No.	Size
DW206	6"

Order in cartons of 6



Mud Pan Holder

This lightweight mud pan holder leaves your hands free to work. All aluminum, hooks to your belt to hold your mud pan where you can easily get to it. Holds 12" mud pans. Designed with a hook below the pan to hold a roll of tape.

No. DW207

Drywall Mud Holder

Stainless steel mud holder is designed for plaster or drywall work. Zinc-plated screw securely fastens the comfortable wooden handle to blade. Includes sponge rubber callus preventer.

No.	Size	Lip
DW460	12"x6"	1-1/2"

Lightweight Drywall Hand Sander

Lightweight aluminum back with foam pad uses clamps to lock the sandpaper tightly to the base. Textured plastic handle. Sander face is 9-1/2"x3-1/4".

No.	Description
DW442P	Plastic Handle

Drywall Pole Sander

Sander makes hard-to-reach places on walls and ceilings easy to access. Pole Sander base is made of lightweight, sturdy aluminum with a bonded 9-3/8"x3-1/4" rubber pad and two positive lock clamps. Swivel head permits sanding in any direction. *Use with female thread handle (DC318, sold separately).*

No.	Description
DC317-01	Sander Head Only
DC318	48" Female Thread Wood Handle
DC317ASM	Sander with Wood Handle Assembled (6 pack only)

Extension Handle

Made of lightweight aluminum. Extends from 4'2" to 7'8" for sanding ceilings and high walls.

No.	Description
DC319	Handle
DC349*	Female/Female Broom Thread Adapter for Pole Sander

Mud Masher

Quickly and easily mix small batches of mud. Heavy steel wire forms the 5"x5-1/2" head, perfect for moving through and mixing the material. Durable wood handle is secured to head. Overall length makes it easy to use in buckets.

No.	Overall Length
DW103*	24-1/4"
DW103L*	36"

Diecut Sandpaper

Ideal for sanding down drywall joint mud or drywall board. Sheet size: 11"x4-3/16".

No.	Grit	Sheets
DC080	80	100
DC100	100	100
DC083	120	100
DC084	150	100
DC082	80	10
DC102	100	10
DC103	120	10
DC104	150	10

Open Weave

Diecut Fabricut Sandpaper

This open weave silicon carbide sanding cloth practically cleans itself. It lasts longer, cuts joint mud faster than regular sandpaper, and is designed not to clog easily. Sheet size: 11"x4-1/4".

No.	Grit	Sheets
DC120	120	25
DC220	220	25
DC122	120	10
DC222	220	10

Drywall Tape Holder

An excellent tool for the drywall finisher. Made of steel for longer life. Holds all standard size drywall tape or metal corner tape. Hangs from belt for easy access. Pull wire for easy refilling.

No. DW224

Drywall Patch

The ideal way to repair holes or surface damage. Self-adhesive drywall patch is permanent and made from rustproof aluminum. Easy to cut to any size or shape. Apply over damaged area, cover with a finishing compound, sand, and paint; it's that simple.

No.	Size	#of Patches
DC418	4"x4"	50
DC419	6"x6"	50
DC420	8"x8"	25
DC422	12"x12"	10



Utility Knife Replacement Blades with Dispensers

Blades come with convenient plastic dispenser. Fits most standard utility knives. Steel blade with 2 notches on top (.025" thickness). 100 Pack has hang holes for easy storage.

No.	Description
DW078*	10 Pack Dispenser (Carded)
DW079*	100 Pack Dispenser (Carded)

10 Pack



100 Pack

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

*See page 193

DIY Drywall Repair Kit

This 7-piece kit contains the basic tools for small to intermediate drywall repairs around the house. Mix material in the hard plastic **Mud Pan**. Flexible **Blue Steel Taping Knife** for clean taping. Three sizes of **Plastic Joint Knives** (2", 4", and 6") allow versatility for small jobs and applying drywall compound. Use the 3-sided **Corner Tool** for finishing inside or outside corners. Create a smooth finish on your project with the medium-grit **Sanding Sponge**. **No.** HC100*

No.	Description
HC100*	DIY Drywall Repair Kit
DW210	Plastic Mud Pan
HC908*	8"x3" Blue Steel Taping Knife
HC096*	3-Sided Plastic Corner Tool
HC097*	2" Plastic Joint Knife
HC098*	4" Plastic Joint Knife
HC099*	6" Plastic Joint Knife
HC216	Sanding Sponge (Package of 4)

Order in cartons of 6

HC096* Order in cartons of 36 each

HC097* Order in cartons of 48 each

HC098* Order in cartons of 36 each

HC099* Order in cartons of 24 each



HC216 Order in cartons of 6 each

Drywall Hammers

Heavy-Duty

Chrome-plated head features a checkered face to make nailing easier and prevent breaking the surface of wallboard. The 1-3/4" blade scores drywall for rough-cut openings. The axe blade also has a puller notch for nails. Head is securely attached to a wood handle for perfect balance.

No.	Description
DW254	18 oz. Head / 14" Handle
DW264	18 oz. Head / 16" Handle

Lightweight

Beautifully balanced chrome head has a crowned, checkered face to make nailing easy. The lightweight yet durable head is securely attached to a wood handle for a perfect balance.

No.	Description
DW354	13 oz. Head / 14" Handle
DW364	13 oz. Head / 16" Handle

Checkered Handle Utility Knife

Checkered grip will not slip out of your hand. Blade can be adjusted but does not retract. Storage for extra blades in handle. Includes 5 blades.
No. DW199C*

3-Way Utility Knife

Blade will not slip. Retractable blade can be adjusted to 3 positions. Light yet rugged aluminum body. Includes 3 blades.
No. DW042C* (Carded)
DW042* (Bulk)

DW199C

DW042C

View more Hi-Craft® Drywall Tools on Pages 114-115

Drywall Hammer

Checkered face on 14 oz. polished head securely attached to a 16" wood handle for perfect balance.
No. HC535*

Order in cartons of 6

Circle Cutter

8-1/2" long calibrated steel shaft enables sharp, clean cuts up to 16" in diameter. Hardened steel cutting blade and center point remain sharp. Chrome-plated for long wear. Features English and Metric measurements in 1/4" and millimeters.
No. DW241*



Drywall Saw

Saw blade is hardened and tempered for long wear on drywall with large teeth specifically designed to cut through wallboard quickly. Wood handle is secured to a 15" blade.
No. DW811*

Utility Drywall Saw

Rugged construction with sharp point for easy penetration. Aggressive 6" blade is heat-treated and securely anchored into a comfortable hardwood handle with steel ferrule to prevent splitting.
No. DW243*

Easy Change Blade Utility Knife

An adjustable blade on a non-slip comfort handle features storage for extra blades. Includes 3 blades.
No. DW040*

*See page 193

CAUTION: Always use approved safety protection.

Utility Push Button Carpet Knife

Perfect for cutting carpet, foam, padding, etc. Knurled handle for a sure grip. Press the button on the handle for a fast change and access to blade storage. Uses standard slotted carpet blades. Includes 1 heavy-duty steel blade. Carded for easy display.

No.	Description
FC547*	Push Button Carpet Knife
FC548*	(10) Replacement Blades (Slotted)

Carpet Seam Roller

5" wide head helps press carpet backing into adhesive for stronger seams.

No. FC532*

Carpet Puller

Strong die-cast aluminum. Serrated clamping grips for gripping carpet and maximum pulling power.

No. FC522*

Heat Seaming Tape

Create a professional seam every time. Ideal for both commercial and residential use. Use a special heat seaming iron to melt the glue, providing a strong durable adhesion to the carpet. 66' long roll.

No. FC530

Wide Stair Tool

Constructed of tough, durable alloy steel to withstand hammering. The blade is ground to a perfect taper not to cut the carpet. Nickel plating will not rust. 8" tall.

No.	Blade Size
FC510*	3-1/2"

6" Rod / Coping Saw

Cuts tile in odd shapes to accommodate plumbing and electrical outlets. Quality steel-framed rod saw with 6" carbide grip blade. Comes with easy-to-change blade held in place by angled steel posts. ProForm® soft grip handle adds comfort and prevents slippage.

No.	Description
ST172	Coping Saw
ST172-01*	Replacement Blade

Tile Hole Saw

Carbide-tipped hole saw cuts clean holes fast and easy. The carbide edges cut a 1-3/8" diameter hole. Works well on both ceramic and quarry tile. Ideal for faucet and shower head pipes. Fits electric drills.

No. TL140*

Carbide Scoring and Cutting Tool

All-purpose tool for scoring and cutting countertop laminates, roof tiles, floor tiles, WonderBoard, Durock, etc. The unique design features three carbide blades. Flip the blade to use the chisel tip hidden within the handle to make shaping boards easy. Hard plastic handle cover designed for a firm grip. Length 7-1/2".

No. TL137*

Hinge Style Knee Pads

- Hinge style mimics hinge motion of the knee
- Extra cushion provides soft spot for knee
- Durable hard shell cap provides support
- Wide nylon Velcro® straps for extra comfort

No. WL137 (Pair)

Superior Tile Cutter® Replacement Parts

For more replacement parts check online at www.KraftTool.com

Carbide Scoring Wheel

Carbide Scoring Wheels

- Each are fitted with bushing, washer, screw and locknut.
- Carbide wheels fit all Superior Tile Cutters® and can be sharpened, increasing the life of the wheel.

No.	Description
ST048	#400 1/2" Carbide Scoring Wheel
ST051	#200 1/2" Carbide Scoring Wheel

"A" Type Replacement Handle

- Insert and spring automatically keep the handle adjusted to the bar.
- Unique spring tension provides automatic adjustment for straight cuts.

No.	Description
ST070	Replacement Handle (Fits all tile cutters)

CAUTION: Always use approved safety protection.

*See page 193

"The Original"

Since 1930 SUPERIOR Tile Cutter®, Inc. & Tools

A Kraft Tool Co.® Brand

Since 1930, Superior Tile Cutter®, Inc. has been a trailblazer in making professional quality tile cutters, chisels, and scribes. These quality tools are known to last a professional tile setter a lifetime. In 2003, Kraft Tool Co.® acquired this company and expanded this brand to include everything you need for tile, carpet, wood, and vinyl flooring.

Superior Tile Online

TILE CUTTERS

Superior Tile Cutters are designed to score and evenly cut most types of bull nose, shoe-base, quarter rounds, wall, thin vitreous, quarry, porcelain, and sheet ceramic tiles without moving the material. All Superior Tile Cutters feature the "A" type handle with automatic spring tension, keeping the handle adjusted to the bar.

Small

6"x11"

WT. 5.0 lbs.

- Cuts 6" tiles straight and 4-1/2" tiles diagonally
- Includes adjustable angle gauge
- 4" working table on the right side of the breaker bar and 2" working table on the left side

ST002 ***(#00-400)***

With #400 Carbide Wheel (ST048)



Medium

12"x12"

WT. 7.0 lbs.

- Cuts 6" tiles straight and 4-1/2" tiles diagonally
- Includes adjustable angle gauge
- 6" working table on each side of the breaker bar

ST004 ***(#1A-400)***

With #400 Carbide Wheel (ST048)



Large

15"x15"

WT. 9.0 lbs.

- Cuts 10" tiles straight and 7" tiles diagonally
- Includes adjustable angle gauge
- 7-1/4" working table on each side of the breaker bar



ST006 ***(#2A-400)***

With #400 Carbide Wheel (ST048)



Jumbo

16"x21-1/2"

WT. 12.0 lbs.

- Cuts 16" tiles straight and 10" tiles diagonally
- Includes adjustable angle gauge
- 10" working table on the right side of the breaker bar and 4" working table on the left side
- Scores tile up to 1-1/2" in thickness

ST007 ***(#3)***

With #400 Carbide Wheel (ST048)



Tile Protectors

For use on *all* Superior Tile Cutters®. 1 Pair.

No. ST072

CAUTION: Always use approved safety protection.

Carbide-Tipped Chisels and Scribe

Designed for removing chipped or broken tile. Chisels are shaped to prevent damage to adjacent tiles. Scribe has pencil point to ensure precision. Carbide-tipped chisels and scribe are 6" in length.



	No.	Description
A)	ST030	Chisel with 1/4" Wide Tip
B)	ST031	Chisel with 3/8" Wide Tip
C)	ST032	Chisel with 1/2" Wide Tip
D)	ST033	Scribe with 1/4" Shank

Carbide-Tipped Tile Hammer

5/8" polished hammer head face on an 8 oz. hammer head. Fitted with a smooth 10" solid wood handle.

No.	Description
RO3122-5/8C	Hammer with Carbide-Tip
RO3122-5/8	Hammer without Carbide-Tip

Tile / China Markers

Grease-type pencils smoothly mark slick materials such as tile, glass, porcelain, china, or stone. Can also be used on non-porous glazed material. The mark then wipes away for a clean finish. Smooth writing is moisture resistant. Pull the string to peel back the casing when you need more marker. Various colors provide visibility on a variety of surface colors. Includes two each: yellow, black, and red. Six markers total.

No.	Size
ST157*	6-1/2"

Order in cartons of 6

Chalk Box and Chalk

Traditional metal chalk box. Use as chalk line or plumb line. Includes 100' of line. Can be used to snap lines and create grids. *(See more chalk boxes on page 107.)*

No.	Description
GG313*	Chalk Box
GG303	White Chalk - 8 oz.
GG304	Blue Chalk - 8 oz.
GG305	Glo Orange Chalk - 8 oz.
GG306	Red Chalk - 8 oz.
GG307	Yellow Chalk - 8 oz.

Poly-Lined Grout Bag

Poly-lined grout bag has a soft 3/8" molded in tip. Size of tip can be increased by cutting a small amount off with scissors. Ideal for use in grouting masonry or tile joints. Holds 1.25 gallons.

No.	Size
WL010	23"x13"

Cone-Shaped Heavy-Duty Vinyl Grout Bag

Cone-shaped heavy-duty vinyl bag comes complete with replaceable metal tip.

No.	Size
WL013	Large 24"x10-1/2"
WL015	Large 3/8" Replacement Metal Tip
WL014	Giant 28"x15"
WL019	Giant 7/16" Replacement Metal Tip

Metal Tip

Tile Spacers

Evenly spaces tile for uniform grout lines. Constructed out of tough, durable plastic.

	No.	Size	Quantity
+	ST324*	1/16" Spacer	Bag of 300
	ST325*	1/16" Spacer	Box of 3000
+	ST326*	1/8" Spacer	Bag of 200
	ST327*	1/8" Spacer	Box of 1600
+	ST328*	3/16" Spacer	Bag of 150
	ST329*	3/16" Spacer	Box of 850
+	ST330*	1/4" Spacer	Bag of 100
	ST331*	1/4" Spacer	Box of 550
+	ST332*	3/8" Spacer	Bag of 50

Images to Scale

1/16" 1/8" 3/16" 1/4" 3/8"

Tile Wedges

Use these durable plastic wedges for installing wall tiles. Avoid tile slippage on vertical surfaces while maintaining a horizontal grout line. Tapered textured grip makes installation and removal easy. Length: 1-1/4", width: 7/16", height: 3/16".

No.	Description
ST340*	Bag of 500 Tile Wedges

CAUTION: Always use approved safety protection.

*See page 193

TILE NIPPERS

Superior 8" Carbide Tungsten Tile Nippers



6 Styles to Choose From

ST021 #40 Carbide Nippers with 1/2" Offset Jaws

- Carbide-tipped jaws
- 1/2" biting surface area
- 3/16" opening for cutting standard tile**
- Both cutting edges straight

Cuts all tile and porcelain

ST020 #80 Carbide Nippers with 5/8" Offset Jaws

- Carbide-tipped jaws
- 5/8" biting surface area
- 3/16" opening for cutting standard tile**
- Both cutting edges straight

Cuts all tile and porcelain

ST022 #85C Carbide Nippers with 5/8" Centered Jaws

- Carbide-tipped jaws
- 5/8" biting surface area
- 3/16" opening for cutting standard tile**
- ***One jaw convex*** for easy bite action

Cuts all tile and porcelain

**Opening refers to gap when jaws are closed

ST023 #85C1 Carbide Nippers with 5/8" Centered Jaws

- Carbide-tipped jaws
- 5/8" biting surface area
- 1/8" opening for cutting thin tile**
- ***Both jaws convex*** for more accurate cutting of glass, glass mosaic, and porcelain tile

Cuts glass, mosaic, and porcelain tile

ST024 #Quarry Carbide Nippers with 5/8" Offset Jaws

- Carbide-tipped jaws
- 5/8" biting surface area
- 3/8" opening for cutting thicker tile**
- Both cutting edges straight

Cuts thicker man-made or quarry tiles, including porcelain

ST025 #Thin Tile Carbide Nippers with 5/8" Offset Jaws

- Carbide-tipped jaws
- 5/8" biting surface area
- 1/8" opening for cutting thin tile**
- Both cutting edges straight

Cuts wall (thin) tile

Glass Mosaic Cutter

Cut glass, mosaic, terrazzo, and thin tile. Cuts thicknesses from 1/32" to 1/4" by handle adjustment of the replaceable carbide cutting wheels.

No.	Description
ST026	Glass Mosaic Cutters
ST026-01	Replacement Cutting Wheels



View more Hi-Craft® Tile Tools on Page 111

CAUTION: Always use approved safety protection.

DIY Tile Kit

This kit features all the essentials to get started in tile installation. All tools fit in the 5 gallon bucket with lid. Bucket features graduations for accurate measurements while mixing materials. Includes a margin trowel for mixing material, a 1/4" square notched trowel for laying down thinset mortar, a tile nipper for shaping tile to the desired size, and 1/4" tile spacers to insert between tiles for consistent spacing. Molded float for applying grout and a sponge to keep the work area clean. Includes a pair of disposable gloves and instructions.
No. ST100

Notch Trowels

Easy-to-use notch trowels. The small blade is great for enclosed or small areas. Features a comfortable wood handle.

No.	Size	Notch
ST350*	1/4"x1/4"	Square
ST351*	1/4"x3/16"	V

Midget Notch Trowels

A smaller version of the two most popular notched trowels. The small size makes it easy to maneuver in tight spaces and for smaller projects. The square notch is perfect for applying thinset for floor tiles and adhesive for laminated wood plank flooring. The V-Notch trowel provides the perfect amount of mastic for wall tiles. The tempered steel blade is hardened for strength. Stainless steel rivets attach the cast aluminum mounting. Measures 6-1/2"x4".

Wood	*ProForm®*		
No.	**No.**	**Size**	**Notch**
ST392	ST392PF	1/4"x3/16"	V
ST394	ST394PF	1/4"x1/4"	Square

Gizmo Snap-On Trowel

Ideal for applying solid wood flooring and engineered wood flooring adhesive moisture barrier. Disposable notched steel blades allow you to trowel the perfect amount of adhesive each time. Use a new clip for each bucket of material. After use, discard the blade for easy clean-up. It clips firmly onto any of our 11" notch trowels or finishing trowels. Two notch styles are available for various flooring thicknesses. Each package includes (10) 11"x1-1/2" blades.



No.	Notch Type
ST430	A) Wave Notch Use for flooring 3/8" Thick or Less 1/32" (.8mm) Deep 3/32" (2.4mm) Groover Width
ST431	B) Modified V-Notch Use for Flooring 3/8" to 3/4" Thick. 3/8" (10mm) Deep 3/16" (4.8mm) Width, 3/8" (9.5mm) Flat



Drawings not to scale

*See page 193

NOTCH TROWELS

Since 1930 SUPERIOR Tile Cutter®, Inc. & Tools



Add "CC" to part # for case cut displays

11"x4-1/2"

Add "CC" to part # for case cut displays

- Professional Tile Installation Trowels
- 16 Different Notch Sizes
- Hardened, Tempered Blade with Stainless Steel Rivets
- Patented ProForm® Soft Grip Handle
- Order Individually or in Case Cut Displays

Drawings Not to Scale



No. ST400PF
Notch: SQ

Spreading adhesives for carpet, tile, sheet vinyl, vinyl tile, VCT rubber, and cork.
(2mm x 2mm x 2mm)



No. ST401PF
Notch: SQ

Spreading adhesives for vinyl and rubber cove base and glue-down parquet wood flooring.
(3mm x 3mm x 3mm)



No. ST402PF
Notch: SQ

Spreading adhesives for glue-down engineered and solid wood flooring.
(5mm x 5mm x 5mm)



No. ST403PF
Notch: SQ

Spreading adhesives for glue-down engineered wood flooring.
(6mm x 3mm x 6mm)



No. ST404PF
Notch: SQ

Spreading thinset mortar for ceramic floor tile and laminated wood plank flooring.
(6mm x 6mm x 6mm)



No. ST411PF
Notch: SQ

Spreading thinset for ceramic and quarry tile.
ST416PF 16"x4-1/2"
(6mm x 9mm x 6mm)



No. ST412PF
Notch: SQ

Spreading thinset and mortar for large format ceramic and quarry tile.
(12mm x 12mm x 12mm)



No. ST405PF
Notch: U

Spreading adhesives for carpet tile, smooth backed carpet, VCT, felt-back sheet vinyl, and vinyl plank.
(1mm x 1mm x 2mm)



No. ST406PF
Notch: U

Spreading adhesives for carpet to cushion in double glue installations.
(3mm x 2.2mm x 3mm)



No. ST407PF
Notch: U

Spreading adhesives for double glue carpet.
(3mm x 5mm x 3mm)



No. ST420PF
Notch: U

Spreading thinset, full contact mortars, and thick-bed mortars.
(19mm x 14mm x 9mm)



No. ST417PF
Notch: U

Spreading thinset mortar for floor or wall tiles, or applying adhesives and mastic material.
(6mm x 9mm x 6mm)



No. ST408PF
Notch: V

Spreading adhesives for glue-down engineered wood flooring.
(5mm x 4mm)

No. ST409PF
Notch: V

Spreading adhesives for attached foam and smooth backed carpet.
(2.2mm x 2.2mm x 2.2mm)



No. ST410PF
Notch: V

Spreading adhesives for textured and rough backed carpets.
(3mm x 3mm x 2mm)



No. ST414PF
Notch: V

Spreading mastic for wall tile.

(6mm x 5mm)

PROFESSIONAL SPONGES

Sponges (Medium Fine Pore)

Durable polyester-based sponges retain water like natural sponges. Package contains ***three*** different semi-oval sponges.
No. PL060

Order in cartons of 6

Grout Sponge

Large water holding capacity. Soft to prevent digging, scratching, or marring of grout.

No	Size
ST135	7-1/2"x5-1/2"x2" (Case Cut Carton of 24)
ST135-125	7-1/2"x5-1/2"x2" (Display Box of 125)
ST135BALE	7-1/2"x5-1/2"x2" (Bale of 400)



Scouring Pad Holder

Kraft Tool's ProForm® soft grip handle is mounted to the plastic backing plate. Bottom hook strip attaches to scouring pad. This helps protect hands when scrubbing. *(Must purchase pad separately.)*

No.	Size
ST140PF	9-1/4"x3-1/4"

Scouring Pad

Available in non-abrasive or medium abrasive. Ideal for cleaning tile.

No.	Size	Description
ST133	10"x4-3/8"x1"	(White) Non-Abrasive

Turtle Back Sponge

General-purpose, durable cellulose sponge. Keeps its shape and conforms to hand. Holds water exceptionally well, washes clean.

No.	Size
PL600	6-3/4"x3-1/2"x2" (Box of 100)
PL600-25	6-3/4"x3-1/2"x2" (Box of 25)
PL600L*	7-1/2"x3-1/2"x2" (Box of 98)
PL600L-25*	7-1/2"x3-1/2"x2" (Box of 25)

Cellulose Sponge

Durable cellulose keeps its shape. Great for cleaning and all around use.

No.	Size
PL370	6-1/2"x4-1/4"x2-1/4" (Case Cut Carton of 24)

Grout Scrubber Sponge

Hydra sponge on one side to wipe off excess grout. Coarse plastic foam scrubber on opposite side to remove grout haze.

No.	Size
ST137	7-1/2"x5"x2" (Case Cut Carton of 24)
ST137-125	7-1/2"x5"x2" (Display Box of 125)
ST137BALE	7-1/2"x5"x2" (Bale of 200)

Rubber Sponge

Cleaning sponge made of pure natural rubber. Rectangular shaped to fit your hand.

No.	Size
PL369	6"x3"x1-1/2"

White Rubbing Stone

Top-quality rubbing stone preferred by many tile setters. Will not mark or stain.

No.	Size	Grit
ST281	8"x2"x1"	60
ST282	8"x2"x1"	80

Tile Setter's Rub Brick

Smooth out and dress down tile, marble, granite, or concrete with these high-quality 6"x2"x1" silicon carbide rub bricks.

No.	Grit	No.	Grit
ST370	46	ST372	80
ST371	60	ST373	120

CAUTION: Always use approved safety protection.

*See page 193

GROUT FLOATS

Toe Grout Float

The pure gum rubber face is bonded to a molded rubber pad and cemented to a non-marring backing. The offset position of the handle and its special narrow width makes it possible to work in tight corners. Now available with a non-marring float back. Fitted with wood or ProForm® soft grip float handle.

No.	Size	Handle
ST127	12"x3"	Wood
ST127PF	12"x3"	ProForm®

Epoxy Grout Float

Long-wearing, lightweight float with non-marring plastic handle and back. Dense 1/2" float face ideal for using with epoxy grouts.

No	Size
ST362*	10"x3-3/4"

Tile Grouter's Float

The classic float is excellent for tile grouting but has been adapted for many uses. Flexible pure gum rubber face is bonded to a molded rubber pad. This non-stick surface won't absorb materials, leaving a more professional finish. Beveled sides provide protection and control for grout applications. The front has rounded corners for smooth finishes, while the back has squared-off corners, providing even coverage into corners. For a guaranteed cleaner finish, use the float with the ProForm® handle, where a non-marring backing provides support to the tool.

No.	Size	Handle	No.	Size	Handle
ST126	9-1/2"x4"	Wood	ST126PF	9-1/2"x4"	ProForm®
ST132	12"x4"	Wood	ST132PF	12"x4"	ProForm®

Non-Porous Grout Float

The best non-porous, hard synthetic rubber-faced float for stucco, tile grout, and brown coat. Fitted with wood float handle.

No.	Size
ST128	11-1/2"x5"
ST360	12"x4"



Super Grout Float

A medium-weight firm float for grouting glazed tile on walls or floors. Can also be used for grouting mosaics and plain or abrasive quarry tile. The green pad is cemented to a strong aluminum backing and completed with a smooth wood handle. For a guaranteed cleaner finish, use the float with the ProForm® handle where a non-marring backing provides support for the tool. Size 9-1/2"x4".

No.	Handle
ST125	Wood
ST125PF	ProForm®

Margin Grout Float

Professional-quality margin grout float with contoured wood handle. Non-marring gum rubber pad is beveled on the sides and mounted to a tempered steel blade. Excellent for compact spaces.

No.	Size
ST353*	6"x2"



Grout Cleaning Brush

Contoured plastic handle with sturdy 5/8" long nylon bristles in 2 by 9 rows. For scrubbing grout and grout lines. Hang hole at the end of handle for easy storage.

No.	Size
ST171*	8"

Order in cartons of 12

Grout Saw

The preferred tool among tile professionals for grinding, cleaning, and removing old grout. Long-lasting carbide grit blade keeps its sharpness. Use both blades for wide joints. Durable ProForm® soft grip handle.

No.	Description
ST147	Grout Saw
ST148*	(2) Repl. Blades

*See page 193

Miter Snips

Accurately cuts angles in seconds up to 1" wide x 1/2" thick (replaceable blade). Cuts plastic, decorative moldings, and tile edges/trim. Adjustable miter fence with built-in protractor. 7 preset angles from 45°-135°. Safety lock handle with no-slip grip. To change angle, slide the self-indexing metal guide to desired angle.

No.	Description
LA355*	Miter Snips
LA355-01*	Top Cutting Replacement Blade

US Patent #6,973,725 B2

T-Handle Floor Scraper

54" long all-steel floor scraper. All-steel "T" handle with weighted head for extra leverage. Shaves all kinds of floor coverings on any type of floor. Fitted with 7" or 10" replaceable steel blade.

No.	Size
GG393	Floor Scraper With 7" Blade
GG397	Floor Scraper With 10" Blade
GG394	7" Replacement Blade
GG395	10" Replacement Blade



4" Heavy-Duty Scraper

Small yet forceful scraper provides access to hard-to-reach places. Easily remove vinyl, ceramic tile, and adhesive with less effort. A 4" heavy-duty blade scrapes away at material for remodeling or new construction. The blade is secured to a 9" handle with three tightening screws. A rubber grip provides comfort with use. Overall length is 12". Carded for easy display.

No.	Description
ST298*	4" Heavy-Duty Scraper
ST299*	4" Repl. Wall Scraper Blades (Pkg 5)

Heavy-Duty Scraper

Large metal handle is weighted to produce inertia for easier scraping. Heavy-duty blade carrier has 3 tightening screws. 15" hammer-end handle ideal for rubber mallet use *(sold separately, page 184)*. Includes single 5" replaceable blade.

No.	Description
FC520	Heavy-Duty Scraper
FC521	5" Replacement Blades (Pkg 5)

Big Floor Scraper

Telescoping Handle

Features an 8" wide heavy-duty replaceable blade, and a twist-lock adjustable telescoping handle. Handle length adjusts from 36" to 59". The perfect tool for floor preparation.

No.	Description
FC506	Big Floor Scraper
FC507	8" Replacement Blades (Pkg 5)

GENUINE EXTRU-LITE™ MAGNESIUM

Magnesium Screed

30% Lighter Than Other Aluminum Screeds

Built for strength and rigidity, but lightweight enough for those big jobs. Ends are plastic-capped to prevent concrete from building up inside. Extra end caps are available.

1"x4"

No.	Size
CC506	6'
CC508	8'
CC510	10'
CC512	12'

(Shipped 2 per carton - must order in quantities of 2)

Screeds 8' or longer must ship via truck

L-Shaped Screeds / Straightedges

L-shaped screed set is easy to hold and move around to even out surfaces. Made of high-strength, lightweight aluminum. Each screed is 3-1/2" wide x 1-1/4" high. The 1/4" thick metal provides strength for leveling. Multiple sizes included in a set for use on a variety of different projects.

No.	Description	Sizes
ST295	5 Piece Set	1-1/2', 2', 3', 4', 6'
ST296	6 Piece Set	1-1/2', 2', 2-1/2', 3', 4', 6'





Aluminum Screed Set

Screed set 1" wide x 4" high. Made of high-strength, lightweight mill-finished aluminum.

No.	Description	Sizes
ST294AL	5 Piece Set	2', 2-1/2', 3', 4-1/2', 6'

Forged Floor and Wall Scraper

54" All Steel

The perfect scraper for extra tough scraping and cleaning jobs. A 54" steel handle is welded to the solid forged 4" blade. Pry tile, wood flooring, and other materials.

No. ST175

Forged



CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

*See page 193

Plastic Bucket and Pail

Durable 90 mil 5 gal. translucent bucket and 10 qt. pail for general use such as mixing or moving various materials. *Lid for 5 gallon bucket sold separately.*

5 Gal. Plastic Bucket

Liters, Quarts, Gallons Measurements

No.	Description
GG468	5 Gal. Plastic Bucket
GG468-01	Plastic Lid (Fits GG468 5 Gal. Bucket)
GG468-02	Plastic Lid with Spout (Fits GG468 5 Gal. Bucket)

10 Qt. Plastic Pail

Ounces, Liters, Quarts Measurements

No.	Description
GG470	10 Qt. Plastic Pail

GG468-02

Unomixer

Ideal for fast mixing all kinds of materials, from paint to cement. Unique design mixes materials quickly. The 3-1/4" diameter head is welded to the 16" shaft for strength. For use in a 1/2" drill.

No. DC363*

Hex Shaft

Stainless Steel Jiffy Mud and Paint Mixers

For heavy-duty jobs. Fits 5-10 gallon containers. 20-1/2" long, 1/2" shaft, top diameter: 4-5/8", bottom diameter: 5", depth: 5". Use with 1/2" drill.

No. DC409

Round Shaft

For small containers 2 gallons or less. 10-1/4" long, 1/4" shaft, top diameter: 2-5/8", bottom diameter: 2-5/8", depth: 2-3/8". Use with 3/8" drill at 450-750 RPM for best results.

No. DC408

Round Shaft

Bucket Dolly

Easily move heavy buckets. Strong, molded plastic construction can be used with standard 3-1/2 to 5 gallon buckets. 300 lb. capacity. 5 rubber wheels make this dolly perform well even on unlevel surfaces. 2-1/2" deep walls hold bucket securely. *(Bucket not included.)*

No.	Description
ST379	Bucket Dolly
ST379-PK6	Bucket Dolly (6 Pack)

Rolling Knee Pads

Durable molded plastic construction with thick industrial knee cushions cater to extensive usage, especially on large jobs. 8 heavy-duty swivel casters with double ball-bearing rubber wheels that protect tile surfaces.

No.	Description
ST378	Rolling Knee Pad
ST378-02	Replacement Pads (Pair)

Egg Beater Mixer

Use to mix thinset, grout, and concrete products. Plated steel is easy to use and easy to clean. The 30" overall length of the tool works easily in 5 gallon buckets. The 7/16" steel hex shaft works in 1/2" or larger drills.

No. DC716*

Hex Shaft

Lid Claw

Open buckets with ease. Durable one-piece plastic construction.

No. DW110

Ultra Rubber Knee Pads

Durable accordion-style rubber knee pads with comfortable foam pad insert. Adjustable, replaceable straps.

No.	Description
WL084*	Knee Pads (Pair)
WL084-01*	Replacement Straps

Triangle Blade Mixer

Multi-purpose triangle blade mixer. Use with all concrete-based products. Measures 9-1/2" head depth, 23-1/4" overall. For use in a 1/2" drill.

No. DC721



Hex Shaft

Stainless Steel Bucket Trowel

Stainless steel blade is tapered to align with sides and bottom of bucket. Leaves no wasted material. Special tang to hang trowel on rim of bucket. Wooden handle.

No.	Size
PL800*	7"x4-1/2"x3"

12"x12" Universal Dolly

Durable plastic construction with 4 swivel casters. Designed with the tile setter in mind to hold boxes of tile to move around a jobsite as you work. Holds up to 300 lbs. of material.

No.
ST377



*See page 193

WOOD FLOORING

Bearcat Stripper Machine

Easily remove flooring products for replacement. The blade carrier forms an ultra-low blade angle to get beneath material to be removed. Cam-driven oscillating cutting system focuses the motor's energy to the blade. The shearing blade is directly linked to the 1 HP motor, reducing the number of parts that wear out. Net weight: 127 lbs.

No.	Description
FC700ZZ**	Bearcat Stripper Machine
FC701ZZ	6"x4" Bearcat Stripper Blade
FC705ZZ	10"x3" Bearcat Stripper Blade

**Must ship via truck

Undercut Door Jamb Saw

This is the perfect tool for cutting door jambs and other hard-to-reach areas. 12" long blade. Double-edged blade works in both directions.

No. FC518*

Tapping Block And White Rubber Mallet

This 7"x3" block has a female groove on one side and ends to install tongue-and-groove planks tightly in place. 30 oz. non-marring white rubber mallet with solid wood handle.

No.	Description
FC550*	Tapping Block
FC551*	Rubber Mallet

Multi-Undercut Saw

Saw cuts along walls, door jambs, toe spaces, and inside corners. Height adjusts from flush to 1" above the floor. Cuts in 1/8" increments up to 1-1/4" depth. Cuts straight or at 45° angles with adjustable handle. Comes with carbide blade made specifically for this saw. Carrying case included. 8 AMP 100V motor. Weighs 11 lbs.

No.	Description
FC527	Multi-Undercut Saw
FC528	Replacement Carbide Blade (Use only with FC527 Multi-Undercut Saw)

VINYL FLOORING

Economy Vinyl Tile Cutter

Heavy cutting frame with casters, moveable cutting guide, and marked measuring guide. Cuts 12" tiles straight or 9" tiles diagonally.

No. FC512E*



Vinyl Roller

All-steel construction. The 100 lb. roller has a smooth zinc-plated surface and rounded corners to protect flooring materials from indentations. Each of the 3 sections "floats" independently and automatically compensates for subfloor irregularities. Includes hard plastic case with wheels to protect roller. Diameter: 5-1/2", width: 16", height: 38".

No. FC511

Vinyl Floor Roller

For rolling vinyl floor covering, carpet, and cove base. Handle telescopes from 18" to 33". Three (3) non-marking rollers are 7-3/8" wide.

No. FC543*

Vinyl Seam Roller

Weighted steel seam roller with 6" wood handle. Roller is flat on shaft side, rounded on outside edge; 2" diameter and 2" wide. Great for finishing work in vinyl installations.

No. FC542*

*See page 193

APPRENTICE KITS

- *Kits feature all the tools to get started in the trade*
- *Designed in cooperation with trade associations, schools and unions*
- *Instructors: Contact Kraft for more information on program support*

Concrete

Concrete Apprentice Kit #CC900AK

Qty	Part No.	Description
1	CF217PF	14"x4" Trowel w/ ProForm® Handle
1	CF285PF	16"x4" Round Front Square Back Trowel w/ ProForm® Handle
1	CF016PF	16"x3-1/4" Magnesium Float w/ ProForm® Handle
1	CF256	15"x3-1/2" Beveled Redwood Float
1	CF118PF	6"x3", 1/2" Bit Groover w/ ProForm® Handle
1	CF138PF	6"x6", 3/8" R, 1/2" Lip Edger w/ ProForm® Handle
1	CF164PF	6"x3-1/2", 3/8" R, 1/2" Lip Edger w/ ProForm® Handle
1	CF173PF	6"x4", 3/8" R, 1/2" Lip Edger w/ ProForm® Handle
1	BL526	Utility Brush
1	GG338	25'x1" Lufkin® Tape
1	GG432	5"x2" Margin Trowel
1	PL374	8"x4"x5/8" Coarse Rubber Float
1	SL4848	48" Cast Aluminum Level
1	WL080	Poly Knee Pads
1	WL050	20" Canvas Tool Bag

Masonry

Masonry Apprentice Kit #BC901AK

Qty	Part No.	Description
1	RO116-10-1/2	10-1/2" W.Rose™ Narrow London Trowel
1	RO3131-24	W. Rose™ Brick Hammer 24 oz.
1	RO5121-3/8x1/2	3/8"x1/2" W. Rose™ Convex Jointer
1	RO5121-5/8x3/4	5/8"x3/4" W. Rose™ Convex Jointer
1	BC334T	250' Tube Flo. Orange Braided Line
1	BL167	6' Wood Spacing Rule
1	BL210	Skate Joint Raker
1	BL234	4" Bricklayer's Set
1	BL526	Utility Brush
1	GG432	5"x2" Margin Trowel
1	SL12AB48	48" Brass Bound Mahogany Level
1	BL348	Tenite Line Block (Pair)
1	WL050	20" Canvas Tool Bag

Drywall

Drywall Apprentice Kit #DC902AK

Qty	Part No.	Description
1	DC317ASM	Drywall Pole Sander
1	DW243	Utility Drywall Saw
1	DW254	18 oz. Drywall Hammer
1	DW442P	Hand Sander
1	DW520	Inside Corner Tool
1	DW533	6" Brass Hammer End Knife
1	DW722	12" EZ-Grip Mud Pan
1	DW810PF	10" Taping Knife
1	DW811	15" Drywall Saw
1	GG338	25'x1" Lufkin® Tape
1	SL671	48" T-Square
1	WL050	20" Tool Bag
1	WL077	Drywall Tool Pouch

Plaster

Plaster Apprentice Kit #PL700AK

Qty	Part No.	Description
1	BL526	Utility Brush
1	PL194	1/2" Leaf & Square Ornamental Tool
1	PL208	8" Plasterer's Scarifier
1	PL263PF	13"x13" Magnesium Hawk w/ ProForm® Handle
1	PL372	10"x4"x3/4"Fine Cell Rubber Float
1	PL453PF	11-1/2"x4-1/2" Gold Stainless Steel Trowel w/ ProForm® Handle
1	GG338	25'x1" Lufkin® Tape
1	GG432	5"x2" Margin Trowel
1	SL2424	24" Cast Aluminum Level
1	WL050	20" Canvas Tool Bag

Tile

Tile Apprentice Kit #ST100AK

Qty	Part No.	Description
1	SLSC3624	24" Contractor Extruded Alum. Level
1	ST006	Large Tile Cutter 15" x 15"
1	ST020	#80 Carbide Nipper 5/8" Offset
1	ST031	Carbide Chisel 3/8" Tip
1	ST126	9-1/2"x4" Grout Float
1	ST135	Grout Sponge
1	ST137	Grout Scrubber Sponge
1	ST371	60 Grit Tile Setters Rub Brick
1	ST411PF	SQ Notch Trowel 1/4"x3/8"x1/4" w/PF Hdl
1	WL050	20" Canvas Tool Bag
1	WL080	Poly Knee Pads

Apprentice Programs

Kraft Tool is dedicated to the future of building crafts and educating the next generation of masons, contractors, and other trowel trade professionals.

The Apprentice Kits featured on this page have been created in cooperation with trade school curriculum and union guidelines. Kraft has different tool programs that can be customized to best meet the needs of your secondary, post-secondary, apprenticeship, vocational, and technical school program. Please contact us at **1-800-422-2448** for more information about these special programs.

ProForm® Trowel Handle (US Patent #6,247,204 B1) ProForm ® Float Handle (US Patent #6,473,939 B1) (US Patent #6,821,468 B2)

Concrete and Masonry Assortment Display

#CC900A



Qty	Part No	Description
6	BC342	Yellow Braid Line – 500' Tube
6	BC352	Bonded Braid (White & Black) Line – 500' Tube
12	BC380	Yellow Brick Tongs
12	BL147	Adjustable Line Stretchers (Pair)
6	BL167	6' Lufkin® Wood Spacing Rule
6	BL169	6' Lufkin® King Size Brick Rule
6	BL210	Skate Wheel Joint Raker
12	BL280	Hubbard Jointer with 4 Blades
6	BL348	3-3/8" Tenite Line Blocks (Pair)
6	BL512	6' Lufkin® Wood Modular Rule
12	BL526	6-1/2"x2"x4" Jumbo Utility Brush with Red Handle
6	BL763PF	7"x3/8" Caulking Trowel with ProForm® Handle
6	BL764PF	7"x1/2" Caulking Trowel with ProForm® Handle
1	CC152	Denver Slider/Knee Boards (Pair)
1	CC153	30"x10" Concrete Sliders (Pair)
3	CC177	36" Aluminum Medium Cement Finish Broom
3	CC178	48" Aluminum Medium Cement Finish Broom
6	CC226	6' Thread Magnesium Handle 1-3/4" Dia.
12	CC285	Button/Female Thread Plug Handle Adapter
12	CC286	Button/Male Thread Plug Handle Adapter
6	CC289S	6' Swaged Button Alum Handle 1-3/4" Dia. (Anodized)
2	CC294	EZY-Tilt® II Float Bracket – 6 Hole
12	CC295	Fresno/Broom Adapter for Double Button Handle
2	CC296	Knucklehead® II Tilt Float Bracket – 6 Hole
4	CC421L	4'x1-3/8"x2" Buckaroo™ Straightedge w/Level Vial Hdl
4	CC623	1/2" Bronze Groover Fresno Attachment
4	CC625	3/4" Bronze Groover Fresno Attachment
6	CC662	Fresno Clevis to Threaded Adapter
3	CC802-01	48"x8" Square End Mag Bull Float w/o Bracket
3	CC803-01	48"x8" Round End Mag Bull Float w/o Bracket
2	CC851	36"x5" Round End Fresno w/All Angle Bracket
5	CC905	19-1/2"x4" Concrete Spreader w/Hook
6	CC940	3/4" Bronze Bull Float Groover Attachment
6	CC941	1" Bronze Bull Float Groover Attachment
6	CF118PF	6"x3" 1/2"D Universal Hand Groover w/ProForm® Handle
6	CF150PF	16"x3-1/2" Mag-150™ Float w/ProForm® Handle
6	CF164PF	6"x3-1/2" 3/8" SS Cement Edger w/ProForm® Handle
6	CF165PF	6"x4" 1/2" SS Cement Edger w/ ProForm® Handle
6	CF173PF	6"x4" 3/8" SS Cement Edger w/ ProForm® Handle
2	CF212PF	12"x4" Cement Trowel w/ProForm® Handle
2	CF222PF	16"x4" Cement Trowel w/ProForm® Handle
2	CF227PF	18"x4" Cement Trowel w/ ProForm® Handle
2	CF279BPF	16"x4" Blue Steel Pool Trowel w/ProForm® Handle
5	CF283	20 Grit 6"x3"x1" Rub Brick
2	CF292BPF	18"x5" Blue Steel Cement Trowel w/ProForm® Handle
2	CF295BPF	20"x5" Blue Steel Cement Trowel w/ProForm® Handle
4	CF304PF	6"x4-1/2" Big Bit Bronze Groover w/ProForm® Handle
4	CF305PF	6"x4-1/2" Narrow Bit Bronze Groover w/ProForm® Handle
2	CFE222	16"x4" Elite Series Five Star™ Cement Trowel w/Wood Handle
2	CFE222L	16"x4" Elite Series Five Star™ Cement Trowel w/Leather Handle
2	CFE222PF	16"x4" Elite Series Five Star™ Cement Trowel w/ProForm® Handle
2	CFE227	18"x4" Elite Series Five Star™ Cement Trowel w/Wood Handle
2	CFE227L	18"x4" Elite Series Five Star™ Cement Trowel w/Leather Handle
2	CFE227PF	18"x4" Elite Series Five Star™ Cement Trowel w/ProForm® Handle
6	GG310	Tie Wire Twister
6	GG320	6' Lufkin® Engineer Folding Rule
6	GG422PF	5-1/2" Pointing Trowel w/ProForm® Handle
6	GG432PF	5"x2" Margin Trowel w/ProForm® Handle
6	RO116-11	11" Narrow London Brick Trowel w/Wood Handle
6	RO116-11SH	11" Narrow London Brick Trowel w/ProForm® Handle
6	RO1416-11	11" Narrow London Brick Trowel w/Plastic Handle
6	RO3131-24	24 oz. Brick Hammer
6	RO316-11	11" Narrow London Brick Trowel w/Leather Handle
12	RO5121-1/2x5/8	Convex Jointer
12	RO5121-5/8x3/4	Convex Jointer
3	SL2424C	24" Cast Aluminum Level w/Case
3	SL4848C	48" Cast Aluminum Level w/Case
6	SLMA48	48" Professional Mahogany I-Beam Level (6 Vials)
12	SLSC55	3" Aluminum Line Level
10	WL069	EZ-Kneeler™ Kneeboard
4	WL135	Foam Rubber Knee Pads (Pair)
7	KHOOK12HD	12" Display Hook
5	KHOOK4L	4" Standard Loop Hook
3	KHOOK6	6" Display Hook
4	KHOOK6L	6" Standard Look Hook
18	KHOOK8	8" Display Hook
18	KHOOK8L	8" Standard Loop Hook
4	KTC019	12" Masonry Hook (6 Loop)
2	KTC026	Multi-Tier Trowel Holder
4	KTCBOARD	Display Board
1	KTCBSKTSIGN	Sign for Tool Display Basket
4	KTCHDLHOLDER	Hook for Handles
4	KTCHOLDER	Universal Bracket
4	KTCSIGN	Kraft Tool Co.® Sign
1	KTCTOOLBSKT	Tool Display Basket

TOOL DISPLAYS

More Displays and information at www.KraftTool.com/Display

Concrete Display
#CC900

Masonry Display
#BC901

Drywall Display
#DC902

Elite Series™ Cork Handle Concrete Display
#CC900K

Introducing our Elite Series™ Five Star Concrete Tool Display, featuring our popular cork handles. These moisture-wicking handles will not slip or stick, for just the right grip while you work. Display contains a variety of our professional Elite Series™ tools for concrete finishers. Our premium cement finishing trowels feature broken-in blade edges. The magnesium hand floats, and darbies come broken-in with a distinct grind on the working surface.

Qty	Part No.	Description
2	CFE212K	12"x4" Carbon Steel Trowel
2	CFE217K	14"x4" Carbon Steel Trowel
2	CFE221K	16"x3" Carbon Steel Trowel
2	CFE222K	16"x4" Carbon Steel Trowel
2	CFE227K	18"x4" Carbon Steel Trowel
2	CFE437K	14"x4" Carbon Steel Pool Trowel
6	CFE016K	16" Mag Hand Float
6	CFE064K	16" ThinLine Pro Mag Hand Float
2	CFE030K	30" Tapered Mag Darby
2	CFE303K	6"x4-1/2" 1/4"R 1/2"D 3/8"W Bronze Groover
2	CFE304K	6"x4-1/2" 3/8"R 3/4"D 7/8"W Bronze Groover
2	CFE314K	6"x4-1/2" 1/4"R 1"D 1/2"W Bronze Groover
2	CFE304KSS	6"x6" 3/8"R 3/4"D 7/8"W SS Groover
2	CFE314KSS	6"x6" 1/4"R 1"D 1/2"W SS Groover
6	RO58-6K	6" W. Rose™ Margin Trowel
6	RO50-6K	6" W. Rose™ Pointing Trowel
6	CFE164K	6"x3-1/2" 3/8"R SS Edger
6	CFE165K	6"x4" 1/2"R SS Edger
6	CFE138K	6"x6" 3/8"R SS Edger
6	CFE175K	6"x6" 1/2"R SS Edger

All individual gondola displays are 36" wide by 17" deep and 54" tall. Includes header sign and hooks.

Elite Series™ Cork Trowel Handle (US Patent #D853,821 S) Elite Series™ Cork Float Handle (US Patent #D842,678 S) Elite Series™ Cork Edger/ Groover Handle (US Patent #D854,395 S) W. Rose™ Cork Brick Trowel Handle (US Patent #D874,242)

DISPLAY ACCESSORIES

A

KRAFT TOOL CO.®

"Hand Krafted" Tools for the Construction Trades

V. ROSE TOOLS ENDURE · SANDS · SUPERIOR

A) Display Sign

No. KTCSIGN*
36"x9" plastic display sign

B) Display Basket

No. KTCTOOLBSKT*
Display basket for a variety of products
10.5" W x 13.5" L x 9" H

No. KTCBSKTSIGN
Sign for front of display basket 8.5"x5.25"

B

Extension Handle Holders

No. KTCHDLHOLDER*
Holds 12 handles

No. KTCHDLHOLDER18*
Holds 18 handles

No. KTCHDLHOLDER36*
Holds 36 handles



A) Display Hooks

No. KHOOK4*
4" Display Hook

No. KHOOK6*
6" Display Hook

No. KHOOK8*
8" Display Hook

B) No. KHOOK12HD*
12" Display Hook

A



B



C



C) Loop Holder

No. KHOOK4L*
4" Loop Holder

No. KHOOK6L*
6" Loop Holder

No. KHOOK8L*
8" Loop Holder

A) Trowel Holder

No. KTC026*
Multi-Tier Trowel Holder for flat and masonry trowels



A



B) Trowel Bar

No. KTRWLBR*
Trowel Bar for flat and masonry trowels

B

Masonry Trowel Hanger

No. KTC018*
Blue brick trowel hanger

(Trowels not included)



Masonry Trowel Hooks

No. KTC025*
Holds 4 trowels

No. KTC019*
Holds 6 trowels

Masonry Jointer Holder

No. KTCJOINTER
Holds up to 6 masonry joiners. For pegboard displays.

Multi-Purpose Holder

No. KTCHOLDER*
Multi-purpose holder for displays (1-1/2" spaces)



Spreader Hook

No. KTCSPRDRHLDR
Holds 6 spreaders

Big "D" Bull Float Holder

No. KTCBIGDHLDR*
Big "D" bull float holder (3 spaces)

Level Holder

No. KTCLVLHOLDER*
Level holder for displays



Square Holder

No. KTCSQHOLDER*
Square holder for displays. Holds up to 15 Squares

Catalog Holder

No. KTCCTLGHOLDER*
Easily display Kraft catalogs



*See page 193

No.	Description
KTCLY-M*	Kraft Tool Co.® Shirt - Safety Yellow (M)
KTCLY-L*	Kraft Tool Co.® Shirt - Safety Yellow (L)
KTCLY-XL*	Kraft Tool Co.® Shirt - Safety Yellow (XL)
KTCLY-XXL*	Kraft Tool Co.® Shirt - Safety Yellow (XXL)

No.	Description
KTCSYT-M*	Kraft Tool Co.® Shirt - Safety Yellow (M)
KTCSYT-L*	Kraft Tool Co.® Shirt - Safety Yellow (L)
KTCSYT-XL*	Kraft Tool Co.® Shirt - Safety Yellow (XL)
KTCSYT-XXL*	Kraft Tool Co.® Shirt - Safety Yellow (XXL)
KTCSOT-M*	Kraft Tool Co.® Shirt - Safety Orange (M)
KTCSOT-L*	Kraft Tool Co.® Shirt - Safety Orange (L)
KTCSOT-XL*	Kraft Tool Co.® Shirt - Safety Orange (XL)
KTCSOT-XXL*	Kraft Tool Co.® Shirt - Safety Orange (XXL)



No.	Description
KTCSHIRT-C*	Kraft Tool Co.® Shirt - Blue (L)
KTCSHIRT-D*	Kraft Tool Co.® Shirt - Blue (XL)
KTCSHIRT-E*	Kraft Tool Co.® Shirt - Blue (XXL)
KTCSHIRT-A*	Kraft Tool Co.® Shirt - Ash Grey (L)
KTCSHIRT-B*	Kraft Tool Co.® Shirt - Ash Grey (XL)
KTCSHIRT-F*	Kraft Tool Co.® Shirt - Ash Grey (XXL)

No.	Description
KTCSHIRT ROSE-C*	W. Rose™ Shirt - Brown (L)
KTCSHIRT ROSE-D*	W. Rose™ Shirt - Brown (XL)
KTCSHIRT ROSE-E*	W. Rose™ Shirt - Brown (XXL)
KTCSHIRT ROSE-A*	W. Rose™ Shirt - Ash Grey (L)
KTCSHIRT ROSE-B*	W. Rose™ Shirt - Ash Grey (XL)
KTCSHIRT ROSE-F*	W. Rose™ Shirt - Ash Grey (XXL)

KRAFT TOOL APPAREL

KTCCAP-MESH*
Kraft Mesh Cap

KTCCAP*
Kraft Cap

KTCCAP-CAMO*
Kraft Camo Cap

KTCCAP-ROSE*
W.Rose™ Cap

KTCCAP-OT*
Orange Thunder® Cap

No.	Description
KTCOT-S*	Orange Thunder® Shirt (S)
KTCOT-M*	Orange Thunder® Shirt (M)
KTCOT-L*	Orange Thunder® Shirt (L)
KTCOT-XL*	Orange Thunder® Shirt (XL)
KTCOT-2X*	Orange Thunder® Shirt (XXL)

No.	Description
KTCPOLO-M*	Kraft Tool Co.® Polo (M)
KTCPOLO-L*	Kraft Tool Co.® Polo (L)
KTCPOLO-XL*	Kraft Tool Co.® Polo (XL)
KTCPOLO-XXL*	Kraft Tool Co.® Polo (XXL)

*See page 193

3 Knot Brush 104

A

Adhesive Spreader 111
Adjustable Wipe Down Knife 170
Adjustable T-Square 125, 166
Alum. Handles 32-34, 80, 83, 94, 97, 145, 172
Ammo Chalk Box 98, 106, 150
Angle Float 157
Angle Plane 156
Apparel 186
Apprentice Kits 151, 161, 165, 185
Archaeology Tools 136
Asphalt Branding Machine 98
Asphalt Shoes 100
Asphalt Tools 97-100, 111, 119
Aussi Combo 23

B

Banjos See Drywall Tapers
Barbell Jointer 138
Barrel, Mixing 83
Barrel, Cart 83
Bearcat Stripper Machine 184
Beveler Float 19, 67
Big "D" Bull Float 40
"Big John" Pry Bar 25
Big Tipper™, The 83
Billet Level 122
Blister Brush 156
Bolster Chisel 148
Bolt Cutters 144
Boots 110
Border Tools 74
Bow Rake 100
Brackets
- Adapters 32, 35, 36, 38, 52, 79, 80, 172
- Broom 36, 79, 80, 92, 104
- Bull Float 36-37, 44, 92
- Converter Plate 37
- Double Tilt Action 37, 44, 92
- Fresno 35-36, 41, 92
- Hand Float 14
- Funny Trowel 12
- Multi-Twist™ 36, 38
- Quick Change Converter 56
- Single Tilt Action 36, 92
- Trowel 12
- Ultra-Twist™ 92

Brick/Block Clips 142
Brick and Stone Marker 139
Brick Cart 143
Brick Splitters 143
Brick Tongs 143
Brick Trowels 113, 128-133, 135, 137
- Ceremonial 135
- Handles 135, 137
- Limber 131
- Narrow London 128, 131, 137
- Narrow Pattern 113
- Philadelphia 130, 131, 137
- Rubber Tip 137
- Specialty 132-133, 137
- W. Rose™ 128-133, 135
- Wide Heel 132
- Wide London 129, 131, 137
- Wide Pattern 113

Bricklayer's Set 148
Broad Knife 168
Broadcast Gun 75
Bronze Tools 38, 50, 53-56, 63, 65
Brooms
- Adapters 35, 79, 80
- Asphalt 98, 104
- Brackets 36, 76, 79-80, 92, 104
- Finish 76, 78-79
- Float & Broom 76
- Floor 78, 104
- Handles 80, 83, 104, 145, 162, 172
- Street 104
- Wire Texture 76, 160

Brushes
- 3 Knot 104
- Acid 145
- Blister 156
- Bricklayer's 145
- Bucket 144
- Cleaning 104, 145
- Coating 104
- Crows Foot 165
- Curb 78, 95
- Dash 156
- Drywall Texture 165
- Dutch 156
- Finishing 78-79, 95
- Grout Cleaning 181
- Masonry 144-145
- Sealcoat 98
- Squeegee Coater 104
- Stucco 156
- Texture 77, 165
- Truck 78, 145
- Utility 145
- Wire 144-145

Bubble Blaster Spike Roller 84
Buckaroo™ Straightedge 31, 76
Bucket Bag 109
Bucket 82, 110, 183
Bucket Dolly 110, 183
Bucket Lid 82, 110, 183
Bucket Scoop 151
Bucket Trowel 133, 137, 151, 183
Buckeye™ Straightedge 31
Bull Floats
- Aluminum 90-91
- Blue Steel 40
- Brackets 36-37, 44, 92
- Canvas-Resin 42
- Channel 39, 44-45, 90-91
- Converter Plate 37
- GatorLoy™ 90-91
- Groover Bit 38
- Handles 32-34, 44-45, 94
- KO-20™ Material 43-45
- Magnesium 22, 38-39, 44-45, 50, 76
- Mahogany 42
- Mini 38
- Multi-Trac 50
- Orange Thunder® 43-45
- Weight 40
- Wood 42

Bullnose Corner Tools 170
Bull's Eye Level 122
Bump Cutter 30, 96
Burn Trowel 8
Buttering Trowel 113, 133, 137

C

Cali Gold™ Plaster Trowel 154
Cali Kumalong® 27
Cardinal™ Placer 26
Carpenter Apron 108
Carpenter Pencil 106, 123
Carpenter Square 126
Carpet Tools 174
- Puller 174

Caulk Guns 106
- Epoxy Guns (Dual Cartridge) 83, 106

Caulking Trowels 113, 136
Ceramic Tile Cutters 174-175
Ceremonial Trowel 135
Chalk 98, 107, 150, 176
Chalk Box 98, 106-107, 150, 176
Chalk Line Marker 107
Chamfer Tools 55, 70, 73
Chamfer Tube Edgers 55
Channel Floats 39, 44-45, 90-91
Channellock® Ironworker's Pliers 24
Check Rod 30, 95
China Markers 176
Chisels 74, 148, 176
Cincy Sliders 89
Circle Cutter 173
Clinch-On Tool 165
Clipped Angle Joint Knife 114
Combination Blades 46-48
Combination Square 123
Combination Tool 114, 165
Compressor 163
Concrete Chute 24
Concrete Chute Tool 24
Concrete Restoration 81-85, 87
Concrete Tools 3-96, 112-113, 187-189
Concrete Trowels 3-12
Economy 112
Construction Boots 110
Concave Jointer 134, 139
Convex Jointer 134, 139
Coping Saw 174
Cork Handles 3-6, 13-15, 56-59, 128-133, 135, 153, 155, 187
Corner Roller 165
Corner Tools 114, 160, 170, 173
- Plastic 114, 160, 173
- Stainless Steel 160, 170

Countertop Tools 76
Cross Check Level 122
Cross Joint Trowel 113, 137
Curb & Gutter Tools 68-69
Curb Forming Tool 31, 68, 93
Curb Mule 68
Curb Tools
- Blue Steel 59, 71-73
- GatorLoy™ 93
- Stainless Steel 58, 68-69
- Steel 68

Cutting/Scoring Tool 174

D

Darbies
- Aluminum 93-94
- Aussi Combo 23
- Blue Steel 158
- Canvas-Resin 23
- GatorLoy™ 93-94
- KO-20™ Material 20
- Magnesium 14, 22, 158-159
- Mahogany 23
- Orange Thunder® 20
- Plaster 158-159
- Scratcher 159
- Tapered 14, 20, 22-23, 94

Dash Brush 156
Decorative Concrete Tools 74-77, 87
Deluxe Taping Knives 168
Deluxe Short Taping Knives 168
Denver Sliders 89
Diamond-Shaped Joint Knife 114
Digital Levels 116
Displacers 27
Display Accessories 126, 188
Displays 15, 103, 140, 186-187
DIY Kits 114, 173, 178
Dolly 110, 183
Double Bent Mixer 85
Double Notch Rake 82
Driveway Approach Tool 67
Drywall Corner Tool 170
Drywall Dolly 164
Drywall Hammer 105, 114, 173
Drywall Knives 114, 168-169
- Elite Series™ 169

Drywall Lifters 164
Drywall Patch 172
Drywall Pouch 108, 164
Drywall Repair Kit 114, 173
Drywall Saw 173
Drywall Sander 115, 172-173
Drywall Squares 124-125, 166
Drywall Tape Holder 172
Drywall Tapers 115, 166
Drywall Texture Rollers 162
Drywall Tools 114-115, 162-173, 185, 187
Drywall Trowels 169
Duck Bill Trowel 137
Dutch Brush 156

E

Edger Pans 49
Edger
- Aluminum 112
- Blue Steel 59, 71-73
- Bronze 54-56
- Carbon Steel 40, 112
- Carpet Edger 70
- Chamfer 55, 70, 73
- Curved End 57, 62
- Deco 74
- Elite Series™ 56-57, 59
- Float Pan 49
- Fresno 40
- Groover 62, 63, 67, 74
- Hand 54-57, 59-63, 67-74, 112
- Hi-Craft® 112
- Narrow 70
- Stainless Steel 57, 60-64, 67-70, 74
- Steel 70
- Step Saver® 77
- Two Radius 67
- Walking 55, 62-64, 70, 73
- Wall Capping 70
- Western Style 60

Edging Groovers 62-63, 67, 74
Egg Beater Mixer 167, 183
EIFS Tools 115, 160-161
Elite Series™ Five Star Tools
- Corner Tools 58
- Curb Tools 58-59
- Darby 14
- Display 187
- Drywall Knives 169
- Drywall Trowels 169
- Edgers 56-57, 59
- Floats 13-15
- Groovers 56, 57
- Step Tools 58-59
- Trowels 3-6, 153, 155, 169
- Walking Float 14

End Cut Nippers 152

Engineer Rule 150
Epoxy Tools 81-85, 106, 181, 183
Epoxy Gun 83, 106
EZ-Bend Screed Handles™ 29
EZ-Grip Mud Pan 171
EZ-Kneeler™ Kneeboard 89
EZ-Winder 140
EZY Deck Pro Gun & Hopper 163
EZY-Motion Mag Float 16
EZY-Tote Tool Carrier™ 44-45
EZY-Tilt® Bracket 37
EZY-Tilt® II Bracket 37

F

Fabricut Sandpaper 172
Fast-Mixer 167
Fat Cat Mag Float™ 13-14
Featheredge 159
Fiberglass® Handles 32, 34, 80, 104
Finger Tape 136
Finish Blades 46-48
Finishing Trowels 3-12
Flat Wire Texture Broom 77, 160
Flexible Radius Trowel 8
Flexible Wipe Down Knife 170
Flipper Tilt Bracket™ 80
Float and Broom Combo 76
Float Hook 15, 110
Float Pan 49
Floats
  Angle 157
  Beveler 19, 67
  Blades 46-48
  Bodark 19
  Brackets 36-37, 92
  Bull 38-40, 42-45, 50, 90-91
  Canvas-Resin 15, 19, 42
  Channel 39, 44-45, 90-91
  Contractor 17
  Converter Bracket 14
  EIFS 115, 161
  Elite Series™ Five Star 13-15
  Epoxy 181
  EZY-Motion 16
  EZY-Tote Tool Carrier™ 44-45
  Fat Cat Mag Float™ 13-14
  Float & Broom Combo 76
  Gator Tools™ 90-91, 93, 96
  Grout 111, 181
  Groover Bit 38
  Hand 13-19, 21, 93, 112, 123
  Handles 12, 93, 157
  Hi-Craft® 111-112, 115, 161
  Hook 15, 110
  KO-20™ Material 21, 43-45
  MAG-150™ 14, 18
  Magnesium 13-18, 38-39, 44-45, 67, 50, 112
  Mahogany 42, 112
  Margin 181
  Mini Mag Float 15
  Multi-Trac 50
  Narrow 17, 42-43
  Non-Porous 181
  Orange Thunder® 21, 43-45
  Pads 157
  Pans 49
  Paving 30, 96
  Plaster 157
  Redwood 19, 123
  Risers, Handle 19
  Rubber 157
  Sand Cast 18
  Teakwood 19
  Texture 115, 157
  ThinLine 14, 18
  Tile 181
  Walking 14, 38-40, 42-45, 50, 90
  Wide 13-14, 18-19, 93
  Wood 19, 42, 112, 123
Floorcovering Tools 111, 174-184
Fortex® Pail 110, 144
Fresnos
  Adapters 35, 38
  Blue Steel 40-41, 92
  Brackets 35-36, 41, 92
  Carbon Steel 40-41, 92, 112
  Curved Shotcrete 86
  Edger 40
  Gator Tools™ 92
  Groover Bits 38, 50
  Gunite 86
  Hi-Craft® 112
  Multi-Trac 50
  Stainless Steel 50
  Weight 40
  Wide 40, 92
Funny Trowel 12

G

Gator Glide™ Bracket 37, 92
Gator Skin™ 94
Gator Tools™ 28, 90-96
Gauge Rake 82-83
Gauge Rake Pro™ 82-83
Gauging Trowel 113, 133, 137
General Construction Tools 101-110
Gifts 135
Gizmo Snap-On Trowel 178
Glitter 162
Glitter Gun 162
Gloves (Latex) 107
Go Devils 154
Gold Standard™ Placer 26
Gold Standard™ Tools 26, 33
Grinding Stone 46
Groovers
  Adjustable 63, 65, 75
  Airplane 65
  All-Steel 52
  Aluminum 65, 75, 112
  Bits 38, 50, 65
  Bronze 38, 50, 53-56, 63, 65
  Deco 74
  Elite Series™ 56-58
  Edgers 62-63, 67, 74
  Hand 52-58, 60-61, 63-64, 66-67, 74-75, 77, 112
  Hi-Craft® 112
  Iron 56
  KO-20™ Material 21
  Magnesium 50, 65
  Orange Thunder® 21
  Rocker 55
  Safety 66-67
  Stainless Steel 57-58, 60-67, 74-75
  Step-Saver® 77
  Straight Arrow 75
  Ultra Hard 56
  Universal 60, 112
  Walking 21, 50, 52, 55, 60-67, 75
  Western 62
  Western Style 60, 62, 65, 66,
  Wheelchair 66
Grout Bag 144, 176
Grout Floats 111, 181
Grout Saw 181
Gun & Hopper 115, 163

Gunite Shoes 83, 85
Gunite Smoother Rod 86
Gunite Tools 83, 85-86

H

Hammer Loops 108
Hammers
  Brick 132, 148-149
  Bush 149
  Carbide-Tipped 132, 148, 176
  Chipping 148
  Dead Blow 105, 149
  Drilling 105, 149
  Drywall 105, 114, 173
  Estwing® 105, 149
  Framing 105
  General Purpose 105
  Hi-Craft® 114, 173
  Magnetic 152
  Mash 105, 149
  Mason's 149
  Scaling 105, 149
  Sledge 105, 149
  Stone 148-149
  Tile 132, 176
Handles
  3-Piece 80, 83, 145
  Adapters 32, 35-36, 38, 80, 172
  Adapter Plates 52
  Aluminum 32-34, 80, 83, 94, 97
  Anodized 32-34, 80, 83, 145
  Bull Float 32-34, 94
  Broom 80, 101, 104, 145, 162, 172
  Clevis 55, 64
    Narrow 72, 99
  Extension 80, 104, 172
  Fiberglass® 32, 34, 80, 104
  Float 12, 93, 157
  Jam 80, 98, 104, 145
  Magnesium 34, 97
  Pole Sander 115, 172
  Powder Coated 32-33, 94
  Replacement 12, 51, 87, 93, 97, 135, 137, 149, 153, 157, 174
  Steel 80, 98, 101, 104
  Telescoping 80, 104, 172
  Trowel
    Brick 135, 137
    Concrete 12
  Wood 80, 87, 97-99, 101, 104, 145, 172
Hand Tracer 148
Hats 189
Hawks 153
Hi-Craft® Tools 83, 85, 111-115, 161, 166, 173
Hickey See Rebar Bender
Hoes
  Asphalt Crack 98
  Easy Mixer Concrete 24
  Mortar 147
Hoppers 163
Hubbard Jointers 138
Hubbard Sled Runners 138

J

Jiffy Mixer 85, 167, 183
Jiffler Mixer 167
Jitterbug Tamper 51
Joint Knives 114, 168-169, 173
Joint Rakers 138, 139
Joint Touch-Up Roller 74
Jointers 134, 138-139
  Barbell 138
  Beader 139
  Brick 134, 138-139
  Bullhorn 134, 139
  Concave 134, 138-139
  Convex 134, 139
  Deco "V" 75
  Grapevine 134, 139
  Hubbard 138
  Plexiglass 139
  Raker 138, 139
  "S" 139
  Slicker 134, 139
  "V" 134, 138-139
  Variable Convex 139
  W. Rose™ 134
Junior Mud Mixer 85, 98, 167

K

Keyhole Screed 30
Knee Pads 88-89, 109, 174, 183
Kneeboards 89
Knives
  Broad 168
  Carpet 174
  Drywall 114, 168-169
  Hammer-End 114, 168
  Joint 114, 168-169, 173
  Knock Down 162
  Plastic 114, 173
  Putty 114, 165, 168-169, 173
  Replacement Blades 172, 174
  Scraper 165, 169
  Scratcher 156
  Stainless Steel 168-169
  Taping 114, 168-169, 173
  Utility 173, 174
  Vinyl 111
  Wipe Down 170
Knock Down Knife 162
Knucklehead® II Bracket 37
KO-20™ Material 20-21, 43-45, 48, 89
Kumalong® 27

L

Laminated Float 15, 19, 42
Landscaping Tools 97, 100, 102-103
Leather Items 88, 108-109, 136, 164
LED Level 116
Leveler See Gauge Rake
Levels 100, 116-122, 132, 142
  Aluminum Box 116, 120
  Aluminum, Cast 117
  Aluminum, Extruded 116-117, 120-121
  Asphalt 100, 119
  Billet Level 122
  Box 116, 120
  Bull's Eye 122
  Cases 116
  Cross Check 122
  Digital 116
  I-Beam Levels 117-121
  LED 116
  Line 122, 142
  Magnetic 116-117, 121-122
  Mahogany 118-119
  Pipe 122
  Plumber's 117
  Repair Kit 117-118

Surface 122, 142
Torpedo 122
Walnut/Maple 118, 132
Lid Claw 151, 183
Lifters 164
Line 135, 140-141
Line Blocks 142, 151
Aluminum Corner 142
Plastic 142
Wood 142, 151
Line Level 106, 122, 142
Line Pins 135, 142, 151
Line Stretchers 142
Line Twigs 142, 151
Liquid Release 76
"Little John" Pry Bar 25
Long Handle Taping Knives 168
Lutes 97

M

MAG-150™ Float 14, 18
Magnesium Handle 34, 97
Mallet, Rubber 165, 184
Margin Trowels 113, 133, 136, 178
Masonry Barbell Jointer® 138
Masonry Brushes 144-145
Masonry Guides 143
Masonry Tools 113, 127-151, 187, 189
Mason's Line 135, 140-141
Mason's Rule 150
Mason's Tape 150
Measuring Pitcher 83
Measuring Tapes 107
Mega Mover™ Concrete Placer 26
Meter Stick 124
Midget Trowel 5, 10, 178
Mini Gator Glide™ Bracket 92
Mini Lifter 164
Mini Mag Float 15
Mini Orbit-er™ Bracket 36
Mini Pool Trowel 10
Miter Snips 152, 182
Miter Rod 160
Mixers 83, 85, 167, 183
Modular Rule 150
Mortar Boards 147
Mortar Boxes 146
Mortar Hoe 147
Mortar Pans 147
Mortar Stands 147
Mosaic Cutters/Nippers 177
Mud Dobber 146
Mud Holder 171
Mud Masher 172
Mud Mixers 85, 167
Mud Pan 114, 171, 173
Mud Pan Holder 171
Multi-Trac Groover 50
Multi-Twist™ Bracket 36, 38
Multi-Undercut Saw 184

N

Nail Bag 108
Nail Drivers 152
Name Stamp 54
Neptune Line 141
New Products 16, 22, 28, 48, 54, 73, 107, 110, 140-141, 147, 188
Nippers 111, 177
Notch Trowel 178-179
Economy 111
Nylon Line 135, 140-141

O

Opti-FLEX™ 6, 155
Orange Thunder® w/KO-20™ Technology 20-21, 43-45, 48, 89
Orbit-er™ Bracket 37
Original Screed Bracket™ 29
Ornamental Tools 159
Oval Mixer 83, 85

P

Pail 82, 110, 144, 183
Paint Mixer 85, 167, 183
Patch Gun 162
Patch Pan 171
Paver's Straightedge 30-31, 96
Personalized Items 54, 151
Pipe Level 122
Phenolic Roller 84
Placers 26-27, 94, 97
Plaster Tools 5-6, 11, 152-160, 187
Darbies 158-159
Floats 157
Hawks 153
Trowels 5-6, 11, 153-155
Plexi-Plastic Trowels 11
Pliers 24
Plugging Chisel 148
Plumb Bobs 123
Pointing Trowels 113, 133, 136
Pole Sander 115, 172
Pool Trowel 3, 8-10, 112
Post Driver 103
Pour Pot 98
Power Troweler Blades 46-48
ProForm® Float Pans 49
ProForm® Handles 12, 135
ProForm® Gold Troweler Blades 48
ProForm® Texture Gun & Hopper 163
ProForm® Ultra Blue Troweler Blades 48
Promotional Items 135, 151, 189
Protectant, Tool 94
Pry Bars 25
Putty Knives 114, 165,168-169, 173

Q

Quick Change Bracket 56
Quick Clasp Float Case™ 91

R

Radius Bender 86
Rapid Square® 123
Rakes 27, 82, 97, 100
Rasps 161, 164
Rebar Bender 25
Rebar Cutter/Bender 25
Rebar Lifter 25
Right Angle Placer™ 26
Right Angle Scraper 101
Rocker Head Pry Bar 25
Rod/Coping Saw 174
Roller Tray 85, 162
Rollers
Carpet Seam 174
Corner 165
Double 51
Frame 84, 162
Joint Touch-up 74
Nap Covers 84
Safety 51
Salt 74
Single 51
Spiked 84
Tamp 51
Texture 162
Vinyl 184
Rolling Knee Pads 183
Rope 107
Round It Tool 170
Rub Brick 87, 180
Rubbing Stone 180
Rules 124, 150

S

Safety Rod Style Float Pans 49
Salt Roller 74
Sand Cast Mag Float 18
Sanders 114-115, 172-173
Sanding Rasp 161
Sanding Sponge 114, 173
Sandpaper 115, 172
Sands Level & Tool Co.® 100, 106, 116-126, 132, 142, 153, 166
Adjustable T-Square 125, 166
Aluminum Box Level 116, 120
Aluminum Level, Extruded 116-117, 120-121
Asphalt Level 100, 119
Carpenter Squares 126
Carpenter Pencils 106, 123
Cast Aluminum Level 117
Combination Squares 123
Digital 116
Drywall Squares 124-125, 166
Float, Redwood 123
Hawks 153
I-Beam Levels 117-121
LED Level 116
Level Case 116
Levels 100, 116-122, 132, 142
Line Blocks 142, 151
Magnetic 116-117, 121-122
Mahogany Level 118-119
Meter Stick 124
Pipe Level 122
Plumb Bob 123
Plumber's Level 117
Repair Kit 117-118
Rules 124
Square 123-126, 166
Stair Gauge 126
Straightedge 124
Torpedo Level 122
Try & Mitre 123
Walnut/Maple Level 118, 132
Yard Stick 124
Sandscreen 115, 172
Saws 173-174, 181, 184
Coping 174
Door Jamb 184
Drywall 173
Electric 184
Grout 111, 181
Multi-Undercut 184
Replacement Blade 174, 181, 184
Rod 174
Tile Hole 174
Scarifier 156
Scoops 103, 151, 168
Scoring/Cutting Tool 174
Scoring Wheels 174, 177
Scouring Pads/Holder 180
Scrapers 101, 103, 145, 156, 162, 165, 169,182
Scratcher Knife 156
Screeds
Aluminum 28, 95, 182
Aussi Combo 23
Bracket 29
Buckaroo 31, 76
BuckEye™ 31
Diamond XX™ 28-29, 95-96
GatorLoy™ 28, 95-96
Handles 28
L-Shape 182
Magnesium 23, 29-30, 182
Sets 182
Striker™ Screed 28
Vibrating 28
Scribe 176
Seam Roller
Carpet 174
Vinyl 184
Self-Leveling Kit 83
Self-Leveling Pins 82, 83
Shaping Tools 159
Shears 152
Shirts 189
Polo 189
T-Shirt 189
Shoes
Asphalt 100
Gunite 83, 85
Shotcrete Tools See Gunite Tools
Shot Glass Holder 135
Shovels 102-103
Silo Trowel 11
Silverback™ Pro Series Shovels 102-103
Sled Runner 134, 138
Sledge Hammer 105, 149
Slickers 134, 139,159
Sliders 89
Smoother 81, 83, 86
Blue Steel 81, 86
Stainless Steel 81, 83
Snips 152, 182
Soffit Square 124, 166
Spacing Rule 150
Spade 102
Spiffy Mixer 167
Spiked Rollers 84
Spiked Shoes 83, 85
Sponges
Cellulose 180
Grout 180
Rubber 180
Sanding 114
Scrubber 180
Turtle Back 180
Sprayer 75, 115, 163
Spray Shield 162
Spreaders 26-27, 94
Squares 123-126, 166
Squeegees
Asphalt 99, 104
Crack 99
Curved 101
Floor 81, 101
Notch 81
Sealcoating 99, 104
Trowel 81, 83
Stair Gauge 126
Stair Tool 174
Stamps
Bronze 54
Concrete Name 54
Utility 76
Step-Saver® 77
Step Tools
Blue Steel 59, 71-73

Hand 58-59, 69, 71-74
Plastic 74
Stainless Steel 58, 69
Step-Saver® Tools 76
Walking 72-73
Stone Chipper 148
Stone Pitching Tool 148
Stone Splitting Wedge 148
Stone Tracer 148
Straight Arrow Groover 75
Straightedges 23, 30-31, 95-96, 124, 182
Striker™ Screed 28
Stripper Machine 184
Stucco Brush 156
Sunset Line & Twine® 141
Super-Pro® Gun & Hopper 163
Superior Tile Cutter® Tools 174-185
Sword Trowels 4, 7, 113

T

Tampers 51, 87, 98
Tape Measures 107
Tapers 115, 166
Taping Knives
Blue Steel 114,168-169, 173
Stainless Steel 168-169
Tapping Block 184
Texture Broom 77, 160
Texture Compressor 163
Texture Guns 115, 163
Texture Rollers 162
ThinLine Pro Mag Float 14, 18
Tie Wire Reel 24
Tie Wire Twister 24
Tile Cutters 175, 184
Replacement Parts 174
Vinyl Tile 184
Tile Float 181
Tile Hole Saw 174
Tile Installation Kit 178
Tile Markers 176
Tile Nippers 111, 177
Tile Setter's Rub Brick 180
Tile Spacers 111, 176
Tile Tools 111, 174-183, 185
Tine Broom 77
Tool Bags 44-45, 91, 109
Tool Belts 109
Tool Displays 103, 140, 186-187
Hooks & Accessories 126, 188
Tool Pouches 108, 164
Torpedo Level 122
Tri Level Placer 27
Triangle Blade Mixer 85, 183
Troweler Blades 46-48
Trowels
Asphalt 111
Barrier 50
Bracket 12
Brick
Limber 131
Narrow London 128, 131, 137
Narrow Pattern 113
Philadelphia 130, 131, 137
Wide London 129, 131, 137
Wide Pattern 113
Bucket 133, 137, 151, 183
Burn 10
Buttering 113, 133, 137
Cali Gold™ Plaster Trowel 154
Caulking 113, 136
Ceremonial 135
Chrome (No Burn) 8
Coke See Duck Bill
Concrete 3-12
Blue Steel 3-5, 8-10, 12
Carbon Steel 3-5, 7-10
Golden Stainless Steel 4-5, 9-10
Stainless Steel 5-6
Swedish Stainless Steel 9-10
Corner Tool 58, 69, 114, 160
Cross Joint 113, 137
Drywall 169
Duck Bill 137
EIFS Notch 161
EIFS Plastic 161
Elite Series™ Five Star 3-6, 153, 155
Exterior Finish 161
Finishing 3-12
Flat 3-12
Flexible Radius 8
Funny 12
Gauging 113, 133, 137
Gizmo Snap-On 178
Gunite 86
Hi-Craft® 111-113
Margin 113, 133, 136, 178
Midget 5, 10, 178
Mini Pool 10
Mud 133
Notch 111, 178-179
Opti-FLEX™ 6, 155
Pipe 10
Plaster 5, 10-11, 154-155
Carbon Steel 5, 11, 154-155
Golden Stainless Steel 5, 11, 154-155
Stainless Steel 5-6, 11, 153-155
Swedish Stainless Steel 11, 154
Plexi-Plastic 11
Pointing 113, 133, 136, 152
Leather Pouch 136
Pool
Blue Steel 3, 8-9
Carbon Steel 3, 9-10, 112
Chrome 8
Golden Stainless Steel 9
Mini 10
Swedish Stainless Steel 9
Pumpkin Seed 133
Replace Handle 12, 81, 135, 137
Rounded Detail 152
Round Front/Square Back 3, 8
Sewer 133
Scratcher 156
Sharpener 8
Silo 11
Squeegee 81, 83
Sword 4, 7, 113
Thin Coat Angle 160
Tile 113, 133
Tuck Pointing 113, 136
Venetian 5, 11, 153
Wide Heel 132
XtremeFLEX™ 6, 155
Try & Mitre 123
T-Square 125, 166
Tub 147

U

Undercut Door Jamb Saw 184
Unomixer 85, 167, 183
Utility Knife 173, 174
Ultra-Twist™ Bracket 92

V

Venetian Trowel 5, 11, 153
Vinyl Flooring Tools 111, 184
Tile Cutter 184

W

Walking Tape 107
Wall Capping Tool 70
Wall Scraper 162, 182
Water Brush 145
Weigh-Lite® Broom 76, 79
Whiskey Stick 23
Wipe Down Knives 170
Wire Brush 144-145
Wood Flooring Tools 184
Wood Handles 12, 26-27, 55, 64, 72, 79, 80, 87, 97-99, 101, 104 ,135, 137, 145, 149, 157, 172
Work Belts 109
W. Rose™ Masonry Tools 127-135, 141, 176, 185, 189

X

XtremeFLEX™ 6, 155

Y

Yard Sticks 124

Z

Z-Clip Style Float Pans 49

***PRODUCTS OF FOREIGN ORIGIN** are noted with an asterisk **(*)** in the product description and could also be assembled in the USA with foreign parts. Kraft Tool Co.® will bring to you the best quality possible in order to offer a wide variety of professional hand tools.

WARNING

Some products within this catalog contain chemicals known in the State of California to cause cancer, birth defects, or other reproductive harm. For a list of these products, please write to our Prop 65 Department at Kraft Tool Co.®, c/o Prop 65 Department P.O. Box 860230, Shawnee Mission, KS 66286-0230. Or contact us via email at Prop65@KraftTool.com

Registered Trademarks of Kraft Tool Co.®

Kraft Tool Co.®, EZY-Tilt®, EZY-Tilt® II, Hi-Craft®, Knucklehead®, Knucklehead® II, Kumalong®, Masonry Barbell Jointer®, Orange Thunder®, ProForm®, Rapid Square®, Roto-Vial®, Sands Level & Tool Co.®, Inc., Sands Levels Tell the Truth®, Solid Set Vials®, Step-Saver®, Super-Pro®, Superior Tile Cutter® Inc., The Big Tipper™, Buckaroo™ Straightedge, Buckeye™ Straightedge, Cali Gold™ Plaster Trowels, Cardinal™ Placer, Diamond XX™ Screeds, Elite Series Five Star Trowel™, Elite Series™ Tools, EZ-Bend Screed Handles™, EZ-Kneeler™, EZ-Shooter™, EZY-Tote Tool Carrier™, Fat Cat Mag Float™, Flipper Tilt Bracket™, Gator Glide™, Gator Skin™, Gator Tools™, Gator Tools™ Ultra Brace™ Out Riggers, Gator Tools™ Ultra-Twist™ Bracket, GatorLoy™, Gauge Rake Pro™, Gold Standard™, KO-20™, Mag-150™, Mega Mover Concrete Placer™, Mini Orbit-er™, Multi-Twist™, Opti-FLEX™ Trowels, Orbit-er™, Quick Clasp Float Case™, Right Angle Placer™, Self-Leveling Kit Pro™Silverback™ Professional Series, Striker™ Screed, W.Rose™, XtremeFLEX™ Trowels

Registered Patents of Kraft Tool Co.®

ProForm® Trowel Handle, US Patent #6,247,204 B1, Elite Series Wood Handle #D584,126, Knucklehead™ II, Bull Float Bracket, US Patent #4,335,485, ProForm® Float Handle, US Patent #6,473,939 B1, and US Patent #6,821,468 B2, W.Rose™ ProForm® Trowel Handle #D508,638, W.Rose™ Cork Trowel Handle #D874,242, Super-Pro® Gun Cylinder, US Patent #5,415,351, Step-Saver® Tools US Patent #D-333,600 & US Patent #5,098,278, Squeegee Trowel Handle US Patent #D614,471S, Cork Float Handle US Patent #D842,678, Cork Trowel Handle US Des. Patent #D853,821 S, Cork Edger/Groover Handle US Patent #D854,395 S, Gator Glide™ Bracket US Patent #6,827,523 B2, Gator Carrying Case US Patent #6,709,196 B1 and #6,863,471 B2, Diamond XX™ Screed US Patent #10,352,005 B1

LIMITED WARRANTY

Kraft Tool Co.® warrants that its products are free from defects in materials and workmanship under normal conditions of use and service, wearing parts excluded. The exclusive remedy for a breach of the foregoing limited warranty is for the replacement or repair or refund of the purchase price paid for such product, at the option of Kraft Tool Co.® No goods shall be returned to Kraft Tool Co.® for repair or replacement without prior written approval. Kraft Tool Co.® shall not be responsible for damage to the goods that might occur in transit to or from Kraft Tool Co.®, whether or not the return is authorized. THE WARRANTIES SET FORTH HEREIN ARE IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL KRAFT TOOL CO.® BE LIABLE FOR LOSS OF PROFIT OR INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES OF ANY KIND IN CONNECTION WITH THE MANUFACTURE, SALE, DELIVERY OR USE OF ANY PRODUCT.

TOOL MEASUREMENT AIDES

How to Measure A Groover



How to Measure An Edger or Outside Step or Curb Tool



How to Measure Inside Step and Gutter Tools





Common Radius Measurements



Groovers, Edgers, Step, and Curb Tools use the same measurements for walking or hand options.

Our History

Ron Meyer and Si Kraft established Kraft Tool Co.® in 1981, and forty-five years later, we proudly continue to uphold the tradition of excellence that defines our brand. Our commitment to high manufacturing standards ensures that every tool embodies the "Hand Krafted" skill and precision our customers have come to trust. Our goal is simple: maintain high manufacturing standards, deliver outstanding service, and innovate for the future.

Crafted with the Professional Craftsman in mind, Kraft Tool's extensive lineup of tools is designed for those who demand the best—whether they're tackling concrete, bricklaying, asphalt paving, tile setting, plastering, or drywalling.

The Gator Tools™ brand originated in the upper Midwest with the aim of creating top-notch concrete tools. Each product is crafted from GatorLoy™, a unique aluminum alloy, providing a distinct material option for users based on their preferences. In the spring of 2018, Kraft Tool acquired Gator Tools™, reinforcing our dedication to producing tools that meet the high standards and needs of our customers. Gator Tools™ features a diverse range of premium products, such as the Diamond XX™ Screeds, Gator Tools™ Quick Clasp™ Float Kits, Gator Skin™, and more.

For over 200 years, W. Rose™ has been known for its highest-quality masonry tools. Founded by William Rose in 1798 in Blockley Township, Pennsylvania, near Philadelphia, the company started as a blacksmith shop that primarily crafted cavalry sabers and officer swords for the U.S. Army in the early 1800s. By 1864, W. Rose shifted its focus to producing high-quality edged tools, knives, and their renowned brick trowels. In 2001, Kraft Tool acquired this esteemed brand and has remained committed to upholding the exceptional quality and craftsmanship that W. Rose is celebrated for. Rose Tools Endure.

Julius Sands, a skilled bricklayer, created the innovative "solid set" vials. In 1895, he established J. Sands & Sons in Detroit, Michigan. The company pioneered the lightweight aluminum level, which has become an essential tool for tradespeople globally, ultimately growing into one of the world's largest manufacturers of levels. In 2005, Kraft Tool acquired Sands Level & Tool Co.® and continues to produce levels, squares, and rules right here in the USA. For over 130 years, the motto remains true: "Sands Levels Tell the Truth."

Since 1930, Superior Tile Cutter®, Inc. has established itself as a leader in the industry, known for its high-quality tile cutters, chisels, and scribes. Committed to durability, Superior creates tools that serve professional tile setters throughout their careers. After being acquired by Kraft Tool in 2003, the brand has continued to maintain the high standards that professionals worldwide trust. Nearly a century later, the product range includes a selection for all flooring needs, including tile, carpet, wood, and vinyl.

Gator Tools™, W. Rose™, Sands Level & Tool Co.®, Inc, and Superior Tile Cutter ®, Inc. are Kraft Tool Co.® Brands

www.KraftTool.com

KRAFT TOOL CO.®

KRAFT TOOL CO.® SIGNATURE BRANDS

SINCE 1798 W. ROSE™ TOOLS ENDURE

GATOR TOOLS™

SANDS® SINCE 1895 THE FIRST NAME IN LEVELS MADE IN USA

Since 1930 SUPERIOR Tile Cutter®, Inc. & Tools

Kraft Tool Co.®

8325 Hedge Lane Terrace
Shawnee, KS 66227 USA

Phone: 800-422-2448 | 913-422-4848
Fax: 800-985-7238 | 913-422-1018

Email: SalesOrders@KraftTool.com

KraftTool.com