




>

>

-
-
-

> ⚠️

>

`https://code.visualstudio.com/`

- ☑
- ☑

>

`Japanese Language Pack`

>

-
-


>

>

>

https://git-scm.com/download/win

> ⚠️



`https://www.python.org/downloads/`

⚠️ `python`

⚠️ `python`

> [!NOTE]
>
>


`https://nodejs.org/`


> [!NOTE]
>
>


> [!WARNING]
> ⚠️
>


> [!NOTE]
>














`https://www.postgresql.org/download/windows/`


-
-
-
- ⚠️


- 5432
-

>




-
-
-
-
















-

-



==

-

```

```

⚠️ `pip`

```

```

⚠️ `psycopg2`

```

```

```

```

.env




-
-
-

-
-
-

`Ctrl + S`

> ⚠️ `.env`

> ⚠️ `DEBUG` `True` `False` `False`



-
-
-
  .env
-
-
-
-
  .env
-
-
-
-





>

> DB_NAME .env



-
- DB_NAME=hozen_kosu
- DB_USER=postgres
-
- DB_HOST=localhost
-

> ⚠️

.env DB_NAME



-
-
-







> ⚠️ `database "hozen_kosu" already exists`

>

>

```

```

-

-

>

> `OK`

> ⚠️
>
> -
> -
> -

`      `

>


>




>









`http://localhost:8000/admin/`






> ⚠️ Error: That port is already in use.





⚠️



⚠️ `frontend/`





> ⚠️ `npm warn deprecated ...`



-
-

>

> `http://localhost:8000`

`frontend/.env`



⚠️ `.env` `npm start`

`.env` `.env.development` `.env.production`

-
-
-

⚠️

⚠️





⚠️ `npm run build`

> `REACT_APP_API_BASE_URL`







>



> ⚠️ frontend/

-
- `git clone`
- `python -m venv venv` `Activate.ps1` `(venv)` `pip install -r requirements.txt`
- `.env` `settings.py`
- `migrate` `createsuperuser`
- `runserver` `qcluster` `npm install` `npm start`
- `npm run build`
- `(venv)` `.env`