# Bet History.


Changelog
1. Introduction
2. Non-functional requirements
3. Functional requirements
    Request sample
    Request (filters)
    Response sample
    Response


#### Changelog

#### 1. Introduction

This page has been created to describe functional and non-functional requirements to the Bet History method.

#### 2. Non-functional requirements

1. begin_date - end_date: the data set should be for a period of time not more than 10 minutes.
2. Max number of rounds within one page - 500.
3. [!] transactions in not final statuses can be out of the report, as a final processing can be much later as a GetBetHistory call was requested. For example, transaction can be “in pending”(day1) and in a day provider sends a refund for it(day2) → 3rd party can receive this transaction on day2 only.
4. 2 months and later transactions cannot be provided. They are available throughout reports via BO(superset).

#### 3. Functional requirements

`POST` `https://<aggregator-domain>/api/v1/b2b/reports/bet-history`

**Header:**

- Content-Type: application/json
- Accept: application/json
- b2b-client-id: Unique identifier of B2B company in aggregator system (uuid)
- Authorization: Bearer <token>

##### Request sample

```
{
  "begin_date": "2017-04-10T00:00:00.000Z",
  "end_date": "2017-04-20T11:00:00.000Z",
  "page_index": 1,
  "game_id": "9f634afc-a5ef-4891-9dab-b780a9bc6afd",
  "b2c_id": "a001mskyezdemo",
  "vendor_id": "109393-393893023-32132"
}
```

##### Request (filters)

| Parameter | Restriction | Mandatory | Description |
|---|---|---|---|
| begin_date | string(15) | + | Report from date in UTC+8 |

| | | | |
|---|---|---|---|
| end_date | string(15) | + | Report end date in UTC+8 |
| page_index | integer | + | Page number |
| game_id | string | - | Game ID |
| b2c_id | string(50) | - | Player ID |
| vendor_id | string(50) | + | Vendor ID |

**Response sample**

```
{
  "result_count": 4,
  "page_count": 1,
  "rounds":[ //rounds array, where every object includes one round data
    {
    "b2c_id": "a001mskyezdemo",
    "round_id": "8f3d22d6-591f-11ed-9b6a-0242ac120002_9483deb9d30c46de8
    "status": "Completed",
    "bet_status": "Active"
    "game_id": "9f634afc-a5ef-4891-9dab-b780a9bc6afd",
    "game_title": "RoulleteX",
    "category": "Poker",
    "round_completion": "2022-03-04T12:38:59.100",
    "currency": "EUR",
    "total_bet": 10,
    "payout": 5,
    "bet_ip": "158.160.117.126",
    "channel": "mobile",
    "bet_info":[
      {
        "transaction_id": "25850afd70013d9",
        "transaction_type": 0,
        "transaction_time": "2022-03-04T12:34:56.100",
        "bet_amount": 5,
        "balance": 100 // balance before transaction
      },
      {
        "transaction_id": "25850afd70013d9",
        "transaction_type": 1,
        "transaction_time": "2022-03-04T12:38:59.100",
        "bet_amount": 10,
        "balance": 95 // balance before transaction
      }, ...
    }
  ]
}
```

**Response**

| Parameter | Restriction | Mandatory | Description |
|---|---|---|---|
| result_count | integer | + | Total record(rounds) count<br>Count all rounds found for the specified date range. |
| page_count | integer | + | Total page count |

| | | | |
|---|---|---|---|
| | | | page_count = result_count/500 (round up). |
| rounds | array[objects] | + | Rounds array |
| rounds.b2c_id | string(50) | + | Player ID |
| rounds.round_id | string | + | Round ID |
| rounds.status | string | + | Round status.<br>• Completed.<br>• Not closed. |
| rounds.bet_status<br>14515 | string | + | Bet status.<br>• Active - at least one win(if refunds exist) **OR** no refunds(if winnings do not exist).<br>• Inactive - refunds only. |
| rounds.game_id | string | + | Game ID |
| rounds.game_title | string | + | Game Name |
| rounds.category | string | + | Game category. For example, “Poker”. |
| rounds.round_completion | string | + | Round completion date |
| rounds.currency | string(3) | + | Currency |
| rounds.total_bet | Decimal(18,6) | + | Total bet amount.<br>total_bet = (bet1+bet2+...) |
| rounds.payout | Decimal(18,6) | + | Payout amount.<br>payout = (win1+win2+...) + (refund1+refund2+...)<br>14515 |
| rounds.bet_ip | string | + | User IP address |
| rounds.channel | string | + | mobile/web |
| rounds.bet_info | array[objects] | + | BetInfo(transactions) array |

| | | | |
|---|---|---|---|
| rounds.bet_info.transaction_id | string | + | transaction id |
| rounds.bet_info.transaction_type | integer | + | Transaction type<br>• 0 ← `bet` txn<br>• 1 ← *type* = `win` txn<br>• 2 ← *type* = `refund` txn |
| rounds.bet_info.transaction_time | string | + | transaction created at date |
| rounds.bet_info.bet_amount | Decimal(18,6) | + | Transaction Amount |
| rounds.bet_info.balance | Decimal(18,6) | + | User balance BEFORE special transaction |