

Coconut Vault

App Review Security Guide

Explanation of Bluetooth Permission and Network Security Restrictions

Preventing use of the app while network connectivity or Bluetooth is active is an intentional security control, not an application bug.

Executive Summary

Coconut Vault is an offline Bitcoin signing application designed to keep sensitive cryptographic key material isolated from network-connected environments. The product's security model therefore requires network connectivity and Bluetooth to be disabled while the Vault is in use.

If network connectivity or Bluetooth is detected, Coconut Vault intentionally prevents access to wallet and signing functions. If connectivity is detected while the app is running, the user must disable connectivity, fully close the app, and relaunch it before the Vault can be used again.

OFFLINE CONDITION

Network OFF + Bluetooth OFF -> Vault operation permitted

CONNECTED CONDITION

Network ON or Bluetooth ON -> Vault access intentionally blocked

1. Why Coconut Vault Requires an Offline Environment

Coconut Vault stores and uses sensitive cryptographic key material for Bitcoin transaction signing. It is designed to operate as an offline signer, so network access and Bluetooth are not required for the signing workflow.

For this reason, Coconut Vault checks whether network connectivity or Bluetooth is active and prevents use of the Vault when an online environment is detected.

Coconut Vault is intended to be used only after network connectivity and Bluetooth have been disabled.

Security session model

1. App launch	Coconut Vault checks the network and Bluetooth environment.
2. Offline environment	If network connectivity and Bluetooth are disabled, the app can be used normally.
3. Online environment detected	If network connectivity or Bluetooth is detected, use of the app is stopped.
4. Return to offline	The user disables network connectivity and Bluetooth.
5. Restart required	The user fully closes Coconut Vault and relaunches it. The app can then be used after the offline condition is confirmed.

The restart requirement is a simple and deliberate part of the app's security flow. After an online environment has been detected, Coconut Vault does not resume operation within the same app session. The user first returns the device to an offline state and then fully closes and relaunches the app.

2. Why Coconut Vault Requests Bluetooth Permission

Coconut Vault does not request Bluetooth permission in order to connect to Bluetooth devices.

On iOS and iPadOS, Coconut Vault requests Bluetooth permission only because the permission is required for the app to monitor the device's Bluetooth state. This allows the app to determine whether Bluetooth is enabled or disabled as part of its offline security check.

The Bluetooth permission is used to check Bluetooth status, not to establish Bluetooth communication.

Why users expect this offline requirement

Coconut Vault is downloaded and used specifically as a Bitcoin signing application. Users of dedicated Bitcoin signers generally understand the importance of keeping private-key and signing operations offline and intentionally use the app in an offline environment.

For these users, disabling network connectivity and Bluetooth before using the signer is not an unexpected limitation; it is part of the security model they expect from an offline Bitcoin signing tool. Coconut Vault makes this requirement explicit so that signing operations are performed only under the intended offline conditions.

3. Instructions for App Review

Please use the following sequence before testing Coconut Vault. These steps establish the offline operating conditions required by the app.

1. Disable Wi-Fi.
2. Disable cellular network connectivity, if applicable.
3. Disable Bluetooth.
4. If Coconut Vault is already running, fully close the app.
5. Relaunch Coconut Vault.

Once these conditions are met, the reviewer can proceed with the app normally.

Important note for reviewers

If Coconut Vault is launched while network connectivity or Bluetooth is active, the app will intentionally prevent further use until the device is returned to an offline state and the app is fully closed and relaunched. This is expected behavior and is part of the application's security design.

Thank you for reviewing Coconut Vault.

We hope this guide clarifies why the network and Bluetooth restrictions are intentional security controls rather than application bugs.