



ANNEX A

Daily Routine Inspection Checklist

Form: PGIA-PMM-F01

Completed by CFR twice daily (05:30am and post-operations). Submitted to OM.

Date:	
Time of Inspection:	
CFR Personnel (Name / Rank):	
Vehicle No.:	
Type of Inspection:	Morning 05:30 ☐ post-operations ☐
Weather / Visibility:	
Runway in Use:	07 ☐ 25 ☐
Time NOTAM Issued (RFF Reduction):	
Time NOTAM Cancelled:	

SECTION 1 — RUNWAY 07/25 (ASPHALT SURFACE)	SAT	NO SAT	Remarks / Location
RW-01 Surface free of potholes (any bowl-shaped hole in pavement surface)	☐	☐	
RW-02 No loose asphalt or aggregate pieces constituting FOD on runway surface	☐	☐	
RW-03 No alligator/fatigue cracking with loose material	☐	☐	
RW-04 No transverse or longitudinal cracks wider than approximately 25 mm (1 inch)	☐	☐	
RW-05 No rutting or wheel-path depressions visible on runway surface	☐	☐	
RW-06 No shoving, rippling, or permanent deformation of asphalt surface	☐	☐	
RW-07 No depressions collecting standing water on runway surface	☐	☐	
RW-08 No oil, fuel, hydraulic fluid, or other liquid spills on runway surface	☐	☐	
RW-09 Surface free of all FOD (stones, debris, hardware, wildlife remains, etc.)	☐	☐	
RW-10 Runway centerline marking visible and white, continuous full length	☐	☐	
RW-11 Runway threshold markings all bars present and visible at Threshold 07	☐	☐	
RW-12 Runway threshold markings all bars present and visible at Threshold 25	☐	☐	



RW-13 Runway designation '07' legible at Threshold 07 end	☐	☐	
RW-14 Runway designation '25' legible at Threshold 25 end	☐	☐	
RW-15 Runway aiming point markings visible at both ends	☐	☐	
RW-16 Runway touchdown zone markings visible at both ends	☐	☐	
RW-17 Holding position markings at Taxiway Alpha / Runway intersection visible, correct pattern	☐	☐	
RW-19 Runway edge lights all visually confirmed as intact (during pre-dawn or night operations)	☐	☐	
RW-20 Runway threshold lights visually intact	☐	☐	
RW-21 No erosion of runway edges creating edge drop-off > 50 mm	☐	☐	
RW-22 Runway drainage gutters (both edges) free of blockage, water flowing	☐	☐	

SECTION 2 — TURN PADS (BOTH RUNWAY ENDS)	SAT	NO SAT	Remarks / Location
TP-01 Turn pad at Threshold 07 end surface free of potholes and loose material	☐	☐	
TP-02 Turn pad at Threshold 07 end no standing water or significant debris	☐	☐	
TP-03 Turn pad at Threshold 25 end surface free of potholes and loose material	☐	☐	
TP-04 Turn pad at Threshold 25 end no standing water or significant debris	☐	☐	
TP-05 Turn pad surrounds adjacent unpaved areas free of objects > 7.5 cm height	☐	☐	

SECTION 3 — TAXIWAY ALPHA (CONCRETE / ASPHALT)	SAT	NO SAT	Remarks / Location
TW-01 Surface free of potholes and loose material throughout full length	☐	☐	
TW-02 No joint spalling producing loose concrete fragments	☐	☐	
TW-03 No cracks or joint openings wider than approximately 25 mm	☐	☐	
TW-04 No differential settlement visible between adjacent concrete slabs	☐	☐	
TW-05 No standing water on taxiway surface or in adjacent drainage channels	☐	☐	
TW-06 No FOD on taxiway surface or shoulders	☐	☐	
TW-07 Taxiway centerline marking yellow, continuous, full length	☐	☐	
TW-08 Taxiway edge markings visible on both edges	☐	☐	
TW-09 No oil or fuel spills on surface	☐	☐	



TW-10 Shoulders (7.5 m each side) intact, no erosion encroaching onto pavement edge	☐	☐	
---	--------------------------	--------------------------	--

SECTION 4 — TAXIWAY BRAVO AND TAXIWAY CHARLIE (CONCRETE)	SAT	NO SAT	Remarks / Location
TW-11 Taxiway Bravo surface free of potholes and loose material	☐	☐	
TW-12 Taxiway Bravo no joint spalling with loose fragments	☐	☐	
TW-13 Taxiway Bravo no standing water on surface	☐	☐	
TW-14 Taxiway Bravo centerline marking visible and continuous	☐	☐	
TW-15 Taxiway Charlie surface free of potholes and loose material	☐	☐	
TW-16 Taxiway Charlie no joint spalling with loose fragments	☐	☐	
TW-17 Taxiway Charlie no standing water on surface	☐	☐	
TW-18 Taxiway Charlie centerline marking visible and continuous	☐	☐	

SECTION 5 — AIRCRAFT PARKING APRON (CONCRETE)	SAT	NO SAT	Remarks / Location
AP-01 No potholes or spalled concrete creating FOD on apron surface	☐	☐	
AP-02 No cracked or lifted slab corners anywhere on apron	☐	☐	
AP-03 No joint spalling with loose concrete pieces	☐	☐	
AP-04 No standing water on apron surface or in drainage channels	☐	☐	
AP-05 No FOD anywhere on apron surface	☐	☐	
AP-06 No fuel, oil, or fluid spills creating surface hazards	☐	☐	
AP-07 Aircraft stand lead-in lines and stand numbers visible and legible	☐	☐	
AP-08 Apron safety lines (equipment exclusion zones) visible	☐	☐	
AP-09 No evidence of concrete slab heaving or unusual differential settlement	☐	☐	
AP-10 Apron drainage channel gratings in place and not displaced	☐	☐	

SECTION 6 — RUNWAY END SAFETY AREAS (RESA)	SAT	NO SAT	Remarks / Location
RE-01 RESA beyond Threshold 07 completely clear of all objects > 7.5 cm height	☐	☐	
RE-02 RESA beyond Threshold 07 ground surface level, no significant depressions or mounds	☐	☐	
RE-03 RESA beyond Threshold 07 no standing water	☐	☐	



RE-04 RESA beyond Threshold 25 completely clear of all objects > 7.5 cm height	☐	☐	
RE-05 RESA beyond Threshold 25 ground surface level, no significant depressions or mounds	☐	☐	
RE-06 RESA beyond Threshold 25 no standing water	☐	☐	

SECTION 7 — RUNWAY STRIP AND SAFETY AREAS (UNPAVED)	SAT	NO SAT	Remarks / Location
RS-01 Runway strip grass areas no objects > 7.5 cm height visible from inspection vehicle	☐	☐	
RS-02 Runway strip no significant flooding or inundated areas adjacent to runway edges	☐	☐	
RS-03 No unauthorized vehicles, equipment, or structures visible in runway strip	☐	☐	
RS-04 No visible wildlife congregation of concern in runway strip or RESA areas	☐	☐	

SECTION 8 — GENERAL MOVEMENT AREA	SAT	NO SAT	Remarks / Location
GM-01 No unauthorized persons on the movement area	☐	☐	
GM-02 No unauthorized vehicles or ground equipment in the movement area	☐	☐	
GM-03 All visible lighting infrastructure (poles, fixtures) physically intact	☐	☐	
GM-04 No grass or vegetation exceeding 38 cm adjacent to any paved surface edges	☐	☐	
GM-05 No material storage or construction debris adjacent to pavement edges	☐	☐	

OVERALL STATUS (mark one):

☐ **NO DEFICIENCIES FOUND — Aerodrome cleared for normal operations**

☐ **DEFICIENCY / DEFICIENCIES FOUND — OM notified. Details below:**

DEFICIENCY DETAILS (for each NO SAT item: Section, Item No., Location, Description, Severity estimate):



FOD REMOVED DURING INSPECTION (description and quantity, if any):

CFR Person Conducting Inspection (Name / Signature) Date: _____	CFR Person Conducting Inspection (Name / Signature) Date: _____	Received by OM (Name / Signature / Time) Date: _____
---	---	--